TABLE 13-1
Standard Designation Colors and Operating Pressures for Gas and Vacuum Systems
[NFPA 99: Table 5.1.11]

	Abbreviated	Colors	Standard
Gas Service	Name	(Background/Text)	Gauge Pressure
Medical air	Med Air	Yellow/black	3.5–3.8bar
Carbon dioxide	CO ₂	Gray/black or gray/white	3.5–3.8bar
Helium	Не	Brown/white	3.5–3.8bar
Nitrogen	N ₂	Black/white	11.0–12.8bar
Nitrous oxide	N ₂ O	Blue/ white	3.5–3.8bar
Oxygen	O ₂	Green/white or white/green	3.5–3.8bar
Oxygen/carbon dioxide mixture	O_2/CO_2 n (n is % of CO_2)	Green/white	3.5–3.8bar
Medical–surgical vacuum	Med Vac	White/black	38cm to 76cm Hg
Waste anesthetic gas disposal	WAGD	Violet/white	Varies with system type
Other mixtures	Gas A%/ Gas B%	Colors as above Major gas for background/ minor gas for text	None
Nonmedical air (level 3 gas-powered device)		Yellow-and-white diagonal stripe/black	None
Nonmedical and Level 3 vacuum		White-and-black diagonal stripe/black boxed	None
Laboratory air		Yellow-and-white checkerboard/black	None
Laboratory vacuum		White-and-black checkerboard/black boxed	None
Instrument air		Red/white	11.0–12.8bar