

- B. Prior to operation of permanent equipment for temporary cooling purposes, the Contractor shall verify that installation is approved for operation, equipment is lubricated and filters are in place. The Contractor shall provide and pay for operation, maintenance, and regular replacement of filters and worn or consumed parts.
- C. The Contractor shall maintain maximum ambient temperature of 26°C in areas where temporary cooling is provided, unless indicated otherwise in specifications.

17.1.6 Temporary Ventilation

- A. The Contractor shall ventilate enclosed areas to assist cure of materials, to dissipate humidity, and to prevent accumulation of dust, fumes, vapours, or gases.
- B. The Contractor shall extend and supplement equipment with temporary fan units, as required, to maintain clean air for construction operations.
- C. The Contractor shall provide temporary filters to adequately filter air being distributed through duct-work to the supply outlets; disposable filters shall be placed in front of all exhaust registers to keep construction dirt out of exhaust duct-work

17.1.7 Telephone Service

- A. The Contractor shall provide, maintain, and pay for telephone service and call charges for field offices and install at time of contract mobilization. All costs shall be borne by the Contractor.

17.1.8 Internet Service

- A. The Contractor shall provide, maintain, and pay for internet service and all charges for field offices and install at time of contract mobilization. All costs shall be borne by the Contractor.

17.1.9 Facsimile Service

- A. The Contractor shall provide, maintain and pay for facsimile service and all call charges for Field Offices and install at time of contract mobilization. All costs shall be borne by the Contractor.

17.1.10 Temporary Water Service

- A. The Contractor shall provide adequate supply of water.