

14.21. Required accessibility provisions for existing buildings

For buildings and facilities built with a permit to build issued before the date of entry into force of the Code the following table applies.

MINIMUM LEVELS OF ACCESSIBILITY FOR EXISTING BUILDINGS												
		Main entrance	Paths	Stairs	Sanitary provisions	Changing room	Furniture	Parking & Drop-off point	Accessible rooms	Tactile map	Reserved seating spaces	Induction loops
Residential												
Hotels & motels	≤ 50 beds	UA/P	UA/P		UA/P				UA			
	> 50 beds	UA*	UA/P	UA/P	UA	UA/P	UA	UA	UA			
Students residences in educational buildings	≤ 50 seats	UA/P	UA/P		UA/P				UA			
	> 50 seats	UA*	UA/P	UA/P	UA/P	UA/P	UA/P	UA	UA			
Labour camps	All	UA*	UA/P	UA/P	UA/P	UA/P	UA/P	UA	UA/P			
Prisons	All	UA*	UA	UA	UA	UA			UA			
Commercial												
Markets	All	UA/P	UA/P	UA/P	UA/P	UA/P	UA/P	UA				
Shops, bank offices, beauty salons and similar	≤ 100 m2	UA/P	UA/P		UA/P							
	100 to 500 m2	UA/P	UA/P		UA/P	UA/P						
	> 500 m2	UA*	UA	UA/P	UA	UA	UA	UA				