

1.2.6 Interior Standing and Running Trim For Transparent Finish

- A. Grade: Premium.
- B. Wood Species: As indicated on drawings.
 - 1. Provide split species on trim that faces areas with different wood species, matching each face of woodwork to species and cut of finish wood surfaces in areas finished.
- C. Back out or groove backs of flat trim members and kerf backs of other wide, flat members, except for members with ends exposed in finished work.
- D. Assemble moldings in plant to maximum extent possible. Miter corners in plant and prepare for field assembly with bolted fittings designed to pull connections together.

1.2.7 Interior Standing and Running Trim for Opaque Finish

- A. Grade: Premium.
- B. Wood Species: Any closed grain hardwood or MDF.
- C. Back out or groove backs of flat trim members and kerf backs of other wide, flat members, with ends exposed in finished work.
- D. Assemble casings in plant except where limitations of access to place of installation require field assembly.
- E. Assemble moldings in plant to maximum extent possible. Miter corners in plant and prepare for field assembly with bolted fittings designed to pull connections together.

1.2.8 Handrail

1.2.8.1 *Materials:*

- 1. Wood:
 - a. All wood shall be clean, sound, of merchantable quality, properly seasoned and free from woolly texture, soft heart, splits, shakes, wavy edges, fungal and insect attack, faults caused by compression failure and any defect or combination of defects, natural or otherwise.
 - b. All wood shall meet high quality stress graded structural lumber specifications.
 - c. All wood shall be properly air, kiln or oven seasoned with moisture content of 11% - 13% (12% average) before transportation. Each