

HEALTH HAZARD. See Section 307.2. [F]

HEIGHT, BUILDING. See Section 502.1.

HEIGHT, WALLS. See Section 2102.1.

HELICAL PILE. See Section 1802.1.

HELIPORT. See Section 412.2.

HELISTOP. See Section 412.2.

HIGH-RISE BUILDING. A building with an occupied floor located more than 75 feet (22 860 mm) above the lowest level of fire department vehicle access.

HIGHLY TOXIC. See Section 307.2. [F]

HISTORIC BUILDINGS. Buildings that are designated as *historic* under an Emirate of Abu Dhabi or UAE historic preservation program. (see Sections 3409 and 3411.9).

HORIZONTAL ASSEMBLY. See Section 702.1.

HOSPITALS AND MENTAL HOSPITALS. See Section 308.3.1.

HOUSING UNIT. See Section 408.1.1.

HPM FLAMMABLE LIQUID. See Section 415.2. [F]

HPM ROOM. See Section 415.2. [F]

HURRICANE-PRONE REGIONS. See Section 1609.2.

HYDROGEN CUTOFF ROOM. See Section 421.2. [F]

IMMEDIATELY DANGEROUS TO LIFE AND HEALTH (IDLH). See Section 415.2. [F]

IMPACT LOAD. See Section 1602.1.

INCOMPATIBLE MATERIALS. See Section 307.2. [F]

INERT GAS. See Section 307.2. [F]

INITIATING DEVICE. See Section 902.1. [F]

INSPECTION CERTIFICATE. See Section 1702.1.

INTENDED TO BE OCCUPIED AS A RESIDENCE. See Section 1102.1.

INTERIOR FINISH. See Section 802.1.