



CIVIL ENGINEERING DIVISION

Educational as per Trakhees CED Design Guidelines & Regulations - Blue Code				
	General			
		For all educational institution ; shall be according to rules of Educational Ministry		
		For School/Kindergarten; playing fields with their area should not be less than double the area allocated to classrooms, and part of them should be shaded		
		a health clinic ,security/guard post		
	Schools			
		Light fixtures shall be located on the left of each pupil and shall not be opposite to the teaching board.		
		Classrooms, courtyards, school canteens and lavatories for boys and girls, shall be segregated.		
		Provision a library /laboratories, computer rooms, activities hall ,		
		Mast for the flag		
	kindergartens			
		Classrooms shall be located on the ground floor level & shall be segregated from any other educational classes		
		Waiting areas and rooms for management staff, teachers, administrators and supervisors.		
		With playing field; provision of Toys & recreational facilities		
		Provision of Canteen and Multipurpose Hall.		
	Nurseries			
		Min* distance between beds is 1.0 m		
		shall be located either on the ground or first floor		
		Open spaces that can be used for children's physical activities.		
Health as per Trakhees CED Design Guidelines & Regulations - Blue Code				
	Hospitals			
		shall be according to rules of Ministry of Health		
		Patient's rooms should be as far as possible from the road & car parking area. The walls should be sound proof to prevent noise transmission.		
		rooms		
		isolation room		
	Clinics			
		shall be according to rules of Ministry of Health		
		Rooms, one for specialist doctor and other for examination or treatment, with min*area 12 m2		
		Reception lobby/ Male and female segregated waiting halls / Pantry		
	Pharmacies			
		Min*area of 28 m2		
		Min* distance between the new pharmacy and any other existing pharmacies shall be 200 m		
Industrial as per Trakhees CED Design Guidelines & Regulations - Blue Code				
	Factories & Warehouses			
		located, coverage min* & max* in accordance with DCR		
		Skylight provision of 5% floor area		