

wastes. It is also not allowed to drain the water of heaters whose temperature is more than (37) degrees Centigrade to the general sanitary drainage net before cooling it.

Article (44) Sanitary Facilities:

The limit inferior for the sanitary facilities which should be provided in building is as the following; at least (75%) from these sanitary facilities (toilet) should be in the places of public activities from the eastern model:

- a. Residential units:
 - i. Each residential unit should be supplied with the necessary equipments of the sanitary facilities such as baths, toilets and kitchens where getting to at least one toilet is not done from any residential room.
- b. Studios:
 - i. Each studio should be supplied with the necessary equipments of the sanitary facilities such as baths, toilets and a place for preparing food as a limit inferior.
- c. Offices, shops and galleries:
 - i. Offices:
 - 1. There should be a bath for each separate office or a bath for every (2000) square feet from the open space of the offices if there is collective baths.
 - ii. Shops and galleries:
 - 1. There should be at least one bath for the commercial area from (1) to (3000) square feet and two baths for men and one for women for the area from (3001) to (10,000) square feet. When having more than that, a bath for men and another one for women are added for every additional (10,000) square feet.
- d. Malls and public entertaining buildings:
 - i. There should be at least three baths for men and two baths for women for the commercial or the entertaining area from (1) to (10,000) square feet. What is more than that, one bath for men and another for women are added for every additional (5,000) square feet with providing baths for women with a number equals half the number of men's baths.
 - ii. Providing additional bath for men and another one for women for the people of peculiar needs if the entertaining or the commercial area is more than (20000) square feet.
- e. Workers' residence:
 - i. The sanitary facilities should be provided according to the special stipulations for the workers' residence which were mentioned in article (31) from this list.
 - ii. Toilets are separated from sinks and from bath tubs inside the full services.
- f. Kindergartens and schools:
 - i. Providing sanitary facilities for schools and kindergartens according to the special stipulations related to them which were mentioned in article (34) from this list.
- g. Warehouses and workshops: