

11. Non-conformance number, if applicable.

### **14.1.3 Samples**

- A. After Contract award, the Contractor shall submit the specified samples to the Engineer according to the Technical Specifications and Section 01300.
- B. All items and materials must be approved by the Engineer prior to use on the Project.
- C. The Contractor shall verify, through appropriate inspections and tests, that the samples submitted meet the Specifications and provide inspection and test data with the samples.
- D. The review, comments, acceptance or approval will not relieve the Contractor of his responsibility for completion of the Contract.
- E. One sample will be returned to the Contractor and will be stamped in accordance with Section 01300.
- F. Samples to be corrected shall be resubmitted in the same manner as the original sample submittal.
- G. The Contractor shall ensure items/materials are available in quantities required to complete the work. No change or substitution will be permitted after a sample has been approved unless a request for change or substitution has been submitted in writing to the Engineer and accepted in writing by the Engineer. In such case, the submittal process shall then be repeated.
- H. Samples will only be considered if taken at random. The Contractor shall permit the Engineer or a member of his staff to witness the selection of samples. Inspection or tests of items or materials that fail may be sufficient cause to terminate further inspections/tests of the same brand, make, or source of the product.

### **14.1.4 Mock-Up**

- A. Mock-ups will be performed under provisions identified in this Section and identified in the respective product specification sections.
- B. The Contractor shall assemble and erect specified items with specified attachments, etc.
- C. Accepted mock-ups shall be a comparison standard for the remaining Work.