

- C. The Inspection Firm shall maintain a full time specialist on staff to review services.
- D. Testing Equipment shall be calibrated at reasonable intervals in accordance with the standards, manufacturer's instructions and the Engineer's requirements.

16.1.5 Contractor Submittals

- A. Prior to start of the works, the Contractor shall submit the inspection firm name, addresses, and telephone number, and names of full time specialist and person in authority.
- B. The Contractor shall submit copy of latest Certificate of Accreditation and date of most recent inspection, with any memorandum of remedies to any deficiency reported by the inspector.

16.1.6 Inspection Company or Agency Responsibilities

- A. Provide qualified personnel. Cooperate with Engineer and Contractor in performance of services.
- B. Perform specified inspection of Products in accordance with specified standards.
- C. Ascertain compliance of materials and products with requirements of Contract Documents.
- D. Promptly notify the Engineer and the Contractor of observed irregularities or non-conformance of Work or Products.
- E. Perform additional inspection required by the Engineer.
- F. Attend meetings as required.
- G. Examine manufacturer's Quality Control System and ensure that the whole manufacturing process is covered.
- H. Witness tests carried out by the Quality Control Department. Instruct as required additional tests to be performed by the Quality Control Department.
- I. Report on all activities and results pertaining to the contract.
- J. If a manufacturer is certified under the ISO System (9001, 9002 and 9003) then the Third Party Inspector shall witness at least 5% of the tests carried out by the Manufacturer's Quality Control department. If a manufacturer is not so certified then the Third Party Inspector shall witness all tests carried out by the Quality Control Department.