

Heba Hesham

Authorize Fails

DELETE

{{baseUrl}} /api-category/delete-category/ :id

Send

Docs

Params

Authorization

Headers 7

Body

Scripts

Settings

Cookies

Query Params

Key	Value	Description	Bulk Edit	...
Key	Value	Description		

Path Variables

Key	Value	Description	Bulk Edit	...
id *	integer 1	Description		

Body

Cookies

Headers 5

Test Results

401 Unauthorized

118 ms

164 B

e.g. Save Response

...

Raw

Preview

Pass the correct auth credentials

1

Authorize Successes

The screenshot displays a REST client interface with a POST request to `{{baseUrl}}/api-auth/login`. The request body is a JSON object containing email and password. The response is a 200 OK status with a JSON body containing a token.

Request:

```
POST {{baseUrl}}/api-auth/login
```

Body (raw):

```
1 {
2   "email": "userAdmin@gmail.com",
3   "password": "Admin1234@"
4 }
```

Response:

```
200 OK • 304 ms • 582 B • Save Response
```

Body (JSON):

```
1 {
2   "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJkMGZjZjYyOGY3MGZiYzQiLCJlbwFpbCI6InVzZXJBZG1pbkBNbWVpbC5jb20iLCJqdGkiOiIxNTkzMmJiOS0xYTA4LTRjZTctOT",
3 }
```

Authorize Successes

DELETE

{{baseUrl}} /api-category/delete-category/ :id

Send

Docs

Params

Authorization

Headers 7

Body

Scripts

Settings

Cookies

Query Params

Key	Value	Description	Bulk Edit	...
Key	Value	Description		

Path Variables

Key	Value	Description	Bulk Edit	...
id *	integer 1	Description		

Body

Cookies

Headers 4

Test Results

200 OK

739 ms

177 B

Save Response

...

{ } JSON

Preview

Visualize

...

1 {

2 | "message": "Category deleted successfully"

3 }

Policy

- `builder.Services.AddAuthorization(options =>`
- `{`
- `options.AddPolicy("Admin", policy =>`
- `policy.RequireRole(UserRole.Admin.ToString()));`
- `});`