

Heba Hesham

Register Success

The screenshot displays a REST client interface with the 'Body' tab selected. The request body is a JSON object with 'email' and 'password' fields. The response body is a JSON object with 'message', 'isSuccess', and 'errors' fields. The status is 200 OK.

Request Body:

```
1 {  
2   "email": "heba@gmail.com",  
3   "password": "Heba123456"  
4 }
```

Response Body:

```
1 {  
2   "message": "User created successfully",  
3   "isSuccess": true,  
4   "errors": null  
5 }
```

Status: 200 OK • 5.62 s • 204 B • Save Response ...

Register Fails

The screenshot shows a REST client interface with a dark theme. At the top, there are radio buttons for different content types: none, form-data, x-www-form-urlencoded, raw (selected), binary, GraphQL, and JSON. To the right of these are links for 'Schema' and 'Beautify'. The main text area contains a JSON object representing the request body:

```
1 {  
2   "email": "hebahesham@gmail.com",  
3   "password": "Heba123456"  
4 }
```

Below the text area is a tabbed interface with 'Body', 'Cookies', 'Headers 4', and 'Test Results'. The 'Body' tab is active. On the right side of this tab, there is a status bar showing '400 Bad Request' in a red box, followed by '40.64 s', '238 B', a globe icon, and a link 'e.g. Save Response' with a dropdown arrow. Below the status bar, there are icons for JSON (selected), Preview, and Debug with AI. The response body is displayed in a JSON format:

```
1 {  
2   "message": "Username 'hebahesham@gmail.com' is already taken.",  
3   "isSuccess": false,  
4   "errors": null  
5 }
```

Register Password Validation

The screenshot displays a REST client interface with two panels. The top panel shows the request body as raw JSON, and the bottom panel shows the response body as JSON. The response indicates a '400 Bad Request' status.

Request Body (Raw JSON):

```
1 {  
2   "email": "hebaAyaseh@gmail.com",  
3   "password": "heba123456"  
4 }
```

Response Body (JSON):

```
1 {  
2   "message": "Passwords must have at least one uppercase ('A'-'Z').",  
3   "isSuccess": false,  
4   "errors": null  
5 }
```

Status Bar: 400 Bad Request • 675 ms • 242 B • Save Response

Register Password Validation

The screenshot displays a REST client interface with the following components:

- Request Section:**
 - Format: `raw` (selected), with options for `none`, `form-data`, `x-www-form-urlencoded`, `binary`, `GraphQL`, and `JSON`.
 - Schema: `Schema` button.
 - Beautify: `Beautify` button.
 - Request Body (JSON):

```
1 {  
2   "email": "hebaAyaseh@gmail.com",  
3   "password": "H123456"  
4 }
```
- Response Section:**
 - Body: `Body` (selected), with tabs for `Cookies`, `Headers`, `4`, and `Test Results`.
 - Status: `400 Bad Request` (highlighted in red).
 - Performance: `830 ms`, `242 B`.
 - Actions: `Save Response` button and a menu icon.
 - Response Body (JSON):

```
1 {  
2   "message": "Passwords must have at least one lowercase ('a'-'z').",  
3   "isSuccess": false,  
4   "errors": null  
5 }
```

Register Password Validation

The screenshot shows a REST client interface with the following components:

- Request Section:**
 - Method: `POST`
 - URL: `http://localhost:3000/register`
 - Body Type: `raw` (selected)
 - Body Content:

```
1 {  
2   "email": "hebaAyaseh@gmail.com",  
3   "password": "123456"  
4 }
```
- Response Section:**
 - Status: `400 Bad Request` (highlighted in red)
 - Time: `32 ms`
 - Size: `297 B`
 - Body Type: `JSON` (selected)
 - Body Content:

```
1 {  
2   "message": "Passwords must have at least one lowercase ('a'-'z')., Passwords must have at least one uppercase ('A'-'Z').",  
3   "isSuccess": false,  
4   "errors": null  
5 }
```