Information Retrievel with PostgreSQL

Alexander Hebel

Heidelberg University
Institute of Computer Science
Database Systems Research Group
vx228@uni-heidelberg.de

Mai 6, 2020

Outline

Outline

Task definition

- How looks and performs an IRS made of a relational database
- Similar to Apache Solr
- Finding different database models
- Python api for the database creation and communication
- Crawl Wikipages to gather some text data
- Special type in PostgreSQL named tsvector (full text search)

First goal

Support some boolean search querys like AND

Outline

Database models

Tsvector

Possibilities

- Full text search
- GIN-Index
- Automatic tokenization and lemmatization
- Adding weights
- Predefined rating function

Limitations

- The number of lexemes must be less than $2\hat{6}4$
- Max position value: 16383
- No more than 256 positions per lexeme
- Relative small set of manipulation methods
- Limited rating

Example

{'a':1,6,10 'and':8 'cat':3 'fat':2,11 'mat':7 'on':5 'rat':12 'sat':4}

Outline

Adding your custom C-functions to PostgreSQL

Prerequisites

- Developer version of PostgreSQL
- Installation of make
- Root privilege on database

Folder structure

```
Extension
├── function.c
├── Makefile
├── function.control
├── function--1.0.sql
└── README.function
```

Steps

(1) make install

(2) CREATE EXTENSION "extension"

Outline

Idea

- Originates from a misunderstanding
- Thought the task is to rank whole wiki pages
- User wants the best section and not the "best" document
- So how is the relationship between page and section ranking

Calculation of Rating

- **section**: rating / num_words_of_section
- **page**: sum_of_ratings / num_words_of_page

Query:"game", sorted by sum of section rankings



Query:"game", adding the rank for the whole page



Query:"game", ordered by max section rating



Query:"game AND team AND ball", ordered by max section rating



Outline

Conclusion and future work

Conclusion

- Ratings for sections and page return total different results
- Tsvector has a lot of potential
- PostgreSQL is easy customizable

Future work

- Improve the rating algorithm with tf idf information (ts_stat)
- Tests on big datasets

Questions

Questions