
| First Name | First Name | Last Name   | Email                  | Phone       | Address                      | Ações    |
|------------|------------|-------------|------------------------|-------------|------------------------------|----------|
|            | Hebert     | Oliveira    | hebertclever@gmail.com | 13992046840 |                              |          |
| ast Name   | João       | de Oliveira | eyplan10@gmail.com     | 13992046840 | Rua sergipe, 189             | m        |
| nail       | Angela     | Carmo       | angela@angela.com      |             | 189 R. Sergipe, Vila<br>Nova | <b>*</b> |
| ione       | Gustavo    | Oliveira    | gustavo@gmail.com      | 94992892762 | Rua Sergipe, 189             | *        |
| ddress     | Rébeca     | Oliveira    | Rebeca @gmail.com      | 13992046840 | Rua sergipe, 189             | 7        |



```
EXPLORER
                             index.php X add_customer.php
> GL: HOME
> GL: GITKRAKEN WORKSPACES
                                      include 'db.php';
> GL: GITKRAKEN ACCOUNT
∨ PRATICA-7
 > 📭 design
                                      if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    $first_name = $_POST['first_name'] ?? '';
    $last_name = $_POST['last_name'] ?? '';
 > 🛅 dist
 > 📭 images
                                          $email = $_POST['email'] ?? '';
$phone = $_POST['phone'] ?? '';
 > node_modules

✓ kip src

                                          $address = $_POST['address'] ?? '';
     add_customer.php
     add_order.php
                                           if (isset($_POST['id'])) {
     config.php
                                               $stmt = $mysqli->prepare("UPDATE customers SET first_name=?, last_name=?, email=?, phone=?, address=? WHERE id=?");
     db.php
                                               $stmt->bind_param('sssssi', $first_name, $last_name, $email, $phone, $address, $_POST['id']);
     index.php
                                           } else {
                                               $stmt = $mysqli->prepare("INSERT INTO customers (first_name, last_name, email, phone, address) VALUES (?, ?, ?, ?)'
$stmt->bind_param('sssss', $first_name, $last_name, $email, $phone, $address);

∃ input.css

∃ main.css

     save_customer.php
     save_order.php
                                           $stmt->execute();
    package-lock.json
                                           $stmt->close();
    package.json
    M* README-template.md

    README.md

                                      if ($_SERVER['REQUEST_METHOD'] === 'GET' && isset($_GET['delete'])) {
    ★ style-guide.md
                                          $stmt = $mysqli->prepare("DELETE FROM customers WHERE id=?");
    tailwind.config.js
                                           $stmt->bind_param('i', $_GET['delete']);
                                           $stmt->execute();
                                           $stmt->close();
                                      $customers = $mysqli->query("SELECT * FROM customers");
```

```
index.php × add_customer.php
    <heads
       <meta charset="UTF-B">
        cmeta name="viewport" content="width=device-width, initial-scale=1.0">
       <title>CRUD de Clientes</title>
       clink hef="https://cdn.jsdelivr.net/npm/tailwindcss@2.2.16/dist/tailwind.min.css" rel="stylesheet">
clink hef="https://cdn.jsdelivr.net/npm/tailwindcss@2.2.16/dist/tailwind.min.css" rel="stylesheet">
clink rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.1.0/css/all.min.css">
    ∢/head>
    <br/>toody class="■bg-gray-100 py-8">
       cdiv class="container mx-auto flex">
           <div class="w-96 pr-6">
              <h2 class="text-2xl font-bold mb-4 = text-gray-700">Add Customer</h2>
              <div class="nb-4">

⟨label for="phone" class="block text-sm font-medium □ text-gray-600">Phone⟨/label>
⟨input type="text" name="phone" id="phone" class="mt-1 p-2 w-full border rounded-md transition-shadow focus:ring-2 ■ focus:ring-blue-400 focus:outline-none">
```

```
save_customer.php
                             add_order.php X save_order.php
<?php
include 'db.php';
if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    $customer_id = $_POST['customer_id'] ?? '';
    $total = $_POST['total'] ?? '';
    $stmt = $mysqli->prepare("INSERT INTO orders (customer_id, total) VALUES (?, ?)");
    $stmt->bind_param('id', $customer_id, $total);
    $stmt->execute();
    $stmt->close();
$result = $mysqli->query("SELECT id, first_name, last_name FROM customers");
<form action="save_order.php" method="post">
    Customer:
    <select name="customer_id">
        <?php while ($row = $result->fetch_assoc()): ?>
           <option value="<?php echo $row['id']; ?>"><?php echo $row['first_name'] . ' ' . $row['last_name']; ?></option>
        <?php endwhile; ?>
    Total: <input type="text" name="total">
    <input type="submit" value="Add Order">
</form>
```