ejercicio4b\src\App.css

```
#root {
  max-width: 1280px;
  margin: 0 auto;
  padding: 2rem;
  text-align: center;
body{
background: linear-gradient(125deg, rgba(26,16,191,1) 0%, rgba(14,14,128,1) 36%,
rgba(15,185,215,0.7231267507002801) 100%);
}
.logo {
  height: 4em;
  padding: 0.5em;
  will-change: filter;
  transition: filter 100ms;
}
.logo:hover {
  filter: drop-shadow(0 0 2em #646cffaa);
.logo.react:hover {
  filter: drop-shadow(0 0 2em #61dafbaa);
}
.tarjeta{
  border: 2px solid black;
  border-radius: 15px;
  background: rgb(213, 219, 211);
  margin: 20px;
.tarjeta button{
  margin-left: 1rem;
  font-size: 1.5rem;
  background: rgb(132, 173, 234);
  margin-top: 0;
@keyframes logo-spin {
  from {
    transform: rotate(0deg);
  }
  to {
    transform: rotate(360deg);
@media (prefers-reduced-motion: no-preference) {
  a:nth-of-type(2) .logo {
    animation: logo-spin infinite 20s linear;
  }
}
.card {
  padding: 2em;
```

```
.read-the-docs {
  color: #888;
```

ejercicio4b\src\data.json

ejercicio4b\index.html

```
<!doctype html>
<html lang="en">
 <head>
   <meta charset="UTF-8" />
   <link rel="icon" type="image/svg+xml" href="/vite.svg" />
   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Argentina</title>
  </head>
  <body>
    <div class="container">
     <h3 class="text-center mt-3 text-white d-flex justify-content-center">v oca de
urnas</h3>
     <div id="root"></div>
    </div>
   <script type="module" src="/src/main.jsx"></script>
</html>
```

ejercicio4b\src\main.jsx

ejercicio4b\src\App.jsx

```
import { useState } from 'react';
import reactLogo from './assets/react.svg';
import './App.css';
import './boostrap.css';
import { todos } from './data.json';
function Crear() {
 return (
    <>
     {todos.map((candidato) => (
        <App nombre={candidato.nombre} key={candidato.id} />
     ))}
    </>>
 );
function App(props) {
 const { nombre } = props || {};
 const [count, setCount] = useState(0);
 const aumentar = () => {setCount((prevCount) => prevCount + 1); };
 const decrementar = () => {if (count > 0) {setCount((prevCount) => prevCount - 1);}else{
    alert('Valores Negativos no aseptados')
 };
 return (
      <div className='card tarjeta'>
        <div className=''>
        <h3>{ nombre }</h3>
         <a href="#" target="_blank">
         <a href="#" target=" blank">
           <img src={reactLogo} className="logo react" alt="React logo" />
         </a>
        </div>
        <h1 className='text-primary'> {count}</h1>
        <div className="d-flex justify-content-between">
         <button className='h2' onClick={aumentar}>+</button>
         <button className='h2' onClick={decrementar}>-</button>
        </div>
      </div>
    </>>
 );
export {Crear};
```