PRODUCER GUIDE

Ratio Telar 0.7.0 · Ratio Complexus

Your farm as a *living system*, woven thread by thread

A practical guide to describing, assessing and projecting your milpa, plot or farm with Ratio Telar: who holds it together, what regenerates it, what puts it at risk and where it is heading. With the real case of Calpan landrace maize, Puebla, from start to finish.


Open the app: **hectortecumshe-ai.github.io/RatioTelar**

1st edition · October 2026 · covers Ratio Telar 0.7.0

DOI 10.5281/zenodo.24049522 · Text CC BY 4.0 · app MIT

Héctor Tecumshé Mojica-Zárate · Óscar Díaz-José · Luis Ángel Barrera-Guzmán · Guadalupe Velázquez-Vázquez

There is a companion guide for research and teaching: the Scientist Guide.



1 Crop · 2 Region · 3 Management · 4 Regeneration · 5 Risks · 6 Elements · 7 Price and value · 8 Formulation · 9 Dashboard · 10 Sustainability · 11 Outlook · 12 Report

BEFORE READING

How to use this guide

Who it is for, how it is organised and what each sign on the page means.

This guide is for whoever knows a plot, a milpa, a vineyard, an apiary or a backyard farm and wants to see it whole: farmers, field technicians, extension agents, students doing their social service or thesis in a community. You need no coding or statistics; you need to know your farm and the people who work it.

It follows the app's order: one chapter for each block in the top bar, 1 to 12, each with its own colour. Every example uses **a single case**, the **landrace maize of San Andrés Calpan, Puebla**, documented by Díaz-José and colleagues (2026) with 100 informants between 2022 and 2024. So the numbers in one chapter are the ones that feed the next. Read it start to finish and you will have woven, assessed and projected a real system.




FIGURE P.1 **The twelve blocks.** Blocks 1–3 describe your farm; 4–7 assess it; block 8 weaves the network, which you read in 9 and 10; 11 looks ahead and 12 sums it all up. Dashed arrows are examples of one block feeding another.

Conventions

WRITTEN AS	MEANS
Weave the system	An app button or field, with its text exactly as on screen.
Report › Save project	A path: open the first item, then the next.
1.5	A value you type as shown.
1	A marker on a screenshot; it is explained below with the same number.
• Dato publicado · ◆ Lectura de Ratio Telar	The app's own labels: a figure taken from a cited source, or an app proposal you can change.

The five boxes

◆ **IN CALPAN**

The worked case, step by step, with the real numbers the app returns.

✓ **TIP**

Shortcuts and good practice that save time or avoid mistakes.

! **CAUTION**

Common mistakes that can lead to a wrong conclusion.

? **WHY?**

The reason behind a recommendation, in a few lines. You can skip it.

→ **DECISION RULE**

A short table: if you see this, do that.

? **RATIO TELAR DOES NOT MAKE UP DATA**

Every figure in the app carries its source. What the app proposes is labelled ◆ **Ratio Telar reading**, and what is not documented shows as **no data**. This guide follows the same rule: the Calpan numbers are those the app returns with the paper's data; when something is an assumption, we say so.

GETTING STARTED

0 Open the app and meet the screen

Ratio Telar is a web page that runs on its own in your browser. Nothing to install, no account, and your data goes nowhere.

0.1 Opening Ratio Telar

Go to **hectortecumshe-ai.github.io/RatioTelar** from a computer, tablet or phone, or scan the QR code on the "Ratio Telar on one page" page. It downloads a single file; after that it works offline while the tab stays open, and you can save the page (Ctrl + S) to use it in the field with no signal.

? **WHERE IS MY DATA KEPT?**

Only in the browser you use. Nothing is uploaded to the internet or to GitHub. To move it to another computer or share it with your adviser use Report › Save project (a .json file) and on the other computer Report › Open project.

0.2 The home screen




FIGURE 0.1 **Home.** Everything you need to get around is in the top bar.

1. **ES / EN** switches the language of the whole app, report included.
2. **Producer / Scientist** switches the view; your data is kept.
3. ✱ / ☾ switches between day and night themes.
4. **?** opens the general help. Every figure also has its own **?**.
5. The **block bar**, 1 to 12, plus Validation and Theory. You can jump to any of them; next to each block you fill in, a mark says whether it is pending (○), in progress (◐) or complete (●).
6. The **pill** reminds you which crop and locality you are weaving; in a new project it says "New project · no data yet".

0.3 The "?" helps

Next to every important figure there is a **?**. Tap it to see what it means, how it is computed and how to read it, with a traffic light: green (good), amber (check) and red (act).




FIGURE 0.2 **Help for a figure.** The "?" of the regeneration index.

0.4 Producer and scientist views

The **producer view** shows the essentials in plain language; it is the one this guide describes. The **scientist view** adds full tables, formulas, correlations and validation. You can switch at any time.




FIGURE 0.3 **Scientist view.** The Dashboard correlation matrix, shown only in this view.

0.5 The full route

BLOCK 1 3 min
Crop
Crop, variety and system

BLOCK 2 2 min
Region
State, municipality, locality

BLOCK 3 10 min
Management
Steps, activities and dates

BLOCK 4 4 min
Regeneration
Regenerating or wearing out?

BLOCK 5 6 min
Risks
Likelihood × impact

BLOCK 6 4 min
Elements
Who and what takes part

BLOCK 7 6 min
Price and value
What it costs and what it is worth

BLOCK 8 1 min
Formulation
Weave the system

BLOCK 9 5 min
Dashboard
Network, cladogram, calendar

BLOCK 10 4 min
Sustainability
Soil, water, SDGs, footprint

BLOCK 11 5 min
Outlook
At 2, 5 and 10 years

BLOCK 12 2 min
Report
PDF, CSV and project

✓ **IF THIS IS YOUR FIRST TIME**

The app starts blank. To first see a complete system, tap **See the published example (Calpan)** on Home: you enter **example mode**, walk through the blocks with this guide and leave with **Leave the example**. Then you fill in yours from Block 1.

0.6 Yours, suggested and the example

So that you never mistake an example for your own data, the app tells three things apart at a glance:




FIGURE 0.4 **The guide on Home.** Empty field, suggested value and published example.

WHAT YOU SEE	WHAT IT MEANS
Grey italic text inside a field	The field is empty; it is only a hint of what to write. Nothing comes filled in.
Dashed grey knob, "Suggested, not confirmed"	The app proposes a value from your data. It counts as yours only when you move it or tap **Accept suggestion**.
Sepia window with the "EXAMPLE" watermark	Published Calpan data for reference. When you close it, your fields stay the same.
Orange band at the top of the screen	You are in example mode. Nothing is saved; **Leave the example** takes you back to your project.




FIGURE 0.5 **Filled in by you.** The bar and the menu marks count only what you filled in.

1. Marks per block: pending, in progress or complete.
2. Total share filled in by you.




FIGURE 0.6 **Example mode.** The orange band reminds you that those data are Calpan's, not yours.

> **?** **WHAT IF I OPEN A RESULTS BLOCK WITH NO DATA?**
>
> Formulation, Dashboard, Sustainability, Outlook and Report do not show empty results: they say which blocks are still to be filled in and take you there.




FIGURE 0.7 **A results block with no data.**

BLOCK 1 · CROP

1 Crop or species, variety and system

Every system is woven around something sown or raised. Here you choose what it is, its variety or breed, and how it is produced.

1.1 The catalogue

The catalogue has **18 crops** (grape, landrace maize, chayote, bean, squash, chili, coffee, cacao, avocado, agave, prickly pear, tomato, wheat, sugarcane, roselle, passion fruit, soursop and mango) and **9 animal species** (cattle, pig, sheep, goat, backyard poultry, honeybee, rabbit, gamefowl and chinicuil), plus the **backyard farm**, which combines several species. Each card shows whether it has a **Documented Stack** (today, Calpan maize) or is **To document**.




FIGURE 1.1 **Crop catalogue.** Landrace maize is the only one with a documented Stack.

1. The selected card shows a tick.
2. **Crops / Livestock species** switches tabs.

> **?** **"TO DOCUMENT" IS NOT A FLAW**
>
> It means there is no published Stack for that crop yet. The app lets you document it yourself, and every block shows the window **"How it was done with landrace maize in Calpan, Puebla"** so you can see how it was filled in the reference case (chapter D).

1.2 Variety, type or breed

When you choose a crop or species its varieties, types or breeds card appears, grouped (for example, mango into Mexican and Florida types). Tap a chip or type your own as it is named locally. The variety shows in the top pill and in the report.




FIGURE 1.2 **Mango varieties.** Ataulfo selected.

1. Free field: type or choose.
2. Grouped chips; the chosen one is filled in.

> **!** **THE LISTS ARE INDICATIVE**
>
> Except for maize (CONABIO's 64 races), the lists are a **Ratio Telar reading** of what is grown or raised in Mexico. For registered varieties see SNICS's National Catalogue of Plant Varieties; for breeds, the breeders' association.

1.3 Maize: native or improved

Maize has its own card. If it is **native (landrace)**, choose its race among the 64 reported for Mexico in seven groups (CONABIO, 2020); those marked ° were first described in the Caribbean or Guatemala. If it is **improved or hybrid**, type its trade name.




FIGURE 1.3 **Maize type.**

1. Native or improved.
2. Race (also chosen with the chips below).

> **◆** **IN CALPAN**
>
> The paper covers landraces without naming the race; about 22 are reported in Puebla. We keep **Native landrace** with **Not specified**.

1.4 Cattle and bees

Cattle are described in three steps: **purpose** (beef, dairy or dual purpose), **system** with its regime (extensive, semi-intensive, intensive or backyard: cow–calf, stocker, feedlot, family, semi-specialised or specialised dairy) and **breed or cross**. Choosing the system sets the production system and unit type automatically.




FIGURE 1.4 **Cattle type.**

1. Purpose.
2. System, with its regime in a coloured label.
3. Grouped breeds (zebu, European and composite, crosses and criollo).

The **honeybee** brings its production unit: choosing it sets the system and unit type to **apiary**, and a card explaining it appears.




FIGURE 1.5 **Honeybee and its apiary.**

1.5 Adding your crop, species or system

If you cannot find what you produce, add it. Below the catalogue there is **+ Your crop is missing? Add it to the catalogue** (for species, "Your species is missing?"), and below the systems, **+ Your system is missing? Add it**. Type the common name and, if you wish, the scientific name or a description, and tap **Add and select**.




FIGURE 1.6 **Adding to the catalogue.**

1. New crop or species.
2. New production system.




FIGURE 1.7 **A crop of your own.** Dragon fruit, added with its variety typed in.

1. Added items have a dashed border and an × to remove them.
2. Its variety, typed as it is named locally.

1.6 Production system and unit

The production system says how the unit is organised: milpa, vineyard, MIAF, monoculture, agroforestry, backyard, grazing, apiary, game ranch, confinement or one you add. The unit type (milpa, plot, crop, livestock or mixed farm, game ranch, apiary or **Other (type it)**) and the area complete the description.




FIGURE 1.8 **System and unit.**

1. Milpa (maize–bean–squash), documented in Calpan.
2. Unit type; “Other” shows a field to type it.

◆ **IN CALPAN**

Landrace maize in a **milpa**, unit type **Milpa**, 1.5 ha (the “Contigua” plot, one of the paper’s monitored plots). The paper also describes MIAF, with tejocote, pear, walnut, apple, peach and capulin.

BLOCK 2 · REGION

2 Region, municipality and locality

Every locality farms its own way. Locate your plot and the app brings INEGI's official data.

2.1 From country to locality

Tap your state on the map or pick it from the list; then the **municipality** and the **locality**. The app knows 2,478 municipalities and 54,357 INEGI localities, with their 2020 population, altitude and map point. The region (North, North-central, Central or South) is set automatically. At the start the three fields read "— Choose… —" in grey; the **Work places** buttons go straight to Calpan, Puebla, and Mata de Zarza, Veracruz, only if you tap them.



FIGURE 2.1 **Block 2.** Puebla highlighted; the red dot is the locality.

1 Map of Mexico by region.

2.2 Your locality's data




FIGURE 2.2 **INEGI data and the documented case.**

◆ **IN CALPAN**

Puebla (Central region) › Calpan › **San Andrés Calpan**: 8,195 inhabitants at 2,421 m; the municipality has 15,271 inhabitants (INEGI, 2020). The app also shows what the paper says about the municipality: borders, communities studied and their systems.

✓ **IF YOUR LOCALITY IS MISSING**

Choose the nearest one and note it in the project notes. Very small localities sometimes appear under another name in INEGI's catalogue.

BLOCK 3 · MANAGEMENT

3 Steps, activities and dates

The heart of the system: what is done, in what order and when. Everything that follows is computed from these activities.

3.1 Calpan's 38 steps

If you choose maize, the app brings the paper's Figure 4 **38 steps and 83 activities** as **questions**, from plot assessment in December to harvest and economic balance. None comes answered. At the top you see how many you answered, how many you practise (they enter the network) and how many not; the **sowing date** reads "not entered" until you move its slider, and then steps set in days after sowing follow. The coloured buttons filter steps by rule: the paper's 5B and **Good harvest and balance**, which gathers harvest, post-harvest and the economic balance (a Ratio Telar reading).




FIGURE 3.1 **Block 3.**

1. Sowing date (21 March in the case).
2. Filter by rule.

3.2 Your steps, in your order

The questionnaire steps are not fixed: each locality has its own. To move a step, hold it by the ⠿ **handle** in its corner and drag it into place (with the mouse or a finger), or use the ↑ ↓ buttons. Inside the open step you can change its **rule**, and if it is not done in your locality, tap **Not applicable in my locality**: the step folds in grey and its activities leave the network, the indices and the progress. You can re-enable it at any time with **↺ It does apply in my locality**.




FIGURE 3.2 **Step controls.**

1. ⠿ handle: drag the step to another place in the cycle.
2. Move the step up or down.
3. Rule it belongs to.
4. Not applicable in my locality.




FIGURE 3.3 **A step that does not apply.** The third ploughing pass, marked as an illustrative example: it turns grey and leaves the network.

At the end of the list is the **+ Own step of your locality** card. Write its name, choose its rule and its place in the cycle (at the beginning, after a given step or at the end) and tap **Add step**. Then give it activities, elements and dates like any other step. An own step can be removed; questionnaire steps cannot, they are only marked "not applicable". **Restore the published order and rules** undoes order and rule changes.




FIGURE 3.4 **Adding an own step.**

3.3 Inside a step

Opening a step shows its activities. For each one answer **Yes, I do** or **No**; those left "not answered", with a striped background, do not enter the network. **All yes** or **All no** answers the whole step. Then check the **coloured squares**, which show whether the activity adds (green) or subtracts (red) for soil, water, atmosphere, vegetation and fauna, and correct them if your case differs; and set the **dates** of main

activities (sowing, weeding, fertilising, cutting, harvest). Activities also move by their ⠿ handle, within the step or to another step, and keep their answer and impacts.




FIGURE 3.5 **Step 18, sowing.** Answers, impact by compartment and dates.



FIGURE 3.6 **Yes / No answers.** One activity practised, one not and one not answered.

3.4 Adding activities

In each step, **+ Activity in this step** opens a form. Write the activity and choose its **type**: **local traditional**, if it has always been done even though it is not in the questionnaire, or **innovated**, if it is new. If you wish, record **who proposes it** (an actor or institution from the list, which is selected as an element of the activity) and **since when** (a year). Then tap the elements involved and **Add activity**. You can add as many as you need in each step.

If an element is not in the list, the **+ Create an element not in the list** button, before the chips, creates it with its name and category and leaves it selected. It also goes to Block 6 (Elements), where you can rate it.




FIGURE 3.7 **An added activity and the form for another.** Illustrative example, not from the paper.

1. Added activity, with who proposes it and since when.
2. Who proposes it and since when.
3. Type: local traditional or innovated.
4. Create a new element.

? **WHY DO EACH ACTIVITY'S ELEMENTS MATTER?**

Because that is how the network is woven: two elements taking part in the same activity become linked. If an innovative activity uses "bio-inputs" and "technical advisers", that practice strengthens the link between them.

3.5 The example window

Every block shows the golden box **"Not sure how to fill it in? See a published case"**. Tapping **See the published example** opens a sepia window, with the "EXAMPLE · NOT YOUR DATA" watermark, showing what was recorded in Calpan for that block and how to fill it in with your data. It is for reference only: when you close it your fields stay the same. From there you can also enter example mode.



FIGURE 3.8 **Example window** in Block 3, with grape chosen.

◆ **IN CALPAN**

With every activity answered "yes", the app counts **85 practised activities**, all traditional; none innovated yet. In this worked case sowing was set on **21 March**, within the March–April window the paper reports depending on rains and phenomena such as El Niño and La Niña.

BLOCK 4 · REGENERATION

4 Is your system regenerating or wearing out?

Eight 0–4 knobs measure whether practices give back to soil, water and biodiversity more than they take.

4.1 The regeneration index

The gauge sums up the eight knobs in a 0–100 number and a class: **degrading** (under 25), **conventional** (25–49), **regenerative transition** (50–74) and **regenerative** (75 or more). Next to it is the **regeneration profile**, a radar that shows at a glance which principle is strong and which weak.




FIGURE 4.1 **Regeneration index and profile.**

1 0–100 gauge, with its class.

2 **Save as baseline**.

4.2 The eight knobs

Each knob answers one question and brings a **suggested value** computed from your Block 3 activities, with its reason (“4 tillage activities practised”). Until you confirm it, it looks **dashed and grey**, labelled “Suggested, not confirmed”. If the value fits your plot, tap Accept suggestion; if not, move it. It then reads “✓ Confirmed by you”. While knobs are missing, the index is flagged **provisional**. Without Block 3 activities there is no suggestion: the knob reads “no data”.




FIGURE 4.2 **The knob scale.** Regeneration and value use ordinal scales: each point has a clear meaning, not a made-up number.

KNOB	QUESTION	CALPAN
Minimal tillage	How many operations move the soil each cycle?	1
Soil cover	How many months is it covered by crop, stubble or green manure?	2
Species diversity	How many species are grown or raised together?	2
Living roots	How many months are there living plants on the plot?	2
Animals integrated	Are there animals grazing stubble or providing manure?	2
Fewer agrochemicals	What share of inputs is synthetic versus bio-inputs?	0
Organic matter	Are residues returned to the soil and organic matter measured?	4
Local knowledge	How much does management rely on local knowledge and own seed?	2




FIGURE 4.3 **The knobs.** Each with its question and suggested value.

1 Minimal tillage: 1 · Low, because four soil-moving operations are practised.




FIGURE 4.4 **Confirmed and suggested.** The first two knobs are already confirmed; the others are still dashed, with their **Accept suggestion** button.

◆ **IN CALPAN**

Accepting the suggested values, the index is **47 · Conventional**. It is lowered by the four soil-moving operations (subsoiling, ploughing, harrowing and tilling) and by agrochemical use (16 activities with agrochemicals and 1 with bio-inputs). It is raised by the six activities returning residues to the soil and by soil testing. The most regenerating are tilling to incorporate organic matter and capture moisture, and visual inspection; the most wearing, those linked to herbicide.

4.3 Baseline and organic matter

Regeneration shows over time. Tap **Save as baseline** today and come back next cycle: the app says whether the index rose (“the system is regenerating”) or fell (“the system is wearing out”) and on which knobs. If you have two soil tests, enter the % organic matter before and now: it is the most direct proof.




FIGURE 4.5 **Comparison with a baseline** (illustrative example: 2025 baseline of 38 and organic matter from 1.8 to 2.1 %).

→ **DECISION RULE · WHERE DO I START?**

Tillage at 0 or 1	Try dropping one operation or leaving stubble on the surface in a strip.
Fewer agrochemicals at 0 or 1	Replace one application with a bio-input and record it as an innovative activity.
Diversity or living roots at 0 or 1	A cover crop after harvest or intercropping (MIAF) raises both.

BLOCK 5 · RISKS

5 What could go wrong and how serious it would be

Nineteen risks in a likelihood-by-impact matrix, reduced by your system's adaptive capacity.

5.1 The index and the matrix

At the top you see the **risk index** (0 to 100), the **adaptive capacity** and what it is made of, how many risks are high or very high, and which is the highest. Below, the **risk matrix**: each circle shows how many risks fall in that cell.




FIGURE 5.1 **Block 5.**

1. Risk index and its class.
2. Likelihood-by-impact matrix.




FIGURE 5.2 **How to read the matrix.** Each cell multiplies likelihood by impact. Your system's adaptive capacity and the controls you already have lower the risk. The example is drought in the Calpan case with the suggested values.

5.2 Each risk's knobs

Risks are grouped into **climatic** (drought, frost, hail, heavy rain, heatwave, cyclones), **biological** (pests, diseases, weeds), **market** (price fall, input cost rise, middlemen), **social** (labour shortage and succession, loss of local knowledge, insecurity), **institutional** (support withdrawal, land tenure) and **natural resources** (erosion, water scarcity). For each: untick it if it does not apply, and move **likelihood**, **impact** and the **control** you already have.




FIGURE 5.3 **Knobs for each risk.**

1. Likelihood: how often it happens (1 very low to 5 very high).
2. Impact: how much damage it does.
3. Control you already have: none, low, medium or high.
4. Resulting risk, 0 to 25, with its level.

> **?** **WHERE DO THE SUGGESTED VALUES COME FROM?**
>
> From your data and the outlook. For example, drought likelihood rises to 4 because the trend scenario assumes 0.2 °C of warming per decade (IPCC, 2018); the impact of input cost rises depends on what share of your activities uses purchased inputs. What cannot be deduced stays at 3, "moderate: adjust it to your locality".

◆ **IN CALPAN**

Risk index **27 · Medium**, with adaptive capacity of **70** (regeneration 47, product diversification 100, access to technical knowledge 83, institutional integration 50). The four highest risks tie at 8.6 out of 25: drought or late rains, heatwave, input cost rise and labour shortage. The Stack records El Niño and La Niña, Atlantic cyclones and the Madden-Julian and Arctic oscillations as disturbances, but publishes no probabilities: so they stay as editable suggestions.

BLOCK 6 · ELEMENTS

Who and what takes part

6

The loom's threads: actors, institutions, inputs, equipment, natural and financial resources, knowledge, policies, disturbances and products.

6.1 Ten categories

Each element belongs to one of ten categories and takes part in one or more activities. The bar next to each shows how many activities it appears in. In Calpan there are **63 elements** taken from the paper: for example, landrace maize farmers, input suppliers, technical advisers, local academia (CBTA 255), CIMMYT, landrace seed, stubble, soil moisture, El Niño and La Niña, grain and fodder.




FIGURE 6.1 **Adding a local element.** Name and category; then choose it in a Block 3 activity.

> **!** **AN ELEMENT WITH NO ACTIVITY STAYS OUT OF THE NETWORK**
>
> If you add “Community savings fund”, then choose it in the activity where it takes part (Block 3, “+ Activity in this step”, where you can also create it). Otherwise it stays in the catalogue but is not woven in.

6.2 Elements exposed to risk

At the end of the block, the **Regeneration and risk in the elements** card shows which elements are most exposed: the highest risk among the hazards affecting them (Block 5).




FIGURE 6.2 **Most exposed elements.** In Calpan, soil moisture, temperature and El Niño top the list.

BLOCK 7 · PRICE AND VALUE

7 What it costs and what it is worth

Price is what the market charges; value is the element's importance to the system. They are not the same.

7.1 Price per hectare

Choose a category with the tabs. For each element enter the **unit price**, the **unit** (kg, L, day's labour, ha) and the **quantity per hectare**; the app computes $/ha. **Financial resources** holds production cost, net income and sale price: they feed the margin in Sarandón's index and net income in the outlook.




FIGURE 7.1 **Financial resources.**

1. Category tab.
2. Price, unit, quantity per hectare and the four value dimensions.

7.2 Value in four dimensions

Rate each element from 0 to 5 on **economic**, **use**, **cultural** and **ecological** value. At the top, the **weight** knobs say how much each dimension counts. If you do not rate, the app uses the **structural value**: how

much the element takes part in the activities.

> ? **AN EXAMPLE OF PRICE VERSUS VALUE**
>
> Home-selected landrace seed has almost no market price, yet high cultural and ecological value; a herbicide may cost more and be worth less to the system. It is a Ratio Telar reading: rate it as your locality lives it.

7.3 Your catalogue as CSV

With **Download catalogue (CSV)** you save your elements, prices and values to a spreadsheet; with **Load catalogue (CSV)** you bring them into another project.

> ◆ **IN CALPAN**
>
> The paper publishes no prices or costs; it reports a yield of 5–6 t/ha. So the case uses structural value and net income shows as “no data” until you enter your figures.

BLOCK 8 · FORMULATION

8 Weaving the system

Elements become nodes, shared activities become links and value sets each thread's thickness.

8.1 The "Weave the system" button

Tap **Weave the system**. The app builds the network and takes you to the Dashboard. Next to the button you see how many nodes, links and activities your system has and its density. Below, the **system model**: the environment (climate and disturbances), agents, knowledge Stack, management, inputs, resources, institutions, policies and products, with their arrows.



FIGURE 8.1 **Block 8.** In Calpan: 61 nodes, 209 links, 85 activities, density 0.114.

1 **Weave the system**; once woven it reads "Re-weave the system".

✓ **RE-WEAVE WHENEVER YOU CHANGE SOMETHING**

If you add activities, elements or values, come back to this block and re-weave. The Dashboard warns with an amber box if you have not woven yet.

8.2 The 3D system model

Below the button is the **three-dimensional system model**. Layers run from bottom to top: the environment (climate and disturbances); inputs (natural resources, inputs, equipment and finance); agents, knowledge and institutions; management, with the 5B, their steps and activities; and outputs (products, market and well-being). Above sits the halo of emergence and adaptation. Each dot is an element of your network and each line a link; dashed lines are the cycle feedbacks.

Drag to rotate it (on a phone, with your finger); zoom with + and −, Ctrl + wheel or pinching, and use Front, Top or Reset. Tap an element to see only its neighbours and tap it again to go back. Visible links shows only the strongest links or all of them. The 2D sketch tab keeps the box diagram.




FIGURE 8.2 **3D system model** in Calpan.

1 **Importance by**: the measure behind each element's size and number.

2 Hide farmers: on by default, because they take part in almost every activity.

3 **3D model** and **2D sketch** tabs.

8.3 The importance of each element

The number next to each element is its **importance, from 0 to 100**: the most important element in your network scores 100 and the rest are measured against it. Choose the measure in **Importance by**: weighted degree (how much it interacts with the others; the default), betweenness (how much it bridges parts of the system), eigenvector (whether it is linked to the important elements) or element value. Below the model is the list of the 10 most important elements; tap one to see it in the model.




FIGURE 8.3 **The 10 most important elements** in Calpan, by weighted degree.

1 The most important element scores 100.

◆ **CALPAN**

By weighted degree, the most important elements are technical advisers and extension agents (100), technical knowledge (99), tacit knowledge (99), soil (92) and landrace seed (53).

BLOCK 9 · DASHBOARD

9 Reading the whole system

Who holds the system together, which threads weigh most, which groups form, who is close to whom and when each thing happens.

9.1 The summary at the top

The top indicators give the network size (nodes and links), its density, clustering and mean path, modularity Q and mean sustainability. Below, the **System regeneration and risk** card brings the indices from blocks 4 and 5, the radar and the matrix.




FIGURE 9.1 **Regeneration and risk on the Dashboard.**

9.2 The system network

Each dot is an element, coloured by category; its size depends on the measure you choose at the top: **weighted degree** (how related it is), **betweenness** (how much it bridges), **eigenvector** (whether it relates

to the important ones) or **closeness**. Tap a node to see only its relations. Since farmers take part in almost everything, the **Hide the omnipresent node** box reveals the inner structure.



FIGURE 9.2 **System network.**

1. Measure that sets node size.
2. Hide farmers to see the inner structure.

> ◆ **IN CALPAN**
>
> With farmers, the network has 61 elements and 209 links, and its groups barely show (Q = 0.04). Hiding them reveals **seven clear communities** (Q = 0.45): technical advice and plant health; inputs and costs; machinery, soil and moisture; farming memory (family, landrace seed, tacit and cultural knowledge, lunar calendar); market; climate; and academia and institutions. Technical advisers, technical and tacit knowledge are the biggest bridges.

9.3 One element's correlations

Choose an element in the list to see which ones appear together with it in the same activities (green bars) and which hardly ever coincide (red bars).



FIGURE 9.3 **Technical advisers' correlations.** They move with technical knowledge (φ = 0.42), pests and diseases and granular fertiliser.

1 Element to analyse.

9.4 The cladogram: who is close to whom?

The cladogram groups elements by closeness in the network: each first joins its **nearest neighbour**. Read the tree left to right: short branches are tightly linked elements, best looked after together. Choose to see actors only, actors and institutions, or all elements. Below, the table gives each one's nearest neighbour; ↔ marks mutual neighbours.




FIGURE 9.4 **Calpan actors and institutions cladogram.** Farmers and technical advisers are mutual neighbours (0.22).

1 Which elements to group.

> **!** **JOINS AT DISTANCE 20**
>
> These are elements that take part in no recorded activity: only a structural tie from the paper links them. In Calpan they are the universities and researchers; if they work with your locality, add them to the activities they take part in.

9.5 The circular calendar

The year is a circle; each ring is an activity type and each arc a step with its dates. The needle marks today and the centre announces the next activity. Tap an arc to open its step in Block 3; tap the legend to filter.




FIGURE 9.5 **Calpan circular calendar.** From land preparation in December to harvest in November.

BLOCK 10 · SUSTAINABILITY

10 Soil, water, SDGs and footprint

Every activity leaves a mark. Here you see which add, which subtract, Sarandón's index, the 17 SDGs and the carbon footprint.

10.1 Sustainability index and Sarandón

The **sustainability index (IS)** goes from 0 to 1: 0.5 is neutral, above it the activity adds and below it subtracts. **Sarandón's general sustainability index (ISGen)** averages three dimensions on a 0–4 scale: economic (IK), ecological (IE) and socio-cultural (ISC). The system is sustainable if ISGen is above 2 and no dimension falls below 2.




FIGURE 10.1 **Calpan general sustainability index.** IK 3.11, IE 2.05, ISC 2.67 and ISGen 2.61: sustainable.

10.2 The 17 SDGs

The wheel and cards show how far each Sustainable Development Goal is met with evidence from your system. “No data” is not failure: it means your data says nothing about that goal.




FIGURE 10.2 **SDGs in Calpan.** Seven of the 17 have evidence; SDG 17 reaches 100 % and SDG 4 21 %.

10.3 Carbon footprint

Enter litres of diesel, kilos of nitrogen and urea per hectare and the yield: the app computes kilos of CO_2 equivalent per hectare and per tonne with IPCC factors. If you leave the fields empty, the footprint shows as “—”.




FIGURE 10.3 **What adds and what subtracts** by compartment, and the activities that subtract and add most.

IN CALPAN

The activities' mean IS is **0.51**, almost neutral. Those subtracting most are linked to herbicide and agrochemical mixing; those adding most, to inspection, tilling to incorporate organic matter and informed decisions. The sources publish no diesel or nitrogen per hectare for Calpan, so the footprint awaits your data.

BLOCK 11 · OUTLOOK

11 Three futures at 2, 5 and 10 years

They are not forecasts: they are scenarios to discuss with the family, advisers and community what to do today.

11.1 Desirable, trend and undesired

Each scenario combines product price, input cost, warming, frequency of extreme years, available family labour and adoption of your innovated activities. The app plots ten indicators marked at years 2, 5 and 10: yield, price, cost, gross income ÷ cost, net income, labour, adoption, sustainability, regeneration and risk. Below, the **potentials** and **undesired prospects** are written from your results.




FIGURE 11.1 **Block 11.** Gross income ÷ cost at 10 years in the three scenarios.

◆ **IN CALPAN**

With the default assumptions and today = 100, at 10 years the gross income ÷ cost ratio is **96** (desirable), **74** (trend) and **48** (undesired); yield, 96, 90 and 82; available family labour, 95, 86 and 74. Since the case has no innovated activities yet, adoption does not change the results: add them in Block 3 to see their potential.

11.2 The assumptions

The assumptions table is editable. What has a published basis carries its source (warming, IPCC 2018; yield loss per degree, Zhao and colleagues 2017; adoption curve, Rogers 2003); the rest is flagged ◆ as an assumption. Check prices and labour against INEGI's Agricultural Census and ENOE and SIAP prices for your municipality.




FIGURE 11.2 **Assumptions for each scenario.**

1. Each row is an assumption; each column, a scenario.
2. **Reset to defaults**.

BLOCK 12 · REPORT

Your whole system in one document

12

Written summary, territory, calendar, key elements, cladogram, regeneration, risks, outlook and SDGs, ready to print.

12.1 Print, export and save



FIGURE 12.1 **Block 12.**

1. **Print or save PDF**: in the print dialog choose “Save as PDF”. Printing follows the active view.
2. **Save project**: a .json file with everything you entered.
3. **Open project**: loads a saved file.

The CSV buttons download the activities, nodes, links, calendar, SDG and cladogram tables for use in a spreadsheet. **Start over** erases the project from this browser: save it first.

PRINTING IS ALREADY LOOKED AFTER

When printing, the app always uses the light theme, expands the theory, drops animations and fits tables to the page width, even in night mode.




FIGURE 12.2 **Night mode.** On screen you can work at night; the printed report comes out light.

REFERENCE

Documenting a new crop

The full route to weave a crop that has no Stack yet, such as Mata de Zarza grapes or the bacanora agave in Sonora.

D.1 Nine steps

1. **Bring people together.** Experienced farmers, whoever will inherit the plot, the technical adviser. Calpan's Stack was built with 100 informants over three cycles.
2. **Block 1.** Choose the crop (or add it), its variety and system; enter the area.
3. **Block 2.** Locate the locality.
4. **Block 3.** Order the steps as the locality does them, mark those that do not apply, add your own with their activities, who proposed them and since when, and set the main dates.
5. **Blocks 4 and 5.** Adjust the regeneration and risk knobs to what the locality lives; save the baseline.
6. **Block 6.** Check all elements are there; add the missing ones and choose them in their activities.
7. **Block 7.** Enter prices, costs and income per hectare and rate value.
8. **Block 8.** Weave the system and read it in blocks 9–11 with the people who live it.
9. **Block 12.** Print the report, save the project and come back next cycle.

? **YOUR RECORD IS KNOWLEDGE**

A well-documented project from a locality is the first step to publishing its Stack, as was done in Calpan. Keep the sources of every figure.

D.2 Interview guide, block by block

Open questions for a conversation with farmers. The order is not important; what matters is that every answer is written down with who said it and when.

BLOCK	QUESTIONS
1	What do you grow or raise? Which variety or breed, and where do the seed or breeding stock come from? Sole crop or intercropped? How many hectares, hives or head?
2	In which locality and municipality is the plot? Irrigated or rainfed?
3	What are the cycle's steps, first to last? What is done in each, with which tools and by whom? In which months? What has changed in recent years, who proposed it and since when? Are there steps not done here?
4	How many times is the soil worked? Is it covered all year? Is stubble left? Manure or compost? Animals on the plot? Has the soil been tested?
5	What was the worst thing that happened in the last ten years? How often does it happen? How much was lost? What do you do to prevent it?
6	Who else takes part: family, day labourers, advisers, buyers, programmes, institutions?
7	How much does a hectare cost to produce and what are you paid? What is this element worth to you, beyond money?
11	Who will be farming in ten years? What would you like to change and what not?

✓ **CONSENT**

Explain what the data will be used for and ask permission before writing down names. In the report the locality and the number of informants are enough.

D.3 Field sheet 1: steps and activities

Print this page and fill it in by hand on the plot; then transfer it to Block 3.

Crop or species: _____ Locality: _____ Date: _____

#	STEP	ACTIVITY	WHO · WITH WHAT	MONTH	T / I
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					

T = traditional, I = innovated.

D.4 Field sheet 2: regeneration

Mark a number from 0 to 4 on each row with the people and write why; then transfer it to the Block 4 knobs.

INDICATOR	0	1	2	3	4	WHY?
Minimal tillage	○	○	○	○	○	
Soil cover	○	○	○	○	○	
Diversity	○	○	○	○	○	
Living roots	○	○	○	○	○	
Livestock integration	○	○	○	○	○	
Fewer synthetic inputs	○	○	○	○	○	
Organic matter	○	○	○	○	○	
Local knowledge	○	○	○	○	○	

Sum: _____ ÷ 32 = IR _____ Organic matter from soil test: _____ % Year: _____

D.5 Field sheet 3: risks

For each hazard: likelihood (1 rarely … 5 almost every year), impact (1 almost nothing … 5 everything lost) and control (0 none … 3 well controlled). Cross out those that do not apply.

HAZARD	LIK.	IMPACT	CONTROL	WHAT WE DO
Drought or late rains				
Frost				
Hail				
Heavy rain or flooding				
Heatwave				
Cyclones and hurricanes				
Pests				
Diseases				
Resistant or invasive weeds				
Fall in sale price				
Rise in input and service costs				
Middlemen or no buyer				
Labour shortage and no succession				
Loss of local knowledge				
Insecurity or theft				
Withdrawal of programmes and support				
Land tenure conflicts				
Erosion and fertility loss				
Water scarcity				

D.6 Field sheet 4: costs, price and value

Per hectare (or per hive, or per head) and per cycle. Then transfer it to Block 7.

ITEM	QUANTITY	UNIT PRICE	$
Seed or breeding stock			
Fertilisers and manure			
Pesticides and herbicides			
Machinery and diesel (litres)			
Labour days (family and paid)			
Water, rent, freight, other			
Total cost			
Production sold			
Own use and by-products (stubble, husks…)			
Total income			

Value of the main elements, from 0 to 5:

ELEMENT	ECONOMIC	USE	CULTURAL	ECOLOGICAL

REFERENCE

E Troubleshooting

If something does not look as you expect, look here.

I SEE THIS	DO THIS
The Dashboard says “You have not woven the system yet”.	Go to Block 8 and tap **Weave the system**.
My new crop has no network.	Add steps and activities in Block 3 and choose their elements; no activities, no links.
An element I added is not in the network.	Choose it in at least one activity.
Net income says “no data”.	Enter income and cost per hectare in Block 7 › Financial resources.
The carbon footprint says “—”.	Enter diesel, nitrogen, urea and yield in Block 10.
Innovation adoption stays at 0 %.	Add innovative activities in Block 3.
I changed computer and my data is gone.	Data lives in each browser: use Report › Save project and Open project.
I do not see a new version’s changes.	Reload with Ctrl + F5.

REFERENCE

F Glossary

The app's words, in plain language.

5B *5B*	The five basic rules of local maize knowledge in Calpan: good soil, good seed, good sowing, good nutrition and good watchfulness.
Activity *Actividad*	What is done within a management step (for example, "reversible plough work"). Each activity links the elements taking part in it.
Innovative activity *Actividad innovadora*	A new practice the locality added to traditional management; in the app it is added with "+ Activity in this step", with who proposes it and since when.
Adaptive capacity *Capacidad adaptativa*	How well the system can absorb a shock and reorganise. Ratio Telar measures it with regeneration, diversification, technical knowledge and institutions.
Cladogram *Cladograma*	Tree that groups elements by how close they are in the network: short branches are tightly linked neighbours.
Community *Comunidad*	Group of elements more related to each other than to the rest of the network.
φ correlation *Correlación φ*	How much two elements appear together in the same activities, from −1 (never together) to 1 (always together).
Element *Elemento*	Everything taking part in the system: actors, institutions, inputs, equipment, natural and financial resources, knowledge, policies, disturbances and products.
Scenario *Escenario*	A possible future built on explicit assumptions. It is not a forecast.
Carbon footprint *Huella de carbono*	Greenhouse gases emitted per hectare (diesel, nitrogen and urea), in kg of CO_2 equivalent.
Regeneration index *Índice de regeneración*	Average of the eight regeneration knobs, from 0 to 100. Tells whether the system gives back more than it takes.

Risk index *Índice de riesgo*	Average risk of all applicable hazards, from 0 to 100.
Sustainability index (IS) *Índice de sostenibilidad (IS)*	How much each activity adds to or subtracts from soil, water, atmosphere, vegetation and fauna, from 0 to 1 (0.5 is neutral).
Betweenness *Intermediación*	How many short network paths pass through an element: it measures who acts as a bridge.
ISGen *ISGen*	Sarandón's general sustainability index: average of the economic, ecological and socio-cultural dimensions, from 0 to 4.
Baseline *Línea base*	A snapshot of the system on a date, to compare later and see whether it improves.
Ratio Telar reading *Lectura de Ratio Telar*	A value or grouping proposed by the app, not published in the source. It is always flagged and can be changed.
Risk matrix *Matriz de riesgos*	A 5 × 5 table crossing how likely a risk is with how much damage it would do.
MIAF *MIAF*	Maize intercropped with fruit trees.
Modularity (Q) *Modularidad (Q)*	How marked the network's groups (communities) are. Above 0.3, groups are clear.
SDG *ODS*	Sustainable Development Goals of the United Nations 2030 Agenda.
Management step *Paso de manejo*	A stage of the production cycle (for example, "seed selection"). Thirty-eight were documented in Calpan.
Knob *Perilla*	A slider you move like a volume control, from a low value to a high one.
Foresight *Prospectiva*	Discipline that explores possible futures to decide better today.
Weighted network *Red ponderada*	Network in which each link has a thickness: thicker if the elements share many valuable activities.

Regeneration *Regeneración*	The system improving, each cycle, the soil, water and biodiversity it depends on.
Complex adaptive system *Sistema complejo adaptativo*	A set of interacting agents and resources that learn and adapt; behaviours nobody designed emerge from their relationships.
Sustainability *Sostenibilidad*	Producing today without compromising the capacity to produce tomorrow, environmentally, economically and socially.
Local knowledge stack *Stack de conocimiento local*	Layered organisation of a locality's knowledge of a crop: rules, steps and activities (Díaz-José et al., 2026).
Value *Valor*	An element's importance to the system in four dimensions: economic, use, cultural and ecological. Not the same as price.

REFERENCE

Ratio Telar on one page

Cut it out and take it to the field.

1

CropChoose the crop or species, its variety or breed and the production system.

2

RegionLocate your plot down to the INEGI locality.

3

ManagementTick what you practise, order your steps, add your own and set dates.

4

RegenerationAdjust the eight knobs and save a baseline.

5

RisksMove likelihood, impact and control for each risk.

6

ElementsReview actors, inputs and resources; add the missing ones.

7

Price and value Enter prices per hectare and rate value from 0 to 5.

8

Formulation⚙ Formulate: the app weaves the system network.

9

DashboardRead who holds the system together and who is close to whom.

10

SustainabilitySee what adds, what subtracts and Sarandón's index.

11

OutlookCompare the three futures and adjust the assumptions.

12

ReportPrint, export and save the project.

Scan to open Ratio Telar:
hectortecumshe-ai.github.io/RatioTelar

REFERENCE

How to cite, sources and credits

How to cite this guide

APA 7th ed.

Mojica-Zárate, H. T., Díaz-José, O., Barrera-Guzmán, L. Á., & Velázquez-Vázquez, G. (2026). *Ratio Telar: Producer Guide* (2nd ed.). Zenodo. https://doi.org/10.5281/zenodo.24049522

How to cite the app

Mojica-Zárate, H. T., Díaz-José, O., Barrera-Guzmán, L. Á., & Velázquez-Vázquez, G. (2026). *Ratio Telar: local farming knowledge as a complex adaptive system* (Version 0.7.0) [Software]. Zenodo. https://doi.org/10.5281/zenodo.23290103

Main sources

- Díaz-José O, Mojica-Zárate HT, Díaz-José J, Vilaboa-Arróniz J. 2026. El conocimiento agrícola local: el stack del maíz criollo en Calpan, Puebla. *Agricultura, Sociedad y Desarrollo* 23(3). https://doi.org/10.22231/asyd.v23i3.1822
- Mojica Zárate HT. 2017. *Modelo y procedimiento para la gestión estratégica integrada de los recursos naturales en territorios áridos con orientación agroproductiva*. Tesis doctoral, Universidad Central «Marta Abreu» de Las Villas.
- CONABIO. 2020. Razas de maíz de México. · INEGI. 2020. Censo de Población y Vivienda; Catálogo Único de Claves Geoestadísticas.
- Sarandón SJ. 2002. El desarrollo y uso de indicadores para evaluar la sustentabilidad de los agroecosistemas. En: Sarandón SJ (ed.), *Agroecología: el camino hacia una agricultura sustentable*. Ediciones Científicas Americanas, La Plata: 393–414.
- Newton P, et al. 2020. What is regenerative agriculture? *Frontiers in Sustainable Food Systems* 4: 577723. · Schreefel L, et al. 2020. Regenerative agriculture – the soil is the base. *Global Food Security* 26: 100404.
- IPCC. 2014. Climate Change 2014: Impacts, Adaptation, and Vulnerability (SPM). · IPCC. 2018. Global Warming of 1.5 °C (SPM). · ISO 31000:2018 · IEC 31010:2019.
- Zhao C, et al. 2017. Temperature increase reduces global yields of major crops in four independent estimates. *PNAS* 114(35): 9326–9331. · Rogers EM. 2003. *Diffusion of innovations*, 5.ª ed.

Legal page

Ratio Telar · Producer Guide · 2nd edition, November 2026 · covers Ratio Telar 0.7.0.

Héctor Tecumshé Mojica-Zárate · Óscar Díaz-José · Luis Ángel Barrera-Guzmán · Guadalupe Velázquez-Vázquez

Huatusco Regional Academic Centre, Chapingo Autonomous University (Héctor Tecumshé Mojica-Zárate, Óscar Díaz-José, Luis Ángel Barrera-Guzmán) · Meritorious Autonomous University of Puebla (Guadalupe Velázquez-Vázquez), Mexico. Corresponding author ORCID: 0000-0002-9067-3983.

ISBN: application in progress (INDAUTOR, Mexico)
DOI of this guide: 10.5281/zenodo.24049522 · DOI of the app: 10.5281/zenodo.23290103

Text and figures under the Creative Commons Attribution 4.0 International licence (CC BY 4.0); the app under the MIT licence. You may copy, adapt and share this guide crediting its authors. Screenshots are from the Ratio Telar 0.7.0 app. Typeset in Palatino Linotype.