

Ghostbuster Model

Ghostbuster Model

- Similar to pac-man(layman's version :)).
- On a N square matrix board greater than 1, ghosts and 1 ghostbuster are placed on board.
 - The ghostbuster learns to kill or remove all the ghosts by occupying same cell as ghost
- Number of ghosts vary
 - More difficult to train as states of board (object position on board, number of ghosts, etc) are large

Model Gameplay

start

[]	[]	[Q]
[]	[]	[]
[]	[!]	[Q]
—		
[]	[]	[Q]
[]	[!]	[]
[]	[]	[Q]
—		
[]	[!]	[Q]
[]	[]	[]
[]	[]	[Q]
—		
[]	[!]	[Q]
[]	[]	[]
[]	[]	[Q]
—		

Game starts with 2 ghosts

No kills this game

start

[]	[Q]	[]
[Q]	[Q]	[]
[]	[!]	[Q]
—		
[]	[Q]	[]
[Q]	[Q!]	[]
[]	[]	[Q]
—		
[]	[Q!]	[]
[Q]	[]	[]
[]	[]	[Q]
—		
[]	[!]	[]
[Q]	[]	[]
[]	[]	[Q]
—		

Game starts with 4 ghosts

Hit!

Hit!

Two kills this game

Model Gameplay

start

[]	[Q]	[]
[]	[]	[Q]
[]	[Q!]	[]

Game starts with 3 ghosts

Hit at start of game

[]	[Q]	[]
[]	[!]	[Q]
[]	[]	[]

[]	[Q!]	[]
[]	[]	[Q]
[]	[]	[]

Hit!

[]	[!]	[]
[]	[]	[Q]
[]	[]	[]

Two kills this game

end

start

[]	[]	[]
[]	[]	[]
[]	[Q!]	[Q]

Game starts with 2 ghosts


[]	[]	[]
[]	[]	[]
[]	[]	[Q!]

[]	[]	[]
[]	[]	[]
[]	[]	[!]

All ghost killed!

end

Model



Thanks!