

Safety Data Sheet

1. Product and Company Identification

Product Name: **Aralthane® 5753B40**
Material Uses: Adhesive, encapsulant, coating, & casting material
(M)SDS#: 5753B40-20171013
Validation Date: Oct-13-2017
Supplier/Manufacturer: Specialty Polymers & Services, Inc. (SP&S, Inc.)
27822 Fremont Court
Valencia, California (CA) 91355, U.S.A.

Non-emergency phone number: (651) 294-1790 (7 AM - 5 PM PST)
E-mail: msds@spolymers.com
Chemtec (800) 424-9300 or (703) 527-3887

2. Hazards Identification

GHS CLASSIFICATION OF SUBSTANCE OR MIXTURE:

Eye damage: Category 1, H318

GHS LABEL ELEMENTS:

HAZARD SYMBOLS



SIGNAL WORDS:

DANGER!

HAZARD STATEMENTS:

H318 Cause serious eye damage/eye irritation

PRECAUTIONARY STATEMENTS:

PREVENTION: P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mists.

P273 Do not release to the environment.

P280 Wear protective gloves, clothing, and eye/face protection.

POISON CENTER and/or doctor if you feel unwell.

P303+P361+P534+P535+P532 IF ON SKIN (or hair): Take off immediately all contaminated clothing and wash before reuse. Rinse skin with water/shower. Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical attention.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical attention.

P391 Contained spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents and containers in accordance with local, regional and

STORAGE:
DISPOSAL:

Printed: 10/13/2017

Aralthane® 5753B40

Page 1 of 6

International regulations

Precautionary statements are listed according to the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS) - Annex III

See toxicological information (section 11)

General information: Read entire MSDS for a more thorough evaluation of the hazards

3. Composition / Information on Ingredients

Name
2-Hydroxypropyl aniline

CAS Number
3077-13-2

%
3.7%

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

4. First Aid Measures

Eye Contact:

Check for and remove any contact lenses. Immediately flush eyes for at least 15 minutes with running water. Hold eyelids apart to ensure rinsing of the entire eye surface and lids with water. Get immediate medical attention.

In case of contact, wash affected areas with plenty of water, and soap, if available, for several minutes. Remove and clean contaminated clothing and shoes before re-use. Get medical attention if irritation occurs.

Move exposed person to fresh air. If not breathing, give artificial respiration if oxygen. If breathing is difficult, transport to medical care and, if available, give supplemental oxygen. Loosen tight clothing such as a collar, tie, belt, or waistband. Get immediate medical attention.

Wash out mouth with water. If swallowed dilute by giving two (2) glasses water to drink. Do not induce vomiting until directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical attention.

No specific treatment. Treat symptomatically. Call poison control center if large quantities were ingested

Note to physician:

5. Fire-Fighting Measures

Flash point:

232°C (449.6°F) Pensky-Martín closed cup

Hazardous Thermal Decomposition Products: monoxide, halogenated compounds, metal oxides and other oxides.

Carbon dioxide, foam, dry chemical, water spray as suitable for the surrounding fire

Promptly isolate the scene by removing all persons from the vicinity of the fire. No actions shall be taken involving any personal risk or without suitable training.

No fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

Personal Precautions:

No actions shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering area. Do not touch or walk through spilled material. Avoid breathing vapor or mist and provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Avoid dispersal of spilled material and runoff that leads to contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution.

Stop leak if without risk. Move containers from spill area. Approach spill from up wind if possible. Prevent spill from entering sewers, rivers and other water courses, basements, or confined areas. Wash into effluent treatment plant or proceed as follows: Contain and collect spillage with non-combustible, absorbent material (e.g. sand, earth, vermiculite, or diatomaceous earth) and place in container for disposal according to local regulations. Dispose of only using a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information.

Environmental Precautions:

Methods of Clean Up:

7. Handling and Storage
Handling: Wear appropriate personal protective equipment (see Section 8) when handling. Eating, drinking, and smoking should be prohibited in areas where chemical are handled, stored, or processed. Workers

Printed: 10/13/2017

Aralthane® 5753B40

Page 2 of 6

should wash hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Persons with a history of skin sensitization problems should be employed in processes where this material is used. Keep in the original container or a suitable alternate made from a compatible material. Keep all containers tightly closed when not in use. Empty containers retain product residue and should be disposed of properly. Do not reuse empty containers for other purposes or to hold other materials.

Storage: Store in accordance with local regulations. Store in original containers, at 10°C - 35°C. Keep away from incompatible materials (see Section 10) and food and drink. Keep all containers tightly closed when not in use and tightly re-seal after use. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure Controls / Personal Protection

Recommended Monitoring Procedures: If this product contains ingredients with exposure limits, personal, workplace, atmospheric, or biological monitoring may be required to determine the effectiveness of the ventilation system or other control measures and/or to determine whether it is necessary to use respiratory protective equipment. It will also be necessary to reviewed national guidance documents for determining how to handle and relevant Hazardous Substances.

Engineering measures: No special ventilation requirements are necessary for this product. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation, or other engineering controls to keep worker exposure below the recommended or statutory limits.

Hygiene measures: Wash hands, forearms, and face thoroughly after handling any chemical products, before eating, smoking, and using the lavatory and at the end of the work period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protection

Respiratory: In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands: Chemical Resistant, impervious gloves that comply with an approved safety standard should be worn at all times when handling chemical products if a risk assessment indicates that this is necessary. Consider the parameters specified by the glove manufacturer and check gloves during use to ensure they are retaining their protective properties.

Eyes: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, or dusts. If contact is possible use chemical splash goggles unless a higher degree of protection is required.

Skin: Personal Protective equipment for the body should be selected based on the task being performed and the risks involved. Typical protective equipment includes non-absorbent lab coats, disposable protective sleeves, coats, or whole body suits. See a safety specialist to determine the appropriate level of protection for your task.

Environmental Exposure Controls: Emissions from ventilation or work processes should be checked to ensure they comply with the requirements of environmental regulations. In some cases, fume scrubbers, filters, or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and Chemical Properties			
Appearance:	Black liquid	Odor	Mild hydrocarbon
Boiling Point:	N/A	Freezing Point:	N/A
Flash Point:	232°C (449.6°F) close cup	pH:	N/A
Vapor Pressure:	<1 mm Hg at 25°C (77°F)	Flammable Limits:	N/A
Specific Gravity:	0.92	Water Solubility:	Partially soluble
Evaporation Rate:	<1 (butyl acetate = 1)	Vapor Density:	>1 (Air = 1)
Viscosity:	6500 cps	VOC:	10 g/L (estimated)

10. Stability and Reactivity

Chemical Stability: This product is stable under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous Polymerization: Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to Avoid: High temperatures and exposure to strong oxidizing agents, acids, and bases

Hazardous Decomposition: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological Information			
Acute Toxicity			
Product/Ingredient Name	Test	Endpoint	Species
2-Hydroxypropyl aniline	OECD 402 Acute Dermal Toxicity	LD50 Dermal	Rabbit
	OECD 420 Acute Oral Toxicity - Fixed Dose	LD50 Oral	Rat
			Result
			>2000 mg/kg
			3600 mg/kg
Irritation / Corrosion			
Product/Ingredient Name	Test	Species	Result
2-Hydroxypropyl aniline			Skin - mild irritant
			Eyes - severe irritant
Sensitizer			
Product/Ingredient Name	Test	Species	Result
Not available			
Mutagenicity			
Product/Ingredient Name	Test	Species	Result
Not available			

Conclusion/ Summary: the weight of scientific evidence indicates that the components of this product are not genotoxic

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC, ACGIH, NTP or OSHA or:

Reproductive Toxicity			
Product/Ingredient Name	Test	Species	Maternal Toxicity
Not available			Fertility
			Developmental Effects
Teratogenicity			
Product/Ingredient Name	Test	Species	Results
Not available			

Potential Acute Health Effects

Inhalation: May give off gas that is irritating to the respiratory system.

Ingestion: May cause burns to mouth, throat, and stomach

Skin Contact: Slightly irritating. No known critical hazards.

Eye Contact: Severely irritating to eyes

Potential Chronic Health Effects			
Product/Ingredient Name	Test	Endpoint	Species
None Known			Results
General:	Once sensitized, an allergic reaction may occur when subsequently exposed to very low levels		
Target Organs:	No known significant effects or critical hazards		
Carcinogenicity:	No known significant effects or critical hazards		
Mutagenicity:	No known significant effects or critical hazards		
Teratogenicity:	No known significant effects or critical hazards		
Developmental Effects:	No known significant effects or critical hazards		
Fertility Effects:	No known significant effects or critical hazards		

12. Ecological Information			
Environmental Effects: No known significant effects or critical hazards.			
Aquatic Toxicity			
Product/Ingredient Name	Test	Endpoint	Exposure
Not available			Species
			Result
Persistence and Degradability			
Product/Ingredient Name	Test	Period	Result
Not available			

Product/Ingredient Name	Aquatic half-life	Photolysis	Biodegradability
Not available			
Bioaccumulative potential			
Product/Ingredient Name	Log P _{ow}	BCF	Potential
Not available			
Other adverse effects:	No known significant effects or critical hazards		
Other information:	BODs: Not determined	COD: Not Determined	TOC: Not determined

13. Disposal Consideration

Waste Disposal Method: Disposal of this product, solutions, and by-products should at all times comply with the requirements of environmental and waste disposal legislation and any regional or local authority requirements. Dispose of surplus, non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed on untreated to the sewer system unless this is compliant with all applicable laws and regulations. Incineration by an approved and licensed contractor is the most common disposal method. Packaging materials that and absorbents containing the product can typically be landfilled or incinerated. Contact local authorities to determine the proper means of disposal in your area.

14. Transport Information

Not regulated for transportation purposes under 49CFR (US DOT), TDG (Canada), IATA, and IMDG regulations.

15. REGULATORY INFORMATION

US Federal Regulations:

Occupational Safety and Health Act (OSHA): This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Resource Conservation and Recovery Act (RCRA): This product is considered to be a hazardous waste under RCRA (40 CFR 261).

SARA Title III, Section 304 - CERCLA: This product does not contain chemicals regulated under Section 304 as extremely hazardous substance(s) for emergency release notification ("CERCLA" List).

SARA Title III, Section 311/312 - Hazard Communication Standard (HCS): Immediate (acute) health hazard

Delayed (chronic) health hazard

SARA Title III, Section 313 Toxic Chemical List (TCL): This product does not contain a toxic chemical for routine annual Toxic Chemical Release Reporting under Section 313 (40 CFR 372).

TSCA Section 8(b) - Inventory Status: All chemical(s) comprising this product are listed on the TSCA inventory.

TSCA Section 12(b) - Export Notification: This product does not contain chemicals which are subject to Section 12(b) export notification.

State Regulations:

California Proposition 65: This product contains less than 0.1% of a chemical known to the state of California to cause cancer: 4-vinylcyclohexene, ethylbenzene, and 1,3-butadiene. This product contains less than 1% of a chemicals currently on the California list of Known Carcinogens and Reproductive Toxins: 4-vinylcyclohexene, methanol, toluene, 1,3-butadiene.

International Regulations:

REACH Status (EC 1907/2006): This material has been registered, pre-registered, or is otherwise exempt from registration under REACH.

REACH Annex XIV (SVHC): No listed components as of validation date

Reach Annex XVIII (Restrictions on the manufacture, placing on the market & use of certain dangerous substances, mixtures, and articles): No list components as of validation date

WHMIS:

Class D-2B: Material causing other toxic effects

Class E: Corrosive Material

International Lists:

Australia Inventory (AICS)	all components are listed or exempt	Malaysia Inventory (EHS register)	not determined
Canada Inventory (CEA-DSL)	all components are listed or exempt	New Zealand Inv. of Chem. (NZIC)	all components are listed or exempt
China Inventory (IECSC)	all components are listed or exempt	Philippines Inventory (PICCS)	all components are listed or exempt

Printed 10/13/2017

Airthane® 5753B40

Page 5 of 6

Japan Inventory (JENCS)

Korea Inventory (ECL)

Taiwan Inventory (CSNW)

not determined

16. OTHER INFORMATION

Hazardous Material Information System (HMIS) - USA	National Fire Protection Association (NFPA)
Health	2
Physical Hazard	1
Personal Protection	C*

MSDS No: 5753B40-20150608

Prepared By: C. Meyer

Reason Issued: update

Approved By: C. Meyer

Title: Vice President

NOTICE TO READER: While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF PRODUCTS FOR THE USER'S PARTICULAR PURPOSE(S).

THIS PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

The product(s) has not been tested for, and is therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended, or for uses for which implantation within the human body is intended.

NOTE: Airthane® is a registered trademark of Huntsman Advanced Materials. SP45 is the exclusive authorized distributor for Airthane® 5753B40 and the authorized manufacturer of Airthane® 5753B40. Huntsman Advanced Materials does not in any endorse or certify any of the information presented herein, which is supplied solely by SP45.

Printed 10/13/2017

Airthane® 5753B40

Page 6 of 6

