Safety Data Sheet

Issue Date: 16-Jul-2012 Revision Date: 09-Dec-2014 Version 1

1. IDENTIFICATION

Product Identifier

Product Name ORIGINAL FORMULA ALUMTAP

Other means of identification

SDS # WBC-005

UN/ID No UN1897

Recommended use of the chemical and restrictions on use

Recommended UseOil-Based Cutting and Tapping Fluid.

Details of the supplier of the safety data sheet

Manufacturer Address

Winfield Brooks Company, INC.

70 Conn Street

Woburn, MA 01801-5662

Emergency Telephone Number

Company Phone Number Phone: 781-933-5300

Fax:781-932-9239

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

AppearanceBlue-green liquidPhysical StateLiquidOdorMild citric

Classification

Acute toxicity - Inhalation (Vapors)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Carcinogenicity	Category 1A

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed May be harmful in contact with skin

Signal Word Danger

Hazard Statements

Toxic if inhaled May cause cancer





Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

Call a POISON CENTER or doctor/physician

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Petroleum distillates, hydrotreated light naphthenic	64742-53-6	<90
Perchloroethylene	127-18-4	<10

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin Contact IF ON SKIN: Wash with plenty of soap and water. If irritation persists, seek medical

attention.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a POISON CENTER or doctor/physician.

Ingestion IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Call a poison center or

doctor/physician if you feel unwell.

Most important symptoms and effects

Symptoms May be harmful in contact with skin. Toxic if inhaled. May be harmful if swallowed. May

cause cancer.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Water fog. Foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Water may be used to cool containers to prevent pressure build up. Do not release runoff from fire control methods to sewers or waterways.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Do not breathe dust/fume/gas/mist/vapors/spray. Ventilate affected area.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Prevent runoff to storm sewers and

ditches leading to natural waterways.

Methods for Clean-Up Absorb with non-flammable suitable absorbent such as sand or earth. Scoop up used

absorbent into drums or other appropriate container. Dispose of contents/container to an

approved waste disposal plant.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a

well-ventilated area. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, well-ventilated area, away from ignition sources and incompatible materials.

Keep container tightly closed. Store locked up.

Incompatible Materials Strong acids. Oxidizing materials.

WBC-005 - ORIGINAL FORMULA ALUMTAP Revision Date: 09-Dec-2014

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Perchloroethylene	STEL: 100 ppm	TWA: 100 ppm	IDLH: 150 ppm
127-18-4	TWA: 25 ppm	(vacated) TWA: 25 ppm	
		(vacated) TWA: 170 mg/m ³	
		Ceiling: 200 ppm	

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Showers.

Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical safety goggles are recommended.

Skin and Body Protection Impervious gloves and protective clothing are recommended.

Respiratory Protection If vapors or mists are present, wear a MSHA/NIOSH-approved respirator. Seek profession

> advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134). For emergency or nonroutine operations (cleaning spills, reactor vessels, or storage tanks), wear a SCBA. Warning! Air-purifying respirators do not protect workers in

> > @ 23°C

(Air=1)

oxygen-deficient atmospheres.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

Appearance Blue-green liquid Odor Mild citric Color Blue-green **Odor Threshold** Not determined

Property Values Remarks • Method

Not determined pН

Melting Point/Freezing Point Not determined **Boiling Point/Boiling Range** 121 °C / 250 °F Flash Point 135 °C / 275 °F

Evaporation Rate .33 (butyl acetate = 1)

Flammability (Solid, Gas) Liquid- Not Applicable **Upper Flammability Limits** Not determined

Lower Flammability Limit Not determined

Vapor Pressure 2.4 mm Ha **Vapor Density** 5.8 **Specific Gravity** 0.9254

Water Solubility 0.015 gm/100 @ 23°C

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** 315 °C / 600 °F **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined

Dvnamic Viscosity 12 cps **Explosive Properties** Not determined **Oxidizing Properties** Not determined **Additional Information** % Volatile: ~10%

Density 7.72

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong acids. Oxidizing materials.

Hazardous Decomposition Products

Hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact May be harmful in contact with skin.

Inhalation Toxic if inhaled.

Ingestion May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated light naphthenic 64742-53-6	> 5000 mg/kg(Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat)4 h
Perchloroethylene 127-18-4	= 2629 mg/kg (Rat)	-	= 4000 ppm (Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

May cause cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
Petroleum distillates,	A2	Group 1		X
hydrotreated light naphthenic 64742-53-6				
Perchloroethylene 127-18-4	A3	Group 2A	Reasonably Anticipated	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum distillates, hydrotreated light naphthenic 64742-53-6		5000: 96 h Oncorhynchus mykiss mg/L LC50		1000: 48 h Daphnia magna mg/L EC50
Perchloroethylene 127-18-4	500: 96 h Pseudokirchneriella subcapitata mg/L EC50	12.4 - 14.4: 96 h Pimephales promelas mg/L LC50 flow-through 8.6 - 13.5: 96 h Pimephales promelas mg/L LC50 static 11.0 - 15.0: 96 h Lepomis macrochirus mg/L LC50 static 4.73 - 5.27: 96 h Oncorhynchus mykiss mg/L LC50 flow-through		6.1 - 9.0: 48 h Daphnia magna mg/L EC50 Static

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Perchloroethylene	2.88
127-18-4	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Perchloroethylene	U210	Included in waste streams:	0.7 mg/L regulatory level	U210
127-18-4		F001, F002, F024, F025,		
		F039, K016, K019, K020,		
		K073, K116, K150, K151		

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Perchloroethylene	Category I - Volatiles		Toxic waste	
127-18-4			waste number F025	
			Waste description:	
			Condensed light ends, spent	
			filters and filter aids, and	
			spent desiccant wastes from	
			the production of certain	
			chlorinated aliphatic	
			hydrocarbons, by free radical	
			catalyzed processes. These	
			chlorinated aliphatic	
			hydrocarbons are those	
			having carbon chain lengths	
			ranging from one to and	
			including five, with varying	
			amounts and positions of	
			chlorine substitution.	

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Perchloroethylene	Toxic
127-18-4	

14. TRANSPORT INFORMATION

Limited quantity (LQ). Please see current shipping paper for most up to date shipping Note

information, including exemptions and special circumstances.

DOT

UN/ID No UN1897

Proper Shipping Name Tetrachloroethylene Solution

Hazard Class 6.1 **Packing Group** Ш

IATA

UN/ID No UN1897

Proper Shipping Name Tetrachloroethylene Solution

Hazard Class 6.1 **Packing Group** Ш

IMDG

UN/ID No UN1897

Proper Shipping Name Tetrachloroethylene Solution

Hazard Class 6.
Packing Group

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Petroleum distillates,	Present	X		Present		Present	X	Present	X	X
hydrotreated light naphthenic										
Perchloroethylene	Present	Х		Present		Present	Х	Present	Χ	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Perchloroethylene	100 lb 1 lb		RQ 100 lb final RQ
127-18-4			RQ 45.4 kg final RQ RQ 1 lb final
			RQ
			RQ 0.454 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Perchloroethylene - 127-18-4	127-18-4	<10	0.1

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Perchloroethylene		X	X	

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Perchloroethylene - 127-18-4	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Petroleum distillates, hydrotreated light naphthenic 64742-53-6		X	
Perchloroethylene 127-18-4	Х	X	Χ

16. OTHER INFORMATION

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards211Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection210A

Issue Date:16-Jul-2012Revision Date:09-Dec-2014Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet
