The vscodeicons package (0.1.1) – 2025/11/24

Cédric Pierquet
https://github.com/vscode-icons/vscode-icons (Source version v12.15.0)
https://github.com/cpierquet/latex-packages/tree/main/vscodeicons (LaTeX package)

cpierquet – at – outlook . fr

This package provides LaTeX support for the vscode icons project (https://github.com/vscode-icons/vscode-icons).

To use vscodeicons in your document, include the package with \usepackage{vscodeicons}.
An icon can be accessed using the icon name. A list of all included icons with their respective *page* can be found at the end of this document.

1 Example

```
...
\usepackage{vscodeicons}
...
\begin{document}
...
Inline\vscodeicon{folder}version
...
\end{document}
```

Result: Inline 📂version

2 Usage

2.1 Generic macro

```
\vscodeicon%
  [filetype=TF,foldertype=TF,height=...,(d)strut=...]%
  <includegraphics options>%
  {name}
```

The boolean [filetype] activate filetype version of icon (if available) and the boolean [foldertype] activate foldertype version of icon (if available).
And key [height=...] can be:

- dauto (by default): inline insertion with height/depth;
- auto: inline insertion with height/nodepth;
- a length: normal insertion with fixed height;
- manuel height/depth: normal insertion with fixed height/depth.

The keys `[(d)strut=...]` can be used to set the *reference* box for dimension calculations.

By default, icons are given with a small border, so the given height is the height of the *full* box, not the height of the icons.

Example: Inline version or inline version.

2.2 Examples

```
%normal version: inline with automatic height/depth (from qX characters)
\vscodeicon[filetype,height=dauto]{arduino} %or \vscodeicon[filetype]{arduino}
```

q X

```
%normal version: inline with automatic height/depth (from specified characters)
(q\vscodeicon[foldertype,height=dauto,dstrut=(qB)]{story}B)
```

(q B)

```
%normal version: inline with automatic height (from X character) default version
\vscodeicon[foldertype,height=auto]{story}
```

X X

```
%normal version: inline with manual height/depth
\vscodeicon[foldertype,height={1.2em/-0.4em}]{story}
```

qb Xz

```
%fixed height
\vscodeicon[height=1in]{folder-opened}
```

2.3 Used packages

`ifthen`, `calc`, `graphicx` and `simplekv` are loaded and used by the package.

2.4 Bugs

For bug reports and feature requests, report on the GitHub repository `https://github.com/cpierquet/latex-packages/issues`.

3 List of icons

3.1 Default version (5 icons)

The PDF file is `vscodeicons-default-all.pdf`

Icon	Name	Direct command	PDF page
	file	`\vscodeicon{file}`	1
	folder-opened	`\vscodeicon{folder-opened}`	2
	folder	`\vscodeicon{folder}`	3
	root-folder-opened	`\vscodeicon{root-folder-opened}`	4
	root-folder	`\vscodeicon{root-folder}`	5

3.2 FileType version (1061 icons)

The PDF file is `vscodeicons-filetype-all.pdf`

Icon	Name	Direct command	PDF page
	access	`\vscodeicon[filetype]{access}`	1
	access2	`\vscodeicon[filetype]{access2}`	2
	actionscript	`\vscodeicon[filetype]{actionscript}`	3
	actionscript2	`\vscodeicon[filetype]{actionscript2}`	4
	ada	`\vscodeicon[filetype]{ada}`	5
	advpl	`\vscodeicon[filetype]{advpl}`	6
	affectscript	`\vscodeicon[filetype]{affectscript}`	7
	affinitydesigner	`\vscodeicon[filetype]{affinitydesigner}`	8
	affinityphoto	`\vscodeicon[filetype]{affinityphoto}`	9
	affinitypublisher	`\vscodeicon[filetype]{affinitypublisher}`	10
	agda	`\vscodeicon[filetype]{agda}`	11
	agents	`\vscodeicon[filetype]{agents}`	12
	ai	`\vscodeicon[filetype]{ai}`	13
	ai2	`\vscodeicon[filetype]{ai2}`	14
	al	`\vscodeicon[filetype]{al}`	15
	allcontributors	`\vscodeicon[filetype]{allcontributors}`	16
	alloy	`\vscodeicon[filetype]{alloy}`	17
	al-dal	`\vscodeicon[filetype]{al-dal}`	18
	angular	`\vscodeicon[filetype]{angular}`	19
	ansible	`\vscodeicon[filetype]{ansible}`	20
	antlers-html	`\vscodeicon[filetype]{antlers-html}`	21
	antlr	`\vscodeicon[filetype]{antlr}`	22
	anyscript	`\vscodeicon[filetype]{anyscript}`	23
	apache	`\vscodeicon[filetype]{apache}`	24
	apex	`\vscodeicon[filetype]{apex}`	25
	apib	`\vscodeicon[filetype]{apib}`	26
	apib2	`\vscodeicon[filetype]{apib2}`	27
	api-extractor	`\vscodeicon[filetype]{api-extractor}`	28
	apl	`\vscodeicon[filetype]{apl}`	29
	applescript	`\vscodeicon[filetype]{applescript}`	30

Icon	Name	Direct command	PDF page
	appscript	\vscodeicon[filetype]{appscript}	31
	appsemble	\vscodeicon[filetype]{appsemble}	32
	appveyor	\vscodeicon[filetype]{appveyor}	33
	arduino	\vscodeicon[filetype]{arduino}	34
	asciidoc	\vscodeicon[filetype]{asciidoc}	35
	aseprite	\vscodeicon[filetype]{aseprite}	36
	asp	\vscodeicon[filetype]{asp}	37
	aspx	\vscodeicon[filetype]{aspx}	38
	assembly	\vscodeicon[filetype]{assembly}	39
	astro	\vscodeicon[filetype]{astro}	40
	astroconfig	\vscodeicon[filetype]{astroconfig}	41
	atom	\vscodeicon[filetype]{atom}	42
	ats	\vscodeicon[filetype]{ats}	43
	attw	\vscodeicon[filetype]{attw}	44
	audio	\vscodeicon[filetype]{audio}	45
	aurelia	\vscodeicon[filetype]{aurelia}	46
	autohotkey	\vscodeicon[filetype]{autohotkey}	47
	autoit	\vscodeicon[filetype]{autoit}	48
	avif	\vscodeicon[filetype]{avif}	49
	avro	\vscodeicon[filetype]{avro}	50
	awk	\vscodeicon[filetype]{awk}	51
	aws	\vscodeicon[filetype]{aws}	52
	azure	\vscodeicon[filetype]{azure}	53
	azurepipelines	\vscodeicon[filetype]{azurepipelines}	54
	babel	\vscodeicon[filetype]{babel}	55
	babel2	\vscodeicon[filetype]{babel2}	56
	bak	\vscodeicon[filetype]{bak}	57
	ballerina	\vscodeicon[filetype]{ballerina}	58
	bat	\vscodeicon[filetype]{bat}	59
	bats	\vscodeicon[filetype]{bats}	60
	bazaar	\vscodeicon[filetype]{bazaar}	61
	bazel	\vscodeicon[filetype]{bazel}	62
	bazel-ignore	\vscodeicon[filetype]{bazel-ignore}	63
	bazel-version	\vscodeicon[filetype]{bazel-version}	64
	befunge	\vscodeicon[filetype]{befunge}	65
	bicep	\vscodeicon[filetype]{bicep}	66
	biml	\vscodeicon[filetype]{biml}	67
	binary	\vscodeicon[filetype]{binary}	68
	biome	\vscodeicon[filetype]{biome}	69
	bitbucketpipeline	\vscodeicon[filetype]{bitbucketpipeline}	70
	bithound	\vscodeicon[filetype]{bithound}	71
	blade	\vscodeicon[filetype]{blade}	72
	blender	\vscodeicon[filetype]{blender}	73
	blitzbasic	\vscodeicon[filetype]{blitzbasic}	74
	bolt	\vscodeicon[filetype]{bolt}	75
	bosque	\vscodeicon[filetype]{bosque}	76
	bower	\vscodeicon[filetype]{bower}	77

Icon	Name	Direct command	PDF page
	bower2	\vscodeicon[filetype]{bower2}	78
	browserslist	\vscodeicon[filetype]{browserslist}	79
	bruno	\vscodeicon[filetype]{bruno}	80
	buckbuild	\vscodeicon[filetype]{buckbuild}	81
	buf	\vscodeicon[filetype]{buf}	82
	bun	\vscodeicon[filetype]{bun}	83
	bundlemon	\vscodeicon[filetype]{bundlemon}	84
	bundler	\vscodeicon[filetype]{bundler}	85
	bunfig	\vscodeicon[filetype]{bunfig}	86
	c	\vscodeicon[filetype]{c}	87
	c2	\vscodeicon[filetype]{c2}	88
	c3	\vscodeicon[filetype]{c3}	89
	cabal	\vscodeicon[filetype]{cabal}	90
	caddy	\vscodeicon[filetype]{caddy}	91
	cake	\vscodeicon[filetype]{cake}	92
	cakephp	\vscodeicon[filetype]{cakephp}	93
	capacitor	\vscodeicon[filetype]{capacitor}	94
	capnp	\vscodeicon[filetype]{capnp}	95
	cargo	\vscodeicon[filetype]{cargo}	96
	casc	\vscodeicon[filetype]{casc}	97
	cddl	\vscodeicon[filetype]{cddl}	98
	cert	\vscodeicon[filetype]{cert}	99
	ceylon	\vscodeicon[filetype]{ceylon}	100
	cf	\vscodeicon[filetype]{cf}	101
	cf2	\vscodeicon[filetype]{cf2}	102
	cfc	\vscodeicon[filetype]{cfc}	103
	cfc2	\vscodeicon[filetype]{cfc2}	104
	cfm	\vscodeicon[filetype]{cfm}	105
	cfm2	\vscodeicon[filetype]{cfm2}	106
	changie	\vscodeicon[filetype]{changie}	107
	cheader	\vscodeicon[filetype]{cheader}	108
	chef	\vscodeicon[filetype]{chef}	109
	chef-cookbook	\vscodeicon[filetype]{chef-cookbook}	110
	circleci	\vscodeicon[filetype]{circleci}	111
	circom	\vscodeicon[filetype]{circom}	112
	class	\vscodeicon[filetype]{class}	113
	claude	\vscodeicon[filetype]{claude}	114
	clojure	\vscodeicon[filetype]{clojure}	115
	clojurescript	\vscodeicon[filetype]{clojurescript}	116
	cloudflare	\vscodeicon[filetype]{cloudflare}	117
	cloudfoundry	\vscodeicon[filetype]{cloudfoundry}	118
	cmake	\vscodeicon[filetype]{cmake}	119
	cobol	\vscodeicon[filetype]{cobol}	120
	codacy	\vscodeicon[filetype]{codacy}	121
	codeclimate	\vscodeicon[filetype]{codeclimate}	122
	codecov	\vscodeicon[filetype]{codecov}	123
	codekit	\vscodeicon[filetype]{codekit}	124

Icon	Name	Direct command	PDF page
	codemagic	\vscodeicon[filetype]{codemagic}	125
	codeowners	\vscodeicon[filetype]{codeowners}	126
	codeql	\vscodeicon[filetype]{codeql}	127
	coderabbit	\vscodeicon[filetype]{coderabbit}	128
	coffeelint	\vscodeicon[filetype]{coffeelint}	129
	coffeescript	\vscodeicon[filetype]{coffeescript}	130
	commitizen	\vscodeicon[filetype]{commitizen}	131
	commitlint	\vscodeicon[filetype]{commitlint}	132
	compass	\vscodeicon[filetype]{compass}	133
	composer	\vscodeicon[filetype]{composer}	134
	conan	\vscodeicon[filetype]{conan}	135
	conda	\vscodeicon[filetype]{conda}	136
	config	\vscodeicon[filetype]{config}	137
	confluence	\vscodeicon[filetype]{confluence}	138
	copilot	\vscodeicon[filetype]{copilot}	139
	coverage	\vscodeicon[filetype]{coverage}	140
	coveralls	\vscodeicon[filetype]{coveralls}	141
	cpp	\vscodeicon[filetype]{cpp}	142
	cpp2	\vscodeicon[filetype]{cpp2}	143
	cpp3	\vscodeicon[filetype]{cpp3}	144
	cppheader	\vscodeicon[filetype]{cppheader}	145
	craco	\vscodeicon[filetype]{craco}	146
	crowdin	\vscodeicon[filetype]{crowdin}	147
	crystal	\vscodeicon[filetype]{crystal}	148
	csharp	\vscodeicon[filetype]{csharp}	149
	csharp2	\vscodeicon[filetype]{csharp2}	150
	cspell	\vscodeicon[filetype]{cspell}	151
	csproj	\vscodeicon[filetype]{csproj}	152
	css	\vscodeicon[filetype]{css}	153
	css2	\vscodeicon[filetype]{css2}	154
	css2map	\vscodeicon[filetype]{css2map}	155
	csscomb	\vscodeicon[filetype]{csscomb}	156
	csslint	\vscodeicon[filetype]{csslint}	157
	cssmap	\vscodeicon[filetype]{cssmap}	158
	cucumber	\vscodeicon[filetype]{cucumber}	159
	cuda	\vscodeicon[filetype]{cuda}	160
	cursorrules	\vscodeicon[filetype]{cursorrules}	161
	cvs	\vscodeicon[filetype]{cvs}	162
	cypress	\vscodeicon[filetype]{cypress}	163
	cypress-spec	\vscodeicon[filetype]{cypress-spec}	164
	cython	\vscodeicon[filetype]{cython}	165
	c-al	\vscodeicon[filetype]{c-al}	166
	dal	\vscodeicon[filetype]{dal}	167
	darcs	\vscodeicon[filetype]{darcs}	168
	dartlang	\vscodeicon[filetype]{dartlang}	169
	dartlang-generated	\vscodeicon[filetype]{dartlang-generated}	170
	dartlang-ignore	\vscodeicon[filetype]{dartlang-ignore}	171

Icon	Name	Direct command	PDF page
	datadog	\vscodeicon[filetype]{datadog}	172
	db	\vscodeicon[filetype]{db}	173
	debian	\vscodeicon[filetype]{debian}	174
	delphi	\vscodeicon[filetype]{delphi}	175
	deno	\vscodeicon[filetype]{deno}	176
	denoify	\vscodeicon[filetype]{denoify}	177
	dependabot	\vscodeicon[filetype]{dependabot}	178
	dependencies	\vscodeicon[filetype]{dependencies}	179
	devcontainer	\vscodeicon[filetype]{devcontainer}	180
	dhall	\vscodeicon[filetype]{dhall}	181
	diff	\vscodeicon[filetype]{diff}	182
	django	\vscodeicon[filetype]{django}	183
	dlang	\vscodeicon[filetype]{dlang}	184
	docker	\vscodeicon[filetype]{docker}	185
	docker2	\vscodeicon[filetype]{docker2}	186
	dockertest	\vscodeicon[filetype]{dockertest}	187
	dockertest2	\vscodeicon[filetype]{dockertest2}	188
	docpad	\vscodeicon[filetype]{docpad}	189
	docusaurus	\vscodeicon[filetype]{docusaurus}	190
	docz	\vscodeicon[filetype]{docz}	191
	dojo	\vscodeicon[filetype]{dojo}	192
	doppler	\vscodeicon[filetype]{doppler}	193
	dotenv	\vscodeicon[filetype]{dotenv}	194
	dotjs	\vscodeicon[filetype]{dotjs}	195
	doxygen	\vscodeicon[filetype]{doxygen}	196
	drawio	\vscodeicon[filetype]{drawio}	197
	drone	\vscodeicon[filetype]{drone}	198
	drools	\vscodeicon[filetype]{drools}	199
	dtd	\vscodeicon[filetype]{dtd}	200
	dune	\vscodeicon[filetype]{dune}	201
	dustjs	\vscodeicon[filetype]{dustjs}	202
	dvc	\vscodeicon[filetype]{dvc}	203
	dylan	\vscodeicon[filetype]{dylan}	204
	earthly	\vscodeicon[filetype]{earthly}	205
	eas-metadata	\vscodeicon[filetype]{eas-metadata}	206
	edge	\vscodeicon[filetype]{edge}	207
	edge2	\vscodeicon[filetype]{edge2}	208
	editorconfig	\vscodeicon[filetype]{editorconfig}	209
	eex	\vscodeicon[filetype]{eex}	210
	ejs	\vscodeicon[filetype]{ejs}	211
	elastic	\vscodeicon[filetype]{elastic}	212
	elasticbeanstalk	\vscodeicon[filetype]{elasticbeanstalk}	213
	eleventy	\vscodeicon[filetype]{eleventy}	214
	eleventy2	\vscodeicon[filetype]{eleventy2}	215
	elixir	\vscodeicon[filetype]{elixir}	216
	elm	\vscodeicon[filetype]{elm}	217
	elm2	\vscodeicon[filetype]{elm2}	218

Icon	Name	Direct command	PDF page
	emacs	\vscodeicon[filetype]{emacs}	219
	ember	\vscodeicon[filetype]{ember}	220
	ensime	\vscodeicon[filetype]{ensime}	221
	eps	\vscodeicon[filetype]{eps}	222
	epub	\vscodeicon[filetype]{epub}	223
	erb	\vscodeicon[filetype]{erb}	224
	erlang	\vscodeicon[filetype]{erlang}	225
	erlang2	\vscodeicon[filetype]{erlang2}	226
	esbuild	\vscodeicon[filetype]{esbuild}	227
	eslint	\vscodeicon[filetype]{eslint}	228
	eslint2	\vscodeicon[filetype]{eslint2}	229
	esphome	\vscodeicon[filetype]{esphome}	230
	excalidraw	\vscodeicon[filetype]{excalidraw}	231
	excel	\vscodeicon[filetype]{excel}	232
	excel2	\vscodeicon[filetype]{excel2}	233
	expo	\vscodeicon[filetype]{expo}	234
	falcon	\vscodeicon[filetype]{falcon}	235
	fantasticon	\vscodeicon[filetype]{fantasticon}	236
	fastly	\vscodeicon[filetype]{fastly}	237
	fauna	\vscodeicon[filetype]{fauna}	238
	favicon	\vscodeicon[filetype]{favicon}	239
	fbx	\vscodeicon[filetype]{fbx}	240
	firebase	\vscodeicon[filetype]{firebase}	241
	firebasehosting	\vscodeicon[filetype]{firebasehosting}	242
	firebasestorage	\vscodeicon[filetype]{firebasestorage}	243
	firestore	\vscodeicon[filetype]{firestore}	244
	fitbit	\vscodeicon[filetype]{fitbit}	245
	fla	\vscodeicon[filetype]{fla}	246
	flareact	\vscodeicon[filetype]{flareact}	247
	flash	\vscodeicon[filetype]{flash}	248
	floobits	\vscodeicon[filetype]{floobits}	249
	flow	\vscodeicon[filetype]{flow}	250
	flutter	\vscodeicon[filetype]{flutter}	251
	flutter-package	\vscodeicon[filetype]{flutter-package}	252
	flyio	\vscodeicon[filetype]{flyio}	253
	font	\vscodeicon[filetype]{font}	254
	formkit	\vscodeicon[filetype]{formkit}	255
	fortran	\vscodeicon[filetype]{fortran}	256
	fossa	\vscodeicon[filetype]{fossa}	257
	fossil	\vscodeicon[filetype]{fossil}	258
	freemarker	\vscodeicon[filetype]{freemarker}	259
	frontcommerce	\vscodeicon[filetype]{frontcommerce}	260
	fsharp	\vscodeicon[filetype]{fsharp}	261
	fsharp2	\vscodeicon[filetype]{fsharp2}	262
	fsproj	\vscodeicon[filetype]{fsproj}	263
	fthtml	\vscodeicon[filetype]{fthtml}	264
	funding	\vscodeicon[filetype]{funding}	265

Icon	Name	Direct command	PDF page
	fusebox	\vscodeicon[filetype]{fusebox}	266
	galen	\vscodeicon[filetype]{galen}	267
	galen2	\vscodeicon[filetype]{galen2}	268
	gamemaker	\vscodeicon[filetype]{gamemaker}	269
	gamemaker2	\vscodeicon[filetype]{gamemaker2}	270
	gamemaker81	\vscodeicon[filetype]{gamemaker81}	271
	gatsby	\vscodeicon[filetype]{gatsby}	272
	gcloud	\vscodeicon[filetype]{gcloud}	273
	gcode	\vscodeicon[filetype]{gcode}	274
	gdscript	\vscodeicon[filetype]{gdscript}	275
	gemini	\vscodeicon[filetype]{gemini}	276
	genstat	\vscodeicon[filetype]{genstat}	277
	geojson	\vscodeicon[filetype]{geojson}	278
	git	\vscodeicon[filetype]{git}	279
	git2	\vscodeicon[filetype]{git2}	280
	gitlab	\vscodeicon[filetype]{gitlab}	281
	gitpod	\vscodeicon[filetype]{gitpod}	282
	gleam	\vscodeicon[filetype]{gleam}	283
	gleamconfig	\vscodeicon[filetype]{gleamconfig}	284
	glide	\vscodeicon[filetype]{glide}	285
	glimmer	\vscodeicon[filetype]{glimmer}	286
	glitter	\vscodeicon[filetype]{glitter}	287
	glsl	\vscodeicon[filetype]{glsl}	288
	gltf	\vscodeicon[filetype]{gltf}	289
	glyphs	\vscodeicon[filetype]{glyphs}	290
	gnu	\vscodeicon[filetype]{gnu}	291
	gnuplot	\vscodeicon[filetype]{gnuplot}	292
	go	\vscodeicon[filetype]{go}	293
	goctl	\vscodeicon[filetype]{goctl}	294
	godot	\vscodeicon[filetype]{godot}	295
	go-aqua	\vscodeicon[filetype]{go-aqua}	296
	go-black	\vscodeicon[filetype]{go-black}	297
	go-fuchsia	\vscodeicon[filetype]{go-fuchsia}	298
	go-gopher	\vscodeicon[filetype]{go-gopher}	299
	go-lightblue	\vscodeicon[filetype]{go-lightblue}	300
	go-package	\vscodeicon[filetype]{go-package}	301
	go-white	\vscodeicon[filetype]{go-white}	302
	go-work	\vscodeicon[filetype]{go-work}	303
	go-yellow	\vscodeicon[filetype]{go-yellow}	304
	gpg	\vscodeicon[filetype]{gpg}	305
	gradle	\vscodeicon[filetype]{gradle}	306
	gradle2	\vscodeicon[filetype]{gradle2}	307
	grain	\vscodeicon[filetype]{grain}	308
	graphql	\vscodeicon[filetype]{graphql}	309
	graphql-config	\vscodeicon[filetype]{graphql-config}	310
	graphviz	\vscodeicon[filetype]{graphviz}	311
	greenkeeper	\vscodeicon[filetype]{greenkeeper}	312

Icon	Name	Direct command	PDF page
	gridsome	\vscodeicon[filetype]{gridsome}	313
	grit	\vscodeicon[filetype]{grit}	314
	groovy	\vscodeicon[filetype]{groovy}	315
	groovy2	\vscodeicon[filetype]{groovy2}	316
	grunt	\vscodeicon[filetype]{grunt}	317
	gulp	\vscodeicon[filetype]{gulp}	318
	haml	\vscodeicon[filetype]{haml}	319
	handlebars	\vscodeicon[filetype]{handlebars}	320
	handlebars2	\vscodeicon[filetype]{handlebars2}	321
	harbour	\vscodeicon[filetype]{harbour}	322
	hardhat	\vscodeicon[filetype]{hardhat}	323
	hashicorp	\vscodeicon[filetype]{hashicorp}	324
	haskell	\vscodeicon[filetype]{haskell}	325
	haskell2	\vscodeicon[filetype]{haskell2}	326
	haxe	\vscodeicon[filetype]{haxe}	327
	haxecheckstyle	\vscodeicon[filetype]{haxecheckstyle}	328
	haxedevelop	\vscodeicon[filetype]{haxedevelop}	329
	helix	\vscodeicon[filetype]{helix}	330
	helm	\vscodeicon[filetype]{helm}	331
	histoire	\vscodeicon[filetype]{histoire}	332
	hjson	\vscodeicon[filetype]{hjson}	333
	hlsl	\vscodeicon[filetype]{hlsl}	334
	homeassistant	\vscodeicon[filetype]{homeassistant}	335
	horusec	\vscodeicon[filetype]{horusec}	336
	host	\vscodeicon[filetype]{host}	337
	html	\vscodeicon[filetype]{html}	338
	htmlhint	\vscodeicon[filetype]{htmlhint}	339
	htmlvalidate	\vscodeicon[filetype]{htmlvalidate}	340
	http	\vscodeicon[filetype]{http}	341
	hugo	\vscodeicon[filetype]{hugo}	342
	humanstxt	\vscodeicon[filetype]{humanstxt}	343
	hunspell	\vscodeicon[filetype]{hunspell}	344
	husky	\vscodeicon[filetype]{husky}	345
	hy	\vscodeicon[filetype]{hy}	346
	hygen	\vscodeicon[filetype]{hygen}	347
	hypr	\vscodeicon[filetype]{hypr}	348
	icl	\vscodeicon[filetype]{icl}	349
	idris	\vscodeicon[filetype]{idris}	350
	idrisbin	\vscodeicon[filetype]{idrisbin}	351
	idrispkg	\vscodeicon[filetype]{idrispkg}	352
	image	\vscodeicon[filetype]{image}	353
	imba	\vscodeicon[filetype]{imba}	354
	inc	\vscodeicon[filetype]{inc}	355
	infopath	\vscodeicon[filetype]{infopath}	356
	informix	\vscodeicon[filetype]{informix}	357
	ini	\vscodeicon[filetype]{ini}	358
	ink	\vscodeicon[filetype]{ink}	359

Icon	Name	Direct command	PDF page
	innosetup	\vscodeicon[filetype]{innosetup}	360
	io	\vscodeicon[filetype]{io}	361
	iodine	\vscodeicon[filetype]{iodine}	362
	ionic	\vscodeicon[filetype]{ionic}	363
	jake	\vscodeicon[filetype]{jake}	364
	janet	\vscodeicon[filetype]{janet}	365
	jar	\vscodeicon[filetype]{jar}	366
	jasmine	\vscodeicon[filetype]{jasmine}	367
	java	\vscodeicon[filetype]{java}	368
	jbuilder	\vscodeicon[filetype]{jbuilder}	369
	jekyll	\vscodeicon[filetype]{jekyll}	370
	jenkins	\vscodeicon[filetype]{jenkins}	371
	jest	\vscodeicon[filetype]{jest}	372
	jest-snapshot	\vscodeicon[filetype]{jest-snapshot}	373
	jinja	\vscodeicon[filetype]{jinja}	374
	jpm	\vscodeicon[filetype]{jpm}	375
	js	\vscodeicon[filetype]{js}	376
	jsbeautify	\vscodeicon[filetype]{jsbeautify}	377
	jsconfig	\vscodeicon[filetype]{jsconfig}	378
	jscpd	\vscodeicon[filetype]{jscpd}	379
	jshint	\vscodeicon[filetype]{jshint}	380
	jsmap	\vscodeicon[filetype]{jsmap}	381
	json	\vscodeicon[filetype]{json}	382
	json2	\vscodeicon[filetype]{json2}	383
	json5	\vscodeicon[filetype]{json5}	384
	jsonld	\vscodeicon[filetype]{jsonld}	385
	jsonnet	\vscodeicon[filetype]{jsonnet}	386
	json-official	\vscodeicon[filetype]{json-official}	387
	json-schema	\vscodeicon[filetype]{json-schema}	388
	jsp	\vscodeicon[filetype]{jsp}	389
	jsr	\vscodeicon[filetype]{jsr}	390
	jss	\vscodeicon[filetype]{jss}	391
	js-official	\vscodeicon[filetype]{js-official}	392
	juice	\vscodeicon[filetype]{juice}	393
	julia	\vscodeicon[filetype]{julia}	394
	julia2	\vscodeicon[filetype]{julia2}	395
	jupyter	\vscodeicon[filetype]{jupyter}	396
	just	\vscodeicon[filetype]{just}	397
	k	\vscodeicon[filetype]{k}	398
	karma	\vscodeicon[filetype]{karma}	399
	key	\vscodeicon[filetype]{key}	400
	kitchenci	\vscodeicon[filetype]{kitchenci}	401
	kite	\vscodeicon[filetype]{kite}	402
	kivy	\vscodeicon[filetype]{kivy}	403
	knip	\vscodeicon[filetype]{knip}	404
	kos	\vscodeicon[filetype]{kos}	405
	kotlin	\vscodeicon[filetype]{kotlin}	406

Icon	Name	Direct command	PDF page
	kusto	\vscodeicon[filetype]{kusto}	407
	language-configuration	\vscodeicon[filetype]{language-configuration}	408
	lark	\vscodeicon[filetype]{lark}	409
	latino	\vscodeicon[filetype]{latino}	410
	layout	\vscodeicon[filetype]{layout}	411
	lean	\vscodeicon[filetype]{lean}	412
	leanconfig	\vscodeicon[filetype]{leanconfig}	413
	lefthook	\vscodeicon[filetype]{lefthook}	414
	lerna	\vscodeicon[filetype]{lerna}	415
	less	\vscodeicon[filetype]{less}	416
	lex	\vscodeicon[filetype]{lex}	417
	liara	\vscodeicon[filetype]{liara}	418
	libreoffice-base	\vscodeicon[filetype]{libreoffice-base}	419
	libreoffice-calc	\vscodeicon[filetype]{libreoffice-calc}	420
	libreoffice-draw	\vscodeicon[filetype]{libreoffice-draw}	421
	libreoffice-impress	\vscodeicon[filetype]{libreoffice-impress}	422
	libreoffice-math	\vscodeicon[filetype]{libreoffice-math}	423
	libreoffice-writer	\vscodeicon[filetype]{libreoffice-writer}	424
	license	\vscodeicon[filetype]{license}	425
	licensebat	\vscodeicon[filetype]{licensebat}	426
	lighthouse	\vscodeicon[filetype]{lighthouse}	427
	light-actionscript2	\vscodeicon[filetype]{light-actionscript2}	428
	light-ada	\vscodeicon[filetype]{light-ada}	429
	light-agda	\vscodeicon[filetype]{light-agda}	430
	light-agents	\vscodeicon[filetype]{light-agents}	431
	light-apl	\vscodeicon[filetype]{light-apl}	432
	light-astro	\vscodeicon[filetype]{light-astro}	433
	light-astroconfig	\vscodeicon[filetype]{light-astroconfig}	434
	light-babel	\vscodeicon[filetype]{light-babel}	435
	light-babel2	\vscodeicon[filetype]{light-babel2}	436
	light-cabal	\vscodeicon[filetype]{light-cabal}	437
	light-circleci	\vscodeicon[filetype]{light-circleci}	438
	light-cloudfoundry	\vscodeicon[filetype]{light-cloudfoundry}	439
	light-codacy	\vscodeicon[filetype]{light-codacy}	440
	light-codeclimate	\vscodeicon[filetype]{light-codeclimate}	441
	light-codeowners	\vscodeicon[filetype]{light-codeowners}	442
	light-config	\vscodeicon[filetype]{light-config}	443
	light-copilot	\vscodeicon[filetype]{light-copilot}	444
	light-crystal	\vscodeicon[filetype]{light-crystal}	445
	light-cypress	\vscodeicon[filetype]{light-cypress}	446
	light-cypress-spec	\vscodeicon[filetype]{light-cypress-spec}	447
	light-db	\vscodeicon[filetype]{light-db}	448
	light-dhall	\vscodeicon[filetype]{light-dhall}	449
	light-docpad	\vscodeicon[filetype]{light-docpad}	450
	light-drone	\vscodeicon[filetype]{light-drone}	451
	light-eas-metadata	\vscodeicon[filetype]{light-eas-metadata}	452
	light-eleventy	\vscodeicon[filetype]{light-eleventy}	453

Icon	Name	Direct command	PDF page
	light-eleventy2	\vscodeicon[filetype]{light-eleventy2}	454
	light-esphome	\vscodeicon[filetype]{light-esphome}	455
	light-expo	\vscodeicon[filetype]{light-expo}	456
	light-firebasehosting	\vscodeicon[filetype]{light-firebasehosting}	457
	light-fla	\vscodeicon[filetype]{light-fla}	458
	light-font	\vscodeicon[filetype]{light-font}	459
	light-gamemaker2	\vscodeicon[filetype]{light-gamemaker2}	460
	light-gradle	\vscodeicon[filetype]{light-gradle}	461
	light-hashicorp	\vscodeicon[filetype]{light-hashicorp}	462
	light-hjson	\vscodeicon[filetype]{light-hjson}	463
	light-ini	\vscodeicon[filetype]{light-ini}	464
	light-io	\vscodeicon[filetype]{light-io}	465
	light-js	\vscodeicon[filetype]{light-js}	466
	light-jsconfig	\vscodeicon[filetype]{light-jsconfig}	467
	light-jsmap	\vscodeicon[filetype]{light-jsmap}	468
	light-json	\vscodeicon[filetype]{light-json}	469
	light-json5	\vscodeicon[filetype]{light-json5}	470
	light-jsonld	\vscodeicon[filetype]{light-jsonld}	471
	light-json-schema	\vscodeicon[filetype]{light-json-schema}	472
	light-kite	\vscodeicon[filetype]{light-kite}	473
	light-lark	\vscodeicon[filetype]{light-lark}	474
	light-lean	\vscodeicon[filetype]{light-lean}	475
	light-leanconfig	\vscodeicon[filetype]{light-leanconfig}	476
	light-lerna	\vscodeicon[filetype]{light-lerna}	477
	light-mailing	\vscodeicon[filetype]{light-mailing}	478
	light-markuplint	\vscodeicon[filetype]{light-markuplint}	479
	light-mcp	\vscodeicon[filetype]{light-mcp}	480
	light-mdx-components	\vscodeicon[filetype]{light-mdx-components}	481
	light-mdx	\vscodeicon[filetype]{light-mdx}	482
	light-mlang	\vscodeicon[filetype]{light-mlang}	483
	light-mustache	\vscodeicon[filetype]{light-mustache}	484
	light-mypy	\vscodeicon[filetype]{light-mypy}	485
	light-neo4j	\vscodeicon[filetype]{light-neo4j}	486
	light-netlify	\vscodeicon[filetype]{light-netlify}	487
	light-next	\vscodeicon[filetype]{light-next}	488
	light-nim	\vscodeicon[filetype]{light-nim}	489
	light-nx	\vscodeicon[filetype]{light-nx}	490
	light-objidconfig	\vscodeicon[filetype]{light-objidconfig}	491
	light-openHAB	\vscodeicon[filetype]{light-openHAB}	492
	light-packship	\vscodeicon[filetype]{light-packship}	493
	light-pcl	\vscodeicon[filetype]{light-pcl}	494
	light-pnpm	\vscodeicon[filetype]{light-pnpm}	495
	light-prettier	\vscodeicon[filetype]{light-prettier}	496
	light-prisma	\vscodeicon[filetype]{light-prisma}	497
	light-purescript	\vscodeicon[filetype]{light-purescript}	498
	light-quasar	\vscodeicon[filetype]{light-quasar}	499
	light-raku	\vscodeicon[filetype]{light-raku}	500

Icon	Name	Direct command	PDF page
	light-razzle	\vscodeicon[filetype]{light-razzle}	501
	light-reactrouter	\vscodeicon[filetype]{light-reactrouter}	502
	light-rehype	\vscodeicon[filetype]{light-rehype}	503
	light-remark	\vscodeicon[filetype]{light-remark}	504
	light-replit	\vscodeicon[filetype]{light-replit}	505
	light-retext	\vscodeicon[filetype]{light-retext}	506
	light-rome	\vscodeicon[filetype]{light-rome}	507
	light-rubocop	\vscodeicon[filetype]{light-rubocop}	508
	light-rust	\vscodeicon[filetype]{light-rust}	509
	light-rust-toolchain	\vscodeicon[filetype]{light-rust-toolchain}	510
	light-safetensors	\vscodeicon[filetype]{light-safetensors}	511
	light-shadcn	\vscodeicon[filetype]{light-shadcn}	512
	light-shaderlab	\vscodeicon[filetype]{light-shaderlab}	513
	light-solidity	\vscodeicon[filetype]{light-solidity}	514
	light-spin	\vscodeicon[filetype]{light-spin}	515
	light-stylelint	\vscodeicon[filetype]{light-stylelint}	516
	light-stylus	\vscodeicon[filetype]{light-stylus}	517
	light-symfony	\vscodeicon[filetype]{light-symfony}	518
	light-systemd	\vscodeicon[filetype]{light-systemd}	519
	light-systemverilog	\vscodeicon[filetype]{light-systemverilog}	520
	light-testcafe	\vscodeicon[filetype]{light-testcafe}	521
	light-testjs	\vscodeicon[filetype]{light-testjs}	522
	light-tex	\vscodeicon[filetype]{light-tex}	523
	light-tm	\vscodeicon[filetype]{light-tm}	524
	light-tmux	\vscodeicon[filetype]{light-tmux}	525
	light-todo	\vscodeicon[filetype]{light-todo}	526
	light-toit	\vscodeicon[filetype]{light-toit}	527
	light-toml	\vscodeicon[filetype]{light-toml}	528
	light-tree	\vscodeicon[filetype]{light-tree}	529
	light-turbo	\vscodeicon[filetype]{light-turbo}	530
	light-unibeautify	\vscodeicon[filetype]{light-unibeautify}	531
	light-vash	\vscodeicon[filetype]{light-vash}	532
	light-vercel	\vscodeicon[filetype]{light-vercel}	533
	light-vsix	\vscodeicon[filetype]{light-vsix}	534
	light-vsixmanifest	\vscodeicon[filetype]{light-vsixmanifest}	535
	light-xfl	\vscodeicon[filetype]{light-xfl}	536
	light-xorg	\vscodeicon[filetype]{light-xorg}	537
	light-yaml	\vscodeicon[filetype]{light-yaml}	538
	light-yaml-official	\vscodeicon[filetype]{light-yaml-official}	539
	lilypond	\vscodeicon[filetype]{lilypond}	540
	lime	\vscodeicon[filetype]{lime}	541
	lintstagedrc	\vscodeicon[filetype]{lintstagedrc}	542
	liquid	\vscodeicon[filetype]{liquid}	543
	lisp	\vscodeicon[filetype]{lisp}	544
	livescript	\vscodeicon[filetype]{livescript}	545
	lnk	\vscodeicon[filetype]{lnk}	546
	locale	\vscodeicon[filetype]{locale}	547

Icon	Name	Direct command	PDF page
	log	\vscodeicon[filetype]{log}	548
	lolcode	\vscodeicon[filetype]{lolcode}	549
	lsl	\vscodeicon[filetype]{lsl}	550
	lua	\vscodeicon[filetype]{lua}	551
	luau	\vscodeicon[filetype]{luau}	552
	lync	\vscodeicon[filetype]{lync}	553
	mailing	\vscodeicon[filetype]{mailing}	554
	manifest	\vscodeicon[filetype]{manifest}	555
	manifest-bak	\vscodeicon[filetype]{manifest-bak}	556
	manifest-skip	\vscodeicon[filetype]{manifest-skip}	557
	map	\vscodeicon[filetype]{map}	558
	mariadb	\vscodeicon[filetype]{mariadb}	559
	markdown	\vscodeicon[filetype]{markdown}	560
	markdownlint	\vscodeicon[filetype]{markdownlint}	561
	markdownlint-ignore	\vscodeicon[filetype]{markdownlint-ignore}	562
	marko	\vscodeicon[filetype]{marko}	563
	markojs	\vscodeicon[filetype]{markojs}	564
	markuplint	\vscodeicon[filetype]{markuplint}	565
	master-co	\vscodeicon[filetype]{master-co}	566
	matlab	\vscodeicon[filetype]{matlab}	567
	maven	\vscodeicon[filetype]{maven}	568
	maxscript	\vscodeicon[filetype]{maxscript}	569
	maya	\vscodeicon[filetype]{maya}	570
	mcp	\vscodeicon[filetype]{mcp}	571
	mdx-components	\vscodeicon[filetype]{mdx-components}	572
	mdx	\vscodeicon[filetype]{mdx}	573
	mdxlint	\vscodeicon[filetype]{mdxlint}	574
	mediawiki	\vscodeicon[filetype]{mediawiki}	575
	mercurial	\vscodeicon[filetype]{mercurial}	576
	mermaid	\vscodeicon[filetype]{mermaid}	577
	meson	\vscodeicon[filetype]{meson}	578
	metal	\vscodeicon[filetype]{metal}	579
	meteor	\vscodeicon[filetype]{meteor}	580
	minecraft	\vscodeicon[filetype]{minecraft}	581
	mivascript	\vscodeicon[filetype]{mivascript}	582
	mjml	\vscodeicon[filetype]{mjml}	583
	mlang	\vscodeicon[filetype]{mlang}	584
	mocha	\vscodeicon[filetype]{mocha}	585
	modernizr	\vscodeicon[filetype]{modernizr}	586
	mojo	\vscodeicon[filetype]{mojo}	587
	mojolicious	\vscodeicon[filetype]{mojolicious}	588
	moleculer	\vscodeicon[filetype]{moleculer}	589
	mondoo	\vscodeicon[filetype]{mondoo}	590
	mongo	\vscodeicon[filetype]{mongo}	591
	monotone	\vscodeicon[filetype]{monotone}	592
	motif	\vscodeicon[filetype]{motif}	593
	mson	\vscodeicon[filetype]{mson}	594

Icon	Name	Direct command	PDF page
	mustache	\vscodeicon[filetype]{mustache}	595
	mvt	\vscodeicon[filetype]{mvt}	596
	mvtcss	\vscodeicon[filetype]{mvtcss}	597
	mvtjs	\vscodeicon[filetype]{mvtjs}	598
	mypy	\vscodeicon[filetype]{mypy}	599
	mysql	\vscodeicon[filetype]{mysql}	600
	nanostaged	\vscodeicon[filetype]{nanostaged}	601
	ndst	\vscodeicon[filetype]{ndst}	602
	nearly	\vscodeicon[filetype]{nearly}	603
	neo4j	\vscodeicon[filetype]{neo4j}	604
	nestjs	\vscodeicon[filetype]{nestjs}	605
	nest-adapter-js	\vscodeicon[filetype]{nest-adapter-js}	606
	nest-adapter-ts	\vscodeicon[filetype]{nest-adapter-ts}	607
	nest-controller-js	\vscodeicon[filetype]{nest-controller-js}	608
	nest-controller-ts	\vscodeicon[filetype]{nest-controller-ts}	609
	nest-decorator-js	\vscodeicon[filetype]{nest-decorator-js}	610
	nest-decorator-ts	\vscodeicon[filetype]{nest-decorator-ts}	611
	nest-filter-js	\vscodeicon[filetype]{nest-filter-js}	612
	nest-filter-ts	\vscodeicon[filetype]{nest-filter-ts}	613
	nest-gateway-js	\vscodeicon[filetype]{nest-gateway-js}	614
	nest-gateway-ts	\vscodeicon[filetype]{nest-gateway-ts}	615
	nest-guard-js	\vscodeicon[filetype]{nest-guard-js}	616
	nest-guard-ts	\vscodeicon[filetype]{nest-guard-ts}	617
	nest-interceptor-js	\vscodeicon[filetype]{nest-interceptor-js}	618
	nest-interceptor-ts	\vscodeicon[filetype]{nest-interceptor-ts}	619
	nest-middleware-js	\vscodeicon[filetype]{nest-middleware-js}	620
	nest-middleware-ts	\vscodeicon[filetype]{nest-middleware-ts}	621
	nest-module-js	\vscodeicon[filetype]{nest-module-js}	622
	nest-module-ts	\vscodeicon[filetype]{nest-module-ts}	623
	nest-pipe-js	\vscodeicon[filetype]{nest-pipe-js}	624
	nest-pipe-ts	\vscodeicon[filetype]{nest-pipe-ts}	625
	nest-service-js	\vscodeicon[filetype]{nest-service-js}	626
	nest-service-ts	\vscodeicon[filetype]{nest-service-ts}	627
	netlify	\vscodeicon[filetype]{netlify}	628
	next	\vscodeicon[filetype]{next}	629
	nextflow	\vscodeicon[filetype]{nextflow}	630
	nginx	\vscodeicon[filetype]{nginx}	631
	ng-component-css	\vscodeicon[filetype]{ng-component-css}	632
	ng-component-dart	\vscodeicon[filetype]{ng-component-dart}	633
	ng-component-html	\vscodeicon[filetype]{ng-component-html}	634
	ng-component-js	\vscodeicon[filetype]{ng-component-js}	635
	ng-component-js2	\vscodeicon[filetype]{ng-component-js2}	636
	ng-component-less	\vscodeicon[filetype]{ng-component-less}	637
	ng-component-sass	\vscodeicon[filetype]{ng-component-sass}	638
	ng-component-scss	\vscodeicon[filetype]{ng-component-scss}	639
	ng-component-ts	\vscodeicon[filetype]{ng-component-ts}	640
	ng-component-ts2	\vscodeicon[filetype]{ng-component-ts2}	641

Icon	Name	Direct command	PDF page
	ng-controller-js	\vscodeicon[filetype]{ng-controller-js}	642
	ng-controller-ts	\vscodeicon[filetype]{ng-controller-ts}	643
	ng-directive-dart	\vscodeicon[filetype]{ng-directive-dart}	644
	ng-directive-js	\vscodeicon[filetype]{ng-directive-js}	645
	ng-directive-js2	\vscodeicon[filetype]{ng-directive-js2}	646
	ng-directive-ts	\vscodeicon[filetype]{ng-directive-ts}	647
	ng-directive-ts2	\vscodeicon[filetype]{ng-directive-ts2}	648
	ng-guard-dart	\vscodeicon[filetype]{ng-guard-dart}	649
	ng-guard-js	\vscodeicon[filetype]{ng-guard-js}	650
	ng-guard-ts	\vscodeicon[filetype]{ng-guard-ts}	651
	ng-interceptor-dart	\vscodeicon[filetype]{ng-interceptor-dart}	652
	ng-interceptor-js	\vscodeicon[filetype]{ng-interceptor-js}	653
	ng-interceptor-ts	\vscodeicon[filetype]{ng-interceptor-ts}	654
	ng-module-dart	\vscodeicon[filetype]{ng-module-dart}	655
	ng-module-js	\vscodeicon[filetype]{ng-module-js}	656
	ng-module-js2	\vscodeicon[filetype]{ng-module-js2}	657
	ng-module-ts	\vscodeicon[filetype]{ng-module-ts}	658
	ng-module-ts2	\vscodeicon[filetype]{ng-module-ts2}	659
	ng-pipe-dart	\vscodeicon[filetype]{ng-pipe-dart}	660
	ng-pipe-js	\vscodeicon[filetype]{ng-pipe-js}	661
	ng-pipe-js2	\vscodeicon[filetype]{ng-pipe-js2}	662
	ng-pipe-ts	\vscodeicon[filetype]{ng-pipe-ts}	663
	ng-pipe-ts2	\vscodeicon[filetype]{ng-pipe-ts2}	664
	ng-routing-dart	\vscodeicon[filetype]{ng-routing-dart}	665
	ng-routing-js	\vscodeicon[filetype]{ng-routing-js}	666
	ng-routing-js2	\vscodeicon[filetype]{ng-routing-js2}	667
	ng-routing-ts	\vscodeicon[filetype]{ng-routing-ts}	668
	ng-routing-ts2	\vscodeicon[filetype]{ng-routing-ts2}	669
	ng-service-dart	\vscodeicon[filetype]{ng-service-dart}	670
	ng-service-js	\vscodeicon[filetype]{ng-service-js}	671
	ng-service-js2	\vscodeicon[filetype]{ng-service-js2}	672
	ng-service-ts	\vscodeicon[filetype]{ng-service-ts}	673
	ng-service-ts2	\vscodeicon[filetype]{ng-service-ts2}	674
	ng-smart-component-dart	\vscodeicon[filetype]{ng-smart-component-dart}	675
	ng-smart-component-js	\vscodeicon[filetype]{ng-smart-component-js}	676
	ng-smart-component-js2	\vscodeicon[filetype]{ng-smart-component-js2}	677
	ng-smart-component-ts	\vscodeicon[filetype]{ng-smart-component-ts}	678
	ng-smart-component-ts2	\vscodeicon[filetype]{ng-smart-component-ts2}	679
	ng-tailwind	\vscodeicon[filetype]{ng-tailwind}	680
	nim	\vscodeicon[filetype]{nim}	681
	nimble	\vscodeicon[filetype]{nimble}	682
	ninja	\vscodeicon[filetype]{ninja}	683
	nix	\vscodeicon[filetype]{nix}	684
	njsproj	\vscodeicon[filetype]{njsproj}	685
	noc	\vscodeicon[filetype]{noc}	686
	node	\vscodeicon[filetype]{node}	687
	node2	\vscodeicon[filetype]{node2}	688

Icon	Name	Direct command	PDF page
	nodemon	\vscodeicon[filetype]{nodemon}	689
	npm	\vscodeicon[filetype]{npm}	690
	npmpackagejsonlint	\vscodeicon[filetype]{npmpackagejsonlint}	691
	nsi	\vscodeicon[filetype]{nsi}	692
	nsri-integrity	\vscodeicon[filetype]{nsri-integrity}	693
	nsri	\vscodeicon[filetype]{nsri}	694
	nuget	\vscodeicon[filetype]{nuget}	695
	numpy	\vscodeicon[filetype]{numpy}	696
	nunjucks	\vscodeicon[filetype]{nunjucks}	697
	nuxt	\vscodeicon[filetype]{nuxt}	698
	nx	\vscodeicon[filetype]{nx}	699
	nyc	\vscodeicon[filetype]{nyc}	700
	objectivec	\vscodeicon[filetype]{objectivec}	701
	objectivecpp	\vscodeicon[filetype]{objectivecpp}	702
	objidconfig	\vscodeicon[filetype]{objidconfig}	703
	ocaml	\vscodeicon[filetype]{ocaml}	704
	ocaml-intf	\vscodeicon[filetype]{ocaml-intf}	705
	ogone	\vscodeicon[filetype]{ogone}	706
	onenote	\vscodeicon[filetype]{onenote}	707
	opam	\vscodeicon[filetype]{opam}	708
	opencl	\vscodeicon[filetype]{opencl}	709
	openHAB	\vscodeicon[filetype]{openHAB}	710
	openscad	\vscodeicon[filetype]{openscad}	711
	opentofu	\vscodeicon[filetype]{opentofu}	712
	org	\vscodeicon[filetype]{org}	713
	outlook	\vscodeicon[filetype]{outlook}	714
	ovpn	\vscodeicon[filetype]{ovpn}	715
	oxc	\vscodeicon[filetype]{oxc}	716
	package	\vscodeicon[filetype]{package}	717
	packship	\vscodeicon[filetype]{packship}	718
	paket	\vscodeicon[filetype]{paket}	719
	pandacss	\vscodeicon[filetype]{pandacss}	720
	patch	\vscodeicon[filetype]{patch}	721
	pcl	\vscodeicon[filetype]{pcl}	722
	pddl	\vscodeicon[filetype]{pddl}	723
	pddl-happenings	\vscodeicon[filetype]{pddl-happenings}	724
	pddl-plan	\vscodeicon[filetype]{pddl-plan}	725
	pdf	\vscodeicon[filetype]{pdf}	726
	pdf2	\vscodeicon[filetype]{pdf2}	727
	pdm	\vscodeicon[filetype]{pdm}	728
	peeky	\vscodeicon[filetype]{peeky}	729
	perl	\vscodeicon[filetype]{perl}	730
	perl2	\vscodeicon[filetype]{perl2}	731
	perl6	\vscodeicon[filetype]{perl6}	732
	pgsql	\vscodeicon[filetype]{pgsql}	733
	photoshop	\vscodeicon[filetype]{photoshop}	734
	photoshop2	\vscodeicon[filetype]{photoshop2}	735

Icon	Name	Direct command	PDF page
	php	\vscodeicon[filetype]{php}	736
	php2	\vscodeicon[filetype]{php2}	737
	php3	\vscodeicon[filetype]{php3}	738
	phpcsfixer	\vscodeicon[filetype]{phpcsfixer}	739
	phpstan	\vscodeicon[filetype]{phpstan}	740
	phpunit	\vscodeicon[filetype]{phpunit}	741
	phraseapp	\vscodeicon[filetype]{phraseapp}	742
	pine	\vscodeicon[filetype]{pine}	743
	pip	\vscodeicon[filetype]{pip}	744
	pipeline	\vscodeicon[filetype]{pipeline}	745
	plantuml	\vscodeicon[filetype]{plantuml}	746
	platformio	\vscodeicon[filetype]{platformio}	747
	playwright	\vscodeicon[filetype]{playwright}	748
	plsql	\vscodeicon[filetype]{plsql}	749
	plsql-package	\vscodeicon[filetype]{plsql-package}	750
	plsql-package-body	\vscodeicon[filetype]{plsql-package-body}	751
	plsql-package-header	\vscodeicon[filetype]{plsql-package-header}	752
	plsql-package-spec	\vscodeicon[filetype]{plsql-package-spec}	753
	pm2	\vscodeicon[filetype]{pm2}	754
	pnpm	\vscodeicon[filetype]{pnpm}	755
	poedit	\vscodeicon[filetype]{poedit}	756
	poetry	\vscodeicon[filetype]{poetry}	757
	polymer	\vscodeicon[filetype]{polymer}	758
	pony	\vscodeicon[filetype]{pony}	759
	postcss	\vscodeicon[filetype]{postcss}	760
	postcssconfig	\vscodeicon[filetype]{postcssconfig}	761
	postman	\vscodeicon[filetype]{postman}	762
	powerpoint	\vscodeicon[filetype]{powerpoint}	763
	powerpoint2	\vscodeicon[filetype]{powerpoint2}	764
	powershell	\vscodeicon[filetype]{powershell}	765
	powershell2	\vscodeicon[filetype]{powershell2}	766
	powershell-format	\vscodeicon[filetype]{powershell-format}	767
	powershell-psd	\vscodeicon[filetype]{powershell-psd}	768
	powershell-psd2	\vscodeicon[filetype]{powershell-psd2}	769
	powershell-psm	\vscodeicon[filetype]{powershell-psm}	770
	powershell-psm2	\vscodeicon[filetype]{powershell-psm2}	771
	powershell-types	\vscodeicon[filetype]{powershell-types}	772
	preact	\vscodeicon[filetype]{preact}	773
	precommit	\vscodeicon[filetype]{precommit}	774
	prettier	\vscodeicon[filetype]{prettier}	775
	prisma	\vscodeicon[filetype]{prisma}	776
	processinglang	\vscodeicon[filetype]{processinglang}	777
	procfile	\vscodeicon[filetype]{procfile}	778
	progress	\vscodeicon[filetype]{progress}	779
	prolog	\vscodeicon[filetype]{prolog}	780
	prometheus	\vscodeicon[filetype]{prometheus}	781
	protobuf	\vscodeicon[filetype]{protobuf}	782

Icon	Name	Direct command	PDF page
	protractor	\vscodeicon[filetype]{protractor}	783
	publiccode	\vscodeicon[filetype]{publiccode}	784
	publisher	\vscodeicon[filetype]{publisher}	785
	pug	\vscodeicon[filetype]{pug}	786
	pulumi	\vscodeicon[filetype]{pulumi}	787
	puppet	\vscodeicon[filetype]{puppet}	788
	purescript	\vscodeicon[filetype]{purescript}	789
	purgecss	\vscodeicon[filetype]{purgecss}	790
	pyenv	\vscodeicon[filetype]{pyenv}	791
	pyret	\vscodeicon[filetype]{pyret}	792
	pyscript	\vscodeicon[filetype]{pyscript}	793
	pytest	\vscodeicon[filetype]{pytest}	794
	python	\vscodeicon[filetype]{python}	795
	pythowo	\vscodeicon[filetype]{pythowo}	796
	pytyped	\vscodeicon[filetype]{pytyped}	797
	pyup	\vscodeicon[filetype]{pyup}	798
	q	\vscodeicon[filetype]{q}	799
	qbs	\vscodeicon[filetype]{qbs}	800
	qlikview	\vscodeicon[filetype]{qlikview}	801
	qml	\vscodeicon[filetype]{qml}	802
	qmldir	\vscodeicon[filetype]{qmldir}	803
	qsharp	\vscodeicon[filetype]{qsharp}	804
	quasar	\vscodeicon[filetype]{quasar}	805
	r	\vscodeicon[filetype]{r}	806
	racket	\vscodeicon[filetype]{racket}	807
	rails	\vscodeicon[filetype]{rails}	808
	rake	\vscodeicon[filetype]{rake}	809
	raku	\vscodeicon[filetype]{raku}	810
	raml	\vscodeicon[filetype]{raml}	811
	razor	\vscodeicon[filetype]{razor}	812
	razzle	\vscodeicon[filetype]{razzle}	813
	ra-syntax-tree	\vscodeicon[filetype]{ra-syntax-tree}	814
	reactjs	\vscodeicon[filetype]{reactjs}	815
	reactrouter	\vscodeicon[filetype]{reactrouter}	816
	reacttemplate	\vscodeicon[filetype]{reacttemplate}	817
	reactts	\vscodeicon[filetype]{reactts}	818
	reason	\vscodeicon[filetype]{reason}	819
	red	\vscodeicon[filetype]{red}	820
	registry	\vscodeicon[filetype]{registry}	821
	rego	\vscodeicon[filetype]{rego}	822
	rehype	\vscodeicon[filetype]{rehype}	823
	remark	\vscodeicon[filetype]{remark}	824
	renovate	\vscodeicon[filetype]{renovate}	825
	replit	\vscodeicon[filetype]{replit}	826
	rescript	\vscodeicon[filetype]{rescript}	827
	rest	\vscodeicon[filetype]{rest}	828
	retext	\vscodeicon[filetype]{retext}	829

Icon	Name	Direct command	PDF page
	rexx	\vscodeicon[filetype]{rexx}	830
	riot	\vscodeicon[filetype]{riot}	831
	ripple	\vscodeicon[filetype]{ripple}	832
	rmd	\vscodeicon[filetype]{rmd}	833
	rnc	\vscodeicon[filetype]{rnc}	834
	robotframework	\vscodeicon[filetype]{robotframework}	835
	robots	\vscodeicon[filetype]{robots}	836
	rolldown	\vscodeicon[filetype]{rolldown}	837
	rollup	\vscodeicon[filetype]{rollup}	838
	rome	\vscodeicon[filetype]{rome}	839
	ron	\vscodeicon[filetype]{ron}	840
	rproj	\vscodeicon[filetype]{rproj}	841
	rspec	\vscodeicon[filetype]{rspec}	842
	rss	\vscodeicon[filetype]{rss}	843
	rubocop	\vscodeicon[filetype]{rubocop}	844
	ruby	\vscodeicon[filetype]{ruby}	845
	rust	\vscodeicon[filetype]{rust}	846
	rust-toolchain	\vscodeicon[filetype]{rust-toolchain}	847
	s-lang	\vscodeicon[filetype]{s-lang}	848
	safetensors	\vscodeicon[filetype]{safetensors}	849
	sails	\vscodeicon[filetype]{sails}	850
	saltstack	\vscodeicon[filetype]{saltstack}	851
	san	\vscodeicon[filetype]{san}	852
	sapphire-framework-cli	\vscodeicon[filetype]{sapphire-framework-cli}	853
	sas	\vscodeicon[filetype]{sas}	854
	sass	\vscodeicon[filetype]{sass}	855
	sbt	\vscodeicon[filetype]{sbt}	856
	scala	\vscodeicon[filetype]{scala}	857
	scilab	\vscodeicon[filetype]{scilab}	858
	script	\vscodeicon[filetype]{script}	859
	scss	\vscodeicon[filetype]{scss}	860
	scss2	\vscodeicon[filetype]{scss2}	861
	sdlang	\vscodeicon[filetype]{sdlang}	862
	search-result	\vscodeicon[filetype]{search-result}	863
	seedkit	\vscodeicon[filetype]{seedkit}	864
	sentry	\vscodeicon[filetype]{sentry}	865
	sequelize	\vscodeicon[filetype]{sequelize}	866
	serverless	\vscodeicon[filetype]{serverless}	867
	shadcn	\vscodeicon[filetype]{shadcn}	868
	shaderlab	\vscodeicon[filetype]{shaderlab}	869
	shell	\vscodeicon[filetype]{shell}	870
	shellcheck	\vscodeicon[filetype]{shellcheck}	871
	shuttle	\vscodeicon[filetype]{shuttle}	872
	silverstripe	\vscodeicon[filetype]{silverstripe}	873
	sino	\vscodeicon[filetype]{sino}	874
	siyuan	\vscodeicon[filetype]{siyuan}	875
	sketch	\vscodeicon[filetype]{sketch}	876

Icon	Name	Direct command	PDF page
	skipper	\vscodeicon[filetype]{skipper}	877
	slang	\vscodeicon[filetype]{slang}	878
	slashup	\vscodeicon[filetype]{slashup}	879
	slice	\vscodeicon[filetype]{slice}	880
	slim	\vscodeicon[filetype]{slim}	881
	slint	\vscodeicon[filetype]{slint}	882
	sln	\vscodeicon[filetype]{sln}	883
	sln2	\vscodeicon[filetype]{sln2}	884
	smarty	\vscodeicon[filetype]{smarty}	885
	smithery	\vscodeicon[filetype]{smithery}	886
	snakemake	\vscodeicon[filetype]{snakemake}	887
	snapcraft	\vscodeicon[filetype]{snapcraft}	888
	snaplet	\vscodeicon[filetype]{snaplet}	889
	snort	\vscodeicon[filetype]{snort}	890
	snyk	\vscodeicon[filetype]{snyk}	891
	solidarity	\vscodeicon[filetype]{solidarity}	892
	solidity	\vscodeicon[filetype]{solidity}	893
	source	\vscodeicon[filetype]{source}	894
	spacengine	\vscodeicon[filetype]{spacengine}	895
	sparql	\vscodeicon[filetype]{sparql}	896
	spin	\vscodeicon[filetype]{spin}	897
	sqf	\vscodeicon[filetype]{sqf}	898
	sql	\vscodeicon[filetype]{sql}	899
	sqlite	\vscodeicon[filetype]{sqlite}	900
	squirrel	\vscodeicon[filetype]{squirrel}	901
	sss	\vscodeicon[filetype]{sss}	902
	sst	\vscodeicon[filetype]{sst}	903
	stackblitz	\vscodeicon[filetype]{stackblitz}	904
	stan	\vscodeicon[filetype]{stan}	905
	stata	\vscodeicon[filetype]{stata}	906
	stencil	\vscodeicon[filetype]{stencil}	907
	storyboard	\vscodeicon[filetype]{storyboard}	908
	storybook	\vscodeicon[filetype]{storybook}	909
	stryker	\vscodeicon[filetype]{stryker}	910
	stylable	\vscodeicon[filetype]{stylable}	911
	style	\vscodeicon[filetype]{style}	912
	styled	\vscodeicon[filetype]{styled}	913
	stylelint	\vscodeicon[filetype]{stylelint}	914
	stylish-haskell	\vscodeicon[filetype]{stylish-haskell}	915
	stylus	\vscodeicon[filetype]{stylus}	916
	sublime	\vscodeicon[filetype]{sublime}	917
	subversion	\vscodeicon[filetype]{subversion}	918
	svelte	\vscodeicon[filetype]{svelte}	919
	svelteconfig	\vscodeicon[filetype]{svelteconfig}	920
	svg	\vscodeicon[filetype]{svg}	921
	svgo	\vscodeicon[filetype]{svgo}	922
	swagger	\vscodeicon[filetype]{swagger}	923

Icon	Name	Direct command	PDF page
	swc	\vscodeicon[filetype]{swc}	924
	swift	\vscodeicon[filetype]{swift}	925
	swig	\vscodeicon[filetype]{swig}	926
	symfony	\vscodeicon[filetype]{symfony}	927
	syncpack	\vscodeicon[filetype]{syncpack}	928
	systemd	\vscodeicon[filetype]{systemd}	929
	systemverilog	\vscodeicon[filetype]{systemverilog}	930
	t4tt	\vscodeicon[filetype]{t4tt}	931
	tailwind	\vscodeicon[filetype]{tailwind}	932
	tamagui	\vscodeicon[filetype]{tamagui}	933
	taplo	\vscodeicon[filetype]{taplo}	934
	taskfile	\vscodeicon[filetype]{taskfile}	935
	tauri	\vscodeicon[filetype]{tauri}	936
	tcl	\vscodeicon[filetype]{tcl}	937
	teal	\vscodeicon[filetype]{teal}	938
	templ	\vscodeicon[filetype]{templ}	939
	tera	\vscodeicon[filetype]{tera}	940
	terraform	\vscodeicon[filetype]{terraform}	941
	test	\vscodeicon[filetype]{test}	942
	testcafe	\vscodeicon[filetype]{testcafe}	943
	testjs	\vscodeicon[filetype]{testjs}	944
	testplane	\vscodeicon[filetype]{testplane}	945
	testts	\vscodeicon[filetype]{testts}	946
	tex	\vscodeicon[filetype]{tex}	947
	text	\vscodeicon[filetype]{text}	948
	textile	\vscodeicon[filetype]{textile}	949
	tfs	\vscodeicon[filetype]{tfs}	950
	tiltfile	\vscodeicon[filetype]{tiltfile}	951
	tm	\vscodeicon[filetype]{tm}	952
	tmux	\vscodeicon[filetype]{tmux}	953
	todo	\vscodeicon[filetype]{todo}	954
	toit	\vscodeicon[filetype]{toit}	955
	toml	\vscodeicon[filetype]{toml}	956
	tox	\vscodeicon[filetype]{tox}	957
	travis	\vscodeicon[filetype]{travis}	958
	tree	\vscodeicon[filetype]{tree}	959
	tres	\vscodeicon[filetype]{tres}	960
	truffle	\vscodeicon[filetype]{truffle}	961
	trunk	\vscodeicon[filetype]{trunk}	962
	tsbuildinfo	\vscodeicon[filetype]{tsbuildinfo}	963
	tscn	\vscodeicon[filetype]{tscn}	964
	tsconfig	\vscodeicon[filetype]{tsconfig}	965
	tsconfig-official	\vscodeicon[filetype]{tsconfig-official}	966
	tsdoc	\vscodeicon[filetype]{tsdoc}	967
	tsdown	\vscodeicon[filetype]{tsdown}	968
	tslint	\vscodeicon[filetype]{tslint}	969
	tt	\vscodeicon[filetype]{tt}	970

Icon	Name	Direct command	PDF page
	ttcn	\vscodeicon[filetype]{ttcn}	971
	tuc	\vscodeicon[filetype]{tuc}	972
	turbo	\vscodeicon[filetype]{turbo}	973
	twig	\vscodeicon[filetype]{twig}	974
	typedoc	\vscodeicon[filetype]{typedoc}	975
	typescript	\vscodeicon[filetype]{typescript}	976
	typescriptdef	\vscodeicon[filetype]{typescriptdef}	977
	typescriptdef-official	\vscodeicon[filetype]{typescriptdef-official}	978
	typescript-official	\vscodeicon[filetype]{typescript-official}	979
	typo3	\vscodeicon[filetype]{typo3}	980
	uiua	\vscodeicon[filetype]{uiua}	981
	unibeautify	\vscodeicon[filetype]{unibeautify}	982
	unison	\vscodeicon[filetype]{unison}	983
	unlicense	\vscodeicon[filetype]{unlicense}	984
	unocss	\vscodeicon[filetype]{unocss}	985
	uv	\vscodeicon[filetype]{uv}	986
	vagrant	\vscodeicon[filetype]{vagrant}	987
	vala	\vscodeicon[filetype]{vala}	988
	vanilla-extract	\vscodeicon[filetype]{vanilla-extract}	989
	vapi	\vscodeicon[filetype]{vapi}	990
	vapor	\vscodeicon[filetype]{vapor}	991
	vash	\vscodeicon[filetype]{vash}	992
	vb	\vscodeicon[filetype]{vb}	993
	vba	\vscodeicon[filetype]{vba}	994
	vbhtml	\vscodeicon[filetype]{vbhtml}	995
	vbproj	\vscodeicon[filetype]{vbproj}	996
	vcxproj	\vscodeicon[filetype]{vcxproj}	997
	velocity	\vscodeicon[filetype]{velocity}	998
	vento	\vscodeicon[filetype]{vento}	999
	vercel	\vscodeicon[filetype]{vercel}	1000
	verilog	\vscodeicon[filetype]{verilog}	1001
	vhdl	\vscodeicon[filetype]{vhdl}	1002
	video	\vscodeicon[filetype]{video}	1003
	view	\vscodeicon[filetype]{view}	1004
	vim	\vscodeicon[filetype]{vim}	1005
	vite	\vscodeicon[filetype]{vite}	1006
	vitest	\vscodeicon[filetype]{vitest}	1007
	vlang	\vscodeicon[filetype]{vlang}	1008
	volt	\vscodeicon[filetype]{volt}	1009
	vscode-insiders	\vscodeicon[filetype]{vscode-insiders}	1010
	vscode	\vscodeicon[filetype]{vscode}	1011
	vscode2	\vscodeicon[filetype]{vscode2}	1012
	vscode3	\vscodeicon[filetype]{vscode3}	1013
	vscode-test	\vscodeicon[filetype]{vscode-test}	1014
	vsix	\vscodeicon[filetype]{vsix}	1015
	vsixmanifest	\vscodeicon[filetype]{vsixmanifest}	1016
	vue	\vscodeicon[filetype]{vue}	1017

Icon	Name	Direct command	PDF page
	vueconfig	\vscodeicon[filetype]{vueconfig}	1018
	vyper	\vscodeicon[filetype]{vyper}	1019
	wallaby	\vscodeicon[filetype]{wallaby}	1020
	wally	\vscodeicon[filetype]{wally}	1021
	wasm	\vscodeicon[filetype]{wasm}	1022
	watchmanconfig	\vscodeicon[filetype]{watchmanconfig}	1023
	wdio	\vscodeicon[filetype]{wdio}	1024
	weblate	\vscodeicon[filetype]{weblate}	1025
	webpack	\vscodeicon[filetype]{webpack}	1026
	wenyan	\vscodeicon[filetype]{wenyan}	1027
	wercker	\vscodeicon[filetype]{wercker}	1028
	wgsl	\vscodeicon[filetype]{wgsl}	1029
	wikitext	\vscodeicon[filetype]{wikitext}	1030
	windi	\vscodeicon[filetype]{windi}	1031
	wit	\vscodeicon[filetype]{wit}	1032
	wolfram	\vscodeicon[filetype]{wolfram}	1033
	word	\vscodeicon[filetype]{word}	1034
	word2	\vscodeicon[filetype]{word2}	1035
	wpml	\vscodeicon[filetype]{wpml}	1036
	wurst	\vscodeicon[filetype]{wurst}	1037
	wxml	\vscodeicon[filetype]{wxml}	1038
	wxss	\vscodeicon[filetype]{wxss}	1039
	wxt	\vscodeicon[filetype]{wxt}	1040
	xcode	\vscodeicon[filetype]{xcode}	1041
	xfl	\vscodeicon[filetype]{xfl}	1042
	xib	\vscodeicon[filetype]{xib}	1043
	xliff	\vscodeicon[filetype]{xliff}	1044
	xmake	\vscodeicon[filetype]{xmake}	1045
	xml	\vscodeicon[filetype]{xml}	1046
	xo	\vscodeicon[filetype]{xo}	1047
	xorg	\vscodeicon[filetype]{xorg}	1048
	xquery	\vscodeicon[filetype]{xquery}	1049
	xsl	\vscodeicon[filetype]{xsl}	1050
	yacc	\vscodeicon[filetype]{yacc}	1051
	yaml	\vscodeicon[filetype]{yaml}	1052
	yamllint	\vscodeicon[filetype]{yamllint}	1053
	yaml-official	\vscodeicon[filetype]{yaml-official}	1054
	yandex	\vscodeicon[filetype]{yandex}	1055
	yang	\vscodeicon[filetype]{yang}	1056
	yarn	\vscodeicon[filetype]{yarn}	1057
	yeoman	\vscodeicon[filetype]{yeoman}	1058
	zig	\vscodeicon[filetype]{zig}	1059
	zip	\vscodeicon[filetype]{zip}	1060
	zip2	\vscodeicon[filetype]{zip2}	1061

3.3 FolderType version (362 icons)

The PDF file is `vscodeicons-foldertype-all.pdf`

Icon	Name	Direct command	PDF page
	android	`\vscodeicon[foldertype]{android}`	1
	android-opened	`\vscodeicon[foldertype]{android-opened}`	2
	angular	`\vscodeicon[foldertype]{angular}`	3
	angular-opened	`\vscodeicon[foldertype]{angular-opened}`	4
	api	`\vscodeicon[foldertype]{api}`	5
	api-opened	`\vscodeicon[foldertype]{api-opened}`	6
	app	`\vscodeicon[foldertype]{app}`	7
	app-opened	`\vscodeicon[foldertype]{app-opened}`	8
	arangodb	`\vscodeicon[foldertype]{arangodb}`	9
	arangodb-opened	`\vscodeicon[foldertype]{arangodb-opened}`	10
	asset	`\vscodeicon[foldertype]{asset}`	11
	asset-opened	`\vscodeicon[foldertype]{asset-opened}`	12
	astro	`\vscodeicon[foldertype]{astro}`	13
	astro-opened	`\vscodeicon[foldertype]{astro-opened}`	14
	audio	`\vscodeicon[foldertype]{audio}`	15
	audio-opened	`\vscodeicon[foldertype]{audio-opened}`	16
	aurelia	`\vscodeicon[foldertype]{aurelia}`	17
	aurelia-opened	`\vscodeicon[foldertype]{aurelia-opened}`	18
	aws	`\vscodeicon[foldertype]{aws}`	19
	aws-opened	`\vscodeicon[foldertype]{aws-opened}`	20
	azure	`\vscodeicon[foldertype]{azure}`	21
	azurepipelines	`\vscodeicon[foldertype]{azurepipelines}`	22
	azurepipelines-opened	`\vscodeicon[foldertype]{azurepipelines-opened}`	23
	azure-opened	`\vscodeicon[foldertype]{azure-opened}`	24
	binary	`\vscodeicon[foldertype]{binary}`	25
	binary-opened	`\vscodeicon[foldertype]{binary-opened}`	26
	bloc	`\vscodeicon[foldertype]{bloc}`	27
	bloc-opened	`\vscodeicon[foldertype]{bloc-opened}`	28
	blueprint	`\vscodeicon[foldertype]{blueprint}`	29
	blueprint-opened	`\vscodeicon[foldertype]{blueprint-opened}`	30
	bot	`\vscodeicon[foldertype]{bot}`	31
	bot-opened	`\vscodeicon[foldertype]{bot-opened}`	32
	bower	`\vscodeicon[foldertype]{bower}`	33
	bower-opened	`\vscodeicon[foldertype]{bower-opened}`	34
	buildkite	`\vscodeicon[foldertype]{buildkite}`	35
	buildkite-opened	`\vscodeicon[foldertype]{buildkite-opened}`	36
	cake	`\vscodeicon[foldertype]{cake}`	37
	cake-opened	`\vscodeicon[foldertype]{cake-opened}`	38
	cargo	`\vscodeicon[foldertype]{cargo}`	39
	cargo-opened	`\vscodeicon[foldertype]{cargo-opened}`	40
	certificate	`\vscodeicon[foldertype]{certificate}`	41
	certificate-opened	`\vscodeicon[foldertype]{certificate-opened}`	42
	changesets	`\vscodeicon[foldertype]{changesets}`	43

Icon	Name	Direct command	PDF page
	changesets-opened	\vscodeicon[foldertype]{changesets-opened}	44
	chef	\vscodeicon[foldertype]{chef}	45
	chef-opened	\vscodeicon[foldertype]{chef-opened}	46
	circleci	\vscodeicon[foldertype]{circleci}	47
	circleci-opened	\vscodeicon[foldertype]{circleci-opened}	48
	claude	\vscodeicon[foldertype]{claude}	49
	claude-opened	\vscodeicon[foldertype]{claude-opened}	50
	cli	\vscodeicon[foldertype]{cli}	51
	client	\vscodeicon[foldertype]{client}	52
	client-opened	\vscodeicon[foldertype]{client-opened}	53
	cli-opened	\vscodeicon[foldertype]{cli-opened}	54
	cloudflare	\vscodeicon[foldertype]{cloudflare}	55
	cloudflare-opened	\vscodeicon[foldertype]{cloudflare-opened}	56
	cmake	\vscodeicon[foldertype]{cmake}	57
	cmake-opened	\vscodeicon[foldertype]{cmake-opened}	58
	common	\vscodeicon[foldertype]{common}	59
	common-opened	\vscodeicon[foldertype]{common-opened}	60
	component	\vscodeicon[foldertype]{component}	61
	component-opened	\vscodeicon[foldertype]{component-opened}	62
	composer	\vscodeicon[foldertype]{composer}	63
	composer-opened	\vscodeicon[foldertype]{composer-opened}	64
	config	\vscodeicon[foldertype]{config}	65
	config-opened	\vscodeicon[foldertype]{config-opened}	66
	controller	\vscodeicon[foldertype]{controller}	67
	controller-opened	\vscodeicon[foldertype]{controller-opened}	68
	coverage	\vscodeicon[foldertype]{coverage}	69
	coverage-opened	\vscodeicon[foldertype]{coverage-opened}	70
	css	\vscodeicon[foldertype]{css}	71
	css2	\vscodeicon[foldertype]{css2}	72
	css2-opened	\vscodeicon[foldertype]{css2-opened}	73
	css-opened	\vscodeicon[foldertype]{css-opened}	74
	cubit	\vscodeicon[foldertype]{cubit}	75
	cubit-opened	\vscodeicon[foldertype]{cubit-opened}	76
	cypress	\vscodeicon[foldertype]{cypress}	77
	cypress-opened	\vscodeicon[foldertype]{cypress-opened}	78
	dapr	\vscodeicon[foldertype]{dapr}	79
	dapr-opened	\vscodeicon[foldertype]{dapr-opened}	80
	dart	\vscodeicon[foldertype]{dart}	81
	dart-opened	\vscodeicon[foldertype]{dart-opened}	82
	datadog	\vscodeicon[foldertype]{datadog}	83
	datadog-opened	\vscodeicon[foldertype]{datadog-opened}	84
	db	\vscodeicon[foldertype]{db}	85
	db-opened	\vscodeicon[foldertype]{db-opened}	86
	debian	\vscodeicon[foldertype]{debian}	87
	debian-opened	\vscodeicon[foldertype]{debian-opened}	88
	dependabot	\vscodeicon[foldertype]{dependabot}	89
	dependabot-opened	\vscodeicon[foldertype]{dependabot-opened}	90

Icon	Name	Direct command	PDF page
	devcontainer	`\vscodeicon[foldertype]{devcontainer}`	91
	devcontainer-opened	`\vscodeicon[foldertype]{devcontainer-opened}`	92
	dist	`\vscodeicon[foldertype]{dist}`	93
	dist-opened	`\vscodeicon[foldertype]{dist-opened}`	94
	docker	`\vscodeicon[foldertype]{docker}`	95
	docker-opened	`\vscodeicon[foldertype]{docker-opened}`	96
	docs	`\vscodeicon[foldertype]{docs}`	97
	docs-opened	`\vscodeicon[foldertype]{docs-opened}`	98
	e2e	`\vscodeicon[foldertype]{e2e}`	99
	e2e-opened	`\vscodeicon[foldertype]{e2e-opened}`	100
	elasticbeanstalk	`\vscodeicon[foldertype]{elasticbeanstalk}`	101
	elasticbeanstalk-opened	`\vscodeicon[foldertype]{elasticbeanstalk-opened}`	102
	electron	`\vscodeicon[foldertype]{electron}`	103
	electron-opened	`\vscodeicon[foldertype]{electron-opened}`	104
	expo	`\vscodeicon[foldertype]{expo}`	105
	expo-opened	`\vscodeicon[foldertype]{expo-opened}`	106
	favicon	`\vscodeicon[foldertype]{favicon}`	107
	favicon-opened	`\vscodeicon[foldertype]{favicon-opened}`	108
	flow	`\vscodeicon[foldertype]{flow}`	109
	flow-opened	`\vscodeicon[foldertype]{flow-opened}`	110
	fonts	`\vscodeicon[foldertype]{fonts}`	111
	fonts-opened	`\vscodeicon[foldertype]{fonts-opened}`	112
	frontcommerce	`\vscodeicon[foldertype]{frontcommerce}`	113
	frontcommerce-opened	`\vscodeicon[foldertype]{frontcommerce-opened}`	114
	gcp	`\vscodeicon[foldertype]{gcp}`	115
	gcp-opened	`\vscodeicon[foldertype]{gcp-opened}`	116
	git	`\vscodeicon[foldertype]{git}`	117
	github	`\vscodeicon[foldertype]{github}`	118
	github-opened	`\vscodeicon[foldertype]{github-opened}`	119
	gitlab	`\vscodeicon[foldertype]{gitlab}`	120
	gitlab-opened	`\vscodeicon[foldertype]{gitlab-opened}`	121
	git-opened	`\vscodeicon[foldertype]{git-opened}`	122
	gradle	`\vscodeicon[foldertype]{gradle}`	123
	gradle-opened	`\vscodeicon[foldertype]{gradle-opened}`	124
	graphql	`\vscodeicon[foldertype]{graphql}`	125
	graphql-opened	`\vscodeicon[foldertype]{graphql-opened}`	126
	grunt	`\vscodeicon[foldertype]{grunt}`	127
	grunt-opened	`\vscodeicon[foldertype]{grunt-opened}`	128
	gulp	`\vscodeicon[foldertype]{gulp}`	129
	gulp-opened	`\vscodeicon[foldertype]{gulp-opened}`	130
	haxelib	`\vscodeicon[foldertype]{haxelib}`	131
	haxelib-opened	`\vscodeicon[foldertype]{haxelib-opened}`	132
	helper	`\vscodeicon[foldertype]{helper}`	133
	helper-opened	`\vscodeicon[foldertype]{helper-opened}`	134
	hook	`\vscodeicon[foldertype]{hook}`	135
	hook-opened	`\vscodeicon[foldertype]{hook-opened}`	136
	husky	`\vscodeicon[foldertype]{husky}`	137

Icon	Name	Direct command	PDF page
	husky-opened	\vscodeicon[foldertype]{husky-opened}	138
	idea	\vscodeicon[foldertype]{idea}	139
	idea-opened	\vscodeicon[foldertype]{idea-opened}	140
	images	\vscodeicon[foldertype]{images}	141
	images-opened	\vscodeicon[foldertype]{images-opened}	142
	include	\vscodeicon[foldertype]{include}	143
	include-opened	\vscodeicon[foldertype]{include-opened}	144
	interfaces	\vscodeicon[foldertype]{interfaces}	145
	interfaces-opened	\vscodeicon[foldertype]{interfaces-opened}	146
	ios	\vscodeicon[foldertype]{ios}	147
	ios-opened	\vscodeicon[foldertype]{ios-opened}	148
	js	\vscodeicon[foldertype]{js}	149
	json	\vscodeicon[foldertype]{json}	150
	json-official	\vscodeicon[foldertype]{json-official}	151
	json-official-opened	\vscodeicon[foldertype]{json-official-opened}	152
	json-opened	\vscodeicon[foldertype]{json-opened}	153
	js-opened	\vscodeicon[foldertype]{js-opened}	154
	junie	\vscodeicon[foldertype]{junie}	155
	junie-opened	\vscodeicon[foldertype]{junie-opened}	156
	kubernetes	\vscodeicon[foldertype]{kubernetes}	157
	kubernetes-opened	\vscodeicon[foldertype]{kubernetes-opened}	158
	less	\vscodeicon[foldertype]{less}	159
	less-opened	\vscodeicon[foldertype]{less-opened}	160
	library	\vscodeicon[foldertype]{library}	161
	library-opened	\vscodeicon[foldertype]{library-opened}	162
	light-cypress	\vscodeicon[foldertype]{light-cypress}	163
	light-cypress-opened	\vscodeicon[foldertype]{light-cypress-opened}	164
	light-electron	\vscodeicon[foldertype]{light-electron}	165
	light-electron-opened	\vscodeicon[foldertype]{light-electron-opened}	166
	light-expo	\vscodeicon[foldertype]{light-expo}	167
	light-expo-opened	\vscodeicon[foldertype]{light-expo-opened}	168
	light-fonts	\vscodeicon[foldertype]{light-fonts}	169
	light-fonts-opened	\vscodeicon[foldertype]{light-fonts-opened}	170
	light-gradle	\vscodeicon[foldertype]{light-gradle}	171
	light-gradle-opened	\vscodeicon[foldertype]{light-gradle-opened}	172
	light-meteor	\vscodeicon[foldertype]{light-meteor}	173
	light-meteor-opened	\vscodeicon[foldertype]{light-meteor-opened}	174
	light-mypy	\vscodeicon[foldertype]{light-mypy}	175
	light-mypy-opened	\vscodeicon[foldertype]{light-mypy-opened}	176
	light-mysql	\vscodeicon[foldertype]{light-mysql}	177
	light-mysql-opened	\vscodeicon[foldertype]{light-mysql-opened}	178
	light-node	\vscodeicon[foldertype]{light-node}	179
	light-node-opened	\vscodeicon[foldertype]{light-node-opened}	180
	light-redux	\vscodeicon[foldertype]{light-redux}	181
	light-redux-opened	\vscodeicon[foldertype]{light-redux-opened}	182
	light-sass	\vscodeicon[foldertype]{light-sass}	183
	light-sass-opened	\vscodeicon[foldertype]{light-sass-opened}	184

Icon	Name	Direct command	PDF page
	light-zed	\vscodeicon[foldertype]{light-zed}	185
	light-zed-opened	\vscodeicon[foldertype]{light-zed-opened}	186
	linux	\vscodeicon[foldertype]{linux}	187
	linux-opened	\vscodeicon[foldertype]{linux-opened}	188
	locale	\vscodeicon[foldertype]{locale}	189
	locale-opened	\vscodeicon[foldertype]{locale-opened}	190
	log	\vscodeicon[foldertype]{log}	191
	log-opened	\vscodeicon[foldertype]{log-opened}	192
	macos	\vscodeicon[foldertype]{macos}	193
	macos-opened	\vscodeicon[foldertype]{macos-opened}	194
	mariadb	\vscodeicon[foldertype]{mariadb}	195
	mariadb-opened	\vscodeicon[foldertype]{mariadb-opened}	196
	maven	\vscodeicon[foldertype]{maven}	197
	maven-opened	\vscodeicon[foldertype]{maven-opened}	198
	mediawiki	\vscodeicon[foldertype]{mediawiki}	199
	mediawiki-opened	\vscodeicon[foldertype]{mediawiki-opened}	200
	memcached	\vscodeicon[foldertype]{memcached}	201
	memcached-opened	\vscodeicon[foldertype]{memcached-opened}	202
	meteor	\vscodeicon[foldertype]{meteor}	203
	meteor-opened	\vscodeicon[foldertype]{meteor-opened}	204
	middleware	\vscodeicon[foldertype]{middleware}	205
	middleware-opened	\vscodeicon[foldertype]{middleware-opened}	206
	minecraft	\vscodeicon[foldertype]{minecraft}	207
	minecraft-opened	\vscodeicon[foldertype]{minecraft-opened}	208
	minikube	\vscodeicon[foldertype]{minikube}	209
	minikube-opened	\vscodeicon[foldertype]{minikube-opened}	210
	mjml	\vscodeicon[foldertype]{mjml}	211
	mjml-opened	\vscodeicon[foldertype]{mjml-opened}	212
	mock	\vscodeicon[foldertype]{mock}	213
	mock-opened	\vscodeicon[foldertype]{mock-opened}	214
	model	\vscodeicon[foldertype]{model}	215
	model-opened	\vscodeicon[foldertype]{model-opened}	216
	module	\vscodeicon[foldertype]{module}	217
	module-opened	\vscodeicon[foldertype]{module-opened}	218
	mojo	\vscodeicon[foldertype]{mojo}	219
	mojo-opened	\vscodeicon[foldertype]{mojo-opened}	220
	mongodb	\vscodeicon[foldertype]{mongodb}	221
	mongodb-opened	\vscodeicon[foldertype]{mongodb-opened}	222
	mypy	\vscodeicon[foldertype]{mypy}	223
	mypy-opened	\vscodeicon[foldertype]{mypy-opened}	224
	mysql	\vscodeicon[foldertype]{mysql}	225
	mysql-opened	\vscodeicon[foldertype]{mysql-opened}	226
	netlify	\vscodeicon[foldertype]{netlify}	227
	netlify-opened	\vscodeicon[foldertype]{netlify-opened}	228
	next	\vscodeicon[foldertype]{next}	229
	next-opened	\vscodeicon[foldertype]{next-opened}	230
	nginx	\vscodeicon[foldertype]{nginx}	231

Icon	Name	Direct command	PDF page
	nginx-opened	\vscodeicon[foldertype]{nginx-opened}	232
	nix	\vscodeicon[foldertype]{nix}	233
	nix-opened	\vscodeicon[foldertype]{nix-opened}	234
	node	\vscodeicon[foldertype]{node}	235
	node-opened	\vscodeicon[foldertype]{node-opened}	236
	notebooks	\vscodeicon[foldertype]{notebooks}	237
	notebooks-opened	\vscodeicon[foldertype]{notebooks-opened}	238
	notification	\vscodeicon[foldertype]{notification}	239
	notification-opened	\vscodeicon[foldertype]{notification-opened}	240
	nuget	\vscodeicon[foldertype]{nuget}	241
	nuget-opened	\vscodeicon[foldertype]{nuget-opened}	242
	nuxt	\vscodeicon[foldertype]{nuxt}	243
	nuxt-opened	\vscodeicon[foldertype]{nuxt-opened}	244
	package	\vscodeicon[foldertype]{package}	245
	package-opened	\vscodeicon[foldertype]{package-opened}	246
	paket	\vscodeicon[foldertype]{paket}	247
	paket-opened	\vscodeicon[foldertype]{paket-opened}	248
	php	\vscodeicon[foldertype]{php}	249
	php-opened	\vscodeicon[foldertype]{php-opened}	250
	platformio	\vscodeicon[foldertype]{platformio}	251
	platformio-opened	\vscodeicon[foldertype]{platformio-opened}	252
	plugin	\vscodeicon[foldertype]{plugin}	253
	plugin-opened	\vscodeicon[foldertype]{plugin-opened}	254
	prisma	\vscodeicon[foldertype]{prisma}	255
	prisma-opened	\vscodeicon[foldertype]{prisma-opened}	256
	private	\vscodeicon[foldertype]{private}	257
	private-opened	\vscodeicon[foldertype]{private-opened}	258
	public	\vscodeicon[foldertype]{public}	259
	public-opened	\vscodeicon[foldertype]{public-opened}	260
	pytest	\vscodeicon[foldertype]{pytest}	261
	pytest-opened	\vscodeicon[foldertype]{pytest-opened}	262
	python	\vscodeicon[foldertype]{python}	263
	python-opened	\vscodeicon[foldertype]{python-opened}	264
	ravendb	\vscodeicon[foldertype]{ravendb}	265
	ravendb-opened	\vscodeicon[foldertype]{ravendb-opened}	266
	redis	\vscodeicon[foldertype]{redis}	267
	redis-opened	\vscodeicon[foldertype]{redis-opened}	268
	redux	\vscodeicon[foldertype]{redux}	269
	redux-opened	\vscodeicon[foldertype]{redux-opened}	270
	route	\vscodeicon[foldertype]{route}	271
	route-opened	\vscodeicon[foldertype]{route-opened}	272
	sass	\vscodeicon[foldertype]{sass}	273
	sass-opened	\vscodeicon[foldertype]{sass-opened}	274
	script	\vscodeicon[foldertype]{script}	275
	script-opened	\vscodeicon[foldertype]{script-opened}	276
	seedkit	\vscodeicon[foldertype]{seedkit}	277
	seedkit-opened	\vscodeicon[foldertype]{seedkit-opened}	278

Icon	Name	Direct command	PDF page
	server	\vscodeicon[foldertype]{server}	279
	server-opened	\vscodeicon[foldertype]{server-opened}	280
	services	\vscodeicon[foldertype]{services}	281
	services-opened	\vscodeicon[foldertype]{services-opened}	282
	shared	\vscodeicon[foldertype]{shared}	283
	shared-opened	\vscodeicon[foldertype]{shared-opened}	284
	snaplet	\vscodeicon[foldertype]{snaplet}	285
	snaplet-opened	\vscodeicon[foldertype]{snaplet-opened}	286
	spin	\vscodeicon[foldertype]{spin}	287
	spin-opened	\vscodeicon[foldertype]{spin-opened}	288
	src	\vscodeicon[foldertype]{src}	289
	src-opened	\vscodeicon[foldertype]{src-opened}	290
	sso	\vscodeicon[foldertype]{sso}	291
	sso-opened	\vscodeicon[foldertype]{sso-opened}	292
	story	\vscodeicon[foldertype]{story}	293
	story-opened	\vscodeicon[foldertype]{story-opened}	294
	style	\vscodeicon[foldertype]{style}	295
	style-opened	\vscodeicon[foldertype]{style-opened}	296
	supabase	\vscodeicon[foldertype]{supabase}	297
	supabase-opened	\vscodeicon[foldertype]{supabase-opened}	298
	svelte	\vscodeicon[foldertype]{svelte}	299
	svelte-opened	\vscodeicon[foldertype]{svelte-opened}	300
	tauri	\vscodeicon[foldertype]{tauri}	301
	tauri-opened	\vscodeicon[foldertype]{tauri-opened}	302
	temp	\vscodeicon[foldertype]{temp}	303
	template	\vscodeicon[foldertype]{template}	304
	template-opened	\vscodeicon[foldertype]{template-opened}	305
	temp-opened	\vscodeicon[foldertype]{temp-opened}	306
	test	\vscodeicon[foldertype]{test}	307
	test-opened	\vscodeicon[foldertype]{test-opened}	308
	theme	\vscodeicon[foldertype]{theme}	309
	theme-opened	\vscodeicon[foldertype]{theme-opened}	310
	tools	\vscodeicon[foldertype]{tools}	311
	tools-opened	\vscodeicon[foldertype]{tools-opened}	312
	travis	\vscodeicon[foldertype]{travis}	313
	travis-opened	\vscodeicon[foldertype]{travis-opened}	314
	trunk	\vscodeicon[foldertype]{trunk}	315
	trunk-opened	\vscodeicon[foldertype]{trunk-opened}	316
	turbo	\vscodeicon[foldertype]{turbo}	317
	turbo-opened	\vscodeicon[foldertype]{turbo-opened}	318
	typescript	\vscodeicon[foldertype]{typescript}	319
	typescript-opened	\vscodeicon[foldertype]{typescript-opened}	320
	typings	\vscodeicon[foldertype]{typings}	321
	typings2	\vscodeicon[foldertype]{typings2}	322
	typings2-opened	\vscodeicon[foldertype]{typings2-opened}	323
	typings-opened	\vscodeicon[foldertype]{typings-opened}	324
	vagrant	\vscodeicon[foldertype]{vagrant}	325

Icon	Name	Direct command	PDF page
	vagrant-opened	\vscodeicon[foldertype]{vagrant-opened}	326
	vercel	\vscodeicon[foldertype]{vercel}	327
	vercel-opened	\vscodeicon[foldertype]{vercel-opened}	328
	video	\vscodeicon[foldertype]{video}	329
	video-opened	\vscodeicon[foldertype]{video-opened}	330
	view	\vscodeicon[foldertype]{view}	331
	view-opened	\vscodeicon[foldertype]{view-opened}	332
	vs	\vscodeicon[foldertype]{vs}	333
	vs2	\vscodeicon[foldertype]{vs2}	334
	vs2-opened	\vscodeicon[foldertype]{vs2-opened}	335
	vscode	\vscodeicon[foldertype]{vscode}	336
	vscode2	\vscodeicon[foldertype]{vscode2}	337
	vscode2-opened	\vscodeicon[foldertype]{vscode2-opened}	338
	vscode3	\vscodeicon[foldertype]{vscode3}	339
	vscode3-opened	\vscodeicon[foldertype]{vscode3-opened}	340
	vscode-opened	\vscodeicon[foldertype]{vscode-opened}	341
	vscode-test	\vscodeicon[foldertype]{vscode-test}	342
	vscode-test2	\vscodeicon[foldertype]{vscode-test2}	343
	vscode-test2-opened	\vscodeicon[foldertype]{vscode-test2-opened}	344
	vscode-test3	\vscodeicon[foldertype]{vscode-test3}	345
	vscode-test3-opened	\vscodeicon[foldertype]{vscode-test3-opened}	346
	vscode-test-opened	\vscodeicon[foldertype]{vscode-test-opened}	347
	vs-opened	\vscodeicon[foldertype]{vs-opened}	348
	webpack	\vscodeicon[foldertype]{webpack}	349
	webpack-opened	\vscodeicon[foldertype]{webpack-opened}	350
	windows	\vscodeicon[foldertype]{windows}	351
	windows-opened	\vscodeicon[foldertype]{windows-opened}	352
	windsurf	\vscodeicon[foldertype]{windsurf}	353
	windsurf-opened	\vscodeicon[foldertype]{windsurf-opened}	354
	wit	\vscodeicon[foldertype]{wit}	355
	wit-opened	\vscodeicon[foldertype]{wit-opened}	356
	www	\vscodeicon[foldertype]{www}	357
	www-opened	\vscodeicon[foldertype]{www-opened}	358
	yarn	\vscodeicon[foldertype]{yarn}	359
	yarn-opened	\vscodeicon[foldertype]{yarn-opened}	360
	zed	\vscodeicon[foldertype]{zed}	361
	zed-opened	\vscodeicon[foldertype]{zed-opened}	362