




How To Implement ChatGPT In Django

Last Updated : 24 Sep, 2024

Integrating ChatGPT into a Django application allows you to create dynamic and interactive chat interfaces. By following the steps outlined in this article, you can implement [ChatGPT](#) in your [Django](#) project and provide users with engaging conversational experiences. Experiment with different prompts, improve the user interface and explore further possibilities to enhance the functionality of your chat application.



Steps to Implement ChatGPT in a Django Application using API

Integrating [ChatGPT](#) into a Django web application allows you to build interactive chat interfaces and provide dynamic conversational experiences to users. If you're looking to master such integrations and explore more advanced projects, the [Django Web Development Course](#) will guide you step-by-step. Let's see the overall steps in summary:

- Setting up the Django Project.
- Define a Django view that handles the chat functionality.
- Configure Django's URL routing to connect the chat view to a specific URL pattern.

- Designing the User Interface.
- Testing and Running the Application.


Implement ChatGPT in a Django Application

Basic Setup

Install Django using pip, and Create a new [Django project](#). Made changes in setting.py, mention your templates folder in TEMPLATES.

```
TEMPLATES = [  
    {  
        'BACKEND': 'django.template.backends.django.DjangoTemplates',  
        'DIRS': [BASE_DIR / 'templates'],  
        'APP_DIRS': True,  
        'OPTIONS': {  
            'context_processors': [  
                'django.template.context_processors.debug',  
                'django.template.context_processors.request',  
                'django.contrib.auth.context_processors.auth',  
                'django.contrib.messages.context_processors.messages',  
            ],  
        },  
    },  
]
```

Folder Structure



views.py: Creating the Chat View

The code consists of two functions: query_view and get_completion.

- **query_view** is a view function that handles the [HTTP requests](#) made to the associated endpoint. When a POST request is received, it extracts the prompt from the request data, calls the get_completion function to generate a completion based on the prompt, and returns the completion as a [JSON](#) response. For GET requests, it renders the 'index.html' template.

- **get_completion** is a function responsible for generating a completion based on a given prompt using the [OpenAI API](#). It makes a request to the OpenAI API's Completion endpoint, specifying the prompt, maximum tokens, engine, temperature, and other parameters. It retrieves the generated completion from the API response and returns it as the output of the function.

Python



```
1 from django.shortcuts import render
2 from django.http import JsonResponse
3 import openai
4
5 openai.api_key = 'YOUR_API_KEY'
6
7 def get_completion(prompt):
8     print(prompt)
9     query = openai.Completion.create(
10         engine="text-davinci-003",
11         prompt=prompt,
12         max_tokens=1024,
13         n=1,
14         stop=None,
15         temperature=0.5,
16     )
17
18     response = query.choices[0].text
19     print(response)
20     return response
21
22
23 def query_view(request):
24     if request.method == 'POST':
25         prompt = request.POST.get('prompt')
26         response = get_completion(prompt)
27         return JsonResponse({'response': response})
28     return render(request, 'index.html')
```

Django Views Model Template Forms Jinja Python SQLite Flask Json Postman Interview Ques

urls.py: Setting up URLs

This code sets up two URL patterns: one for the admin site and another for the root URL, and another which is associated with the `query_view` function in the `views` module.

Python



```
1 from django.contrib import admin
2 from django.urls import path
3 from . import views
4
5
6 urlpatterns = [
7     path('admin/', admin.site.urls),
8     path('', views.query_view, name='query'),
9
10 ]
```

template/index.py: Creating User Interface

Create an HTML template for the chat interface using HTML, CSS, and Bootstrap, and Set up the necessary JavaScript and AJAX code to handle user interaction.

HTML



```
1 <!-- query.html -->
2 <html>
3 <head>
4     <title>Query</title>
5     <script src="https://code.jquery.com/jquery-
6 3.6.0.min.js"></script>
7     <script src="https://cdn.jsdelivr.net/npm/js-
8 cookie@3.0.0/dist/js.cookie.min.js"></script>
9     <script
10 src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
11 alpha1/dist/js/bootstrap.bundle.min.js" integrity="sha384-
12 w76AqPfDkMBDXo30jS1Sgez6pr3x5MlQ1ZAGC+nuZB+EYdgRZgiwxhTBTkF7
13 CXvN" crossorigin="anonymous"></script>
14     <link
15 href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
```

```

alpha1/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-
GLhlTQ8iRABdZLL603oVMWSktQOp6b7In1Zl3/Jr59b6EGGoI1aFkw7cmDA6
j6gD" crossorigin="anonymous">
9     <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.10.2/font/bootstrap-icons.css" integrity="sha384-
b6lVK+yci+bfDmaY1u0zE8YYJt0TZxLEAFyYSLHId4xoVvsrQu3INevFKo+X
ir8e" crossorigin="anonymous">
10    <script>
11        $(document).ready(function() {
12            // Send the form on enter keypress and avoid if
shift is pressed
13            $('#prompt').keypress(function(event) {
14                if (event.keyCode === 13 && !event.shiftKey)
{
15                    event.preventDefault();
16                    $('form').submit();
17                }
18            });
19            $('form').on('submit', function(event) {
20                event.preventDefault();
21                // get the CSRF token from the cookie
22                var csrftoken = Cookies.get('csrftoken');
23
24                // set the CSRF token in the AJAX headers
25                $.ajaxSetup({
26                    headers: { 'X-CSRFToken': csrftoken }
27                });
28                // Get the prompt
29                var prompt = $('#prompt').val();
30                var dateTime = new Date();
31                var time = dateTime.toLocaleTimeString();
32                // Add the prompt to the response div
33                $('#response').append('<p>(' + time + ') <i
class="bi bi-person"></i>: ' + prompt + '</p>');
34                // Clear the prompt
35                $('#prompt').val('');
36                $.ajax({
37                    url: '/',
38                    type: 'POST',
39                    data: {prompt: prompt},
40                    dataType: 'json',
41                    success: function(data) {

```

```

                                $('#response').append('<p>(' + time +
') <i class="bi bi-robot"></i>: ' + data.response + '</p>');
43                                }
44                                });
45                                });
46                                });
47                                </script>
48                                </head>
49                                <body>
50                                <div class="container p-3">
51                                <h3>ChatGPT Clone</h3>
52                                <div class="mb-3">
53                                <form method="post">
54                                {% csrf_token %}
55                                <label for="prompt" class="form-label">
<strong>Prompt: </strong></label>
56                                <textarea class="form-control"
type="textarea" id="prompt" name="prompt" rows="3">
</textarea>
57                                <br>
58                                <button class="btn btn-primary"
type="submit">Submit</button>
59                                </form>
60                                </div>
61                                <br>
62                                <div class="mb-3">
63                                <h6>Response:</h6>
64                                <div class="container border overflow-auto h-50"
id="response"></div>
65
66                                </div>
67                                </div>
68                                </body>
69                                </html>

```

Output:



To learn more about Chat GPT, you can refer to:

- [7 Best AI Businesses to Start with ChatGPT](#)
- [ChatGPT vs Google BARD](#)
- [ChatGPT's History Gone: Data Breach or AI Bug?](#)

Are you ready to elevate your web development skills from foundational knowledge to advanced expertise? Explore our [Mastering Django Framework - Beginner to Advanced Course](#) on GeeksforGeeks, designed for aspiring developers and experienced programmers. This comprehensive course covers everything you need to know about Django, from the basics to advanced features. Gain practical experience through **hands-on projects** and real-world applications, mastering essential Django principles and techniques. Whether you're just starting or looking to refine your skills, this course will empower you to build sophisticated web applications efficiently. Ready to enhance your web development journey? Enroll now and unlock your potential with Django!



skrg141



1

Previous Article

ChatGPT Prompt to get Datasets for
Machine Learning

Next Article

Create a ChatBot with OpenAI and Gradio
in Python

Similar Reads

Implement ChatGPT in a Flask Application

You can build dynamic and interactive chat interfaces by integrating ChatGPT into a Flask application. This article's instructions can help you integrate ChatGPT int...

3 min read

Implement Token Authentication using Django REST Framework

Token authentication refers to exchanging username and password for a token that will be used in all subsequent requests so to identify the user on the server...

2 min read

Implement Search Autocomplete For Input Fields in Django

Django is a high-level Python based Web Framework that allows rapid development and clean, pragmatic design. It is also called batteries included...

2 min read

Adding Tags Using Django-Taggit in Django Project

Django-Taggit is a Django application which is used to add tags to blogs, articles etc. It makes very easy for us to make adding the tags functionality to our djang...

2 min read

How to customize Django forms using Django Widget Tweaks ?

Django forms are a great feature to create usable forms with just few lines of code. But Django doesn't easily let us edit the form for good designs. Here, we...

3 min read

Styling Django Forms with django-crispy-forms

Django by default doesn't provide any Django form styling method due to which it takes a lot of effort and precious time to beautifully style a form. django-crispy...

1 min read

Integrating Django with Reactjs using Django REST Framework

In this article, we will learn the process of communicating between the Django Backend and React js frontend using the Django REST Framework. For the sake...

15+ min read

How to Fix Django "ImportError: Cannot Import Name 'six' from..."

After Django 3.0, django.utils.six was removed. The "ImportError: Cannot Import Name 'six' from 'django.utils'" error occurs because of the dependency issue. Thi...

3 min read

ChatGPT: 7 IT Jobs That AI Can't Replace

ChatGPT - the oh-so-trendy AI tool the whole world is talking about. Ever since it was launched on 30th November 2022, ChatGPT proved to be a one-in-all tool...

9 min read

10 Best ChatGPT Plugins You Should Use

ChatGPT is a Natural Language Processing tool released by OpenAI in 2023. Almost like a human, this tool can interact with the person by its ability to answ...

9 min read

Article Tags :[Django](#)[Python](#)[AI Chatbot](#)[ChatGPT](#)[+1 More](#)**Practice Tags :**[python](#)



Corporate & Communications Address:-
A-143, 9th Floor, Sovereign Corporate
Tower, Sector- 136, Noida, Uttar Pradesh
(201305) | Registered Address:- K 061,
Tower K, Gulshan Vivante Apartment,
Sector 137, Noida, Gautam Buddh
Nagar, Uttar Pradesh, 201305



Company

[About Us](#)
[Legal](#)
[In Media](#)
[Contact Us](#)
[Advertise with us](#)
[GFG Corporate Solution](#)
[Placement Training Program](#)
[GeeksforGeeks Community](#)

DSA

[Data Structures](#)
[Algorithms](#)
[DSA for Beginners](#)
[Basic DSA Problems](#)
[DSA Roadmap](#)
[Top 100 DSA Interview Problems](#)
[DSA Roadmap by Sandeep Jain](#)
[All Cheat Sheets](#)

Web Technologies

[HTML](#)
[CSS](#)
[JavaScript](#)
[TypeScript](#)
[ReactJS](#)
[NextJS](#)
[Bootstrap](#)
[Web Design](#)

Languages

[Python](#)
[Java](#)
[C++](#)
[PHP](#)
[GoLang](#)
[SQL](#)
[R Language](#)
[Android Tutorial](#)
[Tutorials Archive](#)

Data Science & ML

[Data Science With Python](#)
[Data Science For Beginner](#)
[Machine Learning](#)
[ML Maths](#)
[Data Visualisation](#)
[Pandas](#)
[NumPy](#)
[NLP](#)
[Deep Learning](#)

Python Tutorial

[Python Programming Examples](#)
[Python Projects](#)
[Python Tkinter](#)
[Web Scraping](#)
[OpenCV Tutorial](#)
[Python Interview Question](#)
[Django](#)

Computer Science

Operating Systems
Computer Network
Database Management System
Software Engineering
Digital Logic Design
Engineering Maths
Software Development
Software Testing

System Design

High Level Design
Low Level Design
UML Diagrams
Interview Guide
Design Patterns
OOAD
System Design Bootcamp
Interview Questions

School Subjects

Mathematics
Physics
Chemistry
Biology
Social Science
English Grammar
Commerce
World GK

DevOps

Git
Linux
AWS
Docker
Kubernetes
Azure
GCP
DevOps Roadmap

Interview Preparation

Competitive Programming
Top DS or Algo for CP
Company-Wise Recruitment Process
Company-Wise Preparation
Aptitude Preparation
Puzzles

GeeksforGeeks Videos

DSA
Python
Java
C++
Web Development
Data Science
CS Subjects

@GeeksforGeeks, Sanchhaya Education Private Limited, All rights reserved