



# Add User and Display Current Username in Flask

Last Updated : 27 Feb, 2023

---

In this article, we'll talk about how to add a User and Display the Current Username on a [Flask](#) website. When we log in using our username and password, we will be taken to the profile page where we can see the welcome message and the username we created during registration. When additional users register using the login credentials we will use here, their names will also appear on the profile page screen. [Python](#) code will be connected to a [MySQL](#) database to preserve the user login and registration credentials. From there, we can observe how many users have registered and edited their information using [phpmyadmin](#). For making our project we install flask first and create a virtual environment.

## Display Username on Multiple Pages using Flask

### Templates Files

In the templates folder we basically made three files one for register, another one for login, and at last one for the user so first we write code for register.html

#### register.html

This HTML file contains a straightforward registration form that asks for three inputs: username, email address, and password. Once these fields have been completed, click the register button to see a flashing message stating that the form has been successfully submitted and that the registration information has been safely saved in the MySQL database. For flashing message, we are using Jinja2 in an HTML file, so we can now log in using our credentials. If we registered using the same email address, the flash email id will also exist.

---

### HTML

```

<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>User Registration Form</title>

</head>
<style>
    .hi{
        color: green;
    }
    .ok{
        display: block;
        margin-left: 80px;
        margin-top: -15px;
        border: 1px solid black;
    }
    .gfg{
        margin-left: 30px;
        font-weight: bold;
    }
    .gf{
        margin-left: 10px;
        font-weight: bold;
    }
    .btn{
        margin-top: 20px;
        width: 80px;
        height: 25px;
        background-color: orangered;
        color: white;
    }
    .y{
        color: gray;
    }
</style>
<body>
<div class="container">
    <h2 class="hi" > GFG User Registration </h2>
    <h4 class="y" >Note : fill following details !</h4>
    <form action="{ url_for('register') }" method="post">
        {% if message is defined and message %}
            <div class="alert alert-warning"> <strong> {{ message }} ???? </strong>
        {% endif %}
        <br>
        <div class="form-group">
            <label class="gfg">Name:</label>
            <input class="ok" type="text" class="form-control" id="name" name="r

```

```

</div>
<div class="form-group">
  <label class="gfg">Email:</label>
  <input class="ok" type="email" class="form-control" id="email" name=
</div>
<div class="form-group">
  <label class="gf">Password:</label>
  <input class="ok" type="password" class="form-control" id="password" name=
</div>
<button class="btn" type="submit" class="btn btn-primary">Register</button>
<p class="bottom">Already have an account? <a class="bottom" href="{{url
</form>
</div>
</body>
</html>

```

### Output:

← ↻ ⓘ 127.0.0.1:5000/register

## GFG User Registration

**Note : fill following details !**

**Name:**

**Email:**

**Password:**

**Register**

Already have an account? [Login here](#)

*User Registration page*

### login.html

In login.html, we have created two straightforward inputs: a username and a password that we successfully registered. If we enter the correct email address and password, it will direct us to the user/login profile page, where we have used the URL for the function to write the file function that we want to display following successful registration.

## HTML

```

<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>User Login Form</title>

</head>
<style>
    .gfg{
        display: block;
        margin-left: 70px;
        margin-top: -15px;

    }
    .ok{
        margin-left: 20px;
        font-weight: bold;

    }
    .btn{
        margin-top: 20px;
        width: 80px;
        height: 25px;
        background-color: gray;
        color: white;

    }
    .user{
        color: green;
    }

</style>
<body>
<div class="container">
    <h2 class="user"> GFG User Login</h2>
    <form action="{{ url_for('login') }}" method="post">
        {% if message is defined and message %}
            <div class="alert alert-warning"> <strong> {{ message }} ????</strong>
        {% endif %}
        <br>
        <div class="form-group">
            <label class="ok">Email:</label>
            <input class="gfg" type="email" class="form-control" id="email" name="en
        </div>
        <div class="form-group">
            <label class="pop"> <strong> Password:</strong></label>
            <input class="gfg" type="password" class="form-control" id="password"
        </div>


```

```

<button class="btn" type="submit" class="btn btn-primary">Login</button>
<p class="bottom">Don't have an account? <a class="bottom" href="{url_f
</form>
</div>
</body>
</html>

```

## Output:



*User Login.html*

## user.html

After a successful login, we put a few lines of code to greet the user in these files. We also add a second session. The name code we use during registration means that when we log in, our name will also appear on the screen. Additionally, a button for logging out will appear on the screen; by clicking this button, we can log out and must log in again.

## HTML

```

<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>User Account</title>

</head>
<style>
.gfg{
    font-size: 25px;
    color: red;


```

```

        font-style: italic;
    }
</style>
<body>
<div class="container">
    <div class="row">
        <h2>User Profile</h2>
    </div>
    <br>
    <div class="row">
        Logged in : <strong class="gfg"> {{session.name}} </strong>| <a href="#">Logout</a>
    </div>
    <br><br>
    <div class="row">
        <h2>Welcome to the User profile page... </h2>
    </div>
</div>
</body>
</html>

```

### Output:



*Username display on screen*

### app.py

#### Step 1: Import all library

First, the python code is written in a file called app.py. We import all the libraries required for running our application, connecting to MySQL, and performing admin login from the database into this file. Following the import of

re([regular expression](#)), which will read the data from our MySQL database, the Python code database, MySQL DB, is used to construct the data for our database. We initialize the flask function and generate a secret key for our flask after importing all modules. The database name, email address, and password are then added to the database.

---

## Python3

```
# Import all important libraries
from flask import *
from flask_mysql import MySQL
import MySQLdb.cursors
import re

# initialize first flask
app = Flask(__name__)
app.secret_key = 'GeeksForGeeks'

# Set MySQL data
app.config['MYSQL_HOST'] = 'localhost'
app.config['MYSQL_USER'] = 'root'
app.config['MYSQL_PASSWORD'] = ''
app.config['MYSQL_DB'] = 'user-table'

mysql = MySQL(app)
```

### Step 2: login and logout functions

Then, we develop a functional login() and develop a session for login and registration for a system that also obtains our data from MySQL. A successfully registered message will also appear on the login page when we successfully register on the register page. In this function, we pass the request to the login form by entering our name, password, and email when we click on enter. It will automatically save on our PHPMyAdmin by MySQL data.

---

## Python3

```
# Make login function for login and also make
# session for login and registration system
# and also fetch the data from MySQL
```

```

@app.route('/')
@app.route('/login', methods=['GET', 'POST'])
def login():
    message = ''
    if request.method == 'POST' and 'email' in request.form and 'password' in request.form:
        email = request.form['email']
        password = request.form['password']
        cursor = mysql.connection.cursor(
            MySQLdb.cursors.DictCursor)
        cursor.execute(
            'SELECT * FROM user WHERE email = % s AND password = % s',
            (email, password, ))
        user = cursor.fetchone()
        if user:
            session['loggedin'] = True
            session['userid'] = user['userid']
            session['name'] = user['name']
            session['email'] = user['email']
            message = 'Logged in successfully !'
            return render_template('user.html',
                                   message=message)
        else:
            message = 'Please enter correct email / password !'
    return render_template('login.html', message=message)

# Make function for logout session
@app.route('/logout')
def logout():
    session.pop('loggedin', None)
    session.pop('userid', None)
    session.pop('email', None)
    return redirect(url_for('login'))

```

### Step 3: User Registration

On the login screen, we can log in by providing our email address and password. There are also more flashing notifications, such as “User already exists” if we attempt to register again using the same email address. With the same email address, we are able to create two registered accounts. The username we specified on the registration page will also show up on the profile once we successfully log in. For this instance, we typed “GFG.”



“Welcome GFG” will appear once we have successfully logged in. That clarifies the entire code as well as its intended use.

---

## Python3

```
# Make a register session for registration
# session and also connect to Mysql to code for access
# login and for completing our login
# session and making some flashing message for error
@app.route('/register', methods=['GET', 'POST'])
def register():
    message = ''
    if request.method == 'POST' and 'name' in request.form and 'password' in request.form and 'email' in request.form:

        userName = request.form['name']
        password = request.form['password']
        email = request.form['email']
        cursor = mysql.connection.cursor(MySQLdb.cursors.DictCursor)
        cursor.execute('SELECT * FROM user WHERE email = % s',
                        (email, ))
        account = cursor.fetchone()
        if account:
            message = 'Account already exists !'
        elif not re.match(r'^@+@[^@]+\.[^@]+', email):
            message = 'Invalid email address !'
        elif not userName or not password or not email:
            message = 'Please fill out the form !'
        else:
            cursor.execute(
                'INSERT INTO user VALUES (NULL, % s, % s, % s)',
                (userName, email, password, ))
            mysql.connection.commit()
            message = 'You have successfully registered !'
    elif request.method == 'POST':
        message = 'Please fill out the form !'
    return render_template('register.html', message=message)
```

## Complete Code

---

## Python3

```

# Import all important libraries
from flask import *
from flask_mysqlldb import MySQL
import MySQLdb.cursors
import re

# initialize first flask
app = Flask(__name__)
app.secret_key = 'GeeksForGeeks'

# Set MySQL data
app.config['MYSQL_HOST'] = 'localhost'
app.config['MYSQL_USER'] = 'root'
app.config['MYSQL_PASSWORD'] = ''
app.config['MYSQL_DB'] = 'user-table'

mysql = MySQL(app)

@app.route('/')
@app.route('/login', methods=['GET', 'POST'])
def login():
    message = ''
    if request.method == 'POST' and 'email' in request.form and 'password' in request.form:
        email = request.form['email']
        password = request.form['password']
        cursor = mysql.connection.cursor(
            MySQLdb.cursors.DictCursor)
        cursor.execute(
            'SELECT * FROM user WHERE email = % s AND password = % s',
            (email, password, ))
        user = cursor.fetchone()
        if user:
            session['loggedin'] = True
            session['userid'] = user['userid']
            session['name'] = user['name']
            session['email'] = user['email']
            message = 'Logged in successfully !'
            return render_template('user.html',
                                   message=message)
        else:
            message = 'Please enter correct email / password !'
    return render_template('login.html',
                           message=message)

# Make function for logout session

```

```

@app.route('/logout')
def logout():
    session.pop('loggedin', None)
    session.pop('userid', None)
    session.pop('email', None)
    return redirect(url_for('login'))

@app.route('/register', methods=['GET', 'POST'])
def register():
    message = ''
    if request.method == 'POST' and 'name' in request.form
        and 'password' in request.form and 'email' in request.form:
        userName = request.form['name']
        password = request.form['password']
        email = request.form['email']
        cursor = mysql.connection.cursor(MySQLdb.cursors.DictCursor)
        cursor.execute('SELECT * FROM user WHERE email = % s', (email, ))
        account = cursor.fetchone()
        if account:
            message = 'Account already exists !'
        elif not re.match(r'[^@]+@[^@]+\.[^@]+', email):
            message = 'Invalid email address !'
        elif not userName or not password or not email:
            message = 'Please fill out the form !'
        else:
            cursor.execute(
                'INSERT INTO user VALUES (NULL, % s, % s, % s)',
                (userName, email, password, ))
            mysql.connection.commit()
            message = 'You have successfully registered !'
    elif request.method == 'POST':
        message = 'Please fill out the form !'
    return render_template('register.html', message=message)

# run code in debug mode
if __name__ == "__main__":
    app.run(debug=True)


```

After writing whole open your terminal and run the following command


```
python app.py
```

Database Output:


After registering multiple users these outputs will show in your database by watching the video you can understand how the username will display on the screen and how multiple users can register and login.




Python Basics Interview Questions Python Quiz Popular Packages Python Projects Practice Python AI Wit



When we register multiple users then these types of interfaces will show on our PHP admin panel.



Output of code:



 prath... [+ Follow](#)

 1

### Previous Article

How To Add Authentication to Your App with Flask-Login

### Next Article

Password Hashing with Bcrypt in Flask

## Similar Reads

- ### How to store username and password in Flask

We'll discuss how to save a Username and password on a Flask website in this article. We may view the welcome message and the username we chose when...

9 min read
- ### How to get the current username in Python

When building interacting Python programs you might need to get the current username for features like personalizing user experience, providing user-specific...

4 min read
- ### How to Integrate Flask-Admin and Flask-Login

In order to merge the admin and login pages, we can utilize a short form or any other login method that only requires the username and password. This is know...

8 min read

## Documenting Flask Endpoint using Flask-Autodoc

Documentation of endpoints is an essential task in web development and being able to apply it in different frameworks is always a utility. This article discusses...

4 min read

## How to use Flask-Session in Python Flask ?

Flask Session - Flask-Session is an extension for Flask that supports Server-side Session to your application. The Session is the time between the client logs in to...

4 min read

## Minify HTML in Flask using Flask-Minify

Flask offers HTML rendering as output, it is usually desired that the output HTML should be concise and it serves the purpose as well. In this article, we would...

12 min read

## Flask URL Helper Function - Flask url\_for()

In this article, we are going to learn about the flask url\_for() function of the flask URL helper in Python. Flask is a straightforward, speedy, scalable library, used f...

11 min read

## Create GitHub API to fetch user profile image and number of repositories...

GitHub is where developers shape the future of software, together, contribute to the open-source community, manage Git repositories, etc. It is one of the most...

5 min read

## Display an External Image in the Browser Using Flask

Flask provides a simple and flexible way to develop web applications in Python. When it comes to displaying images from external sources, you can use Flask to...

2 min read

## Setup API for GeeksforGeeks user data using WebScraping and Flask

Prerequisite: WebScraping in Python, Introduction to Flask In this post, we will discuss how to get information about a GeeksforGeeks user using web scraping...

3 min read

Article Tags : Python Technical Scripter Technical Scripter 2022

Practice Tags : python



Corporate & Communications Address:-  
A-143, 9th Floor, Sovereign Corporate  
Tower, Sector- 136, Noida, Uttar Pradesh  
(201305) | Registered Address:- K 061,  
Tower K, Gulshan Vivante Apartment,  
Sector 137, Noida, Gautam Buddh  
Nagar, Uttar Pradesh, 201305



Company

- About Us
- Legal
- In Media
- Contact Us
- Advertise with us
- GFG Corporate Solution
- Placement Training Program
- GeeksforGeeks Community

Languages

- Python
- Java
- C++
- PHP
- GoLang
- SQL
- R Language
- Android Tutorial
- Tutorials Archive

DSA

- Data Structures
- Algorithms
- DSA for Beginners
- Basic DSA Problems
- DSA Roadmap
- Top 100 DSA Interview Problems
- DSA Roadmap by Sandeep Jain
- All Cheat Sheets

Data Science & ML

- Data Science With Python
- Data Science For Beginner
- Machine Learning
- ML Maths
- Data Visualisation
- Pandas
- NumPy
- NLP

[Deep Learning](#)

## Web Technologies

[HTML](#)  
[CSS](#)  
[JavaScript](#)  
[TypeScript](#)  
[ReactJS](#)  
[NextJS](#)  
[Bootstrap](#)  
[Web Design](#)

## Computer Science

[Operating Systems](#)  
[Computer Network](#)  
[Database Management System](#)  
[Software Engineering](#)  
[Digital Logic Design](#)  
[Engineering Maths](#)  
[Software Development](#)  
[Software Testing](#)

## System Design

[High Level Design](#)  
[Low Level Design](#)  
[UML Diagrams](#)  
[Interview Guide](#)  
[Design Patterns](#)  
[OOAD](#)  
[System Design Bootcamp](#)  
[Interview Questions](#)

## School Subjects

[Mathematics](#)  
[Physics](#)  
[Chemistry](#)  
[Biology](#)  
[Social Science](#)  
[English Grammar](#)  
[Commerce](#)  
[World GK](#)

## Python Tutorial

[Python Programming Examples](#)  
[Python Projects](#)  
[Python Tkinter](#)  
[Web Scraping](#)  
[OpenCV Tutorial](#)  
[Python Interview Question](#)  
[Django](#)

## DevOps

[Git](#)  
[Linux](#)  
[AWS](#)  
[Docker](#)  
[Kubernetes](#)  
[Azure](#)  
[GCP](#)  
[DevOps Roadmap](#)

## Interview Preparation

[Competitive Programming](#)  
[Top DS or Algo for CP](#)  
[Company-Wise Recruitment Process](#)  
[Company-Wise Preparation](#)  
[Aptitude Preparation](#)  
[Puzzles](#)

## GeeksforGeeks Videos

[DSA](#)  
[Python](#)  
[Java](#)  
[C++](#)  
[Web Development](#)  
[Data Science](#)  
[CS Subjects](#)

@GeeksforGeeks, Sanchhaya Education Private Limited, All rights reserved