

How to Add Cart in a Web Page using Django?

Last Updated: 24 Sep, 2024

Adding a shopping cart to a web page using Django is a crucial step when building an e-commerce website or any other application that involves online transactions. A shopping cart allows users to collect and manage items they want to purchase before proceeding to checkout. In this tutorial, we'll walk you through the process of creating a basic shopping cart using Django, including all the necessary files and HTML templates.

Steps Add Cart in a Web Page using Django

Setup and Installation

To install Django follow these steps.

To start the project use this command

django-admin startproject ecommerce
cd ecommerce

To start the app use this command.

python manage.py startapp cart

Now add this app to the 'settings.py'.

```
32
33
     INSTALLED APPS = [
          'django.contrib.admin',
34
          'django.contrib.auth',
35
          'django.contrib.contenttypes',
36
          'django.contrib.sessions',
37
          'django.contrib.messages',
38
          'django.contrib.staticfiles',
39
          'cart'
40
41
42
```

model.py: Here we have created a Product table with name, description, and price, image field in the table. Whereas, The CartItem model represents items added to the shopping cart by users.

```
Python
```

```
from django.db import models
from django.contrib.auth.models import User
class Product(models.Model):
name = models.CharField(max_length=100)
description = models.TextField(null=True)
price = models.DecimalField(max_digits=10, decimal_places=2)
```

Django Views Model Template Forms Jinja Python SQLite Flask Json Postman Interview Ques

```
def __str__(self):
9
            return self.name
10
11
   class CartItem(models.Model):
12
        product = models.ForeignKey(Product,
13
   on delete=models.CASCADE)
        quantity = models.PositiveIntegerField(default=0)
14
       user = models.ForeignKey(User,
15
   on delete=models.CASCADE)
        date added = models.DateTimeField(auto now add=True)
16
17
        def str (self):
18
            return f'{self.quantity} x {self.product.name}'
19
```

admin.py: Here we are registering our table in the admin.

Python

```
from django.contrib import admin
from .models import Product, CartItem

admin.site.register(Product)
admin.site.register(CartItem)
```

views.py: The cart/views.py code contains views that handle various aspects of the shopping cart functionality in a Django application. Here's a brief explanation of each view:

- **product_list(request)**: This view fetches a list of products from the database and renders a template to display them. Each product is shown with its name, price, and an "Add to Cart" button.
- view_cart(request): This view displays the contents of the shopping cart. It retrieves the cart items associated with the current user, calculates the total price of the items in the cart, and then renders a template to display the cart items along with the total price.
- add_to_cart(request, product_id): When a user clicks the "Add to Cart" button on a product, this view is triggered. It adds the selected product to the user's cart. If the product is already in the cart, it increments the quantity. It then redirects the user to the cart view to display the updated cart contents.
- remove_from_cart(request, item_id): This view handles the removal of an item from the cart. It takes the item's ID as a parameter, retrieves the corresponding cart item, and deletes it from the database. After removal, it redirects the user to the cart view to reflect the updated cart.

Python

```
from django.shortcuts import render, redirect
from .models import Product, CartItem

def product_list(request):
```

```
products = Product.objects.all()
       return render(request, 'myapp/index.html', {'products':
   products})
7
   def view cart(request):
8
        cart items = CartItem.objects.filter(user=request.user)
9
       total price = sum(item.product.price * item.quantity for
10
   item in cart items)
       return render(request, 'myapp/cart.html', {'cart items':
11
   cart_items, 'total_price': total_price})
12
13
   def add_to_cart(request, product_id):
       product = Product.objects.get(id=product id)
14
        cart_item, created =
15
   CartItem.objects.get_or_create(product=product,
16
   user=request.user)
        cart item.quantity += 1
17
       cart item.save()
18
        return redirect('cart:view cart')
19
20
   def remove from cart(request, item id):
21
        cart_item = CartItem.objects.get(id=item_id)
22
        cart item.delete()
23
       return redirect('cart:view cart')
24
25
26
   def home(request):
27
        return HttpResponse('Hello, World!')
28
```

Adding a cart to a Django web page is a crucial skill for e-commerce apps. If you're looking to build more complex applications, the <u>Django Web</u>

Development Course will guide you through advanced concepts.

Creating GUI

index.html: It is used to display a list of products with "Add to Cart" buttons.

HTML

```
1 <!DOCTYPE html>
2 <html lang="en">
```

```
<head>
       <meta charset="UTF-8">
4
5
        <title>Product Catalog</title>
        <style>
6
7
            /* Add CSS styles for flex container and items */
            .product-list {
8
                display: flex;
9
                flex-wrap: wrap; /* Allow items to wrap to the
10
   next row if necessary */
                justify-content: space-between; /* Space items
11
   evenly along the main axis */
                list-style: none; /* Remove list styles */
12
                padding: 0;
13
14
            }
15
            .product-item {
16
                flex: 1; /* Grow to fill available space evenly
17
                max-width: 30%; /* Limit item width to avoid
18
   overcrowding */
19
                margin: 10px; /* Add spacing between items */
20
                border: 1px solid #ccc; /* Add a border for
   visual separation */
                padding: 10px;
21
                text-align: center;
22
            }
23
24
            /* Style the "Buy Now" button */
25
            .buy-now-button {
26
                display: block;
27
                margin-top: 10px;
28
29
                background-color: #007bff;
                color: #fff;
30
                text-decoration: none;
31
                padding: 5px 10px;
32
                border-radius: 5px;
33
34
35
        </style>
   </head>
36
   <body>
37
        <h1>Product Catalog</h1>
38
39
        40
            {% for product in products %}
41
```

```
<img src="{{ product.image.url }}" alt="{{</pre>
43
   product.name }}" width="200" height="150">
                  <h2>{{ product.name }}</h2>
44
                  {{ product.description }}
45
                  Price: ${{ product.price }}
46
                  <a href="#" class="buy-now-button">Buy
47
   Now</a>
                  <a class="buy-now-button" href="{% url</pre>
48
   'cart:add_to_cart' product.id %}">Add to Cart</a>
49
50
               {% endfor %}
51
       52
   </body>
53
  </html>
54
```

cart.html: Display the shopping cart, allow item removal, and calculate the total price.

HTML

```
ጥ
         <!-- cart/cart.html -->
      2
         <html lang="en">
      3
      4
         <head>
      5
              <meta charset="UTF-8">
      6
              <meta name="viewport" content="width=device-width,</pre>
      7
         initial-scale=1.0">
             <title>Document</title>
      8
      9
              <style>
                  /* Add CSS styles for flex container and items */
     10
                  .product-list {
     11
                      display: flex;
     12
                      flex-wrap: wrap; /* Allow items to wrap to the
     13
         next row if necessary */
                      justify-content: space-between; /* Space items
     14
         evenly along the main axis */
                      list-style: none; /* Remove list styles */
     15
                      padding: 0;
     16
                  }
     17
     18
```

```
.product-item {
20
21
                flex: 1; /* Grow to fill available space evenly
22
                 /* Limit item width to avoid overcrowding */
                margin: 10px; /* Add spacing between items */
23
                border: 1px solid #ccc; /* Add a border for
24
   visual separation */
                padding: 10px;
25
                text-align: center;
26
            }
27
28
            /* Style the "Buy Now" button */
29
            .buy-now-button {
30
                display: block;
31
                margin-top: 10px;
32
                background-color: #007bff;
33
                color: #fff;
34
                text-decoration: none;
35
                padding: 5px 10px;
36
37
                border-radius: 5px;
38
39
        </style>
   </head>
40
41
   <body>
42
43
        <h1>Your Shopping Cart</h1>
44
45
        <div class="product-list">
46
47
48
49
       {% for item in cart_items %}
50
        <div class="product-item">
51
            {{ item.product.name }} ({{ item.quantity }})
52
            Price: ${{ item.product.price }}
53
            <a href="{% url 'cart:remove from cart' item.id</pre>
54
   %}">Remove</a>
        </div>
55
        {% empty %}
56
        Your cart is empty.
57
        {% endfor %}
58
59
```

urls.py: Define the URL patterns in the urls.py file of the cart app to map views
to URLs.

Python

```
Q
      1 from django.urls import path
      2 from . import views
      3
      4 app name = 'cart'
      5
        urlpatterns = [
             path('', views.product list, name='product list'),
      7
             path('/home', views.home, name='home'),
      8
             path('cart/', views.view cart, name='view cart'),
      9
             path('add/<int:product_id>/', views.add_to_cart,
         name='add_to_cart'),
             path('remove/<int:item_id>/', views.remove from_cart,
         name='remove from cart'),
     12
        1
```

urls.py: Add the necessary URL patterns for serving media files in your project's urls.py.

Python

```
1 from django.contrib import admin
2 from django.urls import path, include
3 from django.conf.urls.static import static
4 from django.conf import settings
5
```

```
urlpatterns = [

path('admin/', admin.site.urls),

path('', include('cart.urls')),

path('', include('cart.urls')),

path('', include('cart.urls')),

document_root=settings.MEDIA_ROOT)
```

Setting Up Static and Media Files

Configure Django to serve static and media files during development. In your project's settings.py file, add the following:

```
# Static files (CSS, JavaScript, images)
STATIC_URL = '/static/'
STATICFILES_DIRS = [BASE_DIR / "static"]
# Media files (uploaded user files)
MEDIA_URL = '/media/'
MEDIA_ROOT = BASE_DIR / "media"
```

Deployement of the Project


Run these commands to apply the migrations:

```
python manage.py makemigrations
python manage.py migrate
```

Run the server with the help of following command:


```
python manage.py runserver
```

Now, Go to the http://127.0.0.1:8000/admin/ and add the Images, name and its description.



Output





Your Shopping Cart

Sunflower (3)
Price: \$29.00
Remove

Books (1)
Price: \$300.00
Remove

Laptop (1)
Price: \$80000.00

Remove

Total Price: \$80387.00

Continue Shopping

Are you ready to elevate your web development skills from foundational knowledge to advanced expertise? Explore our Mastering Django Framework - Beginner to Advanced Course on GeeksforGeeks, designed for aspiring developers and experienced programmers. This comprehensive course covers everything you need to know about Django, from the basics to advanced features. Gain practical experience through hands-on projects and real-world applications, mastering essential Django principles and techniques. Whether you're just starting or looking to refine your skills, this course will empower you to build sophisticated web applications efficiently. Ready to enhance your web development journey? Enroll now and unlock your potential with Django!

A amit...

Previous Article Next Article

How to use Regex Validator in Django?

Similar Reads

Shopping Cart Project Using C Language

Online Shopping applications are one of the favorite applications out of all online applications. It is a very much used application in everyone's life. So, Let's try to...

11 min read

Shopping Cart app using React

In this article, we will create an Interactive and Responsive Shopping Cart Project Application using the famous JavaScript FrontEnd library ReactJS. We have...

9 min read

Adding Tags Using Django-Taggit in Django Project

Django-Taggit is a Django application which is used to add tags to blogs, articles etc. It makes very easy for us to make adding the tags functionality to our djang...

2 min read

How to customize Django forms using Django Widget Tweaks?

Django forms are a great feature to create usable forms with just few lines of code. But Django doesn't easily let us edit the form for good designs. Here, we...

3 min read

Integrating Django with Reactjs using Django REST Framework

In this article, we will learn the process of communicating between the Django Backend and React js frontend using the Django REST Framework. For the sake...

15+ min read

Styling Django Forms with django-crispy-forms

Django by default doesn't provide any Django form styling method due to which it takes a lot of effort and precious time to beautifully style a form. django-crispy...

1 min read

How to Fix Django "ImportError: Cannot Import Name 'six' from...

After Django 3.0, django.utils.six was removed. The "ImportError: Cannot Import Name 'six' from 'django.utils'" error occurs because of the dependency issue. Thi...

3 min read

Django Form submission without Page Reload

Django is a high-level Python Web framework that encourages rapid development and clean, pragmatic design. Built by experienced developers, it...

2 min read

Django - Creating a 404 Error Page

The 404 error is raised when the URL called upon doesn't exist or has not been defined yet. This is commonly referred to as Page does not exist error. To handle...

4 min read

Python Django Handling Custom Error Page

To handle error reporting in Django, you can utilize Django's built-in form validation mechanisms and Django's error handling capabilities. In this article, I'l...

4 min read

Article Tags: Django Geeks Premier League Project Geeks Premier League 2023





Corporate & Communications Address:-A-143, 9th Floor, Sovereign Corporate
Tower, Sector- 136, Noida, Uttar Pradesh
(201305) | Registered Address:- K 061,
Tower K, Gulshan Vivante Apartment,
Sector 137, Noida, Gautam Buddh
Nagar, Uttar Pradesh, 201305





Company

About Us

Legal

In Media

Contact Us

Advertise with us

GFG Corporate Solution

Placement Training Program

GeeksforGeeks Community

DSA

Data Structures

Algorithms

DSA for Beginners

Basic DSA Problems

DSA Roadmap

Top 100 DSA Interview Problems

DSA Roadmap by Sandeep Jain

All Cheat Sheets

Web Technologies

Languages

Python

Java

 \mathbb{C}^{++}

PHP GoLang

SQL

R Language

Android Tutorial

Tutorials Archive

Data Science & ML

Data Science With Python

Data Science For Beginner

Machine Learning

ML Maths

Data Visualisation

Pandas

NumPy

NLP

Deep Learning

Python Tutorial

How to Add Cart in a Web Page using Django? - GeeksforGeeks

HTML Python Programming Examples

Python Projects JavaScript Python Tkinter TypeScript Web Scraping ReactJS OpenCV Tutorial NextJS Python Interview Question

Bootstrap Django

Web Design

Computer Science

DevOps Operating Systems Git Computer Network Linux AWS Database Management System Docker Software Engineering Digital Logic Design Kubernetes

Engineering Maths Azure Software Development GCP

Software Testing DevOps Roadmap

System Design

Competitive Programming High Level Design Low Level Design Top DS or Algo for CP **UML** Diagrams Company-Wise Recruitment Process Interview Guide Company-Wise Preparation Design Patterns **Aptitude Preparation**

Inteview Preparation

Puzzles

System Design Bootcamp Interview Questions

OOAD

School Subjects

GeeksforGeeks Videos

Mathematics DSA Physics Python Chemistry Java C++ Biology

Social Science Web Development **English Grammar** Data Science Commerce CS Subjects

World GK

@GeeksforGeeks, Sanchhaya Education Private Limited, All rights reserved