Credit
3110
Assignment
E4QueueList

How has your program changed from planning to coding to now? Please explain?

```
13 public class QueueList
14 {
15     private Node front;
16     private Node rear;
17     private int size;
18
19     public QueueList()
20     {
21         front = null;
22         rear = null;
23         size = 0;
24     }
25
26     // adds item to rear of queue
27     public void enqueue(String item)
28     {
29         Node newNode = new Node(item);
30
31         if (isEmpty())
32         {
33             front = newNode;
34             rear = newNode;
35         }
36         else
37         {
38             rear.next = newNode;
39             rear = newNode;
40         }
41
42         size++;
43     }
44
45     // adds item to front of queue
46     public void enqueueFront(String item)
47     {
48         Node newNode = new Node(item);
49
50         if (isEmpty())
51         {
52             front = newNode;
53             rear = newNode;
54         }
55         else
56         {
57             newNode.next = front;
58             front = newNode;
59         }
60
61         size++;
```

```
49
50          if (isEmpty())
51          {
52              front = newNode;
53              rear = newNode;
54          }
55          else
56          {
57              newNode.next = front;
58              front = newNode;
59          }
60
61          size++;
62      }
63
64      // removes item from front
65      public String dequeue()
66      {
67          String item = null;
68
69          if (!isEmpty())
70          {
71              item = front.data;
72              front = front.next;
73              size--;
74
75              if (front == null)
76              {
77                  rear = null;
78              }
79          }
80
81          return item;
82      }
83
84      // checks if queue empty
85      public boolean isEmpty()
86      {
87          return size == 0;
88      }
89
90      // returns queue size
91      public int size()
92      {
93          return size;
94      }
95
96      // node class
97      private class Node
```

```
89
90      // returns queue size
91      public int size()
92      {
93          return size;
94      }
95
96      // node class
97      private class Node
98      {
99          private String data;
100         private Node next;
101
102         public Node(String d)
103         {
104             data = d;
105             next = null;
106         }
107     }
108 }
109
```

```java
public class QueueListTest
{
    public static void main(String[] args)
    {
        Scanner input = new Scanner(System.in);
        QueueList queue = new QueueList();

        int choice = 0;

        while (choice != 4)
        {
            System.out.println("\nQUEUE MENU");
            System.out.println("1. Add item");
            System.out.println("2. Remove item (front)");
            System.out.println("3. Display size");
            System.out.println("4. Exit");
            System.out.print("Enter choice: ");

            choice = input.nextInt();
            input.nextLine(); // clear buffer

            if (choice == 1)
            {
                System.out.println("Add to:");
                System.out.println("1. Front");
                System.out.println("2. Rear");
                System.out.print("Enter choice: ");

                int addChoice = input.nextInt();
                input.nextLine();

                System.out.print("Enter string: ");
                String item = input.nextLine();

                if (addChoice == 1)
                {
                    queue.enqueueFront(item);
                }
                else if (addChoice == 2)
                {
                    queue.enqueue(item);
                }
            }
            else if (choice == 2)
            {
                if (!queue.isEmpty())
                {
                    System.out.println("Removed: " + queue.dequeue());
                }
            }
            else if (choice == 2)
            {
                if (!queue.isEmpty())
                {
                    System.out.println("Removed: " + queue.dequeue());
                }
                else
                {
                    System.out.println("Queue is empty.");
                }
            }
            else if (choice == 3)
            {
                System.out.println("Queue size: " + queue.size());
            }
        }

        input.close();
    }
}
```