


# TP:GIT,GITHUB

## Vendredi, 06/08/2021

### A) La version de Git dans ma machine:

dans le terminal cmd: git --version




```
C:\Windows\system32\cmd.exe
Microsoft Windows [version 10.0.19041.1110]
(c) Microsoft Corporation. Tous droits réservés.

C:\Users\Hady.Fofana>git --version
git version 2.32.0.windows.2

C:\Users\Hady.Fofana>
```

**B)** Pour la création d'un dossier du nom **“ProjetGit”** sur mon disque D:/ ,dedans je vais créer un fichier **“lisezmoi.txt”** , et initialise le pour en faire un projet Git . donc les commandes sont :



```
MINGW64:/d/ProjetGit

hady.fofana@DCIRE0DCPR43 MINGW64 ~ (master)
$ cd D:/

hady.fofana@DCIRE0DCPR43 MINGW64 /d
$ mkdir ProjetGit

hady.fofana@DCIRE0DCPR43 MINGW64 /d
$ cd ProjetGit

hady.fofana@DCIRE0DCPR43 MINGW64 /d/ProjetGit
$ touch lisezmoi.txt

hady.fofana@DCIRE0DCPR43 MINGW64 /d/ProjetGit
$ git init
Initialized empty Git repository in D:/ProjetGit/.git/
```

### Mon compte Github

## Le repository “ProjetGit” dans mon compte GitHub

### Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Owner <sup>\*</sup> hedycarter / Repository name <sup>\*</sup>

Great repository names are short and memorable. Need inspiration? How about [fantastic-octo-goggles?](#)

Description (optional)

☒ **Public**  
Anyone on the internet can see this repository. You choose who can commit.

☐ **Private**  
You choose who can see and commit to this repository.

Initialize this repository with:  
Skip this step if you're importing an existing repository.

☐ **Add a README file**  
This is where you can write a long description for your project. [Learn more.](#)

- ❖ Associer votre “ProjetGit” local à votre “ProjetGit” sur Github  
**git branch -M main**  
**git remote add <https://github.com/hedycarter/ProjetGit.git>**

```
hady.fofana@DCIRE0DCPR43 MINGW64 /d/ProjetGit (master)
$ git branch -M main

hady.fofana@DCIRE0DCPR43 MINGW64 /d/ProjetGit (main)
$ git remote add origin https://github.com/hedycarter/ProjetGit.git
```

- ❖ Faire que le fichier “lisezmoi.txt” du dossier “ProjetGit” existant sur D:/ ,soit sur le “ProjetGit” se trouvant sur Github.

**git add lisezmoi.txt**

**git commit -m “Ajoute du fichier”**

```
hady.fofana@DCIRE0DCPR43 MINGW64 /d/ProjetGit (master)
$ git add lisezmoi.txt

hady.fofana@DCIRE0DCPR43 MINGW64 /d/ProjetGit (master)
$ git commit -m "Ajout du Fichier"
[master (root-commit) a0f5c80] Ajout du Fichier
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 lisezmoi.txt
```

## Ajout le document tp sur github

```
hady.fofana@DCIRE0DCPR43 MINGW64 /d/ProjetGit (main)
$ git add "Tp Hady.pdf"

hady.fofana@DCIRE0DCPR43 MINGW64 /d/ProjetGit (main)
$ git commit -m "Ajoute le fichier de mon tp"
[main 812528b] Ajoute le fichier de mon tp
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Tp Hady.pdf

hady.fofana@DCIRE0DCPR43 MINGW64 /d/ProjetGit (main)
$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 255.89 KiB | 23.26 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/hedycarter/ProjetGit.git
a0f5c80..812528b main -> main
```