

Report

A tour around the features of report.org

Atri Hegde

November 19, 2023

Contents

1	Syntax Highlighting	3
2	Tables	3

1 Syntax Highlighting

Here is some code.

```
print("Hello")

fun:: Int -> Int
fun a = a^2

(setq org-latex-listings 'minted
  org-latex-packages-alist '((" " "minted"))
  org-latex-pdf-process
  '("pdflatex -shell-escape -interaction nonstopmode -output-directory %o %f"
    "pdflatex -shell-escape -interaction nonstopmode -output-directory %o %f"))
```

Listing 1: Setup syntax highlighting

2 Tables

You can have different sort of tables

- You can change the borders

Function	Input values	Outcome	Justification
fn a	2	pass	boundary test

Function	Input values	Outcome	Justification
fn a	2	pass	boundary test

- Content alignment

Function	Input values	Outcome	Justification
fn a	2	pass	boundary test

Function	Input values	Outcome	Justification
fn a	2	pass	boundary test

- With caption

Table 1: Beautiful table

Function	Input values	Outcome	Justification
fn a	2	pass	boundary test

- Long table

Irll

Function	Input values	Outcome	Justification
----------	--------------	---------	---------------

Continued from previous page

Function	Input values	Outcome	Justification
----------	--------------	---------	---------------

Continued on next page

fn a 2 pass boundary test