

MILESTONE 4

Q1 AWS S3-> snowflake with connected lookup

1a AWS source configuration

▼ Details

Connection:*	AWS_CON (Amazon S3 v2)	View...	New Connection...	New Parameter...
Object Type:*	Single Object			
Object:*	hegdebkt/data//patient_orders.csv	Select...	Preview Data...	
Format:	Flat	Formatting Options...		

1b lookup transformation setup

Connection:*	AWS_CON (Amazon S3 v2)	View...	New Connection...	New Parameter...
Object Type:*	Single Object			
Lookup Object:*	hegdebkt/data//patient_master.csv	Select...	Preview Data...	
Format:	Flat	Formatting Options...		
Multiple Matches:	Return last row			

Lookup Conditions			+
Lookup Field	Operator	Incoming Field	
PatientID	=	IN_PatientID	

1c expression transformation

✓ The expression is valid.

Fields	Expression	Validate
PatientID PatientCategory Region IN_OrderID	1 IN_TreatmentCost * 0.15	

▼

Expression

1

2

3

4

DECODE (

TRUE,

IN_TreatmentCost>50000,'HIGH',

'NORMAL')

1d parameter definition

Filter Condition

\$\$REGION

File Edit Format View Help

#USE_SECTIONS

[milestone_prac].[MappingTask6]

\$\$REGION=South

[Global]

1e Filter configuration

Filter Condition: Advanced ▼



Edit Filter Condition...

\$\$REGION

1f aggregator transformation

▼

Expression

Validate

avg(IN_TreatmentCost)


Group by Fields



Field Name

PatientCategory

1g mapping task execution success



Task Name: [ms4_lookup](#)

Instance ID: 9

Task Type: Mapping

Started By: darshan.hegde@ltimindtree.com through UI

Start time: Jan 24, 2026, 1:34:29 AM

End time: Jan 24, 2026, 1:35:04 AM

Duration: 00:00:35

Runtime Environment: DESKTOP-0FU31RQ

Secure Agent: DESKTOP-0FU31RQ

Status: ✔ Success

Success Rows: 2

Error Rows: 0

Session Log: [Download Session Log](#)

1h snowflake target table

	# avg_cost	# DISCOUNT	A COST_LEVEL	A PatientID	A PatientCategory	A Region	A IN_OrderID	A IN_PatientID	# IN_TreatmentCost	Query Details	...
1	42000	7200	NORMAL	P036	Basic	South	P0036	P036	48000	Query duration	761ms
2	58000	9600	HIGH	P043	Premium	South	P0043	P043	64000	Rows	2
										Query ID	01c1f172-0001-74a8-00...

Q2 FLATFILE -> SNOWFLAKE (MAPPING TASK + TASKFLOW)

2a flatfile source configuration

▼ Details

Connection:* flatfile_con (Flat File) View... New Connection... New Parameter...

Object Type:* Single Object

☐ Use a local file for source metadata ?

Object:* ? loan_medium.csv Select... Formatting Options... Preview Data...

► Query Options

2b expression transformation

✓ The expression is valid.

Fields

LoanID
Customer
LoanAmount

Expression

1 decode(true,
2 LoanAmount>40000,'high',
3 'normal')

Validate

✓ The expression is valid.

Fields

LoanID
Customer
LoanAmount
InterestRate

Expression

1 LoanAmount+(LoanAmount*InterestRate/100)

Validate

2c parameter definition

```
#USE_SECTIONS
[milestone_prac].[milestone]
$$minpay=500000
$$region=North
[Global]
```

2d filter configuration

Filter Condition

total_pay>\$\$minpay AND Region=\$\$region

2e aggregation transformation

Expression

avg(total_pay)

Group by Fields




Field Name

Region


2f mapping task success

Task Name: [Mapping18](#)
Instance ID: 1
Task Type: Mapping
Started By: darshan.hegde@ltimindtree.com through UI
Start time: Jan 24, 2026, 1:50:16 AM
End time: Jan 24, 2026, 1:50:51 AM
Duration: 00:00:35
Runtime Environment: DESKTOP-0FU31RQ
Secure Agent: DESKTOP-0FU31RQ

Status: Success
Success Rows: 1
Error Rows: 0
Session Log: [Download Session Log](#)



2g taskflow



SION

```
if($temp.milestone[1]/output[1]/Task_Status =1 ) then 't' else 'f'
```



2h snowflake target table

	# avg	# total_pay	A type	A LoanID	A Customer	# LoanAmount	# InterestRate	A Region	Query Details	...
1	754146	1045000	high	L050	Raj	950000	10	North	Query duration	69ms

Q3 FLAT FILE TO snowflake

3a flat file source configuration

Connection:* flatfile_con (Flat File) View... New Connection... New Parameter...

Object Type:* Single Object

☐ Use a local file for source metadata ?

Object:* ? student_scores_easy.csv Select... Formatting Options... Preview Data...

3b expression transformation

✓ The expression is valid.

Fields	Expression
StudentID	1 decode(true,
marks	2 GCID_marks=1,'Maths',
GCID_marks	3 GCID_marks=2,'English',
GK_marks	4 'English')

Validate

Expression

sum(marks)

3c Rank transformation

Rank By:* ? total (decimal)

Rank Order:* ? Top

Number of Rows

Parameterize Number of Rows:* Not Parameterized

Number of Rows:* ? 2

3d mapping success

Task Name:

Mapping19

Instance ID:

1

Task Type:

 Mapping

Started By:

darshan.hegde@ltimindtree.com through UI

Start time:

Jan 24, 2026, 2:22:03 AM

End time:

Jan 24, 2026, 2:22:36 AM

Duration:

00:00:33

Runtime Environment:

DESKTOP-0FU31RQ

Secure Agent:

DESKTOP-0FU31RQ

Status:

 Success

Success Rows:


40

Error Rows:

0

Session Log:

 [Download Session Log](#)



3e snowflake success table

	# RANKINDEX	# total	A subjects	A StudentID	# marks
1	1	253	English	S001	90
2	1	227	English	S002	75
3	1	264	English	S003	84

Q4 AWS S3 + Flat file -> oracle

4a AWS S3 configuration

Connection:*	AWS_CON (Amazon S3 v2)	View...	New Connection...	New Parameter...
Object Type:*	Single Object			
Object:*	hegdebkt/data//retail_sales_source.csv	Select...	Preview Data...	
Format:	Flat	Formatting Options...		

4b Flat file configuration

Connection:*	flatfile_con (Flat File)	View...	New Connection...	New Parameter...
Object Type:*	Single Object			
☐ Use a local file for source metadata ?				
Object:*	product_master.txt	Select...	Formatting Options...	Preview Data...

4c Joiner transformation

Join Conditions			+
Master	Operator	Detail	
IN_ProductID	=	ProductID_IN	

4d expression

Expression

1 Amount_IN+(Amount_IN*0.05)

4e rank configuration

Rank By:* ?

Rank Order:* ?

Number of Rows

Parameterize Number of Rows:*

Number of Rows:* ?

4f mapping execution success status

Task Name: [ms4_1_joiner](#)
Instance ID: 1
Task Type: Mapping
Started By: darshan.hegde@ltimindtree.com through UI
Start time: Jan 24, 2026, 2:40:48 AM
End time: Jan 24, 2026, 2:41:27 AM
Duration: 00:00:39
Runtime Environment: DESKTOP-0FU31RQ
Secure Agent: DESKTOP-0FU31RQ

Status: Success
Success Rows: 50
Error Rows: 0
Session Log: [Download Session Log](#)



4g oracle target table load

RANKINDEX	ORDERID_IN	PRODUCTID_IN	AMOUNT_IN	IN_PRODUCTID	IN_PRODUCTNAME	IN_CATEGORY	IN_REGION	FINAL_AMOUNT
1	1 R041	P001	75000	P001	Laptop	Electronics	North	78750
2	2 R031	P001	73000	P001	Laptop	Electronics	North	76650
3	3 R021	P001	71000	P001	Laptop	Electronics	North	74550
4	4 R011	P001	69000	P001	Laptop	Electronics	North	72450
5	5 R001	P001	65000	P001	Laptop	Electronics	North	68250
6	1 R002	P002	48000	P002	Mobile	Electronics	South	50400
7	2 R012	P002	47000	P002	Mobile	Electronics	South	49350
8	2 R042	P002	47000	P002	Mobile	Electronics	South	49350
9	4 R022	P002	46000	P002	Mobile	Electronics	South	48300