NETWORK LOGS

<191>Mar 12 10:00:00 sw-access-03 BGP: Peer 192.168.14.178 changed state from Established to Idle
<189>Mar 12 10:00:01 sw-access-01 VLAN: VLAN 192.168.20.207 removed from port 1/0/93
<191>Mar 12 10:00:02 sw-access-01 BGP: Peer 192.168.18.91 changed state from Established to Idle
<189>Mar 12 10:00:03 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.28.135 - client 46 - port 1/0/36:9F:4A:F3:BA:3E
<191>Mar 12 10:00:04 sw-access-01 BGP: Peer 192.168.41.118 changed state from Established to Idle
<190>Mar 12 10:00:05 sw-core-02 OSPF: Neighbor with Router ID 192.168.43.166 moved to FULL state on interface vlan66
<191>Mar 12 10:00:06 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.3.101
<190>Mar 12 10:00:07 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.40.105 - client 83 - port 1/0/22:5A:B9:D4:48:DD
<191>Mar 12 10:00:08 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.46.3
<190>Mar 12 10:00:09 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.18.173 over UDP protocol
<191>Mar 12 10:00:10 sw-core-01 OSPF: Neighbor with Router ID 192.168.44.100 moved to FULL state on interface vlan65
<191>Mar 12 10:00:11 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.27.70
<189>Mar 12 10:00:12 sw-access-02 OSPF: Neighbor with Router ID 192.168.19.208 changed state from FULL to DOWN
<189>Mar 12 10:00:13 sw-access-03 BGP: Peer 192.168.40.250 moved to Established state
<191>Mar 12 10:00:14 sw-core-02 PORT: link status change on port 1/0/192.168.21.247
<191>Mar 12 10:00:15 sw-access-01 VLAN: VLAN 192.168.25.93 removed from port 1/0/25
<191>Mar 12 10:00:16 sw-core-01 BGP: Peer 192.168.48.191 changed state from Established to Idle
<190>Mar 12 10:00:17 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.50.24 over UDP protocol
<190>Mar 12 10:00:18 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.24.15
<191>Mar 12 10:00:19 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.42.118
<191>Mar 12 10:00:20 sw-core-02 BGP: Peer 192.168.26.173 moved to Established state
<190>Mar 12 10:00:21 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.4.111
<189>Mar 12 10:00:22 sw-core-02 PORT: port 1/0/192.168.9.193 changed state to down

<191>Mar 12 10:00:23 sw-core-01 BGP: Peer 192.168.50.74 changed state from Established to Idle
<189>Mar 12 10:00:24 sw-core-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:00:25 sw-access-02 BGP: Peer 192.168.18.166 Down - Hold Timer Expired
<190>Mar 12 10:00:26 sw-core-01 OSPF: Neighbor with Router ID 192.168.25.102 moved to FULL state on interface vlan81
<190>Mar 12 10:00:27 sw-access-02 SNMP: Authentication failure from 192.168.14.234
<189>Mar 12 10:00:28 sw-core-02 SECURITY: possible port scan detected from IP 192.168.1.130
<190>Mar 12 10:00:29 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.28.83 - client 23 - port 1/0/6C:CF:50:6E:05:77
<189>Mar 12 10:00:30 sw-access-02 SECURITY: possible port scan detected from IP 192.168.25.15
<191>Mar 12 10:00:31 sw-access-02 SNMP: Authentication failure from 192.168.47.77
<190>Mar 12 10:00:32 sw-access-02 SECURITY: MAC 192.168.12.147 blocked due to security policy
<189>Mar 12 10:00:33 sw-access-01 OSPF: Neighbor with Router ID 192.168.38.3 changed state from FULL to DOWN
<190>Mar 12 10:00:34 sw-core-02 OSPF: Neighbor with Router ID 192.168.22.7 moved to FULL state on interface vlan12
<189>Mar 12 10:00:35 sw-access-01 PORT: link status change on port 1/0/192.168.14.67
<191>Mar 12 10:00:36 sw-access-02 OSPF: Neighbor with Router ID 192.168.26.53 moved to FULL state on interface vlan17
<190>Mar 12 10:00:37 sw-core-02 BGP: Peer 192.168.14.164 moved to Established state
<191>Mar 12 10:00:38 sw-core-01 SECURITY: possible port scan detected from IP 192.168.37.81
<189>Mar 12 10:00:39 sw-access-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:00:40 sw-core-01 SNMP: Authentication failure from 192.168.16.81
<190>Mar 12 10:00:41 sw-access-01 BGP: Peer 192.168.5.43 moved to Established state
<191>Mar 12 10:00:42 sw-access-01 PORT: link status change on port 1/0/192.168.5.126
<190>Mar 12 10:00:43 sw-core-01 SNMP: Authentication failure from 192.168.14.110
<191>Mar 12 10:00:44 sw-access-01 VLAN: VLAN 192.168.11.112 removed from port 1/0/36
<189>Mar 12 10:00:45 sw-access-01 OSPF: Neighbor with Router ID 192.168.32.53 changed state from FULL to DOWN
<189>Mar 12 10:00:46 sw-access-03 SECURITY: MAC 192.168.30.100 blocked due to security policy
<190>Mar 12 10:00:47 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.39.35
<190>Mar 12 10:00:48 sw-access-02 SNMP: Authentication failure from 192.168.41.128
<191>Mar 12 10:00:49 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.49.89
<189>Mar 12 10:00:50 sw-access-01 VLAN: VLAN 192.168.29.76 added to port 1/0/11

<191>Mar 12 10:00:51 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.21.8 - client 66 - port 1/0/EC:E6:8A:81:57:4E
<190>Mar 12 10:00:52 sw-core-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:00:53 sw-core-01 PORT: port 1/0/192.168.23.25 changed state to down
<190>Mar 12 10:00:54 sw-core-01 VLAN: VLAN 192.168.14.33 added to port 1/0/85
<190>Mar 12 10:00:55 sw-access-01 BGP: Peer 192.168.14.1 Down - Hold Timer Expired
<190>Mar 12 10:00:56 sw-access-01 BGP: Peer 192.168.23.72 changed state from Established to Idle
<191>Mar 12 10:00:57 sw-access-02 BGP: Peer 192.168.33.30 Down - Hold Timer Expired
<191>Mar 12 10:00:58 sw-core-02 VLAN: VLAN 192.168.33.43 added to port 1/0/6
<189>Mar 12 10:00:59 sw-access-02 SNMP: Authentication failure from 192.168.28.249
<189>Mar 12 10:01:00 sw-access-01 OSPF: Neighbor with Router ID 192.168.21.31 changed state from FULL to DOWN
<191>Mar 12 10:01:01 sw-access-01 SNMP: Authentication failure from 192.168.42.163
<191>Mar 12 10:01:02 sw-access-01 VLAN: VLAN 192.168.30.14 added to port 1/0/43
<191>Mar 12 10:01:03 sw-access-02 SECURITY: possible port scan detected from IP 192.168.5.152
<191>Mar 12 10:01:04 sw-access-01 SECURITY: MAC 192.168.27.115 blocked due to security policy
<189>Mar 12 10:01:05 sw-core-02 PORT: port 1/0/192.168.25.187 changed state to down
<190>Mar 12 10:01:06 sw-access-01 BGP: Peer 192.168.9.220 moved to Established state
<191>Mar 12 10:01:07 sw-core-01 BGP: Peer 192.168.34.34 moved to Established state
<190>Mar 12 10:01:08 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.1.110 IP 64 on port 1/0/0F:CA:0F:A3:52:DA
<190>Mar 12 10:01:09 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.16.124 - client 5 - port 1/0/C3:99:22:1F:A2:AD
<190>Mar 12 10:01:10 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.5.122 over UDP protocol
<190>Mar 12 10:01:11 sw-core-02 OSPF: Neighbor with Router ID 192.168.27.131 moved to FULL state on interface vlan79
<191>Mar 12 10:01:12 sw-core-01 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:01:13 sw-core-02 OSPF: Neighbor with Router ID 192.168.8.194 changed state from FULL to DOWN
<189>Mar 12 10:01:14 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.25.5 over UDP protocol
<189>Mar 12 10:01:15 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.33.180
<190>Mar 12 10:01:16 sw-access-03 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:01:17 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.6.233 - client 77 - port 1/0/80:8E:68:08:6E:4D

<189>Mar 12 10:01:18 sw-access-01 OSPF: Neighbor with Router ID 192.168.17.18 moved to FULL state on interface vlan9
<190>Mar 12 10:01:19 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.7.15 over UDP protocol
<189>Mar 12 10:01:20 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.47.245 IP 87 on port 1/0/25:43:8F:1D:2B:41
<191>Mar 12 10:01:21 sw-core-01 SECURITY: possible port scan detected from IP 192.168.24.99
<190>Mar 12 10:01:22 sw-core-01 SNMP: Authentication failure from 192.168.26.180
<190>Mar 12 10:01:23 sw-access-03 BGP: Peer 192.168.43.135 Down - Hold Timer Expired
<189>Mar 12 10:01:24 sw-access-03 PORT: port 1/0/192.168.43.81 changed state to down
<191>Mar 12 10:01:25 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.17.16
<190>Mar 12 10:01:26 sw-access-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:01:27 sw-access-02 BGP: Peer 192.168.31.231 Down - Hold Timer Expired
<189>Mar 12 10:01:28 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.45.161 - client 11 - port 1/0/CE:B1:6A:C7:DC:0B
<189>Mar 12 10:01:29 sw-core-01 SNMP: Authentication failure from 192.168.36.119
<189>Mar 12 10:01:30 sw-core-01 VLAN: VLAN 192.168.32.47 added to port 1/0/56
<189>Mar 12 10:01:31 sw-access-03 VLAN: VLAN 192.168.38.19 removed from port 1/0/38
<189>Mar 12 10:01:32 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.27.221
<190>Mar 12 10:01:33 sw-access-03 OSPF: Neighbor with Router ID 192.168.21.182 moved to FULL state on interface vlan78
<189>Mar 12 10:01:34 sw-core-01 OSPF: Neighbor with Router ID 192.168.48.52 changed state from FULL to DOWN
<191>Mar 12 10:01:35 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.17.55 IP 96 on port 1/0/A2:47:5B:05:18:5E
<191>Mar 12 10:01:36 sw-access-02 VLAN: VLAN 192.168.19.239 added to port 1/0/100
<190>Mar 12 10:01:37 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.5.119 IP 21 on port 1/0/3C:02:22:7A:CA:BE
<191>Mar 12 10:01:38 sw-core-02 VLAN: VLAN 192.168.33.160 added to port 1/0/86
<190>Mar 12 10:01:39 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.36.10 IP 14 on port 1/0/D4:93:8D:A4:2A:AD
<191>Mar 12 10:01:40 sw-access-02 SNMP: Authentication failure from 192.168.12.2
<191>Mar 12 10:01:41 sw-core-01 SNMP: Authentication failure from 192.168.16.159
<190>Mar 12 10:01:42 sw-core-02 BGP: Peer 192.168.47.168 changed state from Established to Idle
<191>Mar 12 10:01:43 sw-core-01 SNMP: Authentication failure from 192.168.34.174
<191>Mar 12 10:01:44 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.29.93
<190>Mar 12 10:01:45 sw-access-03 SNMP: Authentication failure from 192.168.15.58

<191>Mar 12 10:01:46 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.50.11
<191>Mar 12 10:01:47 sw-access-03 SECURITY: possible port scan detected from IP 192.168.46.206
<190>Mar 12 10:01:48 sw-core-01 SECURITY: possible port scan detected from IP 192.168.42.212
<189>Mar 12 10:01:49 sw-access-02 BGP: Peer 192.168.20.212 Down - Hold Timer Expired
<189>Mar 12 10:01:50 sw-core-01 SECURITY: MAC 192.168.20.166 blocked due to security policy
<189>Mar 12 10:01:51 sw-access-03 PORT: port 1/0/192.168.42.108 changed state to up
<190>Mar 12 10:01:52 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.0.228
<190>Mar 12 10:01:53 sw-access-01 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:01:54 sw-access-02 PORT: link status change on port 1/0/192.168.4.197
<191>Mar 12 10:01:55 sw-access-02 SECURITY: MAC 192.168.29.196 blocked due to security policy
<189>Mar 12 10:01:56 sw-core-01 SECURITY: possible port scan detected from IP 192.168.12.166
<191>Mar 12 10:01:57 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.10.14
<189>Mar 12 10:01:58 sw-core-01 SECURITY: possible port scan detected from IP 192.168.47.9
<190>Mar 12 10:01:59 sw-access-01 SNMP: Authentication failure from 192.168.23.9
<189>Mar 12 10:02:00 sw-core-02 PORT: link status change on port 1/0/192.168.19.147
<191>Mar 12 10:02:01 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.23.136 over UDP protocol
<190>Mar 12 10:02:02 sw-core-02 OSPF: Neighbor with Router ID 192.168.5.214 moved to FULL state on interface vlan12
<191>Mar 12 10:02:03 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.8.239 over UDP protocol
<191>Mar 12 10:02:04 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.30.206 IP 36 on port 1/0/E5:5C:26:4C:4F:0C
<191>Mar 12 10:02:05 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.18.2
<189>Mar 12 10:02:06 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.35.238
<190>Mar 12 10:02:07 sw-access-03 SNMP: Authentication failure from 192.168.49.237
<190>Mar 12 10:02:08 sw-access-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:02:09 sw-access-02 BGP: Peer 192.168.50.51 changed state from Established to Idle
<190>Mar 12 10:02:10 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.49.47 - client 78 - port 1/0/61:8F:E2:FB:6D:7D

<191>Mar 12 10:02:11 sw-access-03 PORT: port 1/0/192.168.24.206 changed state to up
<191>Mar 12 10:02:12 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.20.146
<190>Mar 12 10:02:13 sw-core-02 SECURITY: MAC 192.168.37.158 blocked due to security policy
<189>Mar 12 10:02:14 sw-core-02 SNMP: Authentication failure from 192.168.4.141
<189>Mar 12 10:02:15 sw-access-01 OSPF: Neighbor with Router ID 192.168.12.16 changed state from FULL to DOWN
<191>Mar 12 10:02:16 sw-access-03 OSPF: Neighbor with Router ID 192.168.18.102 moved to FULL state on interface vlan50
<189>Mar 12 10:02:17 sw-access-03 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:02:18 sw-access-03 SNMP: Authentication failure from 192.168.31.186
<189>Mar 12 10:02:19 sw-core-01 VLAN: VLAN 192.168.42.16 added to port 1/0/92
<190>Mar 12 10:02:20 sw-access-03 SNMP: Authentication failure from 192.168.22.115
<190>Mar 12 10:02:21 sw-access-03 PORT: link status change on port 1/0/192.168.7.13
<191>Mar 12 10:02:22 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.6.212
<189>Mar 12 10:02:23 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.5.238
<189>Mar 12 10:02:24 sw-core-02 PORT: port 1/0/192.168.21.103 changed state to up
<190>Mar 12 10:02:25 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.5.197 IP 10 on port 1/0/1A:E5:16:68:BA:C6
<191>Mar 12 10:02:26 sw-access-03 OSPF: Neighbor with Router ID 192.168.16.86 moved to FULL state on interface vlan6
<190>Mar 12 10:02:27 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.37.244
<190>Mar 12 10:02:28 sw-access-03 VLAN: VLAN 192.168.7.220 removed from port 1/0/62
<190>Mar 12 10:02:29 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.4.172 over UDP protocol
<189>Mar 12 10:02:30 sw-access-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:02:31 sw-access-01 SNMP: Authentication failure from 192.168.8.168
<190>Mar 12 10:02:32 sw-core-01 SECURITY: possible port scan detected from IP 192.168.50.147
<191>Mar 12 10:02:33 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.15.112 IP 36 on port 1/0/26:C3:A4:54:4D:05
<190>Mar 12 10:02:34 sw-core-02 BGP: Peer 192.168.11.190 Down - Hold Timer Expired
<191>Mar 12 10:02:35 sw-core-01 BGP: Peer 192.168.46.218 moved to Established state
<189>Mar 12 10:02:36 sw-core-01 SECURITY: MAC 192.168.21.78 blocked due to security policy
<190>Mar 12 10:02:37 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.38.31 - client 19 - port 1/0/E4:99:A2:5F:80:55

<190>Mar 12 10:02:38 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.28.206 - client 24 - port 1/0/86:0C:8F:4A:F4:68
<190>Mar 12 10:02:39 sw-core-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:02:40 sw-core-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:02:41 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.26.69 over UDP protocol
<191>Mar 12 10:02:42 sw-access-02 SNMP: Authentication failure from 192.168.46.107
<191>Mar 12 10:02:43 sw-access-03 BGP: Peer 192.168.24.250 moved to Established state
<190>Mar 12 10:02:44 sw-access-01 PORT: port 1/0/192.168.38.252 changed state to down
<190>Mar 12 10:02:45 sw-core-01 BGP: Peer 192.168.40.199 moved to Established state
<189>Mar 12 10:02:46 sw-access-02 SNMP: Authentication failure from 192.168.27.203
<189>Mar 12 10:02:47 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.50.103
<191>Mar 12 10:02:48 sw-core-01 PORT: port 1/0/192.168.27.57 changed state to down
<191>Mar 12 10:02:49 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.12.98 IP 59 on port 1/0/5E:C1:24:97:06:69
<189>Mar 12 10:02:50 sw-access-01 SNMP: Authentication failure from 192.168.10.138
<190>Mar 12 10:02:51 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.19.116
<190>Mar 12 10:02:52 sw-access-03 PORT: port 1/0/192.168.8.163 changed state to down
<189>Mar 12 10:02:53 sw-access-03 BGP: Peer 192.168.34.190 moved to Established state
<190>Mar 12 10:02:54 sw-core-02 SECURITY: possible port scan detected from IP 192.168.40.93
<189>Mar 12 10:02:55 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.37.28 over UDP protocol
<189>Mar 12 10:02:56 sw-core-02 PORT: port 1/0/192.168.9.38 changed state to up
<189>Mar 12 10:02:57 sw-core-01 OSPF: Neighbor with Router ID 192.168.26.252 changed state from FULL to DOWN
<190>Mar 12 10:02:58 sw-access-01 PORT: port 1/0/192.168.25.212 changed state to down
<189>Mar 12 10:02:59 sw-core-01 SNMP: Authentication failure from 192.168.43.23
<189>Mar 12 10:03:00 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.21.124 - client 74 - port 1/0/92:38:01:D6:99:F3
<191>Mar 12 10:03:01 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.48.111 - client 12 - port 1/0/F7:33:89:BC:0E:16
<190>Mar 12 10:03:02 sw-access-01 OSPF: Neighbor with Router ID 192.168.38.156 moved to FULL state on interface vlan8
<189>Mar 12 10:03:03 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.1.26 - client 14 - port 1/0/E6:F3:71:77:8E:3F
<189>Mar 12 10:03:04 sw-access-01 BGP: Peer 192.168.44.111 moved to Established state
<190>Mar 12 10:03:05 sw-access-01 PORT: link status change on port 1/0/192.168.40.149
<191>Mar 12 10:03:06 sw-access-02 SNMP: Authentication failure from 192.168.31.103

<189>Mar 12 10:03:07 sw-core-01 OSPF: Neighbor with Router ID 192.168.32.191 moved to FULL state on interface vlan92
<189>Mar 12 10:03:08 sw-access-02 SNMP: Authentication failure from 192.168.14.174
<191>Mar 12 10:03:09 sw-core-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:03:10 sw-access-02 SNMP: Authentication failure from 192.168.20.248
<191>Mar 12 10:03:11 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.14.43
<190>Mar 12 10:03:12 sw-access-03 VLAN: VLAN 192.168.19.181 added to port 1/0/67
<190>Mar 12 10:03:13 sw-core-02 PORT: port 1/0/192.168.18.189 changed state to up
<191>Mar 12 10:03:14 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.29.63
<191>Mar 12 10:03:15 sw-core-02 PORT: port 1/0/192.168.43.35 changed state to down
<191>Mar 12 10:03:16 sw-core-01 PORT: port 1/0/192.168.16.167 changed state to down
<191>Mar 12 10:03:17 sw-access-03 SNMP: Authentication failure from 192.168.44.244
<191>Mar 12 10:03:18 sw-access-03 BGP: Peer 192.168.45.226 moved to Established state
<190>Mar 12 10:03:19 sw-access-01 VLAN: VLAN 192.168.45.143 removed from port 1/0/1
<190>Mar 12 10:03:20 sw-access-02 PORT: link status change on port 1/0/192.168.38.185
<190>Mar 12 10:03:21 sw-access-03 SNMP: Authentication failure from 192.168.31.76
<191>Mar 12 10:03:22 sw-core-01 BGP: Peer 192.168.15.18 Down - Hold Timer Expired
<189>Mar 12 10:03:23 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.16.243
<189>Mar 12 10:03:24 sw-core-01 BGP: Peer 192.168.16.38 changed state from Established to Idle
<191>Mar 12 10:03:25 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.4.244
<190>Mar 12 10:03:26 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.25.5 IP 72 on port 1/0/BC:36:56:84:4A:C6
<190>Mar 12 10:03:27 sw-access-02 VLAN: VLAN 192.168.22.44 removed from port 1/0/28
<189>Mar 12 10:03:28 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.1.147
<191>Mar 12 10:03:29 sw-core-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:03:30 sw-core-02 SECURITY: MAC 192.168.31.238 blocked due to security policy
<191>Mar 12 10:03:31 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.15.138 IP 54 on port 1/0/48:88:A7:CD:32:0B
<191>Mar 12 10:03:32 sw-access-01 VLAN: VLAN 192.168.28.160 removed from port 1/0/24
<190>Mar 12 10:03:33 sw-access-01 BGP: Peer 192.168.32.82 moved to Established state
<190>Mar 12 10:03:34 sw-core-01 VLAN: VLAN 192.168.6.174 removed from port 1/0/92
<190>Mar 12 10:03:35 sw-core-01 SECURITY: MAC 192.168.33.48 blocked due to security policy
<190>Mar 12 10:03:36 sw-core-01 VLAN: VLAN 192.168.16.176 removed from port 1/0/36

<189>Mar 12 10:03:37 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.28.65 over UDP protocol
<189>Mar 12 10:03:38 sw-core-01 PORT: port 1/0/192.168.42.191 changed state to up
<189>Mar 12 10:03:39 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.33.90 over UDP protocol
<189>Mar 12 10:03:40 sw-access-01 SNMP: Authentication failure from 192.168.2.111
<191>Mar 12 10:03:41 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.18.138 over UDP protocol
<189>Mar 12 10:03:42 sw-access-01 PORT: port 1/0/192.168.13.164 changed state to down
<189>Mar 12 10:03:43 sw-core-01 SECURITY: possible port scan detected from IP 192.168.17.211
<191>Mar 12 10:03:44 sw-core-02 OSPF: Neighbor with Router ID 192.168.38.171 changed state from FULL to DOWN
<189>Mar 12 10:03:45 sw-access-01 BGP: Peer 192.168.37.23 moved to Established state
<191>Mar 12 10:03:46 sw-access-02 SNMP: Authentication failure from 192.168.5.32
<189>Mar 12 10:03:47 sw-access-02 SECURITY: MAC 192.168.30.208 blocked due to security policy
<190>Mar 12 10:03:48 sw-core-01 OSPF: Neighbor with Router ID 192.168.5.205 changed state from FULL to DOWN
<189>Mar 12 10:03:49 sw-core-01 BGP: Peer 192.168.47.176 moved to Established state
<189>Mar 12 10:03:50 sw-access-02 SNMP: Authentication failure from 192.168.14.167
<189>Mar 12 10:03:51 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.20.141 over UDP protocol
<190>Mar 12 10:03:52 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.29.124 - client 8 - port 1/0/5C:E6:6C:06:AA:E8
<190>Mar 12 10:03:53 sw-core-01 BGP: Peer 192.168.8.233 moved to Established state
<191>Mar 12 10:03:54 sw-core-01 SECURITY: possible port scan detected from IP 192.168.40.200
<191>Mar 12 10:03:55 sw-core-02 PORT: port 1/0/192.168.0.26 changed state to down
<191>Mar 12 10:03:56 sw-access-03 BGP: Peer 192.168.37.103 moved to Established state
<189>Mar 12 10:03:57 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.35.175 over UDP protocol
<189>Mar 12 10:03:58 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.6.204 over UDP protocol
<189>Mar 12 10:03:59 sw-access-02 PORT: link status change on port 1/0/192.168.5.174
<189>Mar 12 10:04:00 sw-access-03 OSPF: Neighbor with Router ID 192.168.23.45 changed state from FULL to DOWN
<189>Mar 12 10:04:01 sw-access-01 SNMP: Authentication failure from 192.168.44.112
<191>Mar 12 10:04:02 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.6.179 over UDP protocol
<191>Mar 12 10:04:03 sw-access-01 VLAN: VLAN 192.168.34.87 removed from port 1/0/47
<190>Mar 12 10:04:04 sw-core-01 VLAN: VLAN 192.168.0.95 added to port 1/0/84
<189>Mar 12 10:04:05 sw-core-01 SNMP: Authentication failure from 192.168.11.250
<189>Mar 12 10:04:06 sw-access-03 SNMP: Authentication failure from 192.168.5.102

<191>Mar 12 10:04:07 sw-access-03 SNMP: Authentication failure from 192.168.7.246
<189>Mar 12 10:04:08 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.35.83 over UDP protocol
<189>Mar 12 10:04:09 sw-core-01 OSPF: Neighbor with Router ID 192.168.0.252 moved to FULL state on interface vlan16
<191>Mar 12 10:04:10 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.11.41 - client 8 - port 1/0/8F:94:7D:2F:C3:52
<191>Mar 12 10:04:11 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.8.103 IP 28 on port 1/0/29:F9:ED:9B:F4:A0
<190>Mar 12 10:04:12 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.17.16 IP 52 on port 1/0/8C:97:03:55:F9:55
<190>Mar 12 10:04:13 sw-access-01 BGP: Peer 192.168.31.113 changed state from Established to Idle
<190>Mar 12 10:04:14 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.30.71 over UDP protocol
<190>Mar 12 10:04:15 sw-access-03 VLAN: VLAN 192.168.21.16 added to port 1/0/66
<190>Mar 12 10:04:16 sw-core-02 VLAN: VLAN 192.168.4.153 removed from port 1/0/32
<191>Mar 12 10:04:17 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.4.154 over UDP protocol
<190>Mar 12 10:04:18 sw-core-02 PORT: port 1/0/192.168.9.197 changed state to up
<191>Mar 12 10:04:19 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.28.25 IP 88 on port 1/0/32:6C:27:F2:2C:FC
<190>Mar 12 10:04:20 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.23.7 IP 37 on port 1/0/AB:9B:CB:E3:C2:4B
<191>Mar 12 10:04:21 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.39.156 - client 44 - port 1/0/B1:34:12:E5:D8:EA
<191>Mar 12 10:04:22 sw-core-02 OSPF: Neighbor with Router ID 192.168.11.228 changed state from FULL to DOWN
<191>Mar 12 10:04:23 sw-access-03 SECURITY: possible port scan detected from IP 192.168.42.123
<190>Mar 12 10:04:24 sw-access-03 SECURITY: MAC 192.168.29.178 blocked due to security policy
<189>Mar 12 10:04:25 sw-access-02 SECURITY: MAC 192.168.49.107 blocked due to security policy
<190>Mar 12 10:04:26 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.31.239
<189>Mar 12 10:04:27 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.5.216 - client 96 - port 1/0/D7:0F:38:AB:15:3E
<189>Mar 12 10:04:28 sw-core-01 SNMP: Authentication failure from 192.168.20.94
<189>Mar 12 10:04:29 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.1.72
<189>Mar 12 10:04:30 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.10.252 - client 27 - port 1/0/A5:E9:AE:D6:3C:82
<189>Mar 12 10:04:31 sw-core-02 SNMP: Authentication failure from 192.168.25.229

<189>Mar 12 10:04:32 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.5.170
<190>Mar 12 10:04:33 sw-core-01 PORT: port 1/0/192.168.28.105 changed state to down
<190>Mar 12 10:04:34 sw-access-03 BGP: Peer 192.168.20.63 moved to Established state
<191>Mar 12 10:04:35 sw-access-03 PORT: link status change on port 1/0/192.168.25.97
<189>Mar 12 10:04:36 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.6.202 - client 36 - port 1/0/22:70:D0:67:89:03
<190>Mar 12 10:04:37 sw-access-02 SECURITY: MAC 192.168.12.227 blocked due to security policy
<191>Mar 12 10:04:38 sw-access-02 SECURITY: MAC 192.168.0.165 blocked due to security policy
<189>Mar 12 10:04:39 sw-access-02 BGP: Peer 192.168.13.220 changed state from Established to Idle
<189>Mar 12 10:04:40 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.34.40 IP 26 on port 1/0/AA:83:A4:7D:AF:05
<190>Mar 12 10:04:41 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.18.70 - client 47 - port 1/0/98:00:64:43:E0:A5
<190>Mar 12 10:04:42 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.7.167 over UDP protocol
<189>Mar 12 10:04:43 sw-access-02 SNMP: Authentication failure from 192.168.17.92
<190>Mar 12 10:04:44 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.25.22
<190>Mar 12 10:04:45 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.39.51 - client 82 - port 1/0/3F:B3:C7:9B:8E:F4
<190>Mar 12 10:04:46 sw-access-02 BGP: Peer 192.168.9.220 Down - Hold Timer Expired
<191>Mar 12 10:04:47 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.12.120 - client 1 - port 1/0/2F:99:BD:DC:1C:59
<189>Mar 12 10:04:48 sw-access-02 SNMP: Authentication failure from 192.168.14.43
<189>Mar 12 10:04:49 sw-access-01 OSPF: Neighbor with Router ID 192.168.4.249 changed state from FULL to DOWN
<189>Mar 12 10:04:50 sw-core-01 OSPF: Neighbor with Router ID 192.168.5.3 changed state from FULL to DOWN
<190>Mar 12 10:04:51 sw-core-01 OSPF: Neighbor with Router ID 192.168.50.138 moved to FULL state on interface vlan77
<191>Mar 12 10:04:52 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.11.84 over UDP protocol
<191>Mar 12 10:04:53 sw-core-01 SNMP: Authentication failure from 192.168.37.37
<191>Mar 12 10:04:54 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.34.224 over UDP protocol
<189>Mar 12 10:04:55 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.36.102 over UDP protocol
<190>Mar 12 10:04:56 sw-access-02 Manager: Configuration saved to flash memory by user admin

<191>Mar 12 10:04:57 sw-core-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:04:58 sw-access-01 PORT: port 1/0/192.168.13.29 changed state to up
<190>Mar 12 10:04:59 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.44.138 IP 65 on port 1/0/D2:78:63:AC:CD:8E
<190>Mar 12 10:05:00 sw-access-02 BGP: Peer 192.168.28.123 changed state from Established to Idle
<189>Mar 12 10:05:01 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.6.252 - client 89 - port 1/0/B2:7D:A2:89:53:F4
<189>Mar 12 10:05:02 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.35.218
<191>Mar 12 10:05:03 sw-core-01 OSPF: Neighbor with Router ID 192.168.12.52 moved to FULL state on interface vlan31
<189>Mar 12 10:05:04 sw-core-01 VLAN: VLAN 192.168.13.248 added to port 1/0/72
<190>Mar 12 10:05:05 sw-access-02 SNMP: Authentication failure from 192.168.37.235
<189>Mar 12 10:05:06 sw-core-02 VLAN: VLAN 192.168.28.245 removed from port 1/0/36
<189>Mar 12 10:05:07 sw-core-01 OSPF: Neighbor with Router ID 192.168.42.9 changed state from FULL to DOWN
<191>Mar 12 10:05:08 sw-access-01 SNMP: Authentication failure from 192.168.1.161
<189>Mar 12 10:05:09 sw-access-02 OSPF: Neighbor with Router ID 192.168.33.148 moved to FULL state on interface vlan23
<190>Mar 12 10:05:10 sw-core-01 VLAN: VLAN 192.168.3.97 removed from port 1/0/40
<189>Mar 12 10:05:11 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.9.247
<189>Mar 12 10:05:12 sw-core-01 VLAN: VLAN 192.168.35.43 added to port 1/0/96
<191>Mar 12 10:05:13 sw-core-01 SECURITY: MAC 192.168.14.178 blocked due to security policy
<190>Mar 12 10:05:14 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.19.58 over UDP protocol
<190>Mar 12 10:05:15 sw-core-01 OSPF: Neighbor with Router ID 192.168.1.90 moved to FULL state on interface vlan95
<190>Mar 12 10:05:16 sw-core-02 BGP: Peer 192.168.27.51 moved to Established state
<190>Mar 12 10:05:17 sw-access-03 SNMP: Authentication failure from 192.168.50.120
<190>Mar 12 10:05:18 sw-access-02 SECURITY: possible port scan detected from IP 192.168.11.169
<191>Mar 12 10:05:19 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.5.58 - client 12 - port 1/0/92:1C:62:A7:EA:04
<191>Mar 12 10:05:20 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.40.85 IP 76 on port 1/0/A9:5D:B2:C5:F7:15
<189>Mar 12 10:05:21 sw-access-02 OSPF: Neighbor with Router ID 192.168.17.62 moved to FULL state on interface vlan32
<190>Mar 12 10:05:22 sw-access-01 VLAN: VLAN 192.168.5.105 added to port 1/0/45
<189>Mar 12 10:05:23 sw-core-01 BGP: Peer 192.168.25.215 moved to Established state

<190>Mar 12 10:05:24 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.7.42 - client 78 - port 1/0/05:EA:37:68:7D:E9
<189>Mar 12 10:05:25 sw-access-03 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:05:26 sw-core-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:05:27 sw-access-03 VLAN: VLAN 192.168.11.205 removed from port 1/0/30
<189>Mar 12 10:05:28 sw-access-01 OSPF: Neighbor with Router ID 192.168.20.216 moved to FULL state on interface vlan58
<190>Mar 12 10:05:29 sw-core-02 SECURITY: MAC 192.168.22.230 blocked due to security policy
<190>Mar 12 10:05:30 sw-access-02 BGP: Peer 192.168.6.43 moved to Established state
<191>Mar 12 10:05:31 sw-access-03 VLAN: VLAN 192.168.25.215 removed from port 1/0/26
<189>Mar 12 10:05:32 sw-access-01 BGP: Peer 192.168.39.204 moved to Established state
<189>Mar 12 10:05:33 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.0.21 over UDP protocol
<189>Mar 12 10:05:34 sw-access-03 SNMP: Authentication failure from 192.168.23.155
<190>Mar 12 10:05:35 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.44.59 - client 79 - port 1/0/22:32:08:F0:56:4B
<191>Mar 12 10:05:36 sw-access-03 OSPF: Neighbor with Router ID 192.168.23.149 changed state from FULL to DOWN
<190>Mar 12 10:05:37 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.21.156
<189>Mar 12 10:05:38 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.50.153 IP 94 on port 1/0/61:50:12:45:9C:26
<190>Mar 12 10:05:39 sw-core-02 PORT: port 1/0/192.168.48.231 changed state to up
<190>Mar 12 10:05:40 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.36.154 - client 49 - port 1/0/A2:42:DE:B8:F1:85
<191>Mar 12 10:05:41 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.33.229 - client 61 - port 1/0/E0:31:A1:65:BA:DC
<189>Mar 12 10:05:42 sw-core-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:05:43 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.9.24
<190>Mar 12 10:05:44 sw-core-02 PORT: port 1/0/192.168.13.190 changed state to up
<191>Mar 12 10:05:45 sw-access-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:05:46 sw-core-01 OSPF: Neighbor with Router ID 192.168.39.208 changed state from FULL to DOWN
<189>Mar 12 10:05:47 sw-core-01 BGP: Peer 192.168.48.5 moved to Established state
<191>Mar 12 10:05:48 sw-access-02 SNMP: Authentication failure from 192.168.38.22
<190>Mar 12 10:05:49 sw-access-03 PORT: link status change on port 1/0/192.168.28.221
<191>Mar 12 10:05:50 sw-access-03 BGP: Peer 192.168.23.159 moved to Established state

<191>Mar 12 10:05:51 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.37.179
<191>Mar 12 10:05:52 sw-core-01 SNMP: Authentication failure from 192.168.26.101
<190>Mar 12 10:05:53 sw-access-03 PORT: port 1/0/192.168.20.189 changed state to up
<190>Mar 12 10:05:54 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.41.142 - client 19 - port 1/0/29:09:6A:B3:5A:59
<189>Mar 12 10:05:55 sw-access-03 SECURITY: MAC 192.168.46.148 blocked due to security policy
<190>Mar 12 10:05:56 sw-access-03 OSPF: Neighbor with Router ID 192.168.45.79 changed state from FULL to DOWN
<190>Mar 12 10:05:57 sw-access-03 OSPF: Neighbor with Router ID 192.168.7.199 changed state from FULL to DOWN
<190>Mar 12 10:05:58 sw-access-02 VLAN: VLAN 192.168.50.128 added to port 1/0/47
<189>Mar 12 10:05:59 sw-access-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:06:00 sw-core-02 SECURITY: MAC 192.168.42.43 blocked due to security policy
<189>Mar 12 10:06:01 sw-core-01 VLAN: VLAN 192.168.36.135 added to port 1/0/62
<189>Mar 12 10:06:02 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.31.62 - client 81 - port 1/0/58:29:7E:AB:24:A2
<189>Mar 12 10:06:03 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.47.154
<190>Mar 12 10:06:04 sw-core-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:06:05 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.2.4 over UDP protocol
<191>Mar 12 10:06:06 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.22.205 over UDP protocol
<190>Mar 12 10:06:07 sw-access-01 PORT: link status change on port 1/0/192.168.36.194
<190>Mar 12 10:06:08 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.12.215
<190>Mar 12 10:06:09 sw-core-01 OSPF: Neighbor with Router ID 192.168.34.204 changed state from FULL to DOWN
<191>Mar 12 10:06:10 sw-core-02 PORT: link status change on port 1/0/192.168.30.221
<189>Mar 12 10:06:11 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.41.183 over UDP protocol
<191>Mar 12 10:06:12 sw-core-01 SNMP: Authentication failure from 192.168.36.105
<191>Mar 12 10:06:13 sw-access-01 OSPF: Neighbor with Router ID 192.168.6.224 changed state from FULL to DOWN
<190>Mar 12 10:06:14 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.0.8 over UDP protocol
<189>Mar 12 10:06:15 sw-core-02 SNMP: Authentication failure from 192.168.10.84
<191>Mar 12 10:06:16 sw-core-02 PORT: port 1/0/192.168.7.132 changed state to down

<190>Mar 12 10:06:17 sw-core-02 SECURITY: possible port scan detected from IP 192.168.26.148
<190>Mar 12 10:06:18 sw-access-03 BGP: Peer 192.168.22.156 moved to Established state
<189>Mar 12 10:06:19 sw-core-02 PORT: port 1/0/192.168.10.137 changed state to up
<190>Mar 12 10:06:20 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.25.111 - client 50 - port 1/0/97:41:D9:18:AE:BA
<189>Mar 12 10:06:21 sw-core-01 VLAN: VLAN 192.168.32.78 added to port 1/0/95
<191>Mar 12 10:06:22 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.24.92 IP 8 on port 1/0/58:74:40:07:1E:99
<191>Mar 12 10:06:23 sw-access-03 PORT: link status change on port 1/0/192.168.19.252
<189>Mar 12 10:06:24 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.18.249 over UDP protocol
<191>Mar 12 10:06:25 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.39.74 IP 53 on port 1/0/DC:33:48:FD:57:47
<190>Mar 12 10:06:26 sw-access-03 SECURITY: MAC 192.168.38.98 blocked due to security policy
<191>Mar 12 10:06:27 sw-access-02 BGP: Peer 192.168.1.173 Down - Hold Timer Expired
<191>Mar 12 10:06:28 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.42.124 IP 67 on port 1/0/DF:AE:F0:BF:48:F1
<189>Mar 12 10:06:29 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.42.165 over UDP protocol
<189>Mar 12 10:06:30 sw-access-02 VLAN: VLAN 192.168.13.49 added to port 1/0/14
<189>Mar 12 10:06:31 sw-access-03 PORT: port 1/0/192.168.1.80 changed state to up
<191>Mar 12 10:06:32 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.5.5 - client 82 - port 1/0/EE:AF:0B:C4:B9:E4
<190>Mar 12 10:06:33 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.31.102 over UDP protocol
<191>Mar 12 10:06:34 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.30.19
<191>Mar 12 10:06:35 sw-core-02 SECURITY: possible port scan detected from IP 192.168.5.134
<190>Mar 12 10:06:36 sw-access-02 BGP: Peer 192.168.12.187 changed state from Established to Idle
<191>Mar 12 10:06:37 sw-access-01 BGP: Peer 192.168.43.33 changed state from Established to Idle
<189>Mar 12 10:06:38 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.27.54 IP 49 on port 1/0/BA:1C:56:14:26:07
<191>Mar 12 10:06:39 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.27.137 IP 75 on port 1/0/22:4E:5D:01:96:46
<189>Mar 12 10:06:40 sw-access-01 BGP: Peer 192.168.33.244 changed state from Established to Idle
<191>Mar 12 10:06:41 sw-access-03 BGP: Peer 192.168.50.9 changed state from Established to Idle
<189>Mar 12 10:06:42 sw-access-01 SNMP: Authentication failure from 192.168.24.163

<189>Mar 12 10:06:43 sw-core-01 BGP: Peer 192.168.8.130 changed state from Established to Idle
<190>Mar 12 10:06:44 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.23.84 - client 76 - port 1/0/E1:0A:0C:18:FA:A3
<191>Mar 12 10:06:45 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.44.77
<189>Mar 12 10:06:46 sw-access-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:06:47 sw-access-01 BGP: Peer 192.168.21.37 changed state from Established to Idle
<191>Mar 12 10:06:48 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.44.70 over UDP protocol
<191>Mar 12 10:06:49 sw-access-01 BGP: Peer 192.168.38.201 Down - Hold Timer Expired
<189>Mar 12 10:06:50 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.41.230 over UDP protocol
<191>Mar 12 10:06:51 sw-access-02 SNMP: Authentication failure from 192.168.27.189
<189>Mar 12 10:06:52 sw-access-01 BGP: Peer 192.168.15.175 moved to Established state
<189>Mar 12 10:06:53 sw-access-03 OSPF: Neighbor with Router ID 192.168.2.234 changed state from FULL to DOWN
<190>Mar 12 10:06:54 sw-access-03 SNMP: Authentication failure from 192.168.22.120
<190>Mar 12 10:06:55 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.9.236
<190>Mar 12 10:06:56 sw-access-03 OSPF: Neighbor with Router ID 192.168.30.251 moved to FULL state on interface vlan91
<189>Mar 12 10:06:57 sw-access-03 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:06:58 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.14.226 - client 82 - port 1/0/E7:2C:AB:6E:F8:27
<190>Mar 12 10:06:59 sw-core-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:07:00 sw-access-02 SECURITY: possible port scan detected from IP 192.168.6.84
<189>Mar 12 10:07:01 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.19.175 - client 95 - port 1/0/F3:66:B7:87:2C:04
<189>Mar 12 10:07:02 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.49.88 - client 11 - port 1/0/40:50:1A:50:AD:70
<190>Mar 12 10:07:03 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.9.18
<190>Mar 12 10:07:04 sw-access-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:07:05 sw-core-02 PORT: link status change on port 1/0/192.168.14.181
<190>Mar 12 10:07:06 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.11.248

<189>Mar 12 10:07:07 sw-core-01 SECURITY: MAC 192.168.5.218 blocked due to security policy
<189>Mar 12 10:07:08 sw-core-02 OSPF: Neighbor with Router ID 192.168.6.243 changed state from FULL to DOWN
<189>Mar 12 10:07:09 sw-access-02 VLAN: VLAN 192.168.31.235 removed from port 1/0/67
<190>Mar 12 10:07:10 sw-access-02 VLAN: VLAN 192.168.32.70 added to port 1/0/86
<189>Mar 12 10:07:11 sw-core-01 PORT: link status change on port 1/0/192.168.10.119
<191>Mar 12 10:07:12 sw-core-01 SNMP: Authentication failure from 192.168.28.161
<190>Mar 12 10:07:13 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.26.101 over UDP protocol
<191>Mar 12 10:07:14 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.24.186 - client 29 - port 1/0/34:39:BD:AA:D7:4E
<191>Mar 12 10:07:15 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.20.15 - client 97 - port 1/0/F0:C6:DC:E9:C5:33
<189>Mar 12 10:07:16 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.45.211
<190>Mar 12 10:07:17 sw-core-01 SECURITY: MAC 192.168.50.105 blocked due to security policy
<190>Mar 12 10:07:18 sw-access-02 SECURITY: MAC 192.168.22.123 blocked due to security policy
<191>Mar 12 10:07:19 sw-access-01 PORT: port 1/0/192.168.7.189 changed state to down
<191>Mar 12 10:07:20 sw-core-02 SNMP: Authentication failure from 192.168.28.41
<191>Mar 12 10:07:21 sw-access-03 PORT: port 1/0/192.168.17.25 changed state to down
<189>Mar 12 10:07:22 sw-core-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:07:23 sw-access-03 SECURITY: possible port scan detected from IP 192.168.42.118
<189>Mar 12 10:07:24 sw-access-02 SECURITY: MAC 192.168.13.180 blocked due to security policy
<190>Mar 12 10:07:25 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.46.201
<189>Mar 12 10:07:26 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.26.213 - client 67 - port 1/0/90:C3:BD:CE:FA:A4
<190>Mar 12 10:07:27 sw-core-01 SECURITY: possible port scan detected from IP 192.168.33.84
<191>Mar 12 10:07:28 sw-access-01 SNMP: Authentication failure from 192.168.11.100
<190>Mar 12 10:07:29 sw-core-02 SECURITY: possible port scan detected from IP 192.168.6.181
<191>Mar 12 10:07:30 sw-core-01 OSPF: Neighbor with Router ID 192.168.19.54 changed state from FULL to DOWN
<189>Mar 12 10:07:31 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.11.228 - client 31 - port 1/0/49:B8:FD:00:05:36
<190>Mar 12 10:07:32 sw-core-02 OSPF: Neighbor with Router ID 192.168.44.209 changed state from FULL to DOWN

<190>Mar 12 10:07:33 sw-core-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:07:34 sw-access-03 OSPF: Neighbor with Router ID 192.168.21.99 changed state from FULL to DOWN
<190>Mar 12 10:07:35 sw-core-01 VLAN: VLAN 192.168.21.69 added to port 1/0/26
<190>Mar 12 10:07:36 sw-access-02 SNMP: Authentication failure from 192.168.18.18
<189>Mar 12 10:07:37 sw-access-01 SECURITY: possible port scan detected from IP 192.168.15.223
<189>Mar 12 10:07:38 sw-access-02 SNMP: Authentication failure from 192.168.20.110
<191>Mar 12 10:07:39 sw-access-01 SNMP: Authentication failure from 192.168.22.93
<191>Mar 12 10:07:40 sw-access-01 VLAN: VLAN 192.168.29.249 added to port 1/0/74
<190>Mar 12 10:07:41 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.4.40 - client 25 - port 1/0/42:F4:00:55:5D:00
<190>Mar 12 10:07:42 sw-core-02 SECURITY: MAC 192.168.13.101 blocked due to security policy
<191>Mar 12 10:07:43 sw-access-02 OSPF: Neighbor with Router ID 192.168.21.133 moved to FULL state on interface vlan31
<191>Mar 12 10:07:44 sw-access-03 SNMP: Authentication failure from 192.168.14.83
<189>Mar 12 10:07:45 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.25.77 over UDP protocol
<191>Mar 12 10:07:46 sw-access-01 PORT: link status change on port 1/0/192.168.35.184
<189>Mar 12 10:07:47 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.33.155
<190>Mar 12 10:07:48 sw-access-03 SNMP: Authentication failure from 192.168.26.205
<190>Mar 12 10:07:49 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.43.46 over UDP protocol
<190>Mar 12 10:07:50 sw-access-03 VLAN: VLAN 192.168.48.215 added to port 1/0/20
<190>Mar 12 10:07:51 sw-core-02 BGP: Peer 192.168.49.197 moved to Established state
<191>Mar 12 10:07:52 sw-access-02 BGP: Peer 192.168.33.135 Down - Hold Timer Expired
<190>Mar 12 10:07:53 sw-core-01 VLAN: VLAN 192.168.22.139 added to port 1/0/58
<191>Mar 12 10:07:54 sw-access-02 OSPF: Neighbor with Router ID 192.168.1.61 moved to FULL state on interface vlan86
<190>Mar 12 10:07:55 sw-access-02 SNMP: Authentication failure from 192.168.7.7
<189>Mar 12 10:07:56 sw-core-02 SECURITY: MAC 192.168.3.102 blocked due to security policy
<190>Mar 12 10:07:57 sw-core-01 OSPF: Neighbor with Router ID 192.168.36.109 changed state from FULL to DOWN
<190>Mar 12 10:07:58 sw-core-02 VLAN: VLAN 192.168.0.48 added to port 1/0/1
<191>Mar 12 10:07:59 sw-access-02 OSPF: Neighbor with Router ID 192.168.33.245 moved to FULL state on interface vlan7
<191>Mar 12 10:08:00 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.8.199 IP 72 on port 1/0/4C:61:9E:DB:EE:6C
<190>Mar 12 10:08:01 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.25.53 over UDP protocol

<189>Mar 12 10:08:02 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.35.56
<189>Mar 12 10:08:03 sw-access-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:08:04 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.26.155 over UDP protocol
<189>Mar 12 10:08:05 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.35.1
<191>Mar 12 10:08:06 sw-core-02 PORT: port 1/0/192.168.1.101 changed state to up
<189>Mar 12 10:08:07 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.13.60 over UDP protocol
<191>Mar 12 10:08:08 sw-access-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:08:09 sw-core-01 SNMP: Authentication failure from 192.168.17.52
<191>Mar 12 10:08:10 sw-access-01 SNMP: Authentication failure from 192.168.1.37
<189>Mar 12 10:08:11 sw-access-02 OSPF: Neighbor with Router ID 192.168.37.206 changed state from FULL to DOWN
<190>Mar 12 10:08:12 sw-access-01 PORT: link status change on port 1/0/192.168.18.25
<189>Mar 12 10:08:13 sw-access-02 SECURITY: possible port scan detected from IP 192.168.8.72
<191>Mar 12 10:08:14 sw-access-02 VLAN: VLAN 192.168.47.33 added to port 1/0/58
<189>Mar 12 10:08:15 sw-core-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:08:16 sw-core-02 BGP: Peer 192.168.21.40 changed state from Established to Idle
<189>Mar 12 10:08:17 sw-access-01 PORT: port 1/0/192.168.18.33 changed state to down
<191>Mar 12 10:08:18 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.11.1 over UDP protocol
<190>Mar 12 10:08:19 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.46.90 IP 8 on port 1/0/59:6D:A1:08:0A:75
<191>Mar 12 10:08:20 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.18.163 over UDP protocol
<191>Mar 12 10:08:21 sw-access-03 OSPF: Neighbor with Router ID 192.168.50.171 moved to FULL state on interface vlan50
<191>Mar 12 10:08:22 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.41.91
<191>Mar 12 10:08:23 sw-access-01 SECURITY: possible port scan detected from IP 192.168.4.246
<189>Mar 12 10:08:24 sw-access-03 SNMP: Authentication failure from 192.168.46.17
<191>Mar 12 10:08:25 sw-access-02 OSPF: Neighbor with Router ID 192.168.41.49 changed state from FULL to DOWN
<189>Mar 12 10:08:26 sw-core-01 PORT: port 1/0/192.168.17.35 changed state to down
<191>Mar 12 10:08:27 sw-core-02 PORT: link status change on port 1/0/192.168.25.136
<191>Mar 12 10:08:28 sw-access-03 SNMP: Authentication failure from 192.168.18.198

<189>Mar 12 10:08:29 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.8.54 IP 18 on port 1/0/E4:38:36:5A:CE:25
<191>Mar 12 10:08:30 sw-access-03 PORT: link status change on port 1/0/192.168.8.58
<190>Mar 12 10:08:31 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.1.89 - client 71 - port 1/0/C4:03:71:0F:AD:99
<190>Mar 12 10:08:32 sw-core-02 OSPF: Neighbor with Router ID 192.168.29.14 changed state from FULL to DOWN
<191>Mar 12 10:08:33 sw-access-02 PORT: port 1/0/192.168.11.10 changed state to up
<189>Mar 12 10:08:34 sw-access-02 SECURITY: possible port scan detected from IP 192.168.3.201
<191>Mar 12 10:08:35 sw-core-01 SNMP: Authentication failure from 192.168.5.219
<190>Mar 12 10:08:36 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.25.64
<191>Mar 12 10:08:37 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.49.179
<191>Mar 12 10:08:38 sw-access-03 SECURITY: MAC 192.168.38.42 blocked due to security policy
<191>Mar 12 10:08:39 sw-core-02 VLAN: VLAN 192.168.20.122 added to port 1/0/58
<189>Mar 12 10:08:40 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.3.131
<189>Mar 12 10:08:41 sw-core-01 BGP: Peer 192.168.27.65 Down - Hold Timer Expired
<190>Mar 12 10:08:42 sw-access-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:08:43 sw-access-02 BGP: Peer 192.168.16.123 moved to Established state
<189>Mar 12 10:08:44 sw-access-02 PORT: link status change on port 1/0/192.168.34.29
<190>Mar 12 10:08:45 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.39.222 - client 97 - port 1/0/1E:E0:6D:D4:69:89
<189>Mar 12 10:08:46 sw-core-01 VLAN: VLAN 192.168.23.164 removed from port 1/0/44
<189>Mar 12 10:08:47 sw-core-02 OSPF: Neighbor with Router ID 192.168.13.119 moved to FULL state on interface vlan63
<191>Mar 12 10:08:48 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.23.195 - client 89 - port 1/0/0E:FB:95:B7:74:88
<190>Mar 12 10:08:49 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.33.117
<189>Mar 12 10:08:50 sw-access-03 SECURITY: possible port scan detected from IP 192.168.44.104
<190>Mar 12 10:08:51 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.21.138
<189>Mar 12 10:08:52 sw-core-01 SECURITY: possible port scan detected from IP 192.168.26.182
<189>Mar 12 10:08:53 sw-core-02 OSPF: Neighbor with Router ID 192.168.11.159 changed state from FULL to DOWN
<189>Mar 12 10:08:54 sw-access-01 BGP: Peer 192.168.6.32 changed state from Established to Idle

<190>Mar 12 10:08:55 sw-access-01 SECURITY: possible port scan detected from IP 192.168.7.1
<191>Mar 12 10:08:56 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.17.202
<190>Mar 12 10:08:57 sw-access-02 BGP: Peer 192.168.30.5 Down - Hold Timer Expired
<191>Mar 12 10:08:58 sw-access-02 OSPF: Neighbor with Router ID 192.168.15.249 moved to FULL state on interface vlan42
<190>Mar 12 10:08:59 sw-access-01 SECURITY: MAC 192.168.27.108 blocked due to security policy
<190>Mar 12 10:09:00 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.26.254
<191>Mar 12 10:09:01 sw-core-02 VLAN: VLAN 192.168.43.148 removed from port 1/0/13
<190>Mar 12 10:09:02 sw-access-03 VLAN: VLAN 192.168.3.8 removed from port 1/0/28
<191>Mar 12 10:09:03 sw-core-02 PORT: port 1/0/192.168.3.90 changed state to up
<189>Mar 12 10:09:04 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.24.44 over UDP protocol
<189>Mar 12 10:09:05 sw-access-01 SECURITY: MAC 192.168.29.174 blocked due to security policy
<189>Mar 12 10:09:06 sw-core-02 SNMP: Authentication failure from 192.168.44.27
<190>Mar 12 10:09:07 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.10.86 over UDP protocol
<190>Mar 12 10:09:08 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.12.206 IP 28 on port 1/0/85:0C:85:7B:B1:EE
<189>Mar 12 10:09:09 sw-core-02 PORT: port 1/0/192.168.45.244 changed state to down
<190>Mar 12 10:09:10 sw-core-01 SNMP: Authentication failure from 192.168.21.200
<189>Mar 12 10:09:11 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.39.86
<189>Mar 12 10:09:12 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.45.50 - client 3 - port 1/0/15:F7:44:E5:8F:9B
<190>Mar 12 10:09:13 sw-core-01 PORT: port 1/0/192.168.14.135 changed state to up
<189>Mar 12 10:09:14 sw-access-02 SNMP: Authentication failure from 192.168.37.187
<189>Mar 12 10:09:15 sw-access-02 OSPF: Neighbor with Router ID 192.168.43.39 changed state from FULL to DOWN
<189>Mar 12 10:09:16 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.32.136 over UDP protocol
<190>Mar 12 10:09:17 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.1.69 over UDP protocol
<189>Mar 12 10:09:18 sw-core-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:09:19 sw-core-02 PORT: port 1/0/192.168.41.36 changed state to up
<191>Mar 12 10:09:20 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.41.11 IP 70 on port 1/0/3A:F4:59:57:7D:6A
<191>Mar 12 10:09:21 sw-core-01 OSPF: Neighbor with Router ID 192.168.49.220 moved to FULL state on interface vlan89

<191>Mar 12 10:09:22 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.8.161 over UDP protocol
<191>Mar 12 10:09:23 sw-access-02 PORT: port 1/0/192.168.40.142 changed state to down
<191>Mar 12 10:09:24 sw-access-02 PORT: link status change on port 1/0/192.168.49.84
<190>Mar 12 10:09:25 sw-access-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:09:26 sw-core-02 PORT: port 1/0/192.168.2.4 changed state to down
<190>Mar 12 10:09:27 sw-core-01 PORT: port 1/0/192.168.46.40 changed state to up
<189>Mar 12 10:09:28 sw-access-03 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:09:29 sw-access-02 PORT: port 1/0/192.168.1.223 changed state to up
<190>Mar 12 10:09:30 sw-core-01 OSPF: Neighbor with Router ID 192.168.31.162 moved to FULL state on interface vlan9
<190>Mar 12 10:09:31 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.0.229 - client 17 - port 1/0/B8:68:CE:25:4B:39
<190>Mar 12 10:09:32 sw-core-02 SNMP: Authentication failure from 192.168.4.22
<189>Mar 12 10:09:33 sw-access-03 SNMP: Authentication failure from 192.168.1.205
<189>Mar 12 10:09:34 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.28.105 - client 77 - port 1/0/AF:1A:3D:88:78:0C
<190>Mar 12 10:09:35 sw-core-02 SNMP: Authentication failure from 192.168.44.6
<189>Mar 12 10:09:36 sw-access-01 SNMP: Authentication failure from 192.168.5.44
<191>Mar 12 10:09:37 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.30.141
<191>Mar 12 10:09:38 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.15.121 IP 4 on port 1/0/A2:F4:1E:C2:5A:C6
<191>Mar 12 10:09:39 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.5.103 - client 64 - port 1/0/EF:AA:A5:DE:AE:F8
<190>Mar 12 10:09:40 sw-core-02 VLAN: VLAN 192.168.29.115 added to port 1/0/91
<191>Mar 12 10:09:41 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.14.176 - client 81 - port 1/0/52:1B:E8:BE:DC:E2
<191>Mar 12 10:09:42 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.49.108
<191>Mar 12 10:09:43 sw-access-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:09:44 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.5.51
<189>Mar 12 10:09:45 sw-core-01 PORT: link status change on port 1/0/192.168.49.194
<189>Mar 12 10:09:46 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.11.102
<190>Mar 12 10:09:47 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.40.13
<191>Mar 12 10:09:48 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.8.252 - client 78 - port 1/0/C1:F3:6D:9A:C2:D9

<189>Mar 12 10:09:49 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.29.110 over UDP protocol
<190>Mar 12 10:09:50 sw-core-01 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:09:51 sw-access-03 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:09:52 sw-access-03 BGP: Peer 192.168.48.29 Down - Hold Timer Expired
<191>Mar 12 10:09:53 sw-access-01 PORT: port 1/0/192.168.10.5 changed state to up
<191>Mar 12 10:09:54 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.16.180
<191>Mar 12 10:09:55 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.31.175
<191>Mar 12 10:09:56 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.11.180
<189>Mar 12 10:09:57 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.20.222 IP 17 on port 1/0/23:D5:52:FD:CD:F5
<190>Mar 12 10:09:58 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.33.183 over UDP protocol
<189>Mar 12 10:09:59 sw-access-01 OSPF: Neighbor with Router ID 192.168.1.24 moved to FULL state on interface vlan33
<190>Mar 12 10:10:00 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.9.74 - client 79 - port 1/0/65:3D:E2:92:13:9B
<189>Mar 12 10:10:01 sw-core-01 PORT: port 1/0/192.168.38.227 changed state to up
<191>Mar 12 10:10:02 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.27.163 over UDP protocol
<189>Mar 12 10:10:03 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.22.142 over UDP protocol
<191>Mar 12 10:10:04 sw-core-02 VLAN: VLAN 192.168.21.30 added to port 1/0/76
<191>Mar 12 10:10:05 sw-core-01 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:10:06 sw-access-02 SNMP: Authentication failure from 192.168.29.142
<190>Mar 12 10:10:07 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.14.227 IP 20 on port 1/0/1C:B1:92:4A:A1:0E
<190>Mar 12 10:10:08 sw-core-01 SNMP: Authentication failure from 192.168.43.151
<191>Mar 12 10:10:09 sw-access-03 SECURITY: MAC 192.168.26.247 blocked due to security policy
<190>Mar 12 10:10:10 sw-access-03 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:10:11 sw-access-03 OSPF: Neighbor with Router ID 192.168.9.39 moved to FULL state on interface vlan3
<189>Mar 12 10:10:12 sw-access-01 VLAN: VLAN 192.168.44.1 added to port 1/0/79
<191>Mar 12 10:10:13 sw-access-02 BGP: Peer 192.168.17.98 changed state from Established to Idle
<191>Mar 12 10:10:14 sw-core-01 VLAN: VLAN 192.168.6.174 added to port 1/0/70

<191>Mar 12 10:10:15 sw-core-01 OSPF: Neighbor with Router ID 192.168.13.185 moved to FULL state on interface vlan47
<190>Mar 12 10:10:16 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.22.99
<190>Mar 12 10:10:17 sw-core-01 PORT: link status change on port 1/0/192.168.0.47
<191>Mar 12 10:10:18 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.32.113
<191>Mar 12 10:10:19 sw-access-02 PORT: port 1/0/192.168.15.175 changed state to down
<189>Mar 12 10:10:20 sw-access-01 BGP: Peer 192.168.23.174 changed state from Established to Idle
<189>Mar 12 10:10:21 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.7.54
<190>Mar 12 10:10:22 sw-access-02 VLAN: VLAN 192.168.2.143 removed from port 1/0/26
<191>Mar 12 10:10:23 sw-access-01 SNMP: Authentication failure from 192.168.23.87
<191>Mar 12 10:10:24 sw-access-03 SECURITY: possible port scan detected from IP 192.168.26.174
<190>Mar 12 10:10:25 sw-core-02 SECURITY: possible port scan detected from IP 192.168.7.30
<190>Mar 12 10:10:26 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.29.183
<189>Mar 12 10:10:27 sw-access-02 SECURITY: possible port scan detected from IP 192.168.5.33
<190>Mar 12 10:10:28 sw-core-02 VLAN: VLAN 192.168.40.112 added to port 1/0/48
<189>Mar 12 10:10:29 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.40.195
<191>Mar 12 10:10:30 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.35.182
<190>Mar 12 10:10:31 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.2.137 - client 96 - port 1/0/99:53:7B:73:CB:75
<191>Mar 12 10:10:32 sw-access-02 OSPF: Neighbor with Router ID 192.168.47.142 changed state from FULL to DOWN
<189>Mar 12 10:10:33 sw-access-02 PORT: port 1/0/192.168.41.159 changed state to down
<189>Mar 12 10:10:34 sw-access-03 PORT: port 1/0/192.168.6.100 changed state to down
<191>Mar 12 10:10:35 sw-access-02 BGP: Peer 192.168.13.137 changed state from Established to Idle
<191>Mar 12 10:10:36 sw-access-02 SECURITY: possible port scan detected from IP 192.168.37.239
<190>Mar 12 10:10:37 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.13.77 over UDP protocol
<189>Mar 12 10:10:38 sw-access-03 PORT: port 1/0/192.168.28.122 changed state to up
<191>Mar 12 10:10:39 sw-access-03 SNMP: Authentication failure from 192.168.7.124
<191>Mar 12 10:10:40 sw-access-03 VLAN: VLAN 192.168.45.38 added to port 1/0/71
<190>Mar 12 10:10:41 sw-access-01 Manager: Configuration saved to flash memory by user admin

<189>Mar 12 10:10:42 sw-access-02 SNMP: Authentication failure from 192.168.8.31
<189>Mar 12 10:10:43 sw-core-02 VLAN: VLAN 192.168.46.166 removed from port 1/0/12
<189>Mar 12 10:10:44 sw-access-03 BGP: Peer 192.168.1.70 Down - Hold Timer Expired
<191>Mar 12 10:10:45 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.45.121 - client 19 - port 1/0/A8:C1:5B:98:A5:49
<190>Mar 12 10:10:46 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.26.48 - client 37 - port 1/0/2D:B3:45:58:8E:56
<191>Mar 12 10:10:47 sw-core-02 VLAN: VLAN 192.168.41.11 removed from port 1/0/100
<191>Mar 12 10:10:48 sw-core-01 BGP: Peer 192.168.18.144 changed state from Established to Idle
<190>Mar 12 10:10:49 sw-access-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:10:50 sw-core-01 SECURITY: possible port scan detected from IP 192.168.9.117
<191>Mar 12 10:10:51 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.39.231
<189>Mar 12 10:10:52 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.18.202 IP 1 on port 1/0/38:1F:6E:06:9C:21
<191>Mar 12 10:10:53 sw-core-01 SECURITY: possible port scan detected from IP 192.168.29.209
<189>Mar 12 10:10:54 sw-core-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:10:55 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.49.237
<190>Mar 12 10:10:56 sw-access-01 VLAN: VLAN 192.168.28.82 removed from port 1/0/95
<190>Mar 12 10:10:57 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.49.108 - client 40 - port 1/0/30:7A:99:5E:C8:74
<189>Mar 12 10:10:58 sw-access-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:10:59 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.46.209 over UDP protocol
<189>Mar 12 10:11:00 sw-core-01 OSPF: Neighbor with Router ID 192.168.35.82 changed state from FULL to DOWN
<191>Mar 12 10:11:01 sw-access-03 OSPF: Neighbor with Router ID 192.168.41.126 moved to FULL state on interface vlan14
<189>Mar 12 10:11:02 sw-core-02 SNMP: Authentication failure from 192.168.17.74
<189>Mar 12 10:11:03 sw-access-03 PORT: port 1/0/192.168.7.88 changed state to up
<189>Mar 12 10:11:04 sw-access-02 PORT: link status change on port 1/0/192.168.1.179
<191>Mar 12 10:11:05 sw-access-01 SECURITY: MAC 192.168.25.203 blocked due to security policy
<191>Mar 12 10:11:06 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.17.57 - client 53 - port 1/0/50:F5:7F:98:B9:CD
<190>Mar 12 10:11:07 sw-access-01 SNMP: Authentication failure from 192.168.23.153
<191>Mar 12 10:11:08 sw-core-02 PORT: link status change on port 1/0/192.168.5.100

<189>Mar 12 10:11:09 sw-core-01 SECURITY: MAC 192.168.21.115 blocked due to security policy
<190>Mar 12 10:11:10 sw-access-02 VLAN: VLAN 192.168.12.167 removed from port 1/0/59
<189>Mar 12 10:11:11 sw-core-02 SNMP: Authentication failure from 192.168.33.69
<189>Mar 12 10:11:12 sw-core-02 OSPF: Neighbor with Router ID 192.168.1.191 moved to FULL state on interface vlan16
<189>Mar 12 10:11:13 sw-core-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:11:14 sw-core-01 PORT: link status change on port 1/0/192.168.8.56
<190>Mar 12 10:11:15 sw-access-02 VLAN: VLAN 192.168.49.197 removed from port 1/0/66
<189>Mar 12 10:11:16 sw-access-01 OSPF: Neighbor with Router ID 192.168.30.76 moved to FULL state on interface vlan89
<191>Mar 12 10:11:17 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.24.74 - client 21 - port 1/0/39:F4:0D:0B:15:55
<191>Mar 12 10:11:18 sw-core-02 VLAN: VLAN 192.168.43.43 added to port 1/0/57
<190>Mar 12 10:11:19 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.3.220
<189>Mar 12 10:11:20 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.32.114
<189>Mar 12 10:11:21 sw-core-01 SNMP: Authentication failure from 192.168.38.185
<189>Mar 12 10:11:22 sw-core-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:11:23 sw-access-02 SECURITY: possible port scan detected from IP 192.168.36.74
<189>Mar 12 10:11:24 sw-access-01 SECURITY: MAC 192.168.11.65 blocked due to security policy
<190>Mar 12 10:11:25 sw-access-01 OSPF: Neighbor with Router ID 192.168.37.1 changed state from FULL to DOWN
<189>Mar 12 10:11:26 sw-access-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:11:27 sw-access-03 OSPF: Neighbor with Router ID 192.168.22.10 changed state from FULL to DOWN
<191>Mar 12 10:11:28 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.15.59
<189>Mar 12 10:11:29 sw-access-03 BGP: Peer 192.168.33.30 moved to Established state
<191>Mar 12 10:11:30 sw-core-02 SNMP: Authentication failure from 192.168.21.108
<190>Mar 12 10:11:31 sw-core-02 SNMP: Authentication failure from 192.168.31.17
<190>Mar 12 10:11:32 sw-core-01 BGP: Peer 192.168.2.105 changed state from Established to Idle
<191>Mar 12 10:11:33 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.37.49
<191>Mar 12 10:11:34 sw-core-01 VLAN: VLAN 192.168.24.13 removed from port 1/0/2
<190>Mar 12 10:11:35 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.21.194 - client 56 - port 1/0/0C:4D:78:9A:CA:A5

<189>Mar 12 10:11:36 sw-core-02 BGP: Peer 192.168.46.120 Down - Hold Timer Expired
<191>Mar 12 10:11:37 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.47.25 over UDP protocol
<190>Mar 12 10:11:38 sw-access-02 PORT: link status change on port 1/0/192.168.23.23
<189>Mar 12 10:11:39 sw-access-02 SECURITY: MAC 192.168.34.167 blocked due to security policy
<191>Mar 12 10:11:40 sw-access-03 VLAN: VLAN 192.168.8.186 removed from port 1/0/19
<190>Mar 12 10:11:41 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.41.111
<189>Mar 12 10:11:42 sw-core-01 SECURITY: possible port scan detected from IP 192.168.9.238
<189>Mar 12 10:11:43 sw-core-01 SNMP: Authentication failure from 192.168.40.164
<191>Mar 12 10:11:44 sw-core-02 SNMP: Authentication failure from 192.168.7.229
<190>Mar 12 10:11:45 sw-core-02 SECURITY: possible port scan detected from IP 192.168.39.173
<191>Mar 12 10:11:46 sw-core-02 SECURITY: possible port scan detected from IP 192.168.22.7
<191>Mar 12 10:11:47 sw-core-01 PORT: port 1/0/192.168.20.108 changed state to up
<189>Mar 12 10:11:48 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.31.102 over UDP protocol
<190>Mar 12 10:11:49 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.32.4
<191>Mar 12 10:11:50 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.25.211 over UDP protocol
<189>Mar 12 10:11:51 sw-access-03 VLAN: VLAN 192.168.42.84 added to port 1/0/36
<189>Mar 12 10:11:52 sw-core-01 SECURITY: MAC 192.168.27.62 blocked due to security policy
<189>Mar 12 10:11:53 sw-access-03 OSPF: Neighbor with Router ID 192.168.2.49 moved to FULL state on interface vlan37
<191>Mar 12 10:11:54 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.48.123 over UDP protocol
<189>Mar 12 10:11:55 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.21.201
<190>Mar 12 10:11:56 sw-access-03 SECURITY: MAC 192.168.24.187 blocked due to security policy
<191>Mar 12 10:11:57 sw-core-02 BGP: Peer 192.168.15.43 moved to Established state
<190>Mar 12 10:11:58 sw-core-01 SNMP: Authentication failure from 192.168.29.134
<190>Mar 12 10:11:59 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.35.224
<190>Mar 12 10:12:00 sw-core-01 SECURITY: MAC 192.168.25.133 blocked due to security policy
<189>Mar 12 10:12:01 sw-core-02 OSPF: Neighbor with Router ID 192.168.28.241 changed state from FULL to DOWN

<191>Mar 12 10:12:02 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.17.69 over UDP protocol
<189>Mar 12 10:12:03 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.3.211
<191>Mar 12 10:12:04 sw-access-01 OSPF: Neighbor with Router ID 192.168.1.219 changed state from FULL to DOWN
<190>Mar 12 10:12:05 sw-access-02 SNMP: Authentication failure from 192.168.37.74
<189>Mar 12 10:12:06 sw-access-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:12:07 sw-core-01 PORT: link status change on port 1/0/192.168.50.6
<190>Mar 12 10:12:08 sw-core-02 SECURITY: MAC 192.168.15.201 blocked due to security policy
<191>Mar 12 10:12:09 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.46.221
<189>Mar 12 10:12:10 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.28.243
<189>Mar 12 10:12:11 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.21.9 IP 62 on port 1/0/C7:93:8A:97:43:BC
<189>Mar 12 10:12:12 sw-access-01 SECURITY: MAC 192.168.17.150 blocked due to security policy
<191>Mar 12 10:12:13 sw-access-03 BGP: Peer 192.168.45.253 moved to Established state
<189>Mar 12 10:12:14 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.44.81
<190>Mar 12 10:12:15 sw-core-02 BGP: Peer 192.168.15.2 Down - Hold Timer Expired
<189>Mar 12 10:12:16 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.21.36 - client 41 - port 1/0/E2:DE:81:D0:47:7C
<191>Mar 12 10:12:17 sw-access-03 SECURITY: possible port scan detected from IP 192.168.48.128
<191>Mar 12 10:12:18 sw-access-01 VLAN: VLAN 192.168.3.99 added to port 1/0/90
<189>Mar 12 10:12:19 sw-access-02 PORT: link status change on port 1/0/192.168.13.13
<190>Mar 12 10:12:20 sw-access-02 OSPF: Neighbor with Router ID 192.168.11.230 moved to FULL state on interface vlan46
<189>Mar 12 10:12:21 sw-access-02 OSPF: Neighbor with Router ID 192.168.48.219 moved to FULL state on interface vlan74
<191>Mar 12 10:12:22 sw-access-02 SNMP: Authentication failure from 192.168.25.184
<189>Mar 12 10:12:23 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.47.200
<189>Mar 12 10:12:24 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.4.50 over UDP protocol
<189>Mar 12 10:12:25 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.6.187 IP 95 on port 1/0/49:85:2A:71:14:DE
<190>Mar 12 10:12:26 sw-access-03 Manager: Configuration saved to flash memory by user admin

<190>Mar 12 10:12:27 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.20.250 - client 38 - port 1/0/50:CC:A5:28:9D:45
<191>Mar 12 10:12:28 sw-access-03 BGP: Peer 192.168.35.177 moved to Established state
<190>Mar 12 10:12:29 sw-access-02 VLAN: VLAN 192.168.46.166 removed from port 1/0/75
<190>Mar 12 10:12:30 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.9.222
<189>Mar 12 10:12:31 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.25.72
<189>Mar 12 10:12:32 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.21.56 - client 32 - port 1/0/D8:D9:67:AD:61:84
<191>Mar 12 10:12:33 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.0.58
<189>Mar 12 10:12:34 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.37.102
<189>Mar 12 10:12:35 sw-core-01 PORT: port 1/0/192.168.6.185 changed state to down
<190>Mar 12 10:12:36 sw-core-01 BGP: Peer 192.168.8.48 changed state from Established to Idle
<189>Mar 12 10:12:37 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.30.6 - client 14 - port 1/0/30:91:DC:B5:38:05
<189>Mar 12 10:12:38 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.9.186 - client 30 - port 1/0/51:7C:E8:E4:D9:3D
<191>Mar 12 10:12:39 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.50.245 - client 97 - port 1/0/3C:CC:9B:93:63:6F
<189>Mar 12 10:12:40 sw-access-03 BGP: Peer 192.168.42.42 changed state from Established to Idle
<190>Mar 12 10:12:41 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.7.224 over UDP protocol
<191>Mar 12 10:12:42 sw-core-01 SNMP: Authentication failure from 192.168.10.24
<189>Mar 12 10:12:43 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.45.140 IP 14 on port 1/0/05:DC:AC:B6:BE:8D
<191>Mar 12 10:12:44 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.21.146 - client 16 - port 1/0/E8:E2:76:56:A2:F3
<191>Mar 12 10:12:45 sw-access-03 PORT: port 1/0/192.168.25.119 changed state to up
<191>Mar 12 10:12:46 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.41.171 - client 41 - port 1/0/A6:A0:DF:59:9A:5B
<189>Mar 12 10:12:47 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.27.39
<190>Mar 12 10:12:48 sw-core-02 PORT: port 1/0/192.168.34.65 changed state to up
<191>Mar 12 10:12:49 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.25.91
<191>Mar 12 10:12:50 sw-access-03 OSPF: Neighbor with Router ID 192.168.12.125 changed state from FULL to DOWN
<189>Mar 12 10:12:51 sw-core-01 VLAN: VLAN 192.168.16.245 removed from port 1/0/48

<190>Mar 12 10:12:52 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.31.114 IP 33 on port 1/0/BE:BA:AF:A6:37:14
<189>Mar 12 10:12:53 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.49.195 IP 26 on port 1/0/44:17:C8:D7:A6:B5
<190>Mar 12 10:12:54 sw-access-03 BGP: Peer 192.168.12.60 Down - Hold Timer Expired
<190>Mar 12 10:12:55 sw-core-01 SNMP: Authentication failure from 192.168.6.175
<190>Mar 12 10:12:56 sw-access-03 SECURITY: MAC 192.168.12.192 blocked due to security policy
<191>Mar 12 10:12:57 sw-core-01 BGP: Peer 192.168.14.116 moved to Established state
<191>Mar 12 10:12:58 sw-access-01 BGP: Peer 192.168.48.103 Down - Hold Timer Expired
<190>Mar 12 10:12:59 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.21.4 over UDP protocol
<191>Mar 12 10:13:00 sw-access-02 PORT: port 1/0/192.168.27.89 changed state to down
<189>Mar 12 10:13:01 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.39.92 - client 96 - port 1/0/88:7B:CA:0E:AF:F6
<191>Mar 12 10:13:02 sw-core-02 VLAN: VLAN 192.168.13.234 removed from port 1/0/42
<190>Mar 12 10:13:03 sw-core-02 OSPF: Neighbor with Router ID 192.168.42.237 moved to FULL state on interface vlan73
<189>Mar 12 10:13:04 sw-access-01 SNMP: Authentication failure from 192.168.40.218
<191>Mar 12 10:13:05 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.14.206 over UDP protocol
<190>Mar 12 10:13:06 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.50.59 over UDP protocol
<190>Mar 12 10:13:07 sw-core-02 VLAN: VLAN 192.168.48.153 added to port 1/0/58
<191>Mar 12 10:13:08 sw-access-03 VLAN: VLAN 192.168.19.225 removed from port 1/0/94
<189>Mar 12 10:13:09 sw-access-02 OSPF: Neighbor with Router ID 192.168.25.104 moved to FULL state on interface vlan98
<190>Mar 12 10:13:10 sw-access-03 SECURITY: MAC 192.168.23.45 blocked due to security policy
<190>Mar 12 10:13:11 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.20.165 IP 9 on port 1/0/8F:2C:B5:4C:76:AA
<189>Mar 12 10:13:12 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.32.252 over UDP protocol
<191>Mar 12 10:13:13 sw-access-03 PORT: link status change on port 1/0/192.168.43.126
<189>Mar 12 10:13:14 sw-core-02 VLAN: VLAN 192.168.43.33 added to port 1/0/38
<191>Mar 12 10:13:15 sw-core-01 SNMP: Authentication failure from 192.168.41.139
<190>Mar 12 10:13:16 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.35.205 IP 13 on port 1/0/67:32:35:A4:D9:D3
<190>Mar 12 10:13:17 sw-access-02 PORT: port 1/0/192.168.38.166 changed state to up
<191>Mar 12 10:13:18 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.18.78 - client 65 - port 1/0/3B:FB:CC:01:A7:2A
<191>Mar 12 10:13:19 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.11.95 - client 65 - port 1/0/7C:A3:39:35:30:CC

<189>Mar 12 10:13:20 sw-access-01 SECURITY: MAC 192.168.5.148 blocked due to security policy
<190>Mar 12 10:13:21 sw-core-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:13:22 sw-core-01 SNMP: Authentication failure from 192.168.9.196
<190>Mar 12 10:13:23 sw-access-01 VLAN: VLAN 192.168.12.226 added to port 1/0/37
<189>Mar 12 10:13:24 sw-access-03 SECURITY: possible port scan detected from IP 192.168.11.239
<191>Mar 12 10:13:25 sw-core-02 VLAN: VLAN 192.168.50.114 removed from port 1/0/60
<189>Mar 12 10:13:26 sw-core-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:13:27 sw-core-01 VLAN: VLAN 192.168.9.173 added to port 1/0/63
<189>Mar 12 10:13:28 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.37.117
<189>Mar 12 10:13:29 sw-access-01 VLAN: VLAN 192.168.18.155 removed from port 1/0/91
<189>Mar 12 10:13:30 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.3.236 over UDP protocol
<189>Mar 12 10:13:31 sw-core-02 SNMP: Authentication failure from 192.168.3.86
<189>Mar 12 10:13:32 sw-access-02 VLAN: VLAN 192.168.30.32 added to port 1/0/17
<189>Mar 12 10:13:33 sw-access-03 PORT: port 1/0/192.168.12.146 changed state to down
<189>Mar 12 10:13:34 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.45.215
<191>Mar 12 10:13:35 sw-core-02 OSPF: Neighbor with Router ID 192.168.16.129 moved to FULL state on interface vlan77
<191>Mar 12 10:13:36 sw-access-02 SECURITY: MAC 192.168.39.70 blocked due to security policy
<190>Mar 12 10:13:37 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.46.104 - client 73 - port 1/0/39:6F:F4:7B:CD:3B
<191>Mar 12 10:13:38 sw-core-02 VLAN: VLAN 192.168.24.127 removed from port 1/0/66
<191>Mar 12 10:13:39 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.11.229 over UDP protocol
<190>Mar 12 10:13:40 sw-core-02 SNMP: Authentication failure from 192.168.8.200
<191>Mar 12 10:13:41 sw-core-01 SECURITY: possible port scan detected from IP 192.168.30.250
<190>Mar 12 10:13:42 sw-core-02 PORT: port 1/0/192.168.7.97 changed state to down
<191>Mar 12 10:13:43 sw-access-02 VLAN: VLAN 192.168.37.78 added to port 1/0/34
<190>Mar 12 10:13:44 sw-access-01 BGP: Peer 192.168.22.232 changed state from Established to Idle
<191>Mar 12 10:13:45 sw-access-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:13:46 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.17.140
<190>Mar 12 10:13:47 sw-access-02 SNMP: Authentication failure from 192.168.40.55

<191>Mar 12 10:13:48 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.17.215
<189>Mar 12 10:13:49 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.0.143 IP 74 on port 1/0/13:2C:63:57:66:26
<191>Mar 12 10:13:50 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.9.216 over UDP protocol
<191>Mar 12 10:13:51 sw-access-01 VLAN: VLAN 192.168.40.240 added to port 1/0/4
<190>Mar 12 10:13:52 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.32.58 IP 98 on port 1/0/D9:CE:38:79:05:9D
<190>Mar 12 10:13:53 sw-access-03 SNMP: Authentication failure from 192.168.3.18
<191>Mar 12 10:13:54 sw-core-02 BGP: Peer 192.168.48.70 changed state from Established to Idle
<191>Mar 12 10:13:55 sw-access-01 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:13:56 sw-access-03 VLAN: VLAN 192.168.8.107 removed from port 1/0/23
<191>Mar 12 10:13:57 sw-core-01 VLAN: VLAN 192.168.35.116 added to port 1/0/45
<190>Mar 12 10:13:58 sw-core-01 SNMP: Authentication failure from 192.168.41.108
<189>Mar 12 10:13:59 sw-access-01 SECURITY: possible port scan detected from IP 192.168.6.241
<190>Mar 12 10:14:00 sw-core-02 SNMP: Authentication failure from 192.168.15.187
<190>Mar 12 10:14:01 sw-core-01 BGP: Peer 192.168.50.29 moved to Established state
<191>Mar 12 10:14:02 sw-core-02 PORT: port 1/0/192.168.14.174 changed state to down
<190>Mar 12 10:14:03 sw-core-02 PORT: link status change on port 1/0/192.168.48.93
<189>Mar 12 10:14:04 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.5.191
<190>Mar 12 10:14:05 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.5.132 over UDP protocol
<189>Mar 12 10:14:06 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.14.201 - client 79 - port 1/0/4A:46:BF:66:66:42
<190>Mar 12 10:14:07 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.7.71
<189>Mar 12 10:14:08 sw-core-02 VLAN: VLAN 192.168.5.193 removed from port 1/0/39
<190>Mar 12 10:14:09 sw-core-01 SNMP: Authentication failure from 192.168.15.6
<191>Mar 12 10:14:10 sw-core-02 OSPF: Neighbor with Router ID 192.168.12.172 moved to FULL state on interface vlan29
<189>Mar 12 10:14:11 sw-core-01 SNMP: Authentication failure from 192.168.31.250
<190>Mar 12 10:14:12 sw-access-03 BGP: Peer 192.168.6.176 moved to Established state
<191>Mar 12 10:14:13 sw-access-02 OSPF: Neighbor with Router ID 192.168.21.197 changed state from FULL to DOWN
<190>Mar 12 10:14:14 sw-core-02 PORT: port 1/0/192.168.42.182 changed state to up
<189>Mar 12 10:14:15 sw-access-03 BGP: Peer 192.168.11.30 Down - Hold Timer Expired
<189>Mar 12 10:14:16 sw-access-03 VLAN: VLAN 192.168.48.68 added to port 1/0/10
<189>Mar 12 10:14:17 sw-access-01 SNMP: Authentication failure from 192.168.31.54

<190>Mar 12 10:14:18 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.40.169 - client 86 - port 1/0/5E:06:0A:89:A1:E8
<191>Mar 12 10:14:19 sw-core-02 OSPF: Neighbor with Router ID 192.168.21.132 moved to FULL state on interface vlan45
<191>Mar 12 10:14:20 sw-access-03 BGP: Peer 192.168.5.191 moved to Established state
<189>Mar 12 10:14:21 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.7.239 - client 57 - port 1/0/E4:A7:12:52:83:82
<189>Mar 12 10:14:22 sw-access-03 BGP: Peer 192.168.33.232 moved to Established state
<191>Mar 12 10:14:23 sw-access-02 VLAN: VLAN 192.168.46.4 added to port 1/0/61
<191>Mar 12 10:14:24 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.3.116 over UDP protocol
<190>Mar 12 10:14:25 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.16.102 - client 63 - port 1/0/BC:55:C2:20:CF:37
<190>Mar 12 10:14:26 sw-access-03 SECURITY: MAC 192.168.40.241 blocked due to security policy
<189>Mar 12 10:14:27 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.49.77 IP 10 on port 1/0/62:78:DD:B7:59:92
<191>Mar 12 10:14:28 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.43.28 over UDP protocol
<191>Mar 12 10:14:29 sw-core-01 SNMP: Authentication failure from 192.168.35.212
<191>Mar 12 10:14:30 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.16.134
<190>Mar 12 10:14:31 sw-access-01 BGP: Peer 192.168.39.254 moved to Established state
<190>Mar 12 10:14:32 sw-core-02 VLAN: VLAN 192.168.47.12 removed from port 1/0/13
<191>Mar 12 10:14:33 sw-core-01 PORT: link status change on port 1/0/192.168.35.107
<189>Mar 12 10:14:34 sw-core-01 PORT: port 1/0/192.168.11.74 changed state to down
<191>Mar 12 10:14:35 sw-access-02 SECURITY: MAC 192.168.41.34 blocked due to security policy
<191>Mar 12 10:14:36 sw-access-03 BGP: Peer 192.168.27.225 Down - Hold Timer Expired
<189>Mar 12 10:14:37 sw-core-02 BGP: Peer 192.168.40.100 changed state from Established to Idle
<189>Mar 12 10:14:38 sw-access-01 VLAN: VLAN 192.168.45.233 removed from port 1/0/68
<190>Mar 12 10:14:39 sw-access-03 BGP: Peer 192.168.25.54 Down - Hold Timer Expired
<189>Mar 12 10:14:40 sw-access-03 PORT: port 1/0/192.168.0.229 changed state to up
<189>Mar 12 10:14:41 sw-core-02 BGP: Peer 192.168.38.37 Down - Hold Timer Expired
<190>Mar 12 10:14:42 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.24.235 - client 47 - port 1/0/0C:90:A4:C4:8E:A0
<191>Mar 12 10:14:43 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.23.68
<191>Mar 12 10:14:44 sw-access-02 OSPF: Neighbor with Router ID 192.168.1.131 changed state from FULL to DOWN
<190>Mar 12 10:14:45 sw-core-01 PORT: port 1/0/192.168.39.220 changed state to down
<191>Mar 12 10:14:46 sw-access-01 Manager: Configuration saved to flash memory by user admin

<191>Mar 12 10:14:47 sw-core-01 BGP: Peer 192.168.27.6 moved to Established state
<189>Mar 12 10:14:48 sw-access-01 SNMP: Authentication failure from 192.168.30.47
<191>Mar 12 10:14:49 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.18.88
<190>Mar 12 10:14:50 sw-core-01 BGP: Peer 192.168.2.82 changed state from Established to Idle
<189>Mar 12 10:14:51 sw-core-01 SNMP: Authentication failure from 192.168.42.125
<190>Mar 12 10:14:52 sw-access-02 BGP: Peer 192.168.23.245 Down - Hold Timer Expired
<191>Mar 12 10:14:53 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.0.226 over UDP protocol
<189>Mar 12 10:14:54 sw-access-01 SECURITY: MAC 192.168.48.223 blocked due to security policy
<189>Mar 12 10:14:55 sw-core-01 OSPF: Neighbor with Router ID 192.168.13.196 moved to FULL state on interface vlan31
<191>Mar 12 10:14:56 sw-core-01 PORT: link status change on port 1/0/192.168.3.42
<191>Mar 12 10:14:57 sw-core-02 OSPF: Neighbor with Router ID 192.168.31.69 moved to FULL state on interface vlan71
<191>Mar 12 10:14:58 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.3.12 over UDP protocol
<190>Mar 12 10:14:59 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.4.129 - client 57 - port 1/0/17:7E:0F:84:C8:DE
<190>Mar 12 10:15:00 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.36.223
<190>Mar 12 10:15:01 sw-core-02 SECURITY: possible port scan detected from IP 192.168.28.198
<191>Mar 12 10:15:02 sw-access-02 BGP: Peer 192.168.17.113 Down - Hold Timer Expired
<189>Mar 12 10:15:03 sw-access-03 VLAN: VLAN 192.168.44.238 added to port 1/0/97
<189>Mar 12 10:15:04 sw-access-02 OSPF: Neighbor with Router ID 192.168.26.88 changed state from FULL to DOWN
<189>Mar 12 10:15:05 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.39.243 - client 93 - port 1/0/76:9A:64:A6:C8:24
<190>Mar 12 10:15:06 sw-core-01 BGP: Peer 192.168.28.89 Down - Hold Timer Expired
<191>Mar 12 10:15:07 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.12.87 IP 77 on port 1/0/32:27:C9:53:D7:85
<191>Mar 12 10:15:08 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.8.207 over UDP protocol
<191>Mar 12 10:15:09 sw-access-01 SECURITY: MAC 192.168.44.86 blocked due to security policy
<191>Mar 12 10:15:10 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.47.180 - client 98 - port 1/0/BB:13:7B:52:FD:75
<190>Mar 12 10:15:11 sw-core-01 OSPF: Neighbor with Router ID 192.168.46.73 changed state from FULL to DOWN
<190>Mar 12 10:15:12 sw-core-01 OSPF: Neighbor with Router ID 192.168.6.59 moved to FULL state on interface vlan79

<190>Mar 12 10:15:13 sw-core-02 BGP: Peer 192.168.49.44 changed state from Established to Idle
<189>Mar 12 10:15:14 sw-access-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:15:15 sw-access-02 SNMP: Authentication failure from 192.168.7.123
<190>Mar 12 10:15:16 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.47.163 over UDP protocol
<189>Mar 12 10:15:17 sw-access-02 BGP: Peer 192.168.8.227 changed state from Established to Idle
<189>Mar 12 10:15:18 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.19.158 - client 54 - port 1/0/EA:25:DE:9D:F8:BE
<190>Mar 12 10:15:19 sw-access-01 VLAN: VLAN 192.168.35.2 added to port 1/0/57
<191>Mar 12 10:15:20 sw-core-02 VLAN: VLAN 192.168.9.4 added to port 1/0/45
<190>Mar 12 10:15:21 sw-core-01 PORT: port 1/0/192.168.4.95 changed state to down
<191>Mar 12 10:15:22 sw-access-02 SECURITY: possible port scan detected from IP 192.168.35.113
<191>Mar 12 10:15:23 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.32.23
<191>Mar 12 10:15:24 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.40.179 - client 98 - port 1/0/F5:45:AF:7D:27:35
<191>Mar 12 10:15:25 sw-access-03 VLAN: VLAN 192.168.11.111 removed from port 1/0/13
<190>Mar 12 10:15:26 sw-access-02 BGP: Peer 192.168.0.173 moved to Established state
<191>Mar 12 10:15:27 sw-core-01 SECURITY: MAC 192.168.36.186 blocked due to security policy
<191>Mar 12 10:15:28 sw-access-02 SNMP: Authentication failure from 192.168.17.201
<189>Mar 12 10:15:29 sw-core-02 PORT: port 1/0/192.168.37.196 changed state to down
<191>Mar 12 10:15:30 sw-core-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:15:31 sw-core-02 SECURITY: possible port scan detected from IP 192.168.5.206
<189>Mar 12 10:15:32 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.49.138
<191>Mar 12 10:15:33 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.28.93 IP 99 on port 1/0/B8:38:9E:28:BA:3D
<191>Mar 12 10:15:34 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.4.72 - client 76 - port 1/0/30:98:21:80:1A:82
<189>Mar 12 10:15:35 sw-access-03 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:15:36 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.49.158 over UDP protocol
<190>Mar 12 10:15:37 sw-access-03 BGP: Peer 192.168.7.16 Down - Hold Timer Expired
<189>Mar 12 10:15:38 sw-access-03 BGP: Peer 192.168.4.145 Down - Hold Timer Expired
<190>Mar 12 10:15:39 sw-access-03 SECURITY: MAC 192.168.31.47 blocked due to security policy

<189>Mar 12 10:15:40 sw-access-03 BGP: Peer 192.168.26.202 changed state from Established to Idle
<191>Mar 12 10:15:41 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.22.236 over UDP protocol
<191>Mar 12 10:15:42 sw-core-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:15:43 sw-access-03 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:15:44 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.46.80 over UDP protocol
<191>Mar 12 10:15:45 sw-core-01 OSPF: Neighbor with Router ID 192.168.10.66 moved to FULL state on interface vlan57
<190>Mar 12 10:15:46 sw-access-02 VLAN: VLAN 192.168.38.84 removed from port 1/0/37
<189>Mar 12 10:15:47 sw-core-02 OSPF: Neighbor with Router ID 192.168.37.178 moved to FULL state on interface vlan100
<190>Mar 12 10:15:48 sw-core-02 PORT: port 1/0/192.168.35.7 changed state to up
<189>Mar 12 10:15:49 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.7.180 IP 28 on port 1/0/21:51:5E:B1:A7:C8
<190>Mar 12 10:15:50 sw-access-03 SNMP: Authentication failure from 192.168.50.85
<191>Mar 12 10:15:51 sw-access-02 VLAN: VLAN 192.168.23.79 removed from port 1/0/33
<189>Mar 12 10:15:52 sw-access-03 OSPF: Neighbor with Router ID 192.168.3.74 changed state from FULL to DOWN
<190>Mar 12 10:15:53 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.46.36 over UDP protocol
<190>Mar 12 10:15:54 sw-core-02 SECURITY: possible port scan detected from IP 192.168.14.164
<191>Mar 12 10:15:55 sw-access-02 BGP: Peer 192.168.0.189 moved to Established state
<191>Mar 12 10:15:56 sw-core-01 SNMP: Authentication failure from 192.168.17.224
<190>Mar 12 10:15:57 sw-core-01 SNMP: Authentication failure from 192.168.22.119
<190>Mar 12 10:15:58 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.14.158
<190>Mar 12 10:15:59 sw-core-01 SECURITY: possible port scan detected from IP 192.168.37.16
<190>Mar 12 10:16:00 sw-access-02 VLAN: VLAN 192.168.7.102 removed from port 1/0/71
<190>Mar 12 10:16:01 sw-core-01 VLAN: VLAN 192.168.31.79 removed from port 1/0/26
<189>Mar 12 10:16:02 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.33.216
<191>Mar 12 10:16:03 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.28.234
<189>Mar 12 10:16:04 sw-access-03 SECURITY: MAC 192.168.1.162 blocked due to security policy
<190>Mar 12 10:16:05 sw-core-02 VLAN: VLAN 192.168.41.141 removed from port 1/0/65
<190>Mar 12 10:16:06 sw-core-02 SNMP: Authentication failure from 192.168.17.219
<189>Mar 12 10:16:07 sw-access-02 PORT: port 1/0/192.168.4.78 changed state to up

<189>Mar 12 10:16:08 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.4.232 - client 17 - port 1/0/F5:B2:2D:2B:9F:1C
<191>Mar 12 10:16:09 sw-access-03 SNMP: Authentication failure from 192.168.47.158
<189>Mar 12 10:16:10 sw-access-01 SNMP: Authentication failure from 192.168.8.103
<189>Mar 12 10:16:11 sw-core-02 VLAN: VLAN 192.168.23.149 added to port 1/0/46
<191>Mar 12 10:16:12 sw-access-03 SECURITY: MAC 192.168.12.33 blocked due to security policy
<190>Mar 12 10:16:13 sw-core-02 SNMP: Authentication failure from 192.168.18.4
<190>Mar 12 10:16:14 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.50.33
<190>Mar 12 10:16:15 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.50.126 IP 47 on port 1/0/ED:19:81:62:7F:B4
<191>Mar 12 10:16:16 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.38.94 IP 19 on port 1/0/F6:FE:36:B0:01:C8
<191>Mar 12 10:16:17 sw-access-03 SNMP: Authentication failure from 192.168.26.113
<191>Mar 12 10:16:18 sw-access-03 BGP: Peer 192.168.31.115 Down - Hold Timer Expired
<191>Mar 12 10:16:19 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.45.22 IP 78 on port 1/0/D3:73:FF:8A:2C:7F
<189>Mar 12 10:16:20 sw-core-02 OSPF: Neighbor with Router ID 192.168.26.232 moved to FULL state on interface vlan67
<189>Mar 12 10:16:21 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.6.105 over UDP protocol
<191>Mar 12 10:16:22 sw-access-03 VLAN: VLAN 192.168.36.29 removed from port 1/0/30
<190>Mar 12 10:16:23 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.42.104
<189>Mar 12 10:16:24 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.19.244 over UDP protocol
<189>Mar 12 10:16:25 sw-access-02 SECURITY: MAC 192.168.1.171 blocked due to security policy
<189>Mar 12 10:16:26 sw-access-02 SECURITY: MAC 192.168.1.98 blocked due to security policy
<189>Mar 12 10:16:27 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.30.192 - client 58 - port 1/0/59:05:3B:B2:08:0B
<191>Mar 12 10:16:28 sw-access-01 SNMP: Authentication failure from 192.168.7.136
<190>Mar 12 10:16:29 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.1.107 IP 68 on port 1/0/7C:93:18:00:28:E9
<189>Mar 12 10:16:30 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.41.90
<190>Mar 12 10:16:31 sw-access-02 PORT: link status change on port 1/0/192.168.22.202
<190>Mar 12 10:16:32 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.12.100
<191>Mar 12 10:16:33 sw-access-02 OSPF: Neighbor with Router ID 192.168.19.68 changed state from FULL to DOWN

<189>Mar 12 10:16:34 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.15.233 - client 51 - port 1/0/D7:06:B7:8A:4D:9C
<190>Mar 12 10:16:35 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.0.182 IP 53 on port 1/0/A1:A6:99:FF:A0:9D
<189>Mar 12 10:16:36 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.19.124 IP 71 on port 1/0/E1:1A:8E:8A:0E:BE
<190>Mar 12 10:16:37 sw-core-02 OSPF: Neighbor with Router ID 192.168.16.24 moved to FULL state on interface vlan85
<190>Mar 12 10:16:38 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.19.224 IP 91 on port 1/0/82:8B:84:B7:01:4C
<189>Mar 12 10:16:39 sw-core-01 SNMP: Authentication failure from 192.168.4.108
<190>Mar 12 10:16:40 sw-access-03 BGP: Peer 192.168.12.234 Down - Hold Timer Expired
<190>Mar 12 10:16:41 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.33.90 - client 65 - port 1/0/11:36:71:4A:69:82
<190>Mar 12 10:16:42 sw-access-03 OSPF: Neighbor with Router ID 192.168.22.67 moved to FULL state on interface vlan57
<189>Mar 12 10:16:43 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.43.140 - client 74 - port 1/0/57:E1:25:CE:C9:B3
<189>Mar 12 10:16:44 sw-access-02 BGP: Peer 192.168.36.229 changed state from Established to Idle
<190>Mar 12 10:16:45 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.39.61 over UDP protocol
<191>Mar 12 10:16:46 sw-access-03 SNMP: Authentication failure from 192.168.20.229
<190>Mar 12 10:16:47 sw-access-02 SECURITY: possible port scan detected from IP 192.168.1.151
<190>Mar 12 10:16:48 sw-access-03 PORT: port 1/0/192.168.6.140 changed state to up
<189>Mar 12 10:16:49 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.27.72
<191>Mar 12 10:16:50 sw-access-03 VLAN: VLAN 192.168.19.213 removed from port 1/0/67
<189>Mar 12 10:16:51 sw-core-02 OSPF: Neighbor with Router ID 192.168.8.194 moved to FULL state on interface vlan60
<189>Mar 12 10:16:52 sw-access-03 OSPF: Neighbor with Router ID 192.168.39.14 moved to FULL state on interface vlan51
<190>Mar 12 10:16:53 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.13.33 IP 79 on port 1/0/3A:D5:03:66:FC:49
<190>Mar 12 10:16:54 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.34.211 - client 9 - port 1/0/F9:10:D7:82:0A:D4
<189>Mar 12 10:16:55 sw-access-01 SNMP: Authentication failure from 192.168.45.176
<190>Mar 12 10:16:56 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.11.134 - client 99 - port 1/0/84:2D:3B:85:ED:C9
<190>Mar 12 10:16:57 sw-access-01 VLAN: VLAN 192.168.38.148 added to port 1/0/77
<191>Mar 12 10:16:58 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.45.123 over UDP protocol
<190>Mar 12 10:16:59 sw-access-01 BGP: Peer 192.168.29.98 Down - Hold Timer Expired

<190>Mar 12 10:17:00 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.30.53
<191>Mar 12 10:17:01 sw-access-01 BGP: Peer 192.168.25.204 Down - Hold Timer Expired
<189>Mar 12 10:17:02 sw-core-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:17:03 sw-core-02 SNMP: Authentication failure from 192.168.16.75
<190>Mar 12 10:17:04 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.42.159 - client 6 - port 1/0/A5:72:30:ED:BF:DD
<190>Mar 12 10:17:05 sw-access-03 SECURITY: MAC 192.168.5.25 blocked due to security policy
<190>Mar 12 10:17:06 sw-access-01 OSPF: Neighbor with Router ID 192.168.21.119 moved to FULL state on interface vlan57
<191>Mar 12 10:17:07 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.19.246
<189>Mar 12 10:17:08 sw-access-01 SNMP: Authentication failure from 192.168.20.122
<190>Mar 12 10:17:09 sw-core-01 OSPF: Neighbor with Router ID 192.168.45.135 moved to FULL state on interface vlan93
<190>Mar 12 10:17:10 sw-access-01 SNMP: Authentication failure from 192.168.9.191
<189>Mar 12 10:17:11 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.7.236 - client 90 - port 1/0/25:F6:7F:4A:3E:91
<189>Mar 12 10:17:12 sw-access-01 SECURITY: possible port scan detected from IP 192.168.23.118
<191>Mar 12 10:17:13 sw-core-01 OSPF: Neighbor with Router ID 192.168.26.99 changed state from FULL to DOWN
<191>Mar 12 10:17:14 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.7.8 over UDP protocol
<191>Mar 12 10:17:15 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.43.196 over UDP protocol
<189>Mar 12 10:17:16 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.32.248
<191>Mar 12 10:17:17 sw-core-01 SNMP: Authentication failure from 192.168.6.206
<189>Mar 12 10:17:18 sw-access-03 PORT: port 1/0/192.168.1.4 changed state to up
<190>Mar 12 10:17:19 sw-core-02 SECURITY: MAC 192.168.36.119 blocked due to security policy
<191>Mar 12 10:17:20 sw-access-02 BGP: Peer 192.168.29.101 Down - Hold Timer Expired
<191>Mar 12 10:17:21 sw-access-03 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:17:22 sw-core-01 OSPF: Neighbor with Router ID 192.168.50.151 changed state from FULL to DOWN
<191>Mar 12 10:17:23 sw-access-01 PORT: port 1/0/192.168.37.94 changed state to up
<191>Mar 12 10:17:24 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.14.31 over UDP protocol
<190>Mar 12 10:17:25 sw-access-01 SNMP: Authentication failure from 192.168.27.175

<191>Mar 12 10:17:26 sw-access-02 SECURITY: MAC 192.168.39.14 blocked due to security policy
<189>Mar 12 10:17:27 sw-access-01 OSPF: Neighbor with Router ID 192.168.46.126 changed state from FULL to DOWN
<189>Mar 12 10:17:28 sw-access-02 PORT: port 1/0/192.168.0.27 changed state to down
<189>Mar 12 10:17:29 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.0.230 - client 59 - port 1/0/D4:52:AE:54:E6:00
<189>Mar 12 10:17:30 sw-access-03 VLAN: VLAN 192.168.45.4 removed from port 1/0/63
<191>Mar 12 10:17:31 sw-access-03 OSPF: Neighbor with Router ID 192.168.0.95 moved to FULL state on interface vlan90
<189>Mar 12 10:17:32 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.22.57 over UDP protocol
<190>Mar 12 10:17:33 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.27.172 - client 89 - port 1/0/61:3A:9E:EB:42:29
<190>Mar 12 10:17:34 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.36.96 - client 33 - port 1/0/EB:94:86:99:66:7C
<191>Mar 12 10:17:35 sw-access-01 PORT: link status change on port 1/0/192.168.33.227
<189>Mar 12 10:17:36 sw-core-01 OSPF: Neighbor with Router ID 192.168.48.187 changed state from FULL to DOWN
<191>Mar 12 10:17:37 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.41.115 over UDP protocol
<191>Mar 12 10:17:38 sw-core-02 PORT: port 1/0/192.168.33.243 changed state to up
<190>Mar 12 10:17:39 sw-core-01 SNMP: Authentication failure from 192.168.11.27
<191>Mar 12 10:17:40 sw-access-01 VLAN: VLAN 192.168.29.80 removed from port 1/0/78
<191>Mar 12 10:17:41 sw-access-03 OSPF: Neighbor with Router ID 192.168.45.185 changed state from FULL to DOWN
<190>Mar 12 10:17:42 sw-access-02 VLAN: VLAN 192.168.50.208 added to port 1/0/82
<191>Mar 12 10:17:43 sw-access-01 PORT: link status change on port 1/0/192.168.9.189
<189>Mar 12 10:17:44 sw-core-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:17:45 sw-access-01 VLAN: VLAN 192.168.46.111 removed from port 1/0/58
<191>Mar 12 10:17:46 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.21.182 IP 49 on port 1/0/B2:A0:63:27:0A:AA
<189>Mar 12 10:17:47 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.20.129
<191>Mar 12 10:17:48 sw-access-02 OSPF: Neighbor with Router ID 192.168.26.83 moved to FULL state on interface vlan7
<189>Mar 12 10:17:49 sw-access-03 SNMP: Authentication failure from 192.168.9.49
<189>Mar 12 10:17:50 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.31.54 over UDP protocol
<190>Mar 12 10:17:51 sw-access-02 BGP: Peer 192.168.39.39 changed state from Established to Idle
<189>Mar 12 10:17:52 sw-access-02 VLAN: VLAN 192.168.6.101 removed from port 1/0/19

<190>Mar 12 10:17:53 sw-access-01 BGP: Peer 192.168.27.108 changed state from Established to Idle
<191>Mar 12 10:17:54 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.20.31
<189>Mar 12 10:17:55 sw-core-01 BGP: Peer 192.168.18.24 moved to Established state
<190>Mar 12 10:17:56 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.6.25 IP 13 on port 1/0/57:7D:E3:1D:CE:DE
<191>Mar 12 10:17:57 sw-core-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:17:58 sw-access-03 BGP: Peer 192.168.41.29 moved to Established state
<190>Mar 12 10:17:59 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.42.19 over UDP protocol
<190>Mar 12 10:18:00 sw-access-03 BGP: Peer 192.168.40.50 Down - Hold Timer Expired
<189>Mar 12 10:18:01 sw-access-01 SECURITY: MAC 192.168.33.76 blocked due to security policy
<191>Mar 12 10:18:02 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.46.159 - client 18 - port 1/0/4C:4C:F3:93:19:FD
<189>Mar 12 10:18:03 sw-access-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:18:04 sw-core-02 SNMP: Authentication failure from 192.168.36.253
<189>Mar 12 10:18:05 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.36.212 over UDP protocol
<189>Mar 12 10:18:06 sw-access-01 BGP: Peer 192.168.1.123 changed state from Established to Idle
<191>Mar 12 10:18:07 sw-access-02 PORT: port 1/0/192.168.31.90 changed state to down
<190>Mar 12 10:18:08 sw-access-01 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:18:09 sw-access-01 VLAN: VLAN 192.168.50.16 added to port 1/0/9
<189>Mar 12 10:18:10 sw-core-01 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:18:11 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.48.227 over UDP protocol
<189>Mar 12 10:18:12 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.42.138 over UDP protocol
<190>Mar 12 10:18:13 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.45.15 IP 66 on port 1/0/F6:7C:F1:F9:F7:E6
<190>Mar 12 10:18:14 sw-access-03 PORT: link status change on port 1/0/192.168.40.112
<191>Mar 12 10:18:15 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.48.65
<189>Mar 12 10:18:16 sw-access-02 VLAN: VLAN 192.168.40.2 added to port 1/0/8
<191>Mar 12 10:18:17 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.43.143 over UDP protocol
<191>Mar 12 10:18:18 sw-access-02 Manager: Configuration saved to flash memory by user admin

<189>Mar 12 10:18:19 sw-access-02 SNMP: Authentication failure from 192.168.14.115
<190>Mar 12 10:18:20 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.33.48
<191>Mar 12 10:18:21 sw-core-01 OSPF: Neighbor with Router ID 192.168.32.232 changed state from FULL to DOWN
<191>Mar 12 10:18:22 sw-core-02 BGP: Peer 192.168.4.11 changed state from Established to Idle
<190>Mar 12 10:18:23 sw-access-01 SNMP: Authentication failure from 192.168.46.125
<189>Mar 12 10:18:24 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.44.204 - client 91 - port 1/0/65:48:08:C9:8E:68
<190>Mar 12 10:18:25 sw-access-01 SNMP: Authentication failure from 192.168.50.74
<190>Mar 12 10:18:26 sw-access-02 SECURITY: possible port scan detected from IP 192.168.12.15
<191>Mar 12 10:18:27 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.12.93 - client 20 - port 1/0/F4:7E:4C:CF:84:B0
<191>Mar 12 10:18:28 sw-access-03 VLAN: VLAN 192.168.33.144 added to port 1/0/90
<190>Mar 12 10:18:29 sw-core-02 VLAN: VLAN 192.168.3.114 added to port 1/0/76
<190>Mar 12 10:18:30 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.15.182 - client 63 - port 1/0/C7:94:FC:A4:8C:ED
<190>Mar 12 10:18:31 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.43.178 IP 37 on port 1/0/0D:5C:20:1B:82:8A
<191>Mar 12 10:18:32 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.14.219
<189>Mar 12 10:18:33 sw-access-02 VLAN: VLAN 192.168.23.119 added to port 1/0/97
<191>Mar 12 10:18:34 sw-access-01 OSPF: Neighbor with Router ID 192.168.44.226 changed state from FULL to DOWN
<191>Mar 12 10:18:35 sw-core-02 VLAN: VLAN 192.168.12.225 added to port 1/0/59
<189>Mar 12 10:18:36 sw-access-03 SECURITY: MAC 192.168.29.253 blocked due to security policy
<190>Mar 12 10:18:37 sw-access-01 OSPF: Neighbor with Router ID 192.168.10.175 changed state from FULL to DOWN
<189>Mar 12 10:18:38 sw-access-01 VLAN: VLAN 192.168.50.151 added to port 1/0/32
<191>Mar 12 10:18:39 sw-core-02 SNMP: Authentication failure from 192.168.16.43
<189>Mar 12 10:18:40 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.35.92
<191>Mar 12 10:18:41 sw-access-02 SNMP: Authentication failure from 192.168.44.96
<189>Mar 12 10:18:42 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.13.222 - client 79 - port 1/0/29:59:AE:9E:F6:21
<189>Mar 12 10:18:43 sw-access-02 SECURITY: possible port scan detected from IP 192.168.46.201
<191>Mar 12 10:18:44 sw-core-01 SECURITY: possible port scan detected from IP 192.168.3.20
<190>Mar 12 10:18:45 sw-core-01 SNMP: Authentication failure from 192.168.5.236
<190>Mar 12 10:18:46 sw-access-03 PORT: port 1/0/192.168.42.71 changed state to down

<191>Mar 12 10:18:47 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.14.121 over UDP protocol
<189>Mar 12 10:18:48 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.24.116 - client 2 - port 1/0/13:77:BE:D3:85:6F
<190>Mar 12 10:18:49 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.32.164 over UDP protocol
<190>Mar 12 10:18:50 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.30.168 - client 18 - port 1/0/D0:8E:ED:04:9D:69
<191>Mar 12 10:18:51 sw-core-01 SECURITY: possible port scan detected from IP 192.168.5.73
<189>Mar 12 10:18:52 sw-access-01 SECURITY: possible port scan detected from IP 192.168.36.4
<191>Mar 12 10:18:53 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.1.172 IP 85 on port 1/0/C7:6A:E8:7B:D3:1B
<189>Mar 12 10:18:54 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.47.144
<189>Mar 12 10:18:55 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.45.61 - client 8 - port 1/0/49:F4:CE:89:F7:1F
<190>Mar 12 10:18:56 sw-access-01 OSPF: Neighbor with Router ID 192.168.35.51 changed state from FULL to DOWN
<191>Mar 12 10:18:57 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.41.247 over UDP protocol
<189>Mar 12 10:18:58 sw-access-02 BGP: Peer 192.168.37.31 Down - Hold Timer Expired
<191>Mar 12 10:18:59 sw-access-01 SECURITY: MAC 192.168.1.28 blocked due to security policy
<189>Mar 12 10:19:00 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.1.20 over UDP protocol
<191>Mar 12 10:19:01 sw-access-02 OSPF: Neighbor with Router ID 192.168.11.28 changed state from FULL to DOWN
<191>Mar 12 10:19:02 sw-core-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:19:03 sw-access-03 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:19:04 sw-access-01 SECURITY: possible port scan detected from IP 192.168.48.239
<189>Mar 12 10:19:05 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.41.180
<189>Mar 12 10:19:06 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.43.184 IP 9 on port 1/0/95:AF:A1:4C:A8:D3
<189>Mar 12 10:19:07 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.26.183 IP 42 on port 1/0/09:68:D3:EC:63:BB
<190>Mar 12 10:19:08 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.35.67 over UDP protocol

<189>Mar 12 10:19:09 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.40.40 - client 82 - port 1/0/37:F0:C1:B5:E9:04
<190>Mar 12 10:19:10 sw-access-03 SNMP: Authentication failure from 192.168.4.228
<190>Mar 12 10:19:11 sw-access-01 PORT: link status change on port 1/0/192.168.16.21
<190>Mar 12 10:19:12 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.45.94 IP 49 on port 1/0/FC:ED:CB:08:3B:BD
<191>Mar 12 10:19:13 sw-access-01 OSPF: Neighbor with Router ID 192.168.17.101 moved to FULL state on interface vlan91
<189>Mar 12 10:19:14 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.23.47 over UDP protocol
<190>Mar 12 10:19:15 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.28.159
<190>Mar 12 10:19:16 sw-access-03 SNMP: Authentication failure from 192.168.28.10
<191>Mar 12 10:19:17 sw-access-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:19:18 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.48.239
<190>Mar 12 10:19:19 sw-access-01 SNMP: Authentication failure from 192.168.16.116
<191>Mar 12 10:19:20 sw-access-03 BGP: Peer 192.168.18.185 Down - Hold Timer Expired
<189>Mar 12 10:19:21 sw-core-01 BGP: Peer 192.168.14.131 moved to Established state
<190>Mar 12 10:19:22 sw-access-03 PORT: link status change on port 1/0/192.168.29.158
<190>Mar 12 10:19:23 sw-access-03 PORT: port 1/0/192.168.34.155 changed state to down
<189>Mar 12 10:19:24 sw-access-03 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:19:25 sw-access-03 VLAN: VLAN 192.168.27.216 added to port 1/0/20
<190>Mar 12 10:19:26 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.18.136 over UDP protocol
<189>Mar 12 10:19:27 sw-access-02 SNMP: Authentication failure from 192.168.8.139
<190>Mar 12 10:19:28 sw-access-01 PORT: port 1/0/192.168.36.6 changed state to up
<189>Mar 12 10:19:29 sw-access-02 BGP: Peer 192.168.38.177 changed state from Established to Idle
<191>Mar 12 10:19:30 sw-access-02 SECURITY: MAC 192.168.11.19 blocked due to security policy
<190>Mar 12 10:19:31 sw-core-01 VLAN: VLAN 192.168.32.183 added to port 1/0/28
<190>Mar 12 10:19:32 sw-core-02 SNMP: Authentication failure from 192.168.13.59
<191>Mar 12 10:19:33 sw-access-02 VLAN: VLAN 192.168.9.49 removed from port 1/0/3
<191>Mar 12 10:19:34 sw-access-01 BGP: Peer 192.168.10.35 moved to Established state
<191>Mar 12 10:19:35 sw-access-03 SNMP: Authentication failure from 192.168.38.86
<190>Mar 12 10:19:36 sw-access-03 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:19:37 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.36.208 - client 26 - port 1/0/CB:79:04:46:47:6A
<189>Mar 12 10:19:38 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.26.142

<190>Mar 12 10:19:39 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.42.74
<191>Mar 12 10:19:40 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.46.23
<189>Mar 12 10:19:41 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.35.56
<190>Mar 12 10:19:42 sw-access-02 VLAN: VLAN 192.168.17.72 added to port 1/0/43
<189>Mar 12 10:19:43 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.0.210 - client 12 - port 1/0/3C:8E:F0:A8:0E:1C
<189>Mar 12 10:19:44 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.4.23 IP 51 on port 1/0/61:7E:DA:5C:1B:EE
<190>Mar 12 10:19:45 sw-access-03 PORT: port 1/0/192.168.37.13 changed state to down
<189>Mar 12 10:19:46 sw-access-01 OSPF: Neighbor with Router ID 192.168.29.159 moved to FULL state on interface vlan100
<191>Mar 12 10:19:47 sw-access-01 OSPF: Neighbor with Router ID 192.168.41.75 moved to FULL state on interface vlan93
<189>Mar 12 10:19:48 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.11.204
<191>Mar 12 10:19:49 sw-core-01 OSPF: Neighbor with Router ID 192.168.45.202 moved to FULL state on interface vlan63
<191>Mar 12 10:19:50 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.30.130 over UDP protocol
<189>Mar 12 10:19:51 sw-access-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:19:52 sw-core-01 BGP: Peer 192.168.43.145 moved to Established state
<189>Mar 12 10:19:53 sw-access-03 PORT: link status change on port 1/0/192.168.0.205
<191>Mar 12 10:19:54 sw-access-03 BGP: Peer 192.168.16.251 Down - Hold Timer Expired
<191>Mar 12 10:19:55 sw-access-02 SECURITY: possible port scan detected from IP 192.168.1.51
<189>Mar 12 10:19:56 sw-access-03 SNMP: Authentication failure from 192.168.46.35
<191>Mar 12 10:19:57 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.15.254 over UDP protocol
<190>Mar 12 10:19:58 sw-access-02 VLAN: VLAN 192.168.13.171 added to port 1/0/69
<190>Mar 12 10:19:59 sw-core-02 PORT: port 1/0/192.168.1.60 changed state to down
<191>Mar 12 10:20:00 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.43.57 over UDP protocol
<191>Mar 12 10:20:01 sw-access-01 BGP: Peer 192.168.14.231 changed state from Established to Idle
<190>Mar 12 10:20:02 sw-access-03 VLAN: VLAN 192.168.6.244 removed from port 1/0/28
<190>Mar 12 10:20:03 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.15.80 - client 77 - port 1/0/74:F9:9A:FD:23:06
<190>Mar 12 10:20:04 sw-access-01 BGP: Peer 192.168.11.167 moved to Established state
<190>Mar 12 10:20:05 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.31.92 - client 36 - port 1/0/BA:BD:AA:89:E0:2B

<190>Mar 12 10:20:06 sw-access-01 PORT: link status change on port 1/0/192.168.16.220
<191>Mar 12 10:20:07 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.20.241
<189>Mar 12 10:20:08 sw-core-01 BGP: Peer 192.168.23.241 moved to Established state
<189>Mar 12 10:20:09 sw-core-02 OSPF: Neighbor with Router ID 192.168.19.113 changed state from FULL to DOWN
<189>Mar 12 10:20:10 sw-core-01 SNMP: Authentication failure from 192.168.20.33
<190>Mar 12 10:20:11 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.45.140 - client 16 - port 1/0/63:36:93:CD:19:1F
<190>Mar 12 10:20:12 sw-core-01 SECURITY: possible port scan detected from IP 192.168.35.242
<190>Mar 12 10:20:13 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.5.18 IP 28 on port 1/0/E0:61:3B:5A:B9:E7
<190>Mar 12 10:20:14 sw-access-02 SECURITY: MAC 192.168.39.12 blocked due to security policy
<191>Mar 12 10:20:15 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.21.116
<190>Mar 12 10:20:16 sw-access-02 VLAN: VLAN 192.168.33.168 added to port 1/0/45
<191>Mar 12 10:20:17 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.35.198 IP 83 on port 1/0/F0:6B:53:FB:25:5D
<189>Mar 12 10:20:18 sw-core-02 VLAN: VLAN 192.168.47.196 removed from port 1/0/73
<189>Mar 12 10:20:19 sw-core-02 OSPF: Neighbor with Router ID 192.168.17.55 moved to FULL state on interface vlan51
<189>Mar 12 10:20:20 sw-access-02 BGP: Peer 192.168.49.29 changed state from Established to Idle
<191>Mar 12 10:20:21 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.34.212 - client 24 - port 1/0/D4:93:79:4E:B6:84
<191>Mar 12 10:20:22 sw-access-03 OSPF: Neighbor with Router ID 192.168.16.48 changed state from FULL to DOWN
<189>Mar 12 10:20:23 sw-access-03 BGP: Peer 192.168.22.47 Down - Hold Timer Expired
<191>Mar 12 10:20:24 sw-core-02 SNMP: Authentication failure from 192.168.3.244
<189>Mar 12 10:20:25 sw-access-02 BGP: Peer 192.168.20.94 moved to Established state
<189>Mar 12 10:20:26 sw-access-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:20:27 sw-core-02 PORT: link status change on port 1/0/192.168.15.158
<189>Mar 12 10:20:28 sw-access-01 BGP: Peer 192.168.6.88 Down - Hold Timer Expired
<189>Mar 12 10:20:29 sw-access-03 SECURITY: MAC 192.168.29.176 blocked due to security policy
<191>Mar 12 10:20:30 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.29.136
<191>Mar 12 10:20:31 sw-core-02 VLAN: VLAN 192.168.27.183 removed from port 1/0/54
<190>Mar 12 10:20:32 sw-access-01 SNMP: Authentication failure from 192.168.37.177
<189>Mar 12 10:20:33 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.13.211 - client 94 - port 1/0/83:CA:28:F2:1E:59

<190>Mar 12 10:20:34 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.22.244 IP 24 on port 1/0/8C:55:F2:D7:5F:D9
<191>Mar 12 10:20:35 sw-core-01 BGP: Peer 192.168.46.126 Down - Hold Timer Expired
<191>Mar 12 10:20:36 sw-core-01 BGP: Peer 192.168.2.92 Down - Hold Timer Expired
<189>Mar 12 10:20:37 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.48.90
<191>Mar 12 10:20:38 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.8.232 over UDP protocol
<190>Mar 12 10:20:39 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.48.214 over UDP protocol
<191>Mar 12 10:20:40 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.22.22 - client 41 - port 1/0/C3:6B:58:91:FB:46
<189>Mar 12 10:20:41 sw-access-02 VLAN: VLAN 192.168.2.110 removed from port 1/0/76
<191>Mar 12 10:20:42 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.30.221 - client 96 - port 1/0/0F:D3:73:81:D6:86
<189>Mar 12 10:20:43 sw-access-02 PORT: port 1/0/192.168.29.148 changed state to down
<191>Mar 12 10:20:44 sw-core-02 PORT: port 1/0/192.168.3.38 changed state to down
<190>Mar 12 10:20:45 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.36.177 over UDP protocol
<190>Mar 12 10:20:46 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.49.178
<191>Mar 12 10:20:47 sw-access-01 BGP: Peer 192.168.23.75 changed state from Established to Idle
<189>Mar 12 10:20:48 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.12.9 - client 34 - port 1/0/3F:DB:EB:7B:62:61
<190>Mar 12 10:20:49 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.15.4 - client 73 - port 1/0/B5:A6:65:B7:40:C7
<189>Mar 12 10:20:50 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.28.15
<191>Mar 12 10:20:51 sw-core-02 SNMP: Authentication failure from 192.168.24.7
<189>Mar 12 10:20:52 sw-access-01 SNMP: Authentication failure from 192.168.34.137
<189>Mar 12 10:20:53 sw-core-01 BGP: Peer 192.168.19.163 moved to Established state
<189>Mar 12 10:20:54 sw-access-02 PORT: port 1/0/192.168.19.234 changed state to up
<190>Mar 12 10:20:55 sw-access-03 BGP: Peer 192.168.5.59 Down - Hold Timer Expired
<190>Mar 12 10:20:56 sw-core-02 BGP: Peer 192.168.25.205 moved to Established state
<191>Mar 12 10:20:57 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.15.37
<190>Mar 12 10:20:58 sw-access-02 SNMP: Authentication failure from 192.168.36.175
<189>Mar 12 10:20:59 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.9.135 - client 15 - port 1/0/BC:97:D9:B5:0A:8B
<190>Mar 12 10:21:00 sw-core-02 OSPF: Neighbor with Router ID 192.168.50.155 moved to FULL state on interface vlan98
<190>Mar 12 10:21:01 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.26.156 IP 6 on port 1/0/1C:70:A8:97:59:78

<191>Mar 12 10:21:02 sw-core-01 VLAN: VLAN 192.168.48.106 added to port 1/0/31
<189>Mar 12 10:21:03 sw-access-01 OSPF: Neighbor with Router ID 192.168.25.192 moved to FULL state on interface vlan80
<191>Mar 12 10:21:04 sw-access-03 SNMP: Authentication failure from 192.168.50.149
<190>Mar 12 10:21:05 sw-access-01 OSPF: Neighbor with Router ID 192.168.42.128 changed state from FULL to DOWN
<191>Mar 12 10:21:06 sw-core-01 OSPF: Neighbor with Router ID 192.168.28.34 moved to FULL state on interface vlan75
<189>Mar 12 10:21:07 sw-core-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:21:08 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.13.104
<190>Mar 12 10:21:09 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.17.106 IP 90 on port 1/0/79:D7:B5:1A:56:17
<191>Mar 12 10:21:10 sw-access-02 BGP: Peer 192.168.23.248 Down - Hold Timer Expired
<189>Mar 12 10:21:11 sw-access-03 SNMP: Authentication failure from 192.168.46.48
<190>Mar 12 10:21:12 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.40.161 - client 22 - port 1/0/A8:FC:C5:BB:55:87
<189>Mar 12 10:21:13 sw-core-02 PORT: port 1/0/192.168.9.145 changed state to down
<189>Mar 12 10:21:14 sw-core-02 OSPF: Neighbor with Router ID 192.168.32.132 changed state from FULL to DOWN
<189>Mar 12 10:21:15 sw-core-02 SNMP: Authentication failure from 192.168.48.241
<190>Mar 12 10:21:16 sw-access-02 SECURITY: possible port scan detected from IP 192.168.11.38
<189>Mar 12 10:21:17 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.7.17 IP 19 on port 1/0/3C:80:88:1B:C8:BC
<189>Mar 12 10:21:18 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.42.204 - client 64 - port 1/0/73:73:85:69:AE:20
<189>Mar 12 10:21:19 sw-core-01 SECURITY: MAC 192.168.4.3 blocked due to security policy
<191>Mar 12 10:21:20 sw-core-02 OSPF: Neighbor with Router ID 192.168.6.99 moved to FULL state on interface vlan47
<191>Mar 12 10:21:21 sw-access-02 BGP: Peer 192.168.4.233 changed state from Established to Idle
<189>Mar 12 10:21:22 sw-access-03 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:21:23 sw-access-01 SECURITY: possible port scan detected from IP 192.168.8.66
<189>Mar 12 10:21:24 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.1.171
<190>Mar 12 10:21:25 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.47.109
<189>Mar 12 10:21:26 sw-core-01 PORT: port 1/0/192.168.3.178 changed state to down
<191>Mar 12 10:21:27 sw-access-03 OSPF: Neighbor with Router ID 192.168.41.48 moved to FULL state on interface vlan99

<191>Mar 12 10:21:28 sw-access-03 PORT: port 1/0/192.168.23.165 changed state to down
<190>Mar 12 10:21:29 sw-access-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:21:30 sw-access-01 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:21:31 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.16.6 IP 25 on port 1/0/0E:DE:8C:E5:5C:28
<189>Mar 12 10:21:32 sw-access-03 OSPF: Neighbor with Router ID 192.168.40.6 moved to FULL state on interface vlan36
<191>Mar 12 10:21:33 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.29.138 IP 98 on port 1/0/80:02:EB:FE:E4:C2
<191>Mar 12 10:21:34 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.13.172 - client 28 - port 1/0/F4:4F:50:3C:25:C1
<189>Mar 12 10:21:35 sw-core-01 SECURITY: MAC 192.168.24.243 blocked due to security policy
<189>Mar 12 10:21:36 sw-core-01 OSPF: Neighbor with Router ID 192.168.24.126 moved to FULL state on interface vlan28
<189>Mar 12 10:21:37 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.25.181 - client 14 - port 1/0/4C:C6:86:AF:AA:51
<189>Mar 12 10:21:38 sw-core-01 PORT: port 1/0/192.168.3.59 changed state to up
<191>Mar 12 10:21:39 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.25.125 - client 67 - port 1/0/7D:D5:8C:25:1A:E1
<191>Mar 12 10:21:40 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.2.229 over UDP protocol
<191>Mar 12 10:21:41 sw-core-01 VLAN: VLAN 192.168.6.147 removed from port 1/0/58
<189>Mar 12 10:21:42 sw-core-02 BGP: Peer 192.168.27.200 Down - Hold Timer Expired
<189>Mar 12 10:21:43 sw-access-02 OSPF: Neighbor with Router ID 192.168.5.106 moved to FULL state on interface vlan16
<191>Mar 12 10:21:44 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.20.98
<191>Mar 12 10:21:45 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.19.74 - client 63 - port 1/0/C7:0B:EE:74:EA:7F
<190>Mar 12 10:21:46 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.16.33 over UDP protocol
<190>Mar 12 10:21:47 sw-access-03 PORT: port 1/0/192.168.12.60 changed state to up
<189>Mar 12 10:21:48 sw-access-02 OSPF: Neighbor with Router ID 192.168.8.83 moved to FULL state on interface vlan82
<189>Mar 12 10:21:49 sw-core-01 VLAN: VLAN 192.168.40.176 added to port 1/0/1
<191>Mar 12 10:21:50 sw-access-02 PORT: port 1/0/192.168.37.53 changed state to up
<189>Mar 12 10:21:51 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.4.192
<191>Mar 12 10:21:52 sw-core-02 BGP: Peer 192.168.16.187 changed state from Established to Idle

<191>Mar 12 10:21:53 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.28.140 over UDP protocol
<190>Mar 12 10:21:54 sw-access-02 SNMP: Authentication failure from 192.168.1.102
<189>Mar 12 10:21:55 sw-access-02 PORT: port 1/0/192.168.6.196 changed state to down
<190>Mar 12 10:21:56 sw-core-02 BGP: Peer 192.168.38.80 Down - Hold Timer Expired
<190>Mar 12 10:21:57 sw-access-03 SNMP: Authentication failure from 192.168.38.12
<191>Mar 12 10:21:58 sw-core-01 SECURITY: possible port scan detected from IP 192.168.50.240
<191>Mar 12 10:21:59 sw-access-01 PORT: link status change on port 1/0/192.168.3.138
<189>Mar 12 10:22:00 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.34.105
<189>Mar 12 10:22:01 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.29.182
<189>Mar 12 10:22:02 sw-access-02 PORT: port 1/0/192.168.0.239 changed state to down
<191>Mar 12 10:22:03 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.18.151 IP 76 on port 1/0/5A:57:C0:9E:41:56
<189>Mar 12 10:22:04 sw-access-03 PORT: link status change on port 1/0/192.168.8.17
<190>Mar 12 10:22:05 sw-core-01 SNMP: Authentication failure from 192.168.38.138
<191>Mar 12 10:22:06 sw-access-03 BGP: Peer 192.168.17.182 moved to Established state
<189>Mar 12 10:22:07 sw-core-02 OSPF: Neighbor with Router ID 192.168.2.14 moved to FULL state on interface vlan80
<189>Mar 12 10:22:08 sw-access-01 SNMP: Authentication failure from 192.168.14.127
<189>Mar 12 10:22:09 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.48.86 - client 52 - port 1/0/E4:50:F6:08:FA:E6
<190>Mar 12 10:22:10 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.16.154 - client 42 - port 1/0/27:40:D9:14:16:00
<191>Mar 12 10:22:11 sw-access-01 VLAN: VLAN 192.168.22.7 removed from port 1/0/62
<191>Mar 12 10:22:12 sw-core-01 OSPF: Neighbor with Router ID 192.168.38.52 moved to FULL state on interface vlan9
<189>Mar 12 10:22:13 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.33.178 over UDP protocol
<191>Mar 12 10:22:14 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.50.177 over UDP protocol
<191>Mar 12 10:22:15 sw-access-01 SNMP: Authentication failure from 192.168.25.197
<189>Mar 12 10:22:16 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.13.250
<190>Mar 12 10:22:17 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.1.24
<191>Mar 12 10:22:18 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.20.199 over UDP protocol
<190>Mar 12 10:22:19 sw-access-01 OSPF: Neighbor with Router ID 192.168.7.39 changed state from FULL to DOWN
<189>Mar 12 10:22:20 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.37.2 over UDP protocol

<191>Mar 12 10:22:21 sw-core-01 VLAN: VLAN 192.168.15.41 added to port 1/0/66
<191>Mar 12 10:22:22 sw-access-01 SNMP: Authentication failure from 192.168.31.37
<190>Mar 12 10:22:23 sw-access-03 SNMP: Authentication failure from 192.168.26.9
<189>Mar 12 10:22:24 sw-access-03 BGP: Peer 192.168.25.53 changed state from Established to Idle
<189>Mar 12 10:22:25 sw-core-02 BGP: Peer 192.168.14.30 moved to Established state
<189>Mar 12 10:22:26 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.41.67 over UDP protocol
<191>Mar 12 10:22:27 sw-core-01 PORT: port 1/0/192.168.46.231 changed state to up
<189>Mar 12 10:22:28 sw-access-02 SNMP: Authentication failure from 192.168.27.208
<191>Mar 12 10:22:29 sw-core-02 OSPF: Neighbor with Router ID 192.168.26.200 changed state from FULL to DOWN
<190>Mar 12 10:22:30 sw-core-01 SNMP: Authentication failure from 192.168.40.80
<191>Mar 12 10:22:31 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.4.162
<189>Mar 12 10:22:32 sw-core-02 OSPF: Neighbor with Router ID 192.168.28.238 changed state from FULL to DOWN
<191>Mar 12 10:22:33 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.19.180 over UDP protocol
<191>Mar 12 10:22:34 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.27.104 over UDP protocol
<189>Mar 12 10:22:35 sw-core-02 SNMP: Authentication failure from 192.168.18.54
<190>Mar 12 10:22:36 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.34.224 IP 79 on port 1/0/28:23:24:63:5E:56
<191>Mar 12 10:22:37 sw-core-02 SECURITY: MAC 192.168.25.131 blocked due to security policy
<189>Mar 12 10:22:38 sw-core-02 SECURITY: possible port scan detected from IP 192.168.6.199
<189>Mar 12 10:22:39 sw-core-01 PORT: port 1/0/192.168.2.169 changed state to up
<191>Mar 12 10:22:40 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.3.42
<191>Mar 12 10:22:41 sw-access-03 BGP: Peer 192.168.46.208 changed state from Established to Idle
<190>Mar 12 10:22:42 sw-access-01 BGP: Peer 192.168.14.190 Down - Hold Timer Expired
<191>Mar 12 10:22:43 sw-core-02 VLAN: VLAN 192.168.4.61 added to port 1/0/60
<189>Mar 12 10:22:44 sw-access-01 OSPF: Neighbor with Router ID 192.168.50.153 moved to FULL state on interface vlan65
<190>Mar 12 10:22:45 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.9.7 - client 79 - port 1/0/B5:0C:18:AF:9D:40
<190>Mar 12 10:22:46 sw-access-03 BGP: Peer 192.168.28.168 moved to Established state
<191>Mar 12 10:22:47 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.34.203 over UDP protocol
<191>Mar 12 10:22:48 sw-core-02 SECURITY: possible port scan detected from IP 192.168.16.220

<189>Mar 12 10:22:49 sw-access-01 BGP: Peer 192.168.46.187 Down - Hold Timer Expired
<191>Mar 12 10:22:50 sw-access-01 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:22:51 sw-access-02 PORT: link status change on port 1/0/192.168.20.129
<191>Mar 12 10:22:52 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.20.94
<191>Mar 12 10:22:53 sw-access-01 OSPF: Neighbor with Router ID 192.168.19.243 changed state from FULL to DOWN
<189>Mar 12 10:22:54 sw-access-03 PORT: port 1/0/192.168.19.98 changed state to down
<191>Mar 12 10:22:55 sw-access-01 SNMP: Authentication failure from 192.168.26.207
<189>Mar 12 10:22:56 sw-core-01 SECURITY: MAC 192.168.35.48 blocked due to security policy
<190>Mar 12 10:22:57 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.22.253
<189>Mar 12 10:22:58 sw-access-03 SECURITY: MAC 192.168.7.206 blocked due to security policy
<191>Mar 12 10:22:59 sw-core-01 SNMP: Authentication failure from 192.168.17.216
<191>Mar 12 10:23:00 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.1.59 - client 94 - port 1/0/ED:DE:97:F6:55:70
<190>Mar 12 10:23:01 sw-access-02 BGP: Peer 192.168.6.118 changed state from Established to Idle
<189>Mar 12 10:23:02 sw-access-03 SECURITY: possible port scan detected from IP 192.168.16.74
<190>Mar 12 10:23:03 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.32.136 - client 73 - port 1/0/80:C1:42:00:1A:53
<191>Mar 12 10:23:04 sw-core-01 BGP: Peer 192.168.43.37 Down - Hold Timer Expired
<189>Mar 12 10:23:05 sw-access-02 PORT: port 1/0/192.168.27.194 changed state to up
<191>Mar 12 10:23:06 sw-access-01 BGP: Peer 192.168.2.152 Down - Hold Timer Expired
<190>Mar 12 10:23:07 sw-access-01 VLAN: VLAN 192.168.31.101 added to port 1/0/12
<189>Mar 12 10:23:08 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.2.121 over UDP protocol
<189>Mar 12 10:23:09 sw-core-02 SNMP: Authentication failure from 192.168.6.209
<191>Mar 12 10:23:10 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.16.118
<191>Mar 12 10:23:11 sw-access-01 SNMP: Authentication failure from 192.168.34.144
<189>Mar 12 10:23:12 sw-access-02 OSPF: Neighbor with Router ID 192.168.38.84 moved to FULL state on interface vlan38
<190>Mar 12 10:23:13 sw-core-01 BGP: Peer 192.168.3.92 moved to Established state
<190>Mar 12 10:23:14 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.47.210 IP 30 on port 1/0/7B:C2:00:6F:6A:09
<190>Mar 12 10:23:15 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.50.56 IP 25 on port 1/0/F6:BE:D2:9F:80:90
<189>Mar 12 10:23:16 sw-core-01 SECURITY: possible port scan detected from IP 192.168.31.160

<191>Mar 12 10:23:17 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.34.99
<191>Mar 12 10:23:18 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.28.32 over UDP protocol
<189>Mar 12 10:23:19 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.11.195 over UDP protocol
<191>Mar 12 10:23:20 sw-access-01 VLAN: VLAN 192.168.6.197 added to port 1/0/27
<190>Mar 12 10:23:21 sw-access-02 VLAN: VLAN 192.168.36.77 added to port 1/0/80
<190>Mar 12 10:23:22 sw-core-01 VLAN: VLAN 192.168.0.137 added to port 1/0/39
<189>Mar 12 10:23:23 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.16.204 - client 98 - port 1/0/BE:0B:13:5F:75:11
<189>Mar 12 10:23:24 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.21.112 IP 73 on port 1/0/D3:14:68:14:9B:44
<191>Mar 12 10:23:25 sw-core-01 OSPF: Neighbor with Router ID 192.168.35.216 changed state from FULL to DOWN
<190>Mar 12 10:23:26 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.10.205 over UDP protocol
<190>Mar 12 10:23:27 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.39.210
<191>Mar 12 10:23:28 sw-access-03 PORT: port 1/0/192.168.4.83 changed state to down
<189>Mar 12 10:23:29 sw-access-02 SECURITY: possible port scan detected from IP 192.168.4.152
<191>Mar 12 10:23:30 sw-core-01 SNMP: Authentication failure from 192.168.28.252
<189>Mar 12 10:23:31 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.4.24
<189>Mar 12 10:23:32 sw-core-02 OSPF: Neighbor with Router ID 192.168.28.203 moved to FULL state on interface vlan22
<189>Mar 12 10:23:33 sw-core-02 SNMP: Authentication failure from 192.168.15.48
<191>Mar 12 10:23:34 sw-core-02 OSPF: Neighbor with Router ID 192.168.31.105 moved to FULL state on interface vlan35
<191>Mar 12 10:23:35 sw-core-02 SECURITY: MAC 192.168.29.34 blocked due to security policy
<189>Mar 12 10:23:36 sw-access-02 OSPF: Neighbor with Router ID 192.168.26.253 changed state from FULL to DOWN
<191>Mar 12 10:23:37 sw-access-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:23:38 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.39.134 over UDP protocol
<190>Mar 12 10:23:39 sw-access-03 PORT: port 1/0/192.168.50.156 changed state to down
<191>Mar 12 10:23:40 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.39.240 IP 75 on port 1/0/78:42:46:6E:DE:13
<191>Mar 12 10:23:41 sw-access-02 PORT: link status change on port 1/0/192.168.17.172
<191>Mar 12 10:23:42 sw-access-01 Manager: Configuration saved to flash memory by user admin

<189>Mar 12 10:23:43 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.41.81 IP 54 on port 1/0/D7:23:A8:F9:C2:95
<191>Mar 12 10:23:44 sw-access-02 SNMP: Authentication failure from 192.168.45.194
<191>Mar 12 10:23:45 sw-access-02 OSPF: Neighbor with Router ID 192.168.40.66 moved to FULL state on interface vlan80
<190>Mar 12 10:23:46 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.34.209 - client 77 - port 1/0/53:FE:73:CC:F3:30
<190>Mar 12 10:23:47 sw-access-01 PORT: port 1/0/192.168.2.186 changed state to up
<189>Mar 12 10:23:48 sw-core-01 BGP: Peer 192.168.28.22 changed state from Established to Idle
<190>Mar 12 10:23:49 sw-access-02 PORT: port 1/0/192.168.40.143 changed state to down
<191>Mar 12 10:23:50 sw-access-01 VLAN: VLAN 192.168.25.26 removed from port 1/0/57
<189>Mar 12 10:23:51 sw-core-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:23:52 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.10.37 - client 91 - port 1/0/59:3D:8E:8F:85:08
<191>Mar 12 10:23:53 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.5.48 - client 71 - port 1/0/3A:9B:56:17:57:DD
<191>Mar 12 10:23:54 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.26.57 IP 24 on port 1/0/F9:95:A1:05:90:99
<190>Mar 12 10:23:55 sw-access-02 SNMP: Authentication failure from 192.168.32.231
<190>Mar 12 10:23:56 sw-core-01 SECURITY: MAC 192.168.17.169 blocked due to security policy
<191>Mar 12 10:23:57 sw-core-02 BGP: Peer 192.168.36.83 Down - Hold Timer Expired
<190>Mar 12 10:23:58 sw-core-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:23:59 sw-access-01 VLAN: VLAN 192.168.32.227 added to port 1/0/57
<189>Mar 12 10:24:00 sw-access-01 BGP: Peer 192.168.17.195 changed state from Established to Idle
<191>Mar 12 10:24:01 sw-access-01 PORT: port 1/0/192.168.46.135 changed state to up
<191>Mar 12 10:24:02 sw-core-02 OSPF: Neighbor with Router ID 192.168.39.114 changed state from FULL to DOWN
<191>Mar 12 10:24:03 sw-access-03 BGP: Peer 192.168.9.64 changed state from Established to Idle
<190>Mar 12 10:24:04 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.16.194 over UDP protocol
<191>Mar 12 10:24:05 sw-access-02 BGP: Peer 192.168.9.211 moved to Established state
<190>Mar 12 10:24:06 sw-access-01 PORT: port 1/0/192.168.25.175 changed state to down
<189>Mar 12 10:24:07 sw-access-03 VLAN: VLAN 192.168.43.82 removed from port 1/0/29
<190>Mar 12 10:24:08 sw-access-01 SECURITY: possible port scan detected from IP 192.168.4.175
<191>Mar 12 10:24:09 sw-access-02 VLAN: VLAN 192.168.3.242 removed from port 1/0/87
<189>Mar 12 10:24:10 sw-core-01 SNMP: Authentication failure from 192.168.17.223
<190>Mar 12 10:24:11 sw-access-02 SNMP: Authentication failure from 192.168.27.202

<190>Mar 12 10:24:12 sw-access-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:24:13 sw-core-01 VLAN: VLAN 192.168.12.139 removed from port 1/0/75
<190>Mar 12 10:24:14 sw-access-01 SNMP: Authentication failure from 192.168.2.55
<190>Mar 12 10:24:15 sw-access-02 VLAN: VLAN 192.168.45.116 added to port 1/0/89
<190>Mar 12 10:24:16 sw-core-02 SECURITY: possible port scan detected from IP 192.168.31.172
<191>Mar 12 10:24:17 sw-access-03 SECURITY: MAC 192.168.22.88 blocked due to security policy
<191>Mar 12 10:24:18 sw-core-02 PORT: port 1/0/192.168.37.37 changed state to down
<189>Mar 12 10:24:19 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.9.155 over UDP protocol
<189>Mar 12 10:24:20 sw-access-01 VLAN: VLAN 192.168.44.90 removed from port 1/0/84
<191>Mar 12 10:24:21 sw-core-01 BGP: Peer 192.168.40.238 moved to Established state
<189>Mar 12 10:24:22 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.45.118
<191>Mar 12 10:24:23 sw-core-02 BGP: Peer 192.168.23.6 moved to Established state
<189>Mar 12 10:24:24 sw-core-02 OSPF: Neighbor with Router ID 192.168.13.223 changed state from FULL to DOWN
<191>Mar 12 10:24:25 sw-core-01 SNMP: Authentication failure from 192.168.18.36
<190>Mar 12 10:24:26 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.28.165 IP 19 on port 1/0/EF:73:5A:56:39:32
<191>Mar 12 10:24:27 sw-access-01 BGP: Peer 192.168.48.185 Down - Hold Timer Expired
<191>Mar 12 10:24:28 sw-core-02 PORT: port 1/0/192.168.17.211 changed state to down
<189>Mar 12 10:24:29 sw-core-01 SNMP: Authentication failure from 192.168.43.129
<191>Mar 12 10:24:30 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.35.8 - client 27 - port 1/0/4F:1B:7B:C3:5D:00
<190>Mar 12 10:24:31 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.35.82 - client 50 - port 1/0/12:06:CB:05:EF:28
<191>Mar 12 10:24:32 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.27.38 over UDP protocol
<190>Mar 12 10:24:33 sw-access-01 BGP: Peer 192.168.17.58 moved to Established state
<189>Mar 12 10:24:34 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.3.90 over UDP protocol
<190>Mar 12 10:24:35 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.50.81
<191>Mar 12 10:24:36 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.45.81
<191>Mar 12 10:24:37 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.17.107 over UDP protocol
<189>Mar 12 10:24:38 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.50.180 IP 95 on port 1/0/56:A6:1F:A6:34:06
<190>Mar 12 10:24:39 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.23.144 - client 7 - port 1/0/D7:07:0D:27:E8:0F

<190>Mar 12 10:24:40 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.37.66 over UDP protocol
<191>Mar 12 10:24:41 sw-core-01 SECURITY: MAC 192.168.25.202 blocked due to security policy
<190>Mar 12 10:24:42 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.35.168
<190>Mar 12 10:24:43 sw-core-02 SECURITY: possible port scan detected from IP 192.168.8.85
<189>Mar 12 10:24:44 sw-core-02 VLAN: VLAN 192.168.30.80 removed from port 1/0/63
<191>Mar 12 10:24:45 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.3.245
<191>Mar 12 10:24:46 sw-core-01 VLAN: VLAN 192.168.21.18 added to port 1/0/59
<189>Mar 12 10:24:47 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.32.50
<191>Mar 12 10:24:48 sw-core-02 SNMP: Authentication failure from 192.168.16.71
<189>Mar 12 10:24:49 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.47.15
<190>Mar 12 10:24:50 sw-access-01 BGP: Peer 192.168.50.150 Down - Hold Timer Expired
<189>Mar 12 10:24:51 sw-access-01 OSPF: Neighbor with Router ID 192.168.43.1 moved to FULL state on interface vlan4
<191>Mar 12 10:24:52 sw-access-01 BGP: Peer 192.168.23.229 Down - Hold Timer Expired
<191>Mar 12 10:24:53 sw-access-03 BGP: Peer 192.168.10.232 moved to Established state
<190>Mar 12 10:24:54 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.21.58
<189>Mar 12 10:24:55 sw-core-02 PORT: link status change on port 1/0/192.168.9.81
<189>Mar 12 10:24:56 sw-core-02 BGP: Peer 192.168.27.97 moved to Established state
<190>Mar 12 10:24:57 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.22.112
<191>Mar 12 10:24:58 sw-access-01 VLAN: VLAN 192.168.11.169 removed from port 1/0/5
<189>Mar 12 10:24:59 sw-core-02 PORT: port 1/0/192.168.7.211 changed state to down
<191>Mar 12 10:25:00 sw-access-03 PORT: link status change on port 1/0/192.168.2.98
<191>Mar 12 10:25:01 sw-access-02 OSPF: Neighbor with Router ID 192.168.23.163 changed state from FULL to DOWN
<191>Mar 12 10:25:02 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.42.180 IP 88 on port 1/0/1A:EF:7B:9F:5B:1B
<191>Mar 12 10:25:03 sw-access-03 OSPF: Neighbor with Router ID 192.168.46.196 moved to FULL state on interface vlan33
<191>Mar 12 10:25:04 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.34.27 IP 82 on port 1/0/B1:03:E0:EE:8C:BF
<190>Mar 12 10:25:05 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.1.232 - client 42 - port 1/0/E5:A5:1B:E2:42:0C
<191>Mar 12 10:25:06 sw-access-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:25:07 sw-core-01 VLAN: VLAN 192.168.19.25 added to port 1/0/23

<189>Mar 12 10:25:08 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.44.104
<191>Mar 12 10:25:09 sw-access-03 PORT: port 1/0/192.168.12.177 changed state to up
<189>Mar 12 10:25:10 sw-core-02 SECURITY: MAC 192.168.39.190 blocked due to security policy
<191>Mar 12 10:25:11 sw-access-02 OSPF: Neighbor with Router ID 192.168.47.147 changed state from FULL to DOWN
<190>Mar 12 10:25:12 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.50.32 over UDP protocol
<191>Mar 12 10:25:13 sw-core-01 PORT: port 1/0/192.168.17.251 changed state to down
<190>Mar 12 10:25:14 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.47.253 - client 51 - port 1/0/C9:C3:D2:D5:B3:B1
<191>Mar 12 10:25:15 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.47.178 over UDP protocol
<191>Mar 12 10:25:16 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.14.8
<191>Mar 12 10:25:17 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.23.187 - client 55 - port 1/0/A6:D3:4F:35:22:2F
<189>Mar 12 10:25:18 sw-core-02 SNMP: Authentication failure from 192.168.17.74
<191>Mar 12 10:25:19 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.21.112 - client 70 - port 1/0/CC:D6:6C:40:86:FC
<190>Mar 12 10:25:20 sw-access-02 PORT: link status change on port 1/0/192.168.23.204
<189>Mar 12 10:25:21 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.10.72 IP 94 on port 1/0/B0:F7:98:5F:B9:34
<191>Mar 12 10:25:22 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.15.197 - client 30 - port 1/0/B0:2C:91:34:46:A7
<191>Mar 12 10:25:23 sw-core-01 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:25:24 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.26.46 - client 72 - port 1/0/25:20:1B:06:BE:1F
<190>Mar 12 10:25:25 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.1.106 - client 42 - port 1/0/CE:63:56:ED:37:DE
<190>Mar 12 10:25:26 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.13.84 - client 33 - port 1/0/96:60:57:6D:BC:E5
<189>Mar 12 10:25:27 sw-access-03 SNMP: Authentication failure from 192.168.19.113
<190>Mar 12 10:25:28 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.50.219 over UDP protocol
<189>Mar 12 10:25:29 sw-core-02 PORT: port 1/0/192.168.45.195 changed state to down
<189>Mar 12 10:25:30 sw-access-03 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:25:31 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.7.16
<191>Mar 12 10:25:32 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.7.77 - client 11 - port 1/0/EF:6E:18:1A:DB:37

<191>Mar 12 10:25:33 sw-core-02 OSPF: Neighbor with Router ID 192.168.37.160 changed state from FULL to DOWN
<189>Mar 12 10:25:34 sw-access-02 SECURITY: possible port scan detected from IP 192.168.10.52
<191>Mar 12 10:25:35 sw-access-03 PORT: link status change on port 1/0/192.168.13.156
<190>Mar 12 10:25:36 sw-core-02 SECURITY: possible port scan detected from IP 192.168.34.213
<189>Mar 12 10:25:37 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.41.224 - client 13 - port 1/0/D2:71:22:13:B3:50
<189>Mar 12 10:25:38 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.41.244
<189>Mar 12 10:25:39 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.4.174 IP 98 on port 1/0/AE:CA:2A:28:38:20
<189>Mar 12 10:25:40 sw-core-02 SNMP: Authentication failure from 192.168.44.247
<189>Mar 12 10:25:41 sw-access-02 SECURITY: possible port scan detected from IP 192.168.46.6
<189>Mar 12 10:25:42 sw-access-03 OSPF: Neighbor with Router ID 192.168.50.102 changed state from FULL to DOWN
<190>Mar 12 10:25:43 sw-access-01 BGP: Peer 192.168.49.126 changed state from Established to Idle
<190>Mar 12 10:25:44 sw-core-01 SECURITY: MAC 192.168.43.212 blocked due to security policy
<189>Mar 12 10:25:45 sw-access-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:25:46 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.32.21 - client 37 - port 1/0/4D:06:06:93:C9:70
<189>Mar 12 10:25:47 sw-access-01 SECURITY: MAC 192.168.11.126 blocked due to security policy
<191>Mar 12 10:25:48 sw-access-03 SECURITY: MAC 192.168.11.230 blocked due to security policy
<191>Mar 12 10:25:49 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.42.120 IP 5 on port 1/0/7F:0E:25:33:1C:4D
<191>Mar 12 10:25:50 sw-access-03 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:25:51 sw-access-01 SNMP: Authentication failure from 192.168.46.121
<190>Mar 12 10:25:52 sw-access-03 OSPF: Neighbor with Router ID 192.168.44.216 changed state from FULL to DOWN
<190>Mar 12 10:25:53 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.32.171 over UDP protocol
<190>Mar 12 10:25:54 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.49.188 over UDP protocol
<190>Mar 12 10:25:55 sw-access-01 VLAN: VLAN 192.168.21.234 added to port 1/0/7
<190>Mar 12 10:25:56 sw-access-02 SNMP: Authentication failure from 192.168.16.105

<189>Mar 12 10:25:57 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.46.77
<190>Mar 12 10:25:58 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.15.219
<190>Mar 12 10:25:59 sw-core-01 OSPF: Neighbor with Router ID 192.168.7.249 moved to FULL state on interface vlan35
<191>Mar 12 10:26:00 sw-core-01 PORT: port 1/0/192.168.1.129 changed state to up
<190>Mar 12 10:26:01 sw-core-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:26:02 sw-access-03 SNMP: Authentication failure from 192.168.42.95
<189>Mar 12 10:26:03 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.23.42 - client 92 - port 1/0/77:B9:96:C3:44:60
<189>Mar 12 10:26:04 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.43.50
<190>Mar 12 10:26:05 sw-access-01 PORT: port 1/0/192.168.16.14 changed state to down
<189>Mar 12 10:26:06 sw-core-02 OSPF: Neighbor with Router ID 192.168.36.38 moved to FULL state on interface vlan85
<189>Mar 12 10:26:07 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.24.69 - client 90 - port 1/0/86:5C:4E:BF:9D:1B
<189>Mar 12 10:26:08 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.4.82 over UDP protocol
<191>Mar 12 10:26:09 sw-access-03 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:26:10 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.47.20 - client 86 - port 1/0/04:B3:8A:D5:5D:C6
<189>Mar 12 10:26:11 sw-core-02 PORT: port 1/0/192.168.10.121 changed state to down
<190>Mar 12 10:26:12 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.28.230
<189>Mar 12 10:26:13 sw-core-02 VLAN: VLAN 192.168.50.11 added to port 1/0/35
<191>Mar 12 10:26:14 sw-access-03 SNMP: Authentication failure from 192.168.37.224
<189>Mar 12 10:26:15 sw-core-01 BGP: Peer 192.168.5.192 Down - Hold Timer Expired
<191>Mar 12 10:26:16 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.47.158 IP 30 on port 1/0/4A:04:9D:95:22:AC
<190>Mar 12 10:26:17 sw-core-02 SECURITY: MAC 192.168.35.242 blocked due to security policy
<190>Mar 12 10:26:18 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.31.142
<190>Mar 12 10:26:19 sw-core-02 SECURITY: possible port scan detected from IP 192.168.47.94
<189>Mar 12 10:26:20 sw-access-01 OSPF: Neighbor with Router ID 192.168.20.48 changed state from FULL to DOWN
<191>Mar 12 10:26:21 sw-access-01 PORT: link status change on port 1/0/192.168.12.27
<190>Mar 12 10:26:22 sw-access-02 SNMP: Authentication failure from 192.168.29.253

<191>Mar 12 10:26:23 sw-access-02 OSPF: Neighbor with Router ID 192.168.12.194 moved to FULL state on interface vlan69
<191>Mar 12 10:26:24 sw-access-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:26:25 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.22.133
<190>Mar 12 10:26:26 sw-access-02 SNMP: Authentication failure from 192.168.1.35
<191>Mar 12 10:26:27 sw-access-01 VLAN: VLAN 192.168.24.214 added to port 1/0/72
<190>Mar 12 10:26:28 sw-core-01 SNMP: Authentication failure from 192.168.39.185
<189>Mar 12 10:26:29 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.23.80 over UDP protocol
<189>Mar 12 10:26:30 sw-access-01 BGP: Peer 192.168.27.225 changed state from Established to Idle
<191>Mar 12 10:26:31 sw-access-03 SECURITY: possible port scan detected from IP 192.168.33.124
<190>Mar 12 10:26:32 sw-access-02 VLAN: VLAN 192.168.6.141 removed from port 1/0/39
<190>Mar 12 10:26:33 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.0.114 over UDP protocol
<190>Mar 12 10:26:34 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.41.182
<189>Mar 12 10:26:35 sw-core-01 OSPF: Neighbor with Router ID 192.168.11.141 changed state from FULL to DOWN
<189>Mar 12 10:26:36 sw-core-01 SECURITY: MAC 192.168.44.149 blocked due to security policy
<189>Mar 12 10:26:37 sw-core-01 PORT: link status change on port 1/0/192.168.38.5
<189>Mar 12 10:26:38 sw-core-01 BGP: Peer 192.168.50.166 changed state from Established to Idle
<191>Mar 12 10:26:39 sw-access-01 VLAN: VLAN 192.168.43.21 removed from port 1/0/6
<191>Mar 12 10:26:40 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.17.194
<189>Mar 12 10:26:41 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.9.132
<190>Mar 12 10:26:42 sw-access-02 VLAN: VLAN 192.168.36.134 removed from port 1/0/37
<191>Mar 12 10:26:43 sw-access-01 SECURITY: MAC 192.168.27.102 blocked due to security policy
<189>Mar 12 10:26:44 sw-access-01 SNMP: Authentication failure from 192.168.22.40
<190>Mar 12 10:26:45 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.49.104 - client 15 - port 1/0/A9:9A:A6:76:DC:DE
<189>Mar 12 10:26:46 sw-access-03 SNMP: Authentication failure from 192.168.47.42
<189>Mar 12 10:26:47 sw-access-02 OSPF: Neighbor with Router ID 192.168.48.253 changed state from FULL to DOWN
<191>Mar 12 10:26:48 sw-core-01 VLAN: VLAN 192.168.30.176 added to port 1/0/99
<191>Mar 12 10:26:49 sw-access-01 OSPF: Neighbor with Router ID 192.168.15.123 changed state from FULL to DOWN

<189>Mar 12 10:26:50 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.1.210 - client 11 - port 1/0/3A:01:B2:71:AD:29
<190>Mar 12 10:26:51 sw-access-01 BGP: Peer 192.168.10.77 Down - Hold Timer Expired
<190>Mar 12 10:26:52 sw-core-02 VLAN: VLAN 192.168.36.203 added to port 1/0/7
<190>Mar 12 10:26:53 sw-access-01 PORT: port 1/0/192.168.21.251 changed state to down
<191>Mar 12 10:26:54 sw-core-02 SECURITY: possible port scan detected from IP 192.168.26.112
<190>Mar 12 10:26:55 sw-core-02 PORT: port 1/0/192.168.36.223 changed state to up
<191>Mar 12 10:26:56 sw-access-01 SNMP: Authentication failure from 192.168.22.27
<191>Mar 12 10:26:57 sw-core-02 VLAN: VLAN 192.168.32.31 removed from port 1/0/11
<191>Mar 12 10:26:58 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.21.143 - client 74 - port 1/0/20:13:57:9B:39:06
<190>Mar 12 10:26:59 sw-access-02 BGP: Peer 192.168.44.139 Down - Hold Timer Expired
<191>Mar 12 10:27:00 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.49.232
<189>Mar 12 10:27:01 sw-access-01 BGP: Peer 192.168.15.150 Down - Hold Timer Expired
<190>Mar 12 10:27:02 sw-core-02 SECURITY: MAC 192.168.12.208 blocked due to security policy
<191>Mar 12 10:27:03 sw-access-01 VLAN: VLAN 192.168.8.90 added to port 1/0/51
<189>Mar 12 10:27:04 sw-core-02 BGP: Peer 192.168.15.146 changed state from Established to Idle
<190>Mar 12 10:27:05 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.43.211
<190>Mar 12 10:27:06 sw-access-02 OSPF: Neighbor with Router ID 192.168.4.47 changed state from FULL to DOWN
<189>Mar 12 10:27:07 sw-access-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:27:08 sw-core-01 VLAN: VLAN 192.168.19.78 added to port 1/0/48
<189>Mar 12 10:27:09 sw-access-02 OSPF: Neighbor with Router ID 192.168.15.133 moved to FULL state on interface vlan25
<191>Mar 12 10:27:10 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.33.197 - client 67 - port 1/0/EB:41:BA:6C:C3:8D
<191>Mar 12 10:27:11 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.30.85 over UDP protocol
<191>Mar 12 10:27:12 sw-access-02 OSPF: Neighbor with Router ID 192.168.34.91 moved to FULL state on interface vlan29
<190>Mar 12 10:27:13 sw-core-02 SECURITY: MAC 192.168.18.100 blocked due to security policy
<189>Mar 12 10:27:14 sw-access-02 BGP: Peer 192.168.48.3 moved to Established state
<190>Mar 12 10:27:15 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.14.239
<191>Mar 12 10:27:16 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.26.10 IP 25 on port 1/0/1D:44:41:43:2C:86
<189>Mar 12 10:27:17 sw-core-02 PORT: link status change on port 1/0/192.168.33.128

<190>Mar 12 10:27:18 sw-access-02 SNMP: Authentication failure from 192.168.13.212
<191>Mar 12 10:27:19 sw-core-02 SECURITY: possible port scan detected from IP 192.168.50.176
<189>Mar 12 10:27:20 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.25.147 - client 35 - port 1/0/54:2F:0C:63:45:43
<189>Mar 12 10:27:21 sw-core-01 PORT: link status change on port 1/0/192.168.8.210
<189>Mar 12 10:27:22 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.11.220 over UDP protocol
<190>Mar 12 10:27:23 sw-access-01 PORT: port 1/0/192.168.34.151 changed state to down
<190>Mar 12 10:27:24 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.4.168 - client 7 - port 1/0/E2:55:AD:4C:30:48
<191>Mar 12 10:27:25 sw-core-01 OSPF: Neighbor with Router ID 192.168.41.140 changed state from FULL to DOWN
<190>Mar 12 10:27:26 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.43.7 over UDP protocol
<190>Mar 12 10:27:27 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.36.242 - client 48 - port 1/0/62:81:39:55:E9:A7
<191>Mar 12 10:27:28 sw-access-03 BGP: Peer 192.168.48.92 moved to Established state
<191>Mar 12 10:27:29 sw-core-01 BGP: Peer 192.168.12.248 changed state from Established to Idle
<189>Mar 12 10:27:30 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.10.199 over UDP protocol
<191>Mar 12 10:27:31 sw-core-02 SNMP: Authentication failure from 192.168.43.208
<189>Mar 12 10:27:32 sw-core-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:27:33 sw-access-02 OSPF: Neighbor with Router ID 192.168.11.168 moved to FULL state on interface vlan69
<190>Mar 12 10:27:34 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.46.131 over UDP protocol
<189>Mar 12 10:27:35 sw-access-01 OSPF: Neighbor with Router ID 192.168.14.177 moved to FULL state on interface vlan80
<191>Mar 12 10:27:36 sw-access-03 OSPF: Neighbor with Router ID 192.168.38.250 moved to FULL state on interface vlan25
<190>Mar 12 10:27:37 sw-core-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:27:38 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.24.211 over UDP protocol
<191>Mar 12 10:27:39 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.42.135 - client 53 - port 1/0/81:D9:B5:BF:6A:A7
<190>Mar 12 10:27:40 sw-access-01 OSPF: Neighbor with Router ID 192.168.32.71 changed state from FULL to DOWN
<190>Mar 12 10:27:41 sw-core-02 VLAN: VLAN 192.168.0.105 removed from port 1/0/55
<191>Mar 12 10:27:42 sw-access-01 PORT: link status change on port 1/0/192.168.34.178

<189>Mar 12 10:27:43 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.0.172
<190>Mar 12 10:27:44 sw-access-03 VLAN: VLAN 192.168.9.80 removed from port 1/0/52
<190>Mar 12 10:27:45 sw-core-01 VLAN: VLAN 192.168.40.241 removed from port 1/0/75
<191>Mar 12 10:27:46 sw-access-01 PORT: port 1/0/192.168.4.251 changed state to up
<191>Mar 12 10:27:47 sw-access-01 SECURITY: possible port scan detected from IP 192.168.38.45
<191>Mar 12 10:27:48 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.15.24 IP 6 on port 1/0/FF:F9:5A:D4:61:69
<191>Mar 12 10:27:49 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.11.61 - client 17 - port 1/0/81:C4:63:1F:35:CF
<190>Mar 12 10:27:50 sw-access-01 VLAN: VLAN 192.168.39.249 removed from port 1/0/44
<189>Mar 12 10:27:51 sw-core-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:27:52 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.11.145 over UDP protocol
<190>Mar 12 10:27:53 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.28.254 over UDP protocol
<190>Mar 12 10:27:54 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.12.76
<189>Mar 12 10:27:55 sw-access-03 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:27:56 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.38.1 - client 13 - port 1/0/AD:AC:33:62:8A:EC
<189>Mar 12 10:27:57 sw-access-02 PORT: port 1/0/192.168.17.202 changed state to up
<191>Mar 12 10:27:58 sw-access-02 OSPF: Neighbor with Router ID 192.168.46.63 changed state from FULL to DOWN
<190>Mar 12 10:27:59 sw-access-03 SECURITY: MAC 192.168.0.24 blocked due to security policy
<190>Mar 12 10:28:00 sw-access-02 PORT: port 1/0/192.168.30.47 changed state to up
<189>Mar 12 10:28:01 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.17.137 IP 80 on port 1/0/D2:43:28:F4:D6:8D
<190>Mar 12 10:28:02 sw-access-03 BGP: Peer 192.168.20.116 moved to Established state
<190>Mar 12 10:28:03 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.32.240 over UDP protocol
<189>Mar 12 10:28:04 sw-core-02 SNMP: Authentication failure from 192.168.40.160
<189>Mar 12 10:28:05 sw-access-03 SNMP: Authentication failure from 192.168.13.97
<190>Mar 12 10:28:06 sw-access-02 OSPF: Neighbor with Router ID 192.168.11.169 changed state from FULL to DOWN
<190>Mar 12 10:28:07 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.48.230 IP 75 on port 1/0/47:0D:12:DE:8F:E9
<190>Mar 12 10:28:08 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.3.4 over UDP protocol
<191>Mar 12 10:28:09 sw-access-03 VLAN: VLAN 192.168.7.235 added to port 1/0/64

<190>Mar 12 10:28:10 sw-core-02 SECURITY: MAC 192.168.27.188 blocked due to security policy
<190>Mar 12 10:28:11 sw-core-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:28:12 sw-core-01 SECURITY: MAC 192.168.1.26 blocked due to security policy
<190>Mar 12 10:28:13 sw-access-03 BGP: Peer 192.168.10.50 Down - Hold Timer Expired
<189>Mar 12 10:28:14 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.7.191 over UDP protocol
<191>Mar 12 10:28:15 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.31.178 - client 86 - port 1/0/4D:C0:AF:5B:92:B2
<190>Mar 12 10:28:16 sw-core-01 VLAN: VLAN 192.168.48.34 added to port 1/0/72
<189>Mar 12 10:28:17 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.27.79
<191>Mar 12 10:28:18 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.20.13 - client 84 - port 1/0/B5:AF:0E:7F:DF:32
<190>Mar 12 10:28:19 sw-access-02 SECURITY: possible port scan detected from IP 192.168.21.38
<191>Mar 12 10:28:20 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.47.184 IP 76 on port 1/0/C8:1C:B2:E2:70:1C
<189>Mar 12 10:28:21 sw-access-02 PORT: port 1/0/192.168.21.109 changed state to down
<190>Mar 12 10:28:22 sw-core-02 PORT: port 1/0/192.168.26.32 changed state to up
<189>Mar 12 10:28:23 sw-access-02 PORT: port 1/0/192.168.21.88 changed state to down
<191>Mar 12 10:28:24 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.13.114 over UDP protocol
<189>Mar 12 10:28:25 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.2.246 IP 53 on port 1/0/74:02:D6:53:93:18
<190>Mar 12 10:28:26 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.4.114 - client 31 - port 1/0/E9:5E:7C:3D:AD:1A
<190>Mar 12 10:28:27 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.36.7
<189>Mar 12 10:28:28 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.41.138 IP 16 on port 1/0/2E:4D:D9:65:B3:94
<189>Mar 12 10:28:29 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.15.38 IP 82 on port 1/0/1E:C7:58:5B:F4:54
<191>Mar 12 10:28:30 sw-core-02 SECURITY: MAC 192.168.36.187 blocked due to security policy
<191>Mar 12 10:28:31 sw-access-01 VLAN: VLAN 192.168.25.77 added to port 1/0/32
<190>Mar 12 10:28:32 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.14.164 - client 87 - port 1/0/62:AA:36:49:FE:89
<191>Mar 12 10:28:33 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.21.35
<191>Mar 12 10:28:34 sw-access-01 SNMP: Authentication failure from 192.168.27.250
<191>Mar 12 10:28:35 sw-access-03 PORT: port 1/0/192.168.34.75 changed state to up

<189>Mar 12 10:28:36 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.18.183 over UDP protocol
<191>Mar 12 10:28:37 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.23.81 over UDP protocol
<191>Mar 12 10:28:38 sw-access-02 SNMP: Authentication failure from 192.168.40.205
<189>Mar 12 10:28:39 sw-access-01 BGP: Peer 192.168.21.45 Down - Hold Timer Expired
<189>Mar 12 10:28:40 sw-access-01 BGP: Peer 192.168.40.20 Down - Hold Timer Expired
<189>Mar 12 10:28:41 sw-access-02 PORT: port 1/0/192.168.22.171 changed state to up
<189>Mar 12 10:28:42 sw-core-01 SNMP: Authentication failure from 192.168.21.167
<191>Mar 12 10:28:43 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.24.39 IP 63 on port 1/0/C8:DE:91:89:C0:66
<189>Mar 12 10:28:44 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.15.8 - client 79 - port 1/0/BF:FB:CB:6F:F7:BA
<189>Mar 12 10:28:45 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.37.36 IP 8 on port 1/0/EB:B8:79:15:00:6F
<190>Mar 12 10:28:46 sw-core-02 BGP: Peer 192.168.40.105 Down - Hold Timer Expired
<190>Mar 12 10:28:47 sw-access-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:28:48 sw-access-03 SECURITY: possible port scan detected from IP 192.168.21.82
<189>Mar 12 10:28:49 sw-access-01 SECURITY: possible port scan detected from IP 192.168.9.59
<189>Mar 12 10:28:50 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.40.69 - client 9 - port 1/0/D0:2E:34:81:12:1A
<189>Mar 12 10:28:51 sw-core-02 VLAN: VLAN 192.168.2.12 added to port 1/0/44
<190>Mar 12 10:28:52 sw-access-03 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:28:53 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.2.193 IP 7 on port 1/0/0A:D1:A8:67:49:5B
<189>Mar 12 10:28:54 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.7.47
<191>Mar 12 10:28:55 sw-core-02 SNMP: Authentication failure from 192.168.37.44
<191>Mar 12 10:28:56 sw-access-03 OSPF: Neighbor with Router ID 192.168.14.107 moved to FULL state on interface vlan98
<189>Mar 12 10:28:57 sw-access-03 PORT: link status change on port 1/0/192.168.24.91
<190>Mar 12 10:28:58 sw-access-02 SECURITY: possible port scan detected from IP 192.168.35.52
<191>Mar 12 10:28:59 sw-access-01 SECURITY: possible port scan detected from IP 192.168.23.246
<189>Mar 12 10:29:00 sw-core-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:29:01 sw-access-02 SECURITY: possible port scan detected from IP 192.168.16.73

<191>Mar 12 10:29:02 sw-core-01 SECURITY: MAC 192.168.36.190 blocked due to security policy
<189>Mar 12 10:29:03 sw-access-01 VLAN: VLAN 192.168.9.67 removed from port 1/0/58
<191>Mar 12 10:29:04 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.49.106 IP 92 on port 1/0/08:7E:BB:7B:F4:2E
<191>Mar 12 10:29:05 sw-access-03 SNMP: Authentication failure from 192.168.46.151
<190>Mar 12 10:29:06 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.28.24 over UDP protocol
<190>Mar 12 10:29:07 sw-access-01 OSPF: Neighbor with Router ID 192.168.47.35 changed state from FULL to DOWN
<189>Mar 12 10:29:08 sw-core-02 SNMP: Authentication failure from 192.168.17.15
<191>Mar 12 10:29:09 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.12.143 IP 78 on port 1/0/DC:21:3F:FF:B9:6B
<190>Mar 12 10:29:10 sw-core-02 SNMP: Authentication failure from 192.168.5.22
<191>Mar 12 10:29:11 sw-access-01 OSPF: Neighbor with Router ID 192.168.45.132 changed state from FULL to DOWN
<190>Mar 12 10:29:12 sw-access-02 SECURITY: MAC 192.168.10.160 blocked due to security policy
<190>Mar 12 10:29:13 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.4.137
<189>Mar 12 10:29:14 sw-access-01 SNMP: Authentication failure from 192.168.45.162
<189>Mar 12 10:29:15 sw-core-02 PORT: port 1/0/192.168.13.244 changed state to down
<189>Mar 12 10:29:16 sw-access-02 SECURITY: possible port scan detected from IP 192.168.8.76
<190>Mar 12 10:29:17 sw-core-01 PORT: link status change on port 1/0/192.168.10.71
<190>Mar 12 10:29:18 sw-access-01 BGP: Peer 192.168.19.155 Down - Hold Timer Expired
<189>Mar 12 10:29:19 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.2.244 over UDP protocol
<189>Mar 12 10:29:20 sw-access-02 SECURITY: possible port scan detected from IP 192.168.34.16
<189>Mar 12 10:29:21 sw-access-02 BGP: Peer 192.168.30.103 changed state from Established to Idle
<190>Mar 12 10:29:22 sw-access-03 PORT: link status change on port 1/0/192.168.44.78
<189>Mar 12 10:29:23 sw-core-01 VLAN: VLAN 192.168.48.228 added to port 1/0/93
<189>Mar 12 10:29:24 sw-core-02 PORT: link status change on port 1/0/192.168.13.236
<191>Mar 12 10:29:25 sw-access-01 SNMP: Authentication failure from 192.168.13.35
<189>Mar 12 10:29:26 sw-access-03 OSPF: Neighbor with Router ID 192.168.0.47 changed state from FULL to DOWN
<189>Mar 12 10:29:27 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.30.39 over UDP protocol
<190>Mar 12 10:29:28 sw-core-01 VLAN: VLAN 192.168.42.164 removed from port 1/0/79
<189>Mar 12 10:29:29 sw-core-02 PORT: port 1/0/192.168.28.99 changed state to up
<191>Mar 12 10:29:30 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.5.111 over UDP protocol

<189>Mar 12 10:29:31 sw-core-02 BGP: Peer 192.168.42.181 changed state from Established to Idle
<189>Mar 12 10:29:32 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.46.170
<190>Mar 12 10:29:33 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.0.8 over UDP protocol
<189>Mar 12 10:29:34 sw-access-03 SNMP: Authentication failure from 192.168.39.248
<191>Mar 12 10:29:35 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.30.13 over UDP protocol
<190>Mar 12 10:29:36 sw-access-01 VLAN: VLAN 192.168.40.175 removed from port 1/0/97
<189>Mar 12 10:29:37 sw-core-01 SNMP: Authentication failure from 192.168.32.7
<191>Mar 12 10:29:38 sw-access-02 BGP: Peer 192.168.24.36 Down - Hold Timer Expired
<191>Mar 12 10:29:39 sw-access-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:29:40 sw-core-02 PORT: link status change on port 1/0/192.168.0.10
<190>Mar 12 10:29:41 sw-access-03 PORT: port 1/0/192.168.22.161 changed state to down
<190>Mar 12 10:29:42 sw-core-02 BGP: Peer 192.168.46.119 Down - Hold Timer Expired
<190>Mar 12 10:29:43 sw-core-01 VLAN: VLAN 192.168.35.98 added to port 1/0/55
<189>Mar 12 10:29:44 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.15.55 - client 27 - port 1/0/7C:E1:CD:46:DD:DA
<189>Mar 12 10:29:45 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.24.88 - client 99 - port 1/0/B1:2D:ED:02:F1:29
<190>Mar 12 10:29:46 sw-access-01 BGP: Peer 192.168.36.107 changed state from Established to Idle
<189>Mar 12 10:29:47 sw-access-02 SNMP: Authentication failure from 192.168.43.156
<190>Mar 12 10:29:48 sw-core-01 SECURITY: MAC 192.168.41.62 blocked due to security policy
<190>Mar 12 10:29:49 sw-core-02 SECURITY: possible port scan detected from IP 192.168.18.155
<190>Mar 12 10:29:50 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.48.138 IP 54 on port 1/0/04:BE:49:32:72:63
<190>Mar 12 10:29:51 sw-access-03 BGP: Peer 192.168.1.213 changed state from Established to Idle
<191>Mar 12 10:29:52 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.5.235 over UDP protocol
<191>Mar 12 10:29:53 sw-core-02 OSPF: Neighbor with Router ID 192.168.34.48 moved to FULL state on interface vlan71
<189>Mar 12 10:29:54 sw-access-02 VLAN: VLAN 192.168.15.147 added to port 1/0/46
<190>Mar 12 10:29:55 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.38.113
<191>Mar 12 10:29:56 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.24.77 IP 88 on port 1/0/7A:61:A4:9F:36:D4
<189>Mar 12 10:29:57 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.12.225 over UDP protocol

<191>Mar 12 10:29:58 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.29.50 over UDP protocol
<189>Mar 12 10:29:59 sw-access-02 SNMP: Authentication failure from 192.168.26.83
<189>Mar 12 10:30:00 sw-access-03 VLAN: VLAN 192.168.12.4 added to port 1/0/49
<189>Mar 12 10:30:01 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.42.166
<189>Mar 12 10:30:02 sw-core-02 VLAN: VLAN 192.168.25.68 added to port 1/0/17
<189>Mar 12 10:30:03 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.41.7 over UDP protocol
<191>Mar 12 10:30:04 sw-core-02 SNMP: Authentication failure from 192.168.22.142
<190>Mar 12 10:30:05 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.34.6 - client 67 - port 1/0/83:CE:5A:C3:9F:67
<190>Mar 12 10:30:06 sw-access-01 SNMP: Authentication failure from 192.168.10.218
<190>Mar 12 10:30:07 sw-core-02 SECURITY: MAC 192.168.16.93 blocked due to security policy
<189>Mar 12 10:30:08 sw-access-01 VLAN: VLAN 192.168.8.109 added to port 1/0/86
<191>Mar 12 10:30:09 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.20.180 IP 18 on port 1/0/DA:67:69:43:91:B8
<190>Mar 12 10:30:10 sw-access-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:30:11 sw-core-02 SECURITY: possible port scan detected from IP 192.168.11.208
<191>Mar 12 10:30:12 sw-core-02 OSPF: Neighbor with Router ID 192.168.9.200 moved to FULL state on interface vlan38
<190>Mar 12 10:30:13 sw-access-02 PORT: port 1/0/192.168.2.148 changed state to up
<191>Mar 12 10:30:14 sw-access-02 SECURITY: possible port scan detected from IP 192.168.17.16
<191>Mar 12 10:30:15 sw-access-03 SECURITY: MAC 192.168.34.97 blocked due to security policy
<191>Mar 12 10:30:16 sw-access-01 PORT: port 1/0/192.168.27.155 changed state to up
<189>Mar 12 10:30:17 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.3.116 - client 58 - port 1/0/67:2A:7F:39:88:F2
<190>Mar 12 10:30:18 sw-core-01 VLAN: VLAN 192.168.34.68 removed from port 1/0/10
<190>Mar 12 10:30:19 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.1.180 IP 99 on port 1/0/1E:19:A9:04:E0:87
<190>Mar 12 10:30:20 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.27.50 over UDP protocol
<191>Mar 12 10:30:21 sw-core-01 BGP: Peer 192.168.30.119 Down - Hold Timer Expired
<189>Mar 12 10:30:22 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.43.75 over UDP protocol
<191>Mar 12 10:30:23 sw-access-03 PORT: port 1/0/192.168.0.89 changed state to down
<189>Mar 12 10:30:24 sw-core-01 OSPF: Neighbor with Router ID 192.168.13.16 moved to FULL state on interface vlan82

<191>Mar 12 10:30:25 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.17.169 IP 16 on port 1/0/AD:7B:CF:B1:1E:72
<189>Mar 12 10:30:26 sw-access-01 BGP: Peer 192.168.36.94 moved to Established state
<190>Mar 12 10:30:27 sw-core-01 OSPF: Neighbor with Router ID 192.168.30.182 moved to FULL state on interface vlan12
<191>Mar 12 10:30:28 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.37.175 IP 82 on port 1/0/50:EA:80:B9:EF:57
<190>Mar 12 10:30:29 sw-core-01 OSPF: Neighbor with Router ID 192.168.40.169 moved to FULL state on interface vlan98
<191>Mar 12 10:30:30 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.31.33
<189>Mar 12 10:30:31 sw-core-02 OSPF: Neighbor with Router ID 192.168.4.215 changed state from FULL to DOWN
<190>Mar 12 10:30:32 sw-access-01 BGP: Peer 192.168.20.204 changed state from Established to Idle
<190>Mar 12 10:30:33 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.12.169
<191>Mar 12 10:30:34 sw-access-03 OSPF: Neighbor with Router ID 192.168.17.3 changed state from FULL to DOWN
<189>Mar 12 10:30:35 sw-access-03 SECURITY: possible port scan detected from IP 192.168.48.158
<191>Mar 12 10:30:36 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.21.233
<190>Mar 12 10:30:37 sw-access-02 PORT: link status change on port 1/0/192.168.29.235
<191>Mar 12 10:30:38 sw-core-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:30:39 sw-access-01 OSPF: Neighbor with Router ID 192.168.32.218 moved to FULL state on interface vlan74
<191>Mar 12 10:30:40 sw-core-02 SNMP: Authentication failure from 192.168.3.18
<190>Mar 12 10:30:41 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.26.81
<190>Mar 12 10:30:42 sw-access-02 OSPF: Neighbor with Router ID 192.168.9.250 changed state from FULL to DOWN
<190>Mar 12 10:30:43 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.12.156 over UDP protocol
<189>Mar 12 10:30:44 sw-access-02 SECURITY: possible port scan detected from IP 192.168.13.41
<189>Mar 12 10:30:45 sw-access-01 SNMP: Authentication failure from 192.168.34.150
<190>Mar 12 10:30:46 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.30.178 over UDP protocol
<190>Mar 12 10:30:47 sw-core-02 BGP: Peer 192.168.12.164 changed state from Established to Idle
<189>Mar 12 10:30:48 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.16.196 - client 82 - port 1/0/C9:15:5A:9B:5C:46

<190>Mar 12 10:30:49 sw-access-02 SECURITY: MAC 192.168.15.13 blocked due to security policy
<190>Mar 12 10:30:50 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.22.150
<191>Mar 12 10:30:51 sw-access-01 OSPF: Neighbor with Router ID 192.168.35.71 moved to FULL state on interface vlan4
<190>Mar 12 10:30:52 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.19.229 over UDP protocol
<190>Mar 12 10:30:53 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.6.121 IP 3 on port 1/0/0E:79:10:05:A4:E2
<191>Mar 12 10:30:54 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.36.169 - client 92 - port 1/0/45:80:8A:C4:25:B4
<189>Mar 12 10:30:55 sw-access-02 SNMP: Authentication failure from 192.168.44.79
<190>Mar 12 10:30:56 sw-core-02 VLAN: VLAN 192.168.3.111 added to port 1/0/25
<190>Mar 12 10:30:57 sw-core-01 VLAN: VLAN 192.168.18.142 removed from port 1/0/59
<191>Mar 12 10:30:58 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.6.71 IP 2 on port 1/0/60:3A:CC:D2:9C:1D
<191>Mar 12 10:30:59 sw-access-02 PORT: port 1/0/192.168.6.158 changed state to up
<190>Mar 12 10:31:00 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.17.81 IP 36 on port 1/0/D8:F3:87:BA:59:CB
<190>Mar 12 10:31:01 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.27.106
<189>Mar 12 10:31:02 sw-core-02 SNMP: Authentication failure from 192.168.13.23
<190>Mar 12 10:31:03 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.4.57 - client 58 - port 1/0/D4:DE:8A:75:35:00
<191>Mar 12 10:31:04 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.31.214 over UDP protocol
<190>Mar 12 10:31:05 sw-core-02 SNMP: Authentication failure from 192.168.20.89
<189>Mar 12 10:31:06 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.30.24 - client 99 - port 1/0/17:92:71:FA:80:8B
<190>Mar 12 10:31:07 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.6.70
<190>Mar 12 10:31:08 sw-core-01 PORT: port 1/0/192.168.22.79 changed state to up
<191>Mar 12 10:31:09 sw-access-02 PORT: port 1/0/192.168.36.173 changed state to up
<190>Mar 12 10:31:10 sw-access-03 PORT: port 1/0/192.168.30.78 changed state to down
<190>Mar 12 10:31:11 sw-core-02 SNMP: Authentication failure from 192.168.20.61
<191>Mar 12 10:31:12 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.4.57 IP 63 on port 1/0/A3:1C:D1:6D:67:82
<190>Mar 12 10:31:13 sw-core-02 SNMP: Authentication failure from 192.168.48.155
<191>Mar 12 10:31:14 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.46.107 over UDP protocol
<189>Mar 12 10:31:15 sw-core-02 VLAN: VLAN 192.168.29.94 removed from port 1/0/34
<189>Mar 12 10:31:16 sw-core-01 Manager: Configuration saved to flash memory by user admin

<189>Mar 12 10:31:17 sw-core-02 BGP: Peer 192.168.10.199 Down - Hold Timer Expired
<190>Mar 12 10:31:18 sw-access-02 BGP: Peer 192.168.32.29 moved to Established state
<189>Mar 12 10:31:19 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.8.83 - client 73 - port 1/0/5C:28:CC:0E:43:EB
<190>Mar 12 10:31:20 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.45.111 - client 6 - port 1/0/37:F8:4D:13:5F:DC
<190>Mar 12 10:31:21 sw-access-01 SECURITY: possible port scan detected from IP 192.168.12.223
<191>Mar 12 10:31:22 sw-access-03 BGP: Peer 192.168.32.38 changed state from Established to Idle
<189>Mar 12 10:31:23 sw-access-02 SNMP: Authentication failure from 192.168.2.156
<190>Mar 12 10:31:24 sw-core-02 BGP: Peer 192.168.43.96 moved to Established state
<190>Mar 12 10:31:25 sw-access-03 SECURITY: possible port scan detected from IP 192.168.34.252
<190>Mar 12 10:31:26 sw-access-02 VLAN: VLAN 192.168.15.183 removed from port 1/0/6
<191>Mar 12 10:31:27 sw-access-02 VLAN: VLAN 192.168.30.100 added to port 1/0/81
<189>Mar 12 10:31:28 sw-access-02 VLAN: VLAN 192.168.21.229 added to port 1/0/40
<191>Mar 12 10:31:29 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.26.118 over UDP protocol
<191>Mar 12 10:31:30 sw-access-02 SECURITY: possible port scan detected from IP 192.168.8.155
<191>Mar 12 10:31:31 sw-core-01 SECURITY: possible port scan detected from IP 192.168.22.244
<191>Mar 12 10:31:32 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.19.9 over UDP protocol
<189>Mar 12 10:31:33 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.27.33 - client 93 - port 1/0/43:9E:59:E8:E5:B7
<189>Mar 12 10:31:34 sw-access-01 BGP: Peer 192.168.16.210 moved to Established state
<191>Mar 12 10:31:35 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.27.152 - client 95 - port 1/0/35:BC:31:BC:B7:24
<191>Mar 12 10:31:36 sw-core-02 SECURITY: MAC 192.168.36.124 blocked due to security policy
<190>Mar 12 10:31:37 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.3.249 - client 23 - port 1/0/E6:0F:44:ED:93:9C
<190>Mar 12 10:31:38 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.46.158 over UDP protocol
<189>Mar 12 10:31:39 sw-access-01 SNMP: Authentication failure from 192.168.45.123
<190>Mar 12 10:31:40 sw-core-01 BGP: Peer 192.168.0.121 Down - Hold Timer Expired
<189>Mar 12 10:31:41 sw-core-01 SNMP: Authentication failure from 192.168.44.224
<191>Mar 12 10:31:42 sw-core-02 VLAN: VLAN 192.168.45.176 removed from port 1/0/87
<190>Mar 12 10:31:43 sw-core-01 VLAN: VLAN 192.168.26.150 removed from port 1/0/54
<189>Mar 12 10:31:44 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.11.10 over UDP protocol
<189>Mar 12 10:31:45 sw-access-01 VLAN: VLAN 192.168.23.238 added to port 1/0/25

<189>Mar 12 10:31:46 sw-access-01 SNMP: Authentication failure from 192.168.44.76
<191>Mar 12 10:31:47 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.2.73
<189>Mar 12 10:31:48 sw-core-01 SNMP: Authentication failure from 192.168.23.186
<191>Mar 12 10:31:49 sw-core-02 OSPF: Neighbor with Router ID 192.168.22.87 moved to FULL state on interface vlan86
<189>Mar 12 10:31:50 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.37.200 - client 56 - port 1/0/CC:EE:B0:B1:81:A6
<189>Mar 12 10:31:51 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.17.93 over UDP protocol
<191>Mar 12 10:31:52 sw-access-02 VLAN: VLAN 192.168.44.7 removed from port 1/0/38
<190>Mar 12 10:31:53 sw-core-01 OSPF: Neighbor with Router ID 192.168.24.93 moved to FULL state on interface vlan21
<191>Mar 12 10:31:54 sw-core-01 SECURITY: possible port scan detected from IP 192.168.40.108
<190>Mar 12 10:31:55 sw-access-02 SNMP: Authentication failure from 192.168.13.133
<191>Mar 12 10:31:56 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.42.134
<190>Mar 12 10:31:57 sw-access-02 PORT: link status change on port 1/0/192.168.5.197
<191>Mar 12 10:31:58 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.9.231 - client 55 - port 1/0/C1:41:BA:BA:BF:FB
<189>Mar 12 10:31:59 sw-access-03 SECURITY: MAC 192.168.50.170 blocked due to security policy
<190>Mar 12 10:32:00 sw-access-01 PORT: port 1/0/192.168.7.202 changed state to down
<190>Mar 12 10:32:01 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.13.212 - client 10 - port 1/0/6D:E8:52:0B:4F:82
<190>Mar 12 10:32:02 sw-access-03 SNMP: Authentication failure from 192.168.36.49
<189>Mar 12 10:32:03 sw-access-01 BGP: Peer 192.168.20.127 moved to Established state
<190>Mar 12 10:32:04 sw-access-01 SECURITY: possible port scan detected from IP 192.168.49.78
<189>Mar 12 10:32:05 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.29.35 - client 67 - port 1/0/43:C2:7B:56:5D:32
<191>Mar 12 10:32:06 sw-access-01 BGP: Peer 192.168.13.140 changed state from Established to Idle
<191>Mar 12 10:32:07 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.22.8 over UDP protocol
<190>Mar 12 10:32:08 sw-access-01 BGP: Peer 192.168.49.24 changed state from Established to Idle
<189>Mar 12 10:32:09 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.24.33 over UDP protocol
<189>Mar 12 10:32:10 sw-core-02 VLAN: VLAN 192.168.0.85 removed from port 1/0/99
<191>Mar 12 10:32:11 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.27.35 - client 56 - port 1/0/E0:DE:FD:31:CE:38
<189>Mar 12 10:32:12 sw-core-01 BGP: Peer 192.168.45.202 Down - Hold Timer Expired

<189>Mar 12 10:32:13 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.35.69 - client 64 - port 1/0/52:D2:62:06:E3:1D
<191>Mar 12 10:32:14 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.11.222 over UDP protocol
<190>Mar 12 10:32:15 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.2.210 - client 69 - port 1/0/1A:47:DA:56:5B:3F
<190>Mar 12 10:32:16 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.32.3 IP 38 on port 1/0/20:1F:7E:07:7C:2F
<191>Mar 12 10:32:17 sw-access-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:32:18 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.39.178
<191>Mar 12 10:32:19 sw-core-01 OSPF: Neighbor with Router ID 192.168.11.244 moved to FULL state on interface vlan42
<191>Mar 12 10:32:20 sw-access-02 PORT: port 1/0/192.168.11.241 changed state to up
<191>Mar 12 10:32:21 sw-core-02 SECURITY: MAC 192.168.42.223 blocked due to security policy
<191>Mar 12 10:32:22 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.23.129 IP 81 on port 1/0/AC:97:D5:9A:B5:51
<190>Mar 12 10:32:23 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.17.45
<189>Mar 12 10:32:24 sw-access-03 BGP: Peer 192.168.9.13 changed state from Established to Idle
<190>Mar 12 10:32:25 sw-access-02 BGP: Peer 192.168.34.11 changed state from Established to Idle
<190>Mar 12 10:32:26 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.39.84 over UDP protocol
<190>Mar 12 10:32:27 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.42.15
<189>Mar 12 10:32:28 sw-access-01 SECURITY: MAC 192.168.46.225 blocked due to security policy
<189>Mar 12 10:32:29 sw-access-03 SNMP: Authentication failure from 192.168.42.225
<189>Mar 12 10:32:30 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.26.30 over UDP protocol
<191>Mar 12 10:32:31 sw-access-01 VLAN: VLAN 192.168.45.250 removed from port 1/0/11
<189>Mar 12 10:32:32 sw-access-03 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:32:33 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.29.241 - client 75 - port 1/0/07:2A:83:E5:1B:05
<191>Mar 12 10:32:34 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.8.111 - client 61 - port 1/0/8C:13:C3:7E:C9:89
<190>Mar 12 10:32:35 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.20.86
<190>Mar 12 10:32:36 sw-access-01 VLAN: VLAN 192.168.16.228 added to port 1/0/7

<189>Mar 12 10:32:37 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.30.11 over UDP protocol
<189>Mar 12 10:32:38 sw-access-01 OSPF: Neighbor with Router ID 192.168.39.23 changed state from FULL to DOWN
<190>Mar 12 10:32:39 sw-access-01 VLAN: VLAN 192.168.42.249 added to port 1/0/93
<191>Mar 12 10:32:40 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.36.56 - client 71 - port 1/0/9D:4E:3D:88:3B:7D
<189>Mar 12 10:32:41 sw-core-01 BGP: Peer 192.168.45.141 moved to Established state
<189>Mar 12 10:32:42 sw-access-01 PORT: port 1/0/192.168.49.74 changed state to up
<190>Mar 12 10:32:43 sw-core-01 SNMP: Authentication failure from 192.168.2.58
<190>Mar 12 10:32:44 sw-access-02 SECURITY: MAC 192.168.50.59 blocked due to security policy
<191>Mar 12 10:32:45 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.10.17 - client 14 - port 1/0/B6:C4:33:0A:D5:88
<191>Mar 12 10:32:46 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.23.12 - client 15 - port 1/0/66:7D:F1:15:78:12
<189>Mar 12 10:32:47 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.35.117 - client 72 - port 1/0/06:50:87:DD:9E:C6
<191>Mar 12 10:32:48 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.1.119 IP 52 on port 1/0/26:07:6C:73:4E:F0
<190>Mar 12 10:32:49 sw-access-01 SECURITY: MAC 192.168.15.174 blocked due to security policy
<191>Mar 12 10:32:50 sw-access-03 PORT: link status change on port 1/0/192.168.25.238
<189>Mar 12 10:32:51 sw-access-03 BGP: Peer 192.168.50.126 moved to Established state
<190>Mar 12 10:32:52 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.48.192
<191>Mar 12 10:32:53 sw-access-03 PORT: link status change on port 1/0/192.168.30.170
<190>Mar 12 10:32:54 sw-core-01 BGP: Peer 192.168.11.28 Down - Hold Timer Expired
<191>Mar 12 10:32:55 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.25.150
<190>Mar 12 10:32:56 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.29.18 over UDP protocol
<191>Mar 12 10:32:57 sw-core-02 SECURITY: possible port scan detected from IP 192.168.22.154
<191>Mar 12 10:32:58 sw-access-02 SNMP: Authentication failure from 192.168.24.241
<191>Mar 12 10:32:59 sw-core-02 BGP: Peer 192.168.16.225 Down - Hold Timer Expired
<189>Mar 12 10:33:00 sw-access-01 VLAN: VLAN 192.168.9.201 removed from port 1/0/49
<189>Mar 12 10:33:01 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.8.94
<190>Mar 12 10:33:02 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.46.75 IP 59 on port 1/0/51:C2:DC:1C:89:25
<190>Mar 12 10:33:03 sw-access-02 SECURITY: MAC 192.168.39.233 blocked due to security policy

<190>Mar 12 10:33:04 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.13.95 over UDP protocol
<191>Mar 12 10:33:05 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.2.186 IP 69 on port 1/0/71:AD:43:E9:3D:C4
<190>Mar 12 10:33:06 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.23.169
<190>Mar 12 10:33:07 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.36.9 over UDP protocol
<189>Mar 12 10:33:08 sw-access-03 VLAN: VLAN 192.168.47.236 added to port 1/0/55
<191>Mar 12 10:33:09 sw-core-02 PORT: port 1/0/192.168.36.125 changed state to up
<189>Mar 12 10:33:10 sw-access-03 BGP: Peer 192.168.40.178 moved to Established state
<191>Mar 12 10:33:11 sw-access-03 SECURITY: possible port scan detected from IP 192.168.7.229
<189>Mar 12 10:33:12 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.25.241
<189>Mar 12 10:33:13 sw-access-03 SECURITY: MAC 192.168.26.183 blocked due to security policy
<189>Mar 12 10:33:14 sw-access-03 SNMP: Authentication failure from 192.168.11.91
<189>Mar 12 10:33:15 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.29.73 - client 16 - port 1/0/94:E4:0A:67:A0:D1
<191>Mar 12 10:33:16 sw-core-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:33:17 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.39.232 over UDP protocol
<191>Mar 12 10:33:18 sw-access-01 SNMP: Authentication failure from 192.168.3.63
<190>Mar 12 10:33:19 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.1.158 over UDP protocol
<191>Mar 12 10:33:20 sw-access-02 SECURITY: MAC 192.168.37.92 blocked due to security policy
<191>Mar 12 10:33:21 sw-access-01 PORT: port 1/0/192.168.40.117 changed state to up
<189>Mar 12 10:33:22 sw-core-02 VLAN: VLAN 192.168.8.3 removed from port 1/0/11
<190>Mar 12 10:33:23 sw-access-02 VLAN: VLAN 192.168.49.94 added to port 1/0/5
<190>Mar 12 10:33:24 sw-core-02 SECURITY: possible port scan detected from IP 192.168.36.5
<191>Mar 12 10:33:25 sw-access-01 SECURITY: possible port scan detected from IP 192.168.44.41
<190>Mar 12 10:33:26 sw-access-02 VLAN: VLAN 192.168.6.179 added to port 1/0/39
<190>Mar 12 10:33:27 sw-core-01 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:33:28 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.15.239
<189>Mar 12 10:33:29 sw-access-03 SNMP: Authentication failure from 192.168.38.173
<190>Mar 12 10:33:30 sw-access-03 SNMP: Authentication failure from 192.168.28.105

<191>Mar 12 10:33:31 sw-access-01 SECURITY: possible port scan detected from IP 192.168.7.73
<189>Mar 12 10:33:32 sw-access-01 BGP: Peer 192.168.9.121 moved to Established state
<189>Mar 12 10:33:33 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.17.180 - client 9 - port 1/0/E5:48:0E:C7:4B:5B
<191>Mar 12 10:33:34 sw-access-02 VLAN: VLAN 192.168.41.146 removed from port 1/0/6
<189>Mar 12 10:33:35 sw-core-01 VLAN: VLAN 192.168.28.50 added to port 1/0/45
<189>Mar 12 10:33:36 sw-access-01 VLAN: VLAN 192.168.27.53 removed from port 1/0/47
<189>Mar 12 10:33:37 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.36.66 over UDP protocol
<189>Mar 12 10:33:38 sw-core-01 PORT: port 1/0/192.168.41.235 changed state to down
<190>Mar 12 10:33:39 sw-access-02 SECURITY: possible port scan detected from IP 192.168.12.73
<189>Mar 12 10:33:40 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.19.173 over UDP protocol
<189>Mar 12 10:33:41 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.7.240 IP 40 on port 1/0/1E:A5:4C:FF:09:EA
<191>Mar 12 10:33:42 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.19.8
<190>Mar 12 10:33:43 sw-access-03 SECURITY: possible port scan detected from IP 192.168.19.189
<191>Mar 12 10:33:44 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.33.247 over UDP protocol
<189>Mar 12 10:33:45 sw-access-03 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:33:46 sw-core-02 PORT: port 1/0/192.168.46.10 changed state to down
<189>Mar 12 10:33:47 sw-access-02 SECURITY: MAC 192.168.34.187 blocked due to security policy
<189>Mar 12 10:33:48 sw-access-02 PORT: port 1/0/192.168.41.110 changed state to up
<189>Mar 12 10:33:49 sw-access-03 VLAN: VLAN 192.168.23.227 removed from port 1/0/14
<189>Mar 12 10:33:50 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.1.8 - client 28 - port 1/0/53:95:F2:52:F5:69
<191>Mar 12 10:33:51 sw-core-02 OSPF: Neighbor with Router ID 192.168.25.94 moved to FULL state on interface vlan48
<191>Mar 12 10:33:52 sw-access-01 SNMP: Authentication failure from 192.168.29.235
<190>Mar 12 10:33:53 sw-core-01 BGP: Peer 192.168.15.117 Down - Hold Timer Expired
<190>Mar 12 10:33:54 sw-core-02 OSPF: Neighbor with Router ID 192.168.16.26 moved to FULL state on interface vlan42
<189>Mar 12 10:33:55 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.22.100 - client 42 - port 1/0/30:BA:DE:F2:E0:7F
<189>Mar 12 10:33:56 sw-core-01 BGP: Peer 192.168.42.106 moved to Established state
<189>Mar 12 10:33:57 sw-core-01 SECURITY: MAC 192.168.33.223 blocked due to security policy
<191>Mar 12 10:33:58 sw-access-03 SNMP: Authentication failure from 192.168.42.18

<189>Mar 12 10:33:59 sw-access-02 PORT: port 1/0/192.168.36.213 changed state to down
<190>Mar 12 10:34:00 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.17.31 - client 1 - port 1/0/EF:49:30:29:27:B4
<191>Mar 12 10:34:01 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.8.136
<190>Mar 12 10:34:02 sw-core-02 VLAN: VLAN 192.168.21.218 added to port 1/0/40
<189>Mar 12 10:34:03 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.48.152 over UDP protocol
<191>Mar 12 10:34:04 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.10.19
<190>Mar 12 10:34:05 sw-access-03 SNMP: Authentication failure from 192.168.0.68
<191>Mar 12 10:34:06 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.24.9 over UDP protocol
<190>Mar 12 10:34:07 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.35.99
<190>Mar 12 10:34:08 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.28.209 over UDP protocol
<189>Mar 12 10:34:09 sw-access-03 PORT: port 1/0/192.168.17.4 changed state to down
<189>Mar 12 10:34:10 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.35.238
<189>Mar 12 10:34:11 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.25.74 over UDP protocol
<189>Mar 12 10:34:12 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.44.40 over UDP protocol
<190>Mar 12 10:34:13 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.7.186 - client 34 - port 1/0/B8:C1:DB:53:8C:45
<189>Mar 12 10:34:14 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.30.144 over UDP protocol
<189>Mar 12 10:34:15 sw-core-02 PORT: port 1/0/192.168.8.244 changed state to down
<191>Mar 12 10:34:16 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.28.106
<189>Mar 12 10:34:17 sw-access-02 BGP: Peer 192.168.37.217 changed state from Established to Idle
<190>Mar 12 10:34:18 sw-core-02 OSPF: Neighbor with Router ID 192.168.50.61 changed state from FULL to DOWN
<191>Mar 12 10:34:19 sw-core-02 SECURITY: possible port scan detected from IP 192.168.7.38
<191>Mar 12 10:34:20 sw-access-03 SECURITY: possible port scan detected from IP 192.168.35.61
<190>Mar 12 10:34:21 sw-access-01 BGP: Peer 192.168.37.151 Down - Hold Timer Expired
<190>Mar 12 10:34:22 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.29.149 - client 50 - port 1/0/D0:0D:17:CA:12:B9
<190>Mar 12 10:34:23 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.47.246 - client 53 - port 1/0/D5:F5:04:4F:6A:FB

<191>Mar 12 10:34:24 sw-access-01 SECURITY: possible port scan detected from IP 192.168.28.45
<189>Mar 12 10:34:25 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.48.122 - client 92 - port 1/0/55:B4:11:71:CA:86
<189>Mar 12 10:34:26 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.24.162
<191>Mar 12 10:34:27 sw-access-03 PORT: link status change on port 1/0/192.168.40.163
<189>Mar 12 10:34:28 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.50.206 - client 84 - port 1/0/DE:D7:32:2B:7F:D0
<189>Mar 12 10:34:29 sw-access-01 BGP: Peer 192.168.32.137 Down - Hold Timer Expired
<191>Mar 12 10:34:30 sw-core-01 OSPF: Neighbor with Router ID 192.168.33.237 moved to FULL state on interface vlan87
<190>Mar 12 10:34:31 sw-core-02 SECURITY: MAC 192.168.25.57 blocked due to security policy
<191>Mar 12 10:34:32 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.16.160 over UDP protocol
<190>Mar 12 10:34:33 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.48.93
<191>Mar 12 10:34:34 sw-core-01 VLAN: VLAN 192.168.46.35 added to port 1/0/55
<189>Mar 12 10:34:35 sw-core-02 BGP: Peer 192.168.48.88 moved to Established state
<189>Mar 12 10:34:36 sw-core-01 SNMP: Authentication failure from 192.168.15.170
<191>Mar 12 10:34:37 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.40.110
<189>Mar 12 10:34:38 sw-core-02 SNMP: Authentication failure from 192.168.34.200
<189>Mar 12 10:34:39 sw-access-03 OSPF: Neighbor with Router ID 192.168.2.38 moved to FULL state on interface vlan28
<189>Mar 12 10:34:40 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.25.108 IP 93 on port 1/0/6D:61:97:99:50:6D
<191>Mar 12 10:34:41 sw-access-03 SECURITY: MAC 192.168.16.210 blocked due to security policy
<190>Mar 12 10:34:42 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.38.234 - client 69 - port 1/0/21:2C:A2:A8:FA:7F
<190>Mar 12 10:34:43 sw-access-01 SNMP: Authentication failure from 192.168.19.148
<190>Mar 12 10:34:44 sw-core-02 SECURITY: possible port scan detected from IP 192.168.13.233
<191>Mar 12 10:34:45 sw-access-03 PORT: port 1/0/192.168.34.135 changed state to down
<189>Mar 12 10:34:46 sw-core-01 SNMP: Authentication failure from 192.168.50.105
<191>Mar 12 10:34:47 sw-access-02 PORT: link status change on port 1/0/192.168.11.144
<191>Mar 12 10:34:48 sw-access-02 OSPF: Neighbor with Router ID 192.168.29.54 changed state from FULL to DOWN
<190>Mar 12 10:34:49 sw-access-02 VLAN: VLAN 192.168.30.48 removed from port 1/0/27
<189>Mar 12 10:34:50 sw-access-03 SECURITY: possible port scan detected from IP 192.168.10.81
<191>Mar 12 10:34:51 sw-access-03 PORT: port 1/0/192.168.22.23 changed state to up

<190>Mar 12 10:34:52 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.15.60 IP 26 on port 1/0/04:F7:D9:8A:96:7D
<191>Mar 12 10:34:53 sw-access-03 SNMP: Authentication failure from 192.168.22.144
<189>Mar 12 10:34:54 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.41.74 over UDP protocol
<189>Mar 12 10:34:55 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.20.46 IP 73 on port 1/0/9E:8E:DE:28:81:A6
<190>Mar 12 10:34:56 sw-access-01 SNMP: Authentication failure from 192.168.36.21
<191>Mar 12 10:34:57 sw-access-03 BGP: Peer 192.168.30.16 moved to Established state
<191>Mar 12 10:34:58 sw-core-02 SECURITY: possible port scan detected from IP 192.168.31.216
<189>Mar 12 10:34:59 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.21.190 over UDP protocol
<190>Mar 12 10:35:00 sw-core-02 OSPF: Neighbor with Router ID 192.168.13.77 changed state from FULL to DOWN
<189>Mar 12 10:35:01 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.25.68 - client 47 - port 1/0/1E:83:22:F8:B1:8A
<191>Mar 12 10:35:02 sw-access-03 SECURITY: possible port scan detected from IP 192.168.7.138
<189>Mar 12 10:35:03 sw-access-02 SNMP: Authentication failure from 192.168.39.226
<189>Mar 12 10:35:04 sw-access-01 BGP: Peer 192.168.14.114 moved to Established state
<191>Mar 12 10:35:05 sw-access-01 SECURITY: MAC 192.168.1.106 blocked due to security policy
<190>Mar 12 10:35:06 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.21.92 IP 60 on port 1/0/3A:3E:DA:6A:AA:E5
<191>Mar 12 10:35:07 sw-access-03 SECURITY: possible port scan detected from IP 192.168.2.223
<191>Mar 12 10:35:08 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.48.184 over UDP protocol
<191>Mar 12 10:35:09 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.28.252
<189>Mar 12 10:35:10 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.49.200 - client 31 - port 1/0/01:F4:11:31:66:3E
<189>Mar 12 10:35:11 sw-core-01 OSPF: Neighbor with Router ID 192.168.46.73 changed state from FULL to DOWN
<191>Mar 12 10:35:12 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.40.87 over UDP protocol
<189>Mar 12 10:35:13 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.30.141 over UDP protocol
<191>Mar 12 10:35:14 sw-access-02 PORT: link status change on port 1/0/192.168.15.102
<189>Mar 12 10:35:15 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.11.45 - client 100 - port 1/0/15:FC:14:D5:A2:CA
<189>Mar 12 10:35:16 sw-core-02 VLAN: VLAN 192.168.8.163 added to port 1/0/74
<190>Mar 12 10:35:17 sw-access-02 BGP: Peer 192.168.18.14 moved to Established state

<191>Mar 12 10:35:18 sw-core-01 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:35:19 sw-access-01 VLAN: VLAN 192.168.28.166 added to port 1/0/55
<189>Mar 12 10:35:20 sw-core-01 PORT: port 1/0/192.168.6.162 changed state to down
<190>Mar 12 10:35:21 sw-core-01 OSPF: Neighbor with Router ID 192.168.39.216 moved to FULL state on interface vlan16
<189>Mar 12 10:35:22 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.27.169 over UDP protocol
<190>Mar 12 10:35:23 sw-core-01 VLAN: VLAN 192.168.44.166 removed from port 1/0/56
<190>Mar 12 10:35:24 sw-access-02 SECURITY: MAC 192.168.5.63 blocked due to security policy
<190>Mar 12 10:35:25 sw-access-03 OSPF: Neighbor with Router ID 192.168.20.172 moved to FULL state on interface vlan29
<190>Mar 12 10:35:26 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.45.17
<189>Mar 12 10:35:27 sw-core-01 SECURITY: possible port scan detected from IP 192.168.9.86
<189>Mar 12 10:35:28 sw-core-01 BGP: Peer 192.168.16.204 changed state from Established to Idle
<189>Mar 12 10:35:29 sw-access-02 BGP: Peer 192.168.29.3 Down - Hold Timer Expired
<191>Mar 12 10:35:30 sw-core-02 SNMP: Authentication failure from 192.168.34.141
<189>Mar 12 10:35:31 sw-core-02 PORT: port 1/0/192.168.16.65 changed state to up
<191>Mar 12 10:35:32 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.6.204 over UDP protocol
<189>Mar 12 10:35:33 sw-access-01 SECURITY: MAC 192.168.24.214 blocked due to security policy
<189>Mar 12 10:35:34 sw-core-02 SNMP: Authentication failure from 192.168.36.128
<190>Mar 12 10:35:35 sw-core-02 SECURITY: MAC 192.168.30.132 blocked due to security policy
<190>Mar 12 10:35:36 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.31.25
<189>Mar 12 10:35:37 sw-access-02 PORT: port 1/0/192.168.43.36 changed state to down
<191>Mar 12 10:35:38 sw-access-01 BGP: Peer 192.168.37.170 moved to Established state
<189>Mar 12 10:35:39 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.32.186 IP 68 on port 1/0/3C:53:B1:FE:77:A4
<190>Mar 12 10:35:40 sw-core-02 VLAN: VLAN 192.168.4.3 removed from port 1/0/89
<189>Mar 12 10:35:41 sw-core-02 SNMP: Authentication failure from 192.168.27.80
<189>Mar 12 10:35:42 sw-core-02 OSPF: Neighbor with Router ID 192.168.4.94 moved to FULL state on interface vlan24
<190>Mar 12 10:35:43 sw-access-03 BGP: Peer 192.168.46.254 changed state from Established to Idle
<190>Mar 12 10:35:44 sw-access-01 VLAN: VLAN 192.168.22.185 removed from port 1/0/18
<189>Mar 12 10:35:45 sw-access-02 OSPF: Neighbor with Router ID 192.168.24.61 moved to FULL state on interface vlan38

<190>Mar 12 10:35:46 sw-core-01 SNMP: Authentication failure from 192.168.1.88
<191>Mar 12 10:35:47 sw-core-02 BGP: Peer 192.168.4.211 changed state from Established to Idle
<190>Mar 12 10:35:48 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.49.164
<190>Mar 12 10:35:49 sw-access-03 VLAN: VLAN 192.168.21.96 removed from port 1/0/41
<189>Mar 12 10:35:50 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.31.247 over UDP protocol
<190>Mar 12 10:35:51 sw-access-02 OSPF: Neighbor with Router ID 192.168.4.55 changed state from FULL to DOWN
<189>Mar 12 10:35:52 sw-access-01 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:35:53 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.8.244 over UDP protocol
<191>Mar 12 10:35:54 sw-core-02 SECURITY: possible port scan detected from IP 192.168.13.30
<191>Mar 12 10:35:55 sw-access-01 SNMP: Authentication failure from 192.168.32.39
<191>Mar 12 10:35:56 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.40.158 - client 69 - port 1/0/98:EF:48:88:D2:F8
<191>Mar 12 10:35:57 sw-access-02 VLAN: VLAN 192.168.38.81 removed from port 1/0/15
<191>Mar 12 10:35:58 sw-access-01 VLAN: VLAN 192.168.7.83 added to port 1/0/39
<190>Mar 12 10:35:59 sw-access-03 VLAN: VLAN 192.168.1.251 added to port 1/0/31
<191>Mar 12 10:36:00 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.30.39 IP 41 on port 1/0/D6:4A:82:0A:20:6C
<189>Mar 12 10:36:01 sw-access-03 PORT: port 1/0/192.168.40.188 changed state to up
<189>Mar 12 10:36:02 sw-access-03 SECURITY: MAC 192.168.2.36 blocked due to security policy
<191>Mar 12 10:36:03 sw-access-03 VLAN: VLAN 192.168.31.229 removed from port 1/0/24
<191>Mar 12 10:36:04 sw-core-02 BGP: Peer 192.168.27.222 moved to Established state
<191>Mar 12 10:36:05 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.48.228 - client 34 - port 1/0/E2:BD:37:CD:D1:A0
<191>Mar 12 10:36:06 sw-access-01 VLAN: VLAN 192.168.42.5 removed from port 1/0/68
<189>Mar 12 10:36:07 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.30.155 over UDP protocol
<190>Mar 12 10:36:08 sw-access-03 VLAN: VLAN 192.168.39.165 removed from port 1/0/29
<191>Mar 12 10:36:09 sw-core-01 SNMP: Authentication failure from 192.168.8.149
<190>Mar 12 10:36:10 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.16.102 - client 84 - port 1/0/DF:94:D0:D5:73:02
<191>Mar 12 10:36:11 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.43.91 - client 10 - port 1/0/0E:14:D0:F2:01:64
<190>Mar 12 10:36:12 sw-core-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:36:13 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.27.36 over UDP protocol

<191>Mar 12 10:36:14 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.31.140 IP 73 on port 1/0/6F:C7:40:15:7A:37
<191>Mar 12 10:36:15 sw-core-02 SNMP: Authentication failure from 192.168.9.223
<189>Mar 12 10:36:16 sw-access-03 SECURITY: possible port scan detected from IP 192.168.49.15
<191>Mar 12 10:36:17 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.16.119 IP 28 on port 1/0/E9:1D:B3:F9:F8:79
<191>Mar 12 10:36:18 sw-core-01 VLAN: VLAN 192.168.45.40 removed from port 1/0/97
<189>Mar 12 10:36:19 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.25.203 over UDP protocol
<191>Mar 12 10:36:20 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.25.100 - client 84 - port 1/0/65:1B:38:3B:37:82
<191>Mar 12 10:36:21 sw-core-01 SNMP: Authentication failure from 192.168.10.27
<189>Mar 12 10:36:22 sw-core-01 VLAN: VLAN 192.168.24.219 removed from port 1/0/79
<190>Mar 12 10:36:23 sw-core-01 BGP: Peer 192.168.28.90 moved to Established state
<190>Mar 12 10:36:24 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.23.59 - client 16 - port 1/0/28:C9:BA:01:E0:7A
<191>Mar 12 10:36:25 sw-access-03 VLAN: VLAN 192.168.28.17 removed from port 1/0/3
<190>Mar 12 10:36:26 sw-access-01 OSPF: Neighbor with Router ID 192.168.23.82 moved to FULL state on interface vlan62
<189>Mar 12 10:36:27 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.27.43 IP 68 on port 1/0/2C:09:18:15:D4:2B
<189>Mar 12 10:36:28 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.15.235
<189>Mar 12 10:36:29 sw-core-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:36:30 sw-core-01 SNMP: Authentication failure from 192.168.17.171
<189>Mar 12 10:36:31 sw-core-01 SNMP: Authentication failure from 192.168.25.196
<190>Mar 12 10:36:32 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.42.195 - client 80 - port 1/0/5B:6C:6A:4E:48:70
<190>Mar 12 10:36:33 sw-core-02 PORT: port 1/0/192.168.8.144 changed state to up
<190>Mar 12 10:36:34 sw-core-02 VLAN: VLAN 192.168.40.37 added to port 1/0/61
<191>Mar 12 10:36:35 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.44.47 over UDP protocol
<189>Mar 12 10:36:36 sw-core-01 PORT: port 1/0/192.168.11.227 changed state to up
<190>Mar 12 10:36:37 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.46.162 IP 40 on port 1/0/29:80:F7:6A:B3:26
<191>Mar 12 10:36:38 sw-core-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:36:39 sw-core-02 SECURITY: possible port scan detected from IP 192.168.17.48
<190>Mar 12 10:36:40 sw-access-01 SNMP: Authentication failure from 192.168.15.165
<191>Mar 12 10:36:41 sw-core-01 SECURITY: possible port scan detected from IP 192.168.44.36

<189>Mar 12 10:36:42 sw-access-03 VLAN: VLAN 192.168.3.121 added to port 1/0/17
<190>Mar 12 10:36:43 sw-access-02 SECURITY: possible port scan detected from IP 192.168.50.252
<189>Mar 12 10:36:44 sw-access-03 PORT: port 1/0/192.168.46.85 changed state to down
<189>Mar 12 10:36:45 sw-core-02 SNMP: Authentication failure from 192.168.36.238
<190>Mar 12 10:36:46 sw-access-03 OSPF: Neighbor with Router ID 192.168.44.126 changed state from FULL to DOWN
<189>Mar 12 10:36:47 sw-core-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:36:48 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.36.113 IP 44 on port 1/0/85:40:12:B8:54:9A
<190>Mar 12 10:36:49 sw-access-02 SECURITY: MAC 192.168.21.120 blocked due to security policy
<190>Mar 12 10:36:50 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.8.31 over UDP protocol
<191>Mar 12 10:36:51 sw-access-01 VLAN: VLAN 192.168.48.139 added to port 1/0/29
<189>Mar 12 10:36:52 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.3.125 - client 57 - port 1/0/BD:47:D3:58:9B:E1
<191>Mar 12 10:36:53 sw-core-01 OSPF: Neighbor with Router ID 192.168.17.195 changed state from FULL to DOWN
<190>Mar 12 10:36:54 sw-access-01 VLAN: VLAN 192.168.47.211 added to port 1/0/20
<191>Mar 12 10:36:55 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.23.186
<190>Mar 12 10:36:56 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.1.11 over UDP protocol
<189>Mar 12 10:36:57 sw-core-02 BGP: Peer 192.168.34.80 Down - Hold Timer Expired
<191>Mar 12 10:36:58 sw-access-03 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:36:59 sw-access-03 SECURITY: MAC 192.168.5.49 blocked due to security policy
<189>Mar 12 10:37:00 sw-core-02 SNMP: Authentication failure from 192.168.46.184
<190>Mar 12 10:37:01 sw-access-01 OSPF: Neighbor with Router ID 192.168.43.238 moved to FULL state on interface vlan4
<191>Mar 12 10:37:02 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.21.111 over UDP protocol
<189>Mar 12 10:37:03 sw-access-02 OSPF: Neighbor with Router ID 192.168.1.159 changed state from FULL to DOWN
<190>Mar 12 10:37:04 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.48.212 IP 43 on port 1/0/05:3C:C5:A7:3B:37
<190>Mar 12 10:37:05 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.47.62 - client 60 - port 1/0/10:1C:71:DE:C0:34
<189>Mar 12 10:37:06 sw-access-02 SNMP: Authentication failure from 192.168.24.176
<189>Mar 12 10:37:07 sw-core-02 BGP: Peer 192.168.33.144 moved to Established state

<190>Mar 12 10:37:08 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.38.83 over UDP protocol
<191>Mar 12 10:37:09 sw-access-02 OSPF: Neighbor with Router ID 192.168.39.100 moved to FULL state on interface vlan11
<191>Mar 12 10:37:10 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.21.97
<191>Mar 12 10:37:11 sw-access-02 SECURITY: MAC 192.168.6.167 blocked due to security policy
<191>Mar 12 10:37:12 sw-access-01 VLAN: VLAN 192.168.44.187 removed from port 1/0/82
<190>Mar 12 10:37:13 sw-core-01 BGP: Peer 192.168.11.189 Down - Hold Timer Expired
<189>Mar 12 10:37:14 sw-core-02 BGP: Peer 192.168.39.219 changed state from Established to Idle
<191>Mar 12 10:37:15 sw-access-01 PORT: link status change on port 1/0/192.168.29.3
<191>Mar 12 10:37:16 sw-core-01 SECURITY: MAC 192.168.27.63 blocked due to security policy
<191>Mar 12 10:37:17 sw-access-01 BGP: Peer 192.168.16.21 changed state from Established to Idle
<189>Mar 12 10:37:18 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.31.90
<190>Mar 12 10:37:19 sw-core-01 SNMP: Authentication failure from 192.168.17.221
<189>Mar 12 10:37:20 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.46.31 IP 78 on port 1/0/BF:D8:9B:7F:83:48
<190>Mar 12 10:37:21 sw-access-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:37:22 sw-access-01 BGP: Peer 192.168.31.20 Down - Hold Timer Expired
<191>Mar 12 10:37:23 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.22.218
<191>Mar 12 10:37:24 sw-access-01 PORT: port 1/0/192.168.21.102 changed state to down
<189>Mar 12 10:37:25 sw-access-02 VLAN: VLAN 192.168.26.171 added to port 1/0/26
<189>Mar 12 10:37:26 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.34.150
<191>Mar 12 10:37:27 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.26.122 - client 24 - port 1/0/51:B7:3B:62:71:0A
<189>Mar 12 10:37:28 sw-core-02 VLAN: VLAN 192.168.15.75 added to port 1/0/26
<191>Mar 12 10:37:29 sw-access-03 PORT: port 1/0/192.168.49.225 changed state to up
<190>Mar 12 10:37:30 sw-access-02 OSPF: Neighbor with Router ID 192.168.35.127 changed state from FULL to DOWN
<189>Mar 12 10:37:31 sw-access-02 OSPF: Neighbor with Router ID 192.168.37.128 moved to FULL state on interface vlan15
<189>Mar 12 10:37:32 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.45.124 IP 45 on port 1/0/B6:F3:41:F4:EC:03
<189>Mar 12 10:37:33 sw-access-03 SNMP: Authentication failure from 192.168.24.111
<189>Mar 12 10:37:34 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.43.160 - client 35 - port 1/0/D0:A8:3A:2F:E9:7B

<189>Mar 12 10:37:35 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.10.183 over UDP protocol
<191>Mar 12 10:37:36 sw-core-02 VLAN: VLAN 192.168.49.75 removed from port 1/0/9
<191>Mar 12 10:37:37 sw-access-02 BGP: Peer 192.168.17.223 moved to Established state
<191>Mar 12 10:37:38 sw-access-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:37:39 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.12.107 IP 35 on port 1/0/4B:54:7E:61:F9:9F
<190>Mar 12 10:37:40 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.18.132
<189>Mar 12 10:37:41 sw-core-02 BGP: Peer 192.168.49.51 moved to Established state
<191>Mar 12 10:37:42 sw-core-02 BGP: Peer 192.168.15.23 changed state from Established to Idle
<189>Mar 12 10:37:43 sw-core-01 SNMP: Authentication failure from 192.168.0.233
<189>Mar 12 10:37:44 sw-access-02 SNMP: Authentication failure from 192.168.9.104
<189>Mar 12 10:37:45 sw-access-02 SNMP: Authentication failure from 192.168.34.78
<190>Mar 12 10:37:46 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.50.118 over UDP protocol
<191>Mar 12 10:37:47 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.29.86 IP 91 on port 1/0/54:39:0A:04:B2:5E
<190>Mar 12 10:37:48 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.35.29 - client 52 - port 1/0/A5:8B:92:09:EA:B5
<189>Mar 12 10:37:49 sw-access-03 PORT: port 1/0/192.168.19.102 changed state to down
<189>Mar 12 10:37:50 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.16.205 - client 62 - port 1/0/2E:D2:1C:6B:1A:FB
<190>Mar 12 10:37:51 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.35.229 - client 67 - port 1/0/F6:95:B0:BB:B0:70
<189>Mar 12 10:37:52 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.37.109 IP 41 on port 1/0/80:31:32:F9:4D:3A
<190>Mar 12 10:37:53 sw-access-02 OSPF: Neighbor with Router ID 192.168.0.203 moved to FULL state on interface vlan24
<191>Mar 12 10:37:54 sw-core-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:37:55 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.39.27 over UDP protocol
<190>Mar 12 10:37:56 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.48.13 - client 40 - port 1/0/93:AC:40:96:D4:07
<191>Mar 12 10:37:57 sw-core-02 SECURITY: possible port scan detected from IP 192.168.26.182
<191>Mar 12 10:37:58 sw-core-01 VLAN: VLAN 192.168.18.160 removed from port 1/0/31
<191>Mar 12 10:37:59 sw-access-01 SECURITY: MAC 192.168.3.174 blocked due to security policy
<190>Mar 12 10:38:00 sw-access-02 OSPF: Neighbor with Router ID 192.168.26.176 changed state from FULL to DOWN

<189>Mar 12 10:38:01 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.40.38 - client 33 - port 1/0/00:31:4A:75:00:AB
<189>Mar 12 10:38:02 sw-core-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:38:03 sw-core-02 SNMP: Authentication failure from 192.168.47.38
<190>Mar 12 10:38:04 sw-core-01 PORT: port 1/0/192.168.40.205 changed state to up
<189>Mar 12 10:38:05 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.27.12 - client 97 - port 1/0/47:D7:34:41:8D:6F
<189>Mar 12 10:38:06 sw-core-02 OSPF: Neighbor with Router ID 192.168.44.25 changed state from FULL to DOWN
<190>Mar 12 10:38:07 sw-core-01 BGP: Peer 192.168.25.121 moved to Established state
<191>Mar 12 10:38:08 sw-access-02 SECURITY: possible port scan detected from IP 192.168.36.122
<190>Mar 12 10:38:09 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.39.55 - client 17 - port 1/0/C0:34:92:37:7D:20
<191>Mar 12 10:38:10 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.6.52
<191>Mar 12 10:38:11 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.42.227 - client 3 - port 1/0/EA:FF:D0:53:9E:36
<190>Mar 12 10:38:12 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.47.20 - client 17 - port 1/0/5A:3E:C9:D6:2A:66
<189>Mar 12 10:38:13 sw-access-01 SECURITY: possible port scan detected from IP 192.168.46.228
<191>Mar 12 10:38:14 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.25.223 IP 63 on port 1/0/69:B1:BD:7D:17:47
<189>Mar 12 10:38:15 sw-access-02 SNMP: Authentication failure from 192.168.7.208
<189>Mar 12 10:38:16 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.20.92 IP 55 on port 1/0/8D:8F:B5:70:9F:F3
<189>Mar 12 10:38:17 sw-access-01 VLAN: VLAN 192.168.44.174 removed from port 1/0/38
<190>Mar 12 10:38:18 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.11.238 over UDP protocol
<189>Mar 12 10:38:19 sw-access-02 OSPF: Neighbor with Router ID 192.168.43.168 changed state from FULL to DOWN
<189>Mar 12 10:38:20 sw-access-02 OSPF: Neighbor with Router ID 192.168.3.155 changed state from FULL to DOWN
<189>Mar 12 10:38:21 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.49.134 over UDP protocol
<191>Mar 12 10:38:22 sw-access-02 SECURITY: MAC 192.168.16.206 blocked due to security policy
<189>Mar 12 10:38:23 sw-access-03 BGP: Peer 192.168.11.5 moved to Established state
<190>Mar 12 10:38:24 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.13.181 - client 91 - port 1/0/C6:83:50:E5:37:9C
<191>Mar 12 10:38:25 sw-access-02 BGP: Peer 192.168.22.52 Down - Hold Timer Expired

<191>Mar 12 10:38:26 sw-access-01 BGP: Peer 192.168.38.119 changed state from Established to Idle
<190>Mar 12 10:38:27 sw-access-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:38:28 sw-core-02 VLAN: VLAN 192.168.26.10 added to port 1/0/33
<190>Mar 12 10:38:29 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.32.149 - client 41 - port 1/0/8E:5D:C0:32:4E:88
<190>Mar 12 10:38:30 sw-core-01 SNMP: Authentication failure from 192.168.17.170
<191>Mar 12 10:38:31 sw-access-02 OSPF: Neighbor with Router ID 192.168.46.4 changed state from FULL to DOWN
<189>Mar 12 10:38:32 sw-access-01 SNMP: Authentication failure from 192.168.50.53
<191>Mar 12 10:38:33 sw-access-03 SNMP: Authentication failure from 192.168.4.176
<190>Mar 12 10:38:34 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.7.111 - client 21 - port 1/0/9A:7F:EC:3B:B5:0E
<190>Mar 12 10:38:35 sw-access-03 SNMP: Authentication failure from 192.168.16.173
<190>Mar 12 10:38:36 sw-core-01 BGP: Peer 192.168.42.146 moved to Established state
<189>Mar 12 10:38:37 sw-core-01 SECURITY: MAC 192.168.19.243 blocked due to security policy
<190>Mar 12 10:38:38 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.18.37 - client 4 - port 1/0/8C:6C:FD:2B:0B:D4
<190>Mar 12 10:38:39 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.43.195 IP 53 on port 1/0/BB:5C:98:AD:D5:E3
<190>Mar 12 10:38:40 sw-access-02 PORT: port 1/0/192.168.6.242 changed state to down
<191>Mar 12 10:38:41 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.12.93 over UDP protocol
<191>Mar 12 10:38:42 sw-access-02 BGP: Peer 192.168.14.180 moved to Established state
<191>Mar 12 10:38:43 sw-access-02 SECURITY: MAC 192.168.32.152 blocked due to security policy
<190>Mar 12 10:38:44 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.44.203 - client 69 - port 1/0/F8:6F:01:02:58:6E
<189>Mar 12 10:38:45 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.15.210
<189>Mar 12 10:38:46 sw-access-03 SNMP: Authentication failure from 192.168.50.18
<189>Mar 12 10:38:47 sw-access-03 VLAN: VLAN 192.168.15.55 added to port 1/0/54
<189>Mar 12 10:38:48 sw-core-01 SNMP: Authentication failure from 192.168.6.103
<189>Mar 12 10:38:49 sw-access-01 PORT: port 1/0/192.168.25.138 changed state to down
<189>Mar 12 10:38:50 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.45.14 - client 7 - port 1/0/40:4A:AE:2D:F1:6E
<191>Mar 12 10:38:51 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.48.70
<191>Mar 12 10:38:52 sw-access-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:38:53 sw-access-03 VLAN: VLAN 192.168.40.238 added to port 1/0/71

<189>Mar 12 10:38:54 sw-access-03 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:38:55 sw-core-01 BGP: Peer 192.168.50.126 moved to Established state
<190>Mar 12 10:38:56 sw-access-02 VLAN: VLAN 192.168.16.15 added to port 1/0/40
<189>Mar 12 10:38:57 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.2.223 over UDP protocol
<191>Mar 12 10:38:58 sw-access-02 OSPF: Neighbor with Router ID 192.168.43.48 moved to FULL state on interface vlan74
<190>Mar 12 10:38:59 sw-access-02 VLAN: VLAN 192.168.3.228 removed from port 1/0/83
<190>Mar 12 10:39:00 sw-core-02 VLAN: VLAN 192.168.37.51 removed from port 1/0/63
<189>Mar 12 10:39:01 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.42.7
<189>Mar 12 10:39:02 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.37.87 - client 15 - port 1/0/38:49:60:CD:D3:03
<189>Mar 12 10:39:03 sw-access-01 SECURITY: MAC 192.168.46.224 blocked due to security policy
<191>Mar 12 10:39:04 sw-access-01 OSPF: Neighbor with Router ID 192.168.4.46 moved to FULL state on interface vlan90
<189>Mar 12 10:39:05 sw-access-01 PORT: link status change on port 1/0/192.168.0.208
<191>Mar 12 10:39:06 sw-access-03 SECURITY: possible port scan detected from IP 192.168.41.112
<191>Mar 12 10:39:07 sw-access-03 PORT: port 1/0/192.168.21.171 changed state to up
<191>Mar 12 10:39:08 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.18.56 IP 39 on port 1/0/58:46:90:28:6A:38
<190>Mar 12 10:39:09 sw-access-02 SECURITY: possible port scan detected from IP 192.168.44.214
<189>Mar 12 10:39:10 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.29.237 - client 26 - port 1/0/4B:5B:D6:BB:B8:B6
<191>Mar 12 10:39:11 sw-access-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:39:12 sw-access-03 SNMP: Authentication failure from 192.168.11.239
<189>Mar 12 10:39:13 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.49.241 - client 45 - port 1/0/3E:8B:C7:C1:5D:C7
<189>Mar 12 10:39:14 sw-core-01 VLAN: VLAN 192.168.2.223 removed from port 1/0/41
<191>Mar 12 10:39:15 sw-access-03 VLAN: VLAN 192.168.43.84 added to port 1/0/37
<190>Mar 12 10:39:16 sw-access-02 SECURITY: possible port scan detected from IP 192.168.13.128
<190>Mar 12 10:39:17 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.37.236 over UDP protocol
<190>Mar 12 10:39:18 sw-core-01 SNMP: Authentication failure from 192.168.33.38
<189>Mar 12 10:39:19 sw-core-02 PORT: port 1/0/192.168.20.114 changed state to down
<191>Mar 12 10:39:20 sw-core-02 PORT: port 1/0/192.168.10.195 changed state to up
<190>Mar 12 10:39:21 sw-core-02 SECURITY: MAC 192.168.29.236 blocked due to security policy

<190>Mar 12 10:39:22 sw-core-02 VLAN: VLAN 192.168.31.36 removed from port 1/0/35
<191>Mar 12 10:39:23 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.9.86
<191>Mar 12 10:39:24 sw-core-02 SECURITY: possible port scan detected from IP 192.168.37.17
<191>Mar 12 10:39:25 sw-core-02 BGP: Peer 192.168.25.10 Down - Hold Timer Expired
<189>Mar 12 10:39:26 sw-core-02 VLAN: VLAN 192.168.34.159 added to port 1/0/58
<191>Mar 12 10:39:27 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.47.38 - client 28 - port 1/0/73:D3:36:1A:0B:21
<191>Mar 12 10:39:28 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.9.114 over UDP protocol
<191>Mar 12 10:39:29 sw-access-02 BGP: Peer 192.168.7.218 moved to Established state
<189>Mar 12 10:39:30 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.6.7 - client 5 - port 1/0/FE:6C:CF:F0:C2:70
<190>Mar 12 10:39:31 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.20.233 IP 61 on port 1/0/78:38:DC:9A:1E:17
<191>Mar 12 10:39:32 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.23.124 over UDP protocol
<190>Mar 12 10:39:33 sw-access-03 SNMP: Authentication failure from 192.168.9.181
<189>Mar 12 10:39:34 sw-access-02 OSPF: Neighbor with Router ID 192.168.46.147 moved to FULL state on interface vlan17
<191>Mar 12 10:39:35 sw-access-03 SNMP: Authentication failure from 192.168.47.39
<191>Mar 12 10:39:36 sw-access-03 BGP: Peer 192.168.38.43 Down - Hold Timer Expired
<189>Mar 12 10:39:37 sw-access-02 PORT: port 1/0/192.168.0.40 changed state to up
<191>Mar 12 10:39:38 sw-access-03 BGP: Peer 192.168.50.247 moved to Established state
<191>Mar 12 10:39:39 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.14.189
<191>Mar 12 10:39:40 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.22.181 - client 83 - port 1/0/FD:C7:31:B4:04:EB
<190>Mar 12 10:39:41 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.25.188 - client 19 - port 1/0/28:FC:3E:8D:00:D9
<189>Mar 12 10:39:42 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.0.248 over UDP protocol
<190>Mar 12 10:39:43 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.29.211 IP 63 on port 1/0/6C:D0:87:34:06:DF
<190>Mar 12 10:39:44 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.8.45
<189>Mar 12 10:39:45 sw-access-03 BGP: Peer 192.168.23.29 moved to Established state
<190>Mar 12 10:39:46 sw-access-03 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:39:47 sw-core-02 PORT: link status change on port 1/0/192.168.28.200
<190>Mar 12 10:39:48 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.42.140 over UDP protocol

<190>Mar 12 10:39:49 sw-access-01 OSPF: Neighbor with Router ID 192.168.0.96 moved to FULL state on interface vlan89
<190>Mar 12 10:39:50 sw-access-03 SNMP: Authentication failure from 192.168.24.104
<191>Mar 12 10:39:51 sw-access-03 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:39:52 sw-core-01 OSPF: Neighbor with Router ID 192.168.19.160 changed state from FULL to DOWN
<190>Mar 12 10:39:53 sw-core-02 PORT: port 1/0/192.168.32.253 changed state to down
<189>Mar 12 10:39:54 sw-core-01 SNMP: Authentication failure from 192.168.46.96
<189>Mar 12 10:39:55 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.16.185 - client 56 - port 1/0/85:5F:9F:92:27:96
<191>Mar 12 10:39:56 sw-core-01 BGP: Peer 192.168.40.123 Down - Hold Timer Expired
<190>Mar 12 10:39:57 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.38.106 over UDP protocol
<189>Mar 12 10:39:58 sw-core-01 SECURITY: possible port scan detected from IP 192.168.17.15
<190>Mar 12 10:39:59 sw-core-02 SNMP: Authentication failure from 192.168.6.93
<190>Mar 12 10:40:00 sw-access-03 SECURITY: possible port scan detected from IP 192.168.23.177
<190>Mar 12 10:40:01 sw-core-02 VLAN: VLAN 192.168.47.135 added to port 1/0/76
<191>Mar 12 10:40:02 sw-access-03 OSPF: Neighbor with Router ID 192.168.45.9 moved to FULL state on interface vlan99
<191>Mar 12 10:40:03 sw-access-02 VLAN: VLAN 192.168.40.54 removed from port 1/0/51
<191>Mar 12 10:40:04 sw-access-02 SNMP: Authentication failure from 192.168.33.248
<190>Mar 12 10:40:05 sw-access-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:40:06 sw-core-01 BGP: Peer 192.168.41.70 moved to Established state
<190>Mar 12 10:40:07 sw-core-02 SNMP: Authentication failure from 192.168.47.195
<191>Mar 12 10:40:08 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.7.182 IP 49 on port 1/0/73:D8:97:51:4B:1B
<191>Mar 12 10:40:09 sw-access-03 BGP: Peer 192.168.0.148 moved to Established state
<189>Mar 12 10:40:10 sw-core-01 BGP: Peer 192.168.17.217 Down - Hold Timer Expired
<191>Mar 12 10:40:11 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.46.4 - client 19 - port 1/0/D9:8A:94:64:41:22
<189>Mar 12 10:40:12 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.12.248 - client 64 - port 1/0/71:EA:BC:B1:E7:12
<191>Mar 12 10:40:13 sw-access-03 SNMP: Authentication failure from 192.168.20.218
<190>Mar 12 10:40:14 sw-access-01 VLAN: VLAN 192.168.42.152 added to port 1/0/2
<189>Mar 12 10:40:15 sw-core-02 SNMP: Authentication failure from 192.168.0.169
<191>Mar 12 10:40:16 sw-core-02 PORT: link status change on port 1/0/192.168.45.50
<191>Mar 12 10:40:17 sw-core-01 VLAN: VLAN 192.168.0.49 added to port 1/0/70
<190>Mar 12 10:40:18 sw-access-03 OSPF: Neighbor with Router ID 192.168.50.65 changed state from FULL to DOWN
<190>Mar 12 10:40:19 sw-access-03 SNMP: Authentication failure from 192.168.5.202

<190>Mar 12 10:40:20 sw-core-02 SECURITY: possible port scan detected from IP 192.168.23.37
<189>Mar 12 10:40:21 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.34.219 IP 82 on port 1/0/8A:6F:66:AC:B8:F4
<189>Mar 12 10:40:22 sw-access-02 BGP: Peer 192.168.39.146 Down - Hold Timer Expired
<190>Mar 12 10:40:23 sw-access-03 VLAN: VLAN 192.168.12.38 added to port 1/0/43
<191>Mar 12 10:40:24 sw-access-03 BGP: Peer 192.168.36.1 moved to Established state
<191>Mar 12 10:40:25 sw-access-03 SNMP: Authentication failure from 192.168.12.14
<190>Mar 12 10:40:26 sw-access-02 BGP: Peer 192.168.8.204 Down - Hold Timer Expired
<190>Mar 12 10:40:27 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.32.237 IP 54 on port 1/0/60:CD:11:00:9E:98
<189>Mar 12 10:40:28 sw-access-03 PORT: link status change on port 1/0/192.168.10.25
<190>Mar 12 10:40:29 sw-access-03 SECURITY: possible port scan detected from IP 192.168.15.100
<189>Mar 12 10:40:30 sw-core-01 VLAN: VLAN 192.168.39.220 added to port 1/0/59
<189>Mar 12 10:40:31 sw-core-02 BGP: Peer 192.168.14.229 changed state from Established to Idle
<190>Mar 12 10:40:32 sw-access-02 VLAN: VLAN 192.168.33.138 added to port 1/0/90
<190>Mar 12 10:40:33 sw-access-02 BGP: Peer 192.168.42.117 changed state from Established to Idle
<189>Mar 12 10:40:34 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.37.198 over UDP protocol
<191>Mar 12 10:40:35 sw-core-01 SECURITY: possible port scan detected from IP 192.168.17.11
<190>Mar 12 10:40:36 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.13.155 - client 38 - port 1/0/A9:B5:7D:B4:07:28
<190>Mar 12 10:40:37 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.40.12 over UDP protocol
<191>Mar 12 10:40:38 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.48.244 IP 2 on port 1/0/28:FA:A4:6D:73:C0
<189>Mar 12 10:40:39 sw-access-01 PORT: port 1/0/192.168.23.61 changed state to up
<189>Mar 12 10:40:40 sw-access-02 PORT: port 1/0/192.168.31.129 changed state to up
<189>Mar 12 10:40:41 sw-access-02 SNMP: Authentication failure from 192.168.48.206
<190>Mar 12 10:40:42 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.29.12 - client 43 - port 1/0/2C:9E:59:B2:24:6A
<190>Mar 12 10:40:43 sw-access-03 VLAN: VLAN 192.168.10.91 removed from port 1/0/17
<190>Mar 12 10:40:44 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.19.151 IP 29 on port 1/0/06:2E:A3:6A:B0:C0
<191>Mar 12 10:40:45 sw-access-01 PORT: port 1/0/192.168.40.43 changed state to up
<191>Mar 12 10:40:46 sw-access-02 PORT: port 1/0/192.168.46.203 changed state to down
<190>Mar 12 10:40:47 sw-access-03 BGP: Peer 192.168.35.150 Down - Hold Timer Expired
<189>Mar 12 10:40:48 sw-access-03 PORT: port 1/0/192.168.9.8 changed state to down
<191>Mar 12 10:40:49 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.2.175 over UDP protocol

<191>Mar 12 10:40:50 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.20.212
<190>Mar 12 10:40:51 sw-access-02 PORT: port 1/0/192.168.21.221 changed state to down
<191>Mar 12 10:40:52 sw-core-02 OSPF: Neighbor with Router ID 192.168.22.150 moved to FULL state on interface vlan44
<190>Mar 12 10:40:53 sw-core-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:40:54 sw-core-01 SECURITY: MAC 192.168.28.138 blocked due to security policy
<190>Mar 12 10:40:55 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.8.119 - client 29 - port 1/0/6B:C3:A9:BB:60:3B
<190>Mar 12 10:40:56 sw-access-03 SECURITY: possible port scan detected from IP 192.168.9.105
<191>Mar 12 10:40:57 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.9.229 - client 82 - port 1/0/DD:DE:83:47:DE:54
<191>Mar 12 10:40:58 sw-access-03 SNMP: Authentication failure from 192.168.0.91
<189>Mar 12 10:40:59 sw-core-01 VLAN: VLAN 192.168.48.102 removed from port 1/0/84
<191>Mar 12 10:41:00 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.0.244 - client 8 - port 1/0/36:C6:E8:A8:87:80
<191>Mar 12 10:41:01 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.33.235
<191>Mar 12 10:41:02 sw-access-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.28.61 IP 40 on port 1/0/46:98:B2:9C:04:75
<189>Mar 12 10:41:03 sw-core-01 VLAN: VLAN 192.168.41.18 added to port 1/0/42
<189>Mar 12 10:41:04 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.12.105 - client 94 - port 1/0/53:D9:03:E0:7B:F1
<190>Mar 12 10:41:05 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.9.202 - client 36 - port 1/0/8C:9C:2B:DC:4B:1A
<190>Mar 12 10:41:06 sw-core-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:41:07 sw-core-01 VLAN: VLAN 192.168.40.228 removed from port 1/0/83
<189>Mar 12 10:41:08 sw-core-01 SECURITY: MAC 192.168.23.147 blocked due to security policy
<191>Mar 12 10:41:09 sw-access-01 PORT: link status change on port 1/0/192.168.10.231
<191>Mar 12 10:41:10 sw-core-02 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:41:11 sw-access-02 OSPF: Neighbor with Router ID 192.168.49.238 changed state from FULL to DOWN
<190>Mar 12 10:41:12 sw-access-03 VLAN: VLAN 192.168.30.150 removed from port 1/0/36
<190>Mar 12 10:41:13 sw-core-01 OSPF: Neighbor with Router ID 192.168.3.185 changed state from FULL to DOWN
<190>Mar 12 10:41:14 sw-access-03 PORT: port 1/0/192.168.1.59 changed state to down
<189>Mar 12 10:41:15 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.15.16 - client 6 - port 1/0/9B:42:F9:EE:42:F0

<189>Mar 12 10:41:16 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.47.186
<189>Mar 12 10:41:17 sw-access-03 OSPF: Neighbor with Router ID 192.168.37.124 moved to FULL state on interface vlan18
<189>Mar 12 10:41:18 sw-core-02 OSPF: Neighbor with Router ID 192.168.0.161 moved to FULL state on interface vlan32
<191>Mar 12 10:41:19 sw-access-02 BGP: Peer 192.168.44.158 moved to Established state
<190>Mar 12 10:41:20 sw-core-02 VLAN: VLAN 192.168.7.126 added to port 1/0/50
<190>Mar 12 10:41:21 sw-access-02 VLAN: VLAN 192.168.5.131 added to port 1/0/82
<189>Mar 12 10:41:22 sw-access-02 OSPF: Neighbor with Router ID 192.168.41.184 moved to FULL state on interface vlan28
<189>Mar 12 10:41:23 sw-core-02 SECURITY: MAC 192.168.0.46 blocked due to security policy
<189>Mar 12 10:41:24 sw-core-01 SNMP: Authentication failure from 192.168.15.220
<190>Mar 12 10:41:25 sw-core-02 OSPF: Neighbor with Router ID 192.168.0.82 changed state from FULL to DOWN
<190>Mar 12 10:41:26 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.41.32
<191>Mar 12 10:41:27 sw-access-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:41:28 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.37.219 - client 71 - port 1/0/D5:72:69:4F:23:DA
<189>Mar 12 10:41:29 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.29.23 over UDP protocol
<191>Mar 12 10:41:30 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.46.1
<189>Mar 12 10:41:31 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.49.5 - client 97 - port 1/0/00:E4:11:A0:4B:7A
<189>Mar 12 10:41:32 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.50.96 IP 79 on port 1/0/AF:B2:00:D6:BC:8C
<190>Mar 12 10:41:33 sw-access-02 SECURITY: MAC 192.168.17.224 blocked due to security policy
<191>Mar 12 10:41:34 sw-access-02 SNMP: Authentication failure from 192.168.45.159
<189>Mar 12 10:41:35 sw-core-01 BGP: Peer 192.168.14.134 changed state from Established to Idle
<191>Mar 12 10:41:36 sw-core-02 OSPF: Neighbor with Router ID 192.168.45.187 moved to FULL state on interface vlan72
<190>Mar 12 10:41:37 sw-core-01 SNMP: Authentication failure from 192.168.18.41
<190>Mar 12 10:41:38 sw-access-02 SNMP: Authentication failure from 192.168.38.95
<190>Mar 12 10:41:39 sw-access-03 SECURITY: possible port scan detected from IP 192.168.31.14
<189>Mar 12 10:41:40 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.25.245

<191>Mar 12 10:41:41 sw-core-02 OSPF: Neighbor with Router ID 192.168.39.126 changed state from FULL to DOWN
<190>Mar 12 10:41:42 sw-core-02 SNMP: Authentication failure from 192.168.24.54
<191>Mar 12 10:41:43 sw-access-01 BGP: Peer 192.168.5.148 Down - Hold Timer Expired
<189>Mar 12 10:41:44 sw-core-02 PORT: port 1/0/192.168.1.39 changed state to up
<189>Mar 12 10:41:45 sw-access-01 SECURITY: possible port scan detected from IP 192.168.3.212
<191>Mar 12 10:41:46 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.2.174 - client 47 - port 1/0/5A:22:7A:93:E7:60
<189>Mar 12 10:41:47 sw-access-03 VLAN: VLAN 192.168.4.37 added to port 1/0/45
<191>Mar 12 10:41:48 sw-core-01 SNMP: Authentication failure from 192.168.9.239
<191>Mar 12 10:41:49 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.40.230
<190>Mar 12 10:41:50 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.21.197 IP 48 on port 1/0/F2:22:06:F8:67:56
<191>Mar 12 10:41:51 sw-core-01 SECURITY: possible port scan detected from IP 192.168.50.186
<191>Mar 12 10:41:52 sw-access-01 BGP: Peer 192.168.42.225 moved to Established state
<189>Mar 12 10:41:53 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.26.1 IP 58 on port 1/0/76:1A:7C:E2:18:4B
<189>Mar 12 10:41:54 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.18.2
<190>Mar 12 10:41:55 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.7.133 IP 14 on port 1/0/26:48:E4:B7:CA:49
<190>Mar 12 10:41:56 sw-access-03 VLAN: VLAN 192.168.0.28 removed from port 1/0/26
<190>Mar 12 10:41:57 sw-access-03 SNMP: Authentication failure from 192.168.4.143
<190>Mar 12 10:41:58 sw-access-02 SNMP: Authentication failure from 192.168.3.69
<190>Mar 12 10:41:59 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.34.28 - client 2 - port 1/0/7E:68:D9:79:BB:0D
<189>Mar 12 10:42:00 sw-access-03 SECURITY: possible port scan detected from IP 192.168.37.47
<190>Mar 12 10:42:01 sw-core-01 BGP: Peer 192.168.13.134 moved to Established state
<191>Mar 12 10:42:02 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.19.236 - client 52 - port 1/0/83:95:96:8C:FF:77
<190>Mar 12 10:42:03 sw-access-01 PORT: port 1/0/192.168.33.245 changed state to up
<189>Mar 12 10:42:04 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.25.166 over UDP protocol
<190>Mar 12 10:42:05 sw-access-02 BGP: Peer 192.168.6.29 moved to Established state
<191>Mar 12 10:42:06 sw-access-03 OSPF: Neighbor with Router ID 192.168.27.241 changed state from FULL to DOWN
<189>Mar 12 10:42:07 sw-access-03 OSPF: Neighbor with Router ID 192.168.26.107 moved to FULL state on interface vlan69
<190>Mar 12 10:42:08 sw-core-02 Manager: Configuration saved to flash memory by user admin

<189>Mar 12 10:42:09 sw-access-02 OSPF: Neighbor with Router ID 192.168.25.65 moved to FULL state on interface vlan24
<190>Mar 12 10:42:10 sw-access-01 BGP: Peer 192.168.8.218 moved to Established state
<189>Mar 12 10:42:11 sw-access-02 OSPF: Neighbor with Router ID 192.168.48.137 changed state from FULL to DOWN
<189>Mar 12 10:42:12 sw-core-01 VLAN: VLAN 192.168.28.148 added to port 1/0/99
<190>Mar 12 10:42:13 sw-core-02 SECURITY: possible port scan detected from IP 192.168.35.105
<189>Mar 12 10:42:14 sw-core-02 PORT: port 1/0/192.168.37.129 changed state to up
<189>Mar 12 10:42:15 sw-access-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:42:16 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.5.239 IP 6 on port 1/0/C8:50:5D:95:05:D0
<190>Mar 12 10:42:17 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.44.227 IP 35 on port 1/0/A6:62:45:11:A6:78
<191>Mar 12 10:42:18 sw-access-02 OSPF: Neighbor with Router ID 192.168.3.113 changed state from FULL to DOWN
<191>Mar 12 10:42:19 sw-access-03 SECURITY: possible port scan detected from IP 192.168.26.27
<190>Mar 12 10:42:20 sw-access-02 OSPF: Neighbor with Router ID 192.168.21.226 changed state from FULL to DOWN
<190>Mar 12 10:42:21 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.8.15 over UDP protocol
<189>Mar 12 10:42:22 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.24.191 - client 51 - port 1/0/82:38:36:4D:91:5B
<190>Mar 12 10:42:23 sw-access-02 OSPF: Neighbor with Router ID 192.168.31.185 changed state from FULL to DOWN
<189>Mar 12 10:42:24 sw-core-01 VLAN: VLAN 192.168.18.73 removed from port 1/0/53
<190>Mar 12 10:42:25 sw-core-02 SNMP: Authentication failure from 192.168.47.130
<190>Mar 12 10:42:26 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.39.14
<190>Mar 12 10:42:27 sw-core-02 OSPF: Neighbor with Router ID 192.168.45.87 moved to FULL state on interface vlan57
<189>Mar 12 10:42:28 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.15.90 - client 79 - port 1/0/FB:71:40:62:DB:9E
<191>Mar 12 10:42:29 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.14.206 - client 86 - port 1/0/0A:FC:59:A0:2C:C7
<191>Mar 12 10:42:30 sw-core-02 PORT: port 1/0/192.168.8.13 changed state to down
<189>Mar 12 10:42:31 sw-access-03 OSPF: Neighbor with Router ID 192.168.36.208 moved to FULL state on interface vlan2
<191>Mar 12 10:42:32 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.23.18 over UDP protocol
<190>Mar 12 10:42:33 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.32.95

<191>Mar 12 10:42:34 sw-core-02 VLAN: VLAN 192.168.45.45 removed from port 1/0/87
<190>Mar 12 10:42:35 sw-core-01 VLAN: VLAN 192.168.30.154 added to port 1/0/21
<190>Mar 12 10:42:36 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.18.150 IP 58 on port 1/0/54:24:CA:B9:5C:CD
<191>Mar 12 10:42:37 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.22.209
<190>Mar 12 10:42:38 sw-access-03 VLAN: VLAN 192.168.44.163 removed from port 1/0/63
<191>Mar 12 10:42:39 sw-access-01 OSPF: Neighbor with Router ID 192.168.39.17 moved to FULL state on interface vlan62
<190>Mar 12 10:42:40 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.22.108
<191>Mar 12 10:42:41 sw-core-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:42:42 sw-access-02 OSPF: Neighbor with Router ID 192.168.11.230 moved to FULL state on interface vlan51
<189>Mar 12 10:42:43 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.34.120 - client 3 - port 1/0/71:2E:6B:94:3D:A5
<191>Mar 12 10:42:44 sw-core-01 BGP: Peer 192.168.1.190 Down - Hold Timer Expired
<189>Mar 12 10:42:45 sw-core-02 SNMP: Authentication failure from 192.168.1.162
<190>Mar 12 10:42:46 sw-access-01 PORT: port 1/0/192.168.40.106 changed state to down
<191>Mar 12 10:42:47 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.48.98
<191>Mar 12 10:42:48 sw-core-02 BGP: Peer 192.168.41.156 Down - Hold Timer Expired
<189>Mar 12 10:42:49 sw-access-02 PORT: port 1/0/192.168.49.11 changed state to down
<191>Mar 12 10:42:50 sw-access-03 BGP: Peer 192.168.41.25 moved to Established state
<189>Mar 12 10:42:51 sw-access-01 PORT: port 1/0/192.168.2.182 changed state to down
<190>Mar 12 10:42:52 sw-access-03 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:42:53 sw-core-01 SECURITY: MAC 192.168.39.132 blocked due to security policy
<189>Mar 12 10:42:54 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.16.209 over UDP protocol
<191>Mar 12 10:42:55 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.8.108
<189>Mar 12 10:42:56 sw-access-02 OSPF: Neighbor with Router ID 192.168.43.143 moved to FULL state on interface vlan82
<190>Mar 12 10:42:57 sw-core-01 VLAN: VLAN 192.168.43.150 added to port 1/0/10
<189>Mar 12 10:42:58 sw-access-03 PORT: port 1/0/192.168.19.27 changed state to down
<189>Mar 12 10:42:59 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.20.151 over UDP protocol
<190>Mar 12 10:43:00 sw-core-01 OSPF: Neighbor with Router ID 192.168.3.49 moved to FULL state on interface vlan97
<189>Mar 12 10:43:01 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.35.207

<189>Mar 12 10:43:02 sw-core-01 OSPF: Neighbor with Router ID 192.168.18.131 moved to FULL state on interface vlan19
<189>Mar 12 10:43:03 sw-core-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:43:04 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.38.110 over UDP protocol
<189>Mar 12 10:43:05 sw-access-03 PORT: port 1/0/192.168.46.77 changed state to down
<191>Mar 12 10:43:06 sw-access-03 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:43:07 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.1.142 over UDP protocol
<189>Mar 12 10:43:08 sw-access-01 VLAN: VLAN 192.168.21.240 added to port 1/0/12
<191>Mar 12 10:43:09 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.41.216 - client 74 - port 1/0/77:61:54:26:C9:81
<189>Mar 12 10:43:10 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.6.139 over UDP protocol
<190>Mar 12 10:43:11 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.14.58
<189>Mar 12 10:43:12 sw-access-03 BGP: Peer 192.168.24.64 changed state from Established to Idle
<189>Mar 12 10:43:13 sw-access-02 SECURITY: MAC 192.168.27.182 blocked due to security policy
<191>Mar 12 10:43:14 sw-core-01 SNMP: Authentication failure from 192.168.40.108
<191>Mar 12 10:43:15 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.21.75 - client 8 - port 1/0/C3:BF:A3:70:68:C8
<190>Mar 12 10:43:16 sw-core-02 OSPF: Neighbor with Router ID 192.168.43.94 moved to FULL state on interface vlan40
<191>Mar 12 10:43:17 sw-core-02 PORT: link status change on port 1/0/192.168.18.102
<189>Mar 12 10:43:18 sw-core-01 PORT: link status change on port 1/0/192.168.13.67
<189>Mar 12 10:43:19 sw-core-02 OSPF: Neighbor with Router ID 192.168.20.58 moved to FULL state on interface vlan25
<189>Mar 12 10:43:20 sw-access-03 PORT: port 1/0/192.168.43.147 changed state to down
<190>Mar 12 10:43:21 sw-access-02 OSPF: Neighbor with Router ID 192.168.18.197 moved to FULL state on interface vlan53
<189>Mar 12 10:43:22 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.8.12 over UDP protocol
<190>Mar 12 10:43:23 sw-core-02 PORT: link status change on port 1/0/192.168.32.75
<189>Mar 12 10:43:24 sw-access-01 VLAN: VLAN 192.168.6.48 added to port 1/0/1
<189>Mar 12 10:43:25 sw-access-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:43:26 sw-access-01 PORT: port 1/0/192.168.24.148 changed state to down
<189>Mar 12 10:43:27 sw-core-01 OSPF: Neighbor with Router ID 192.168.24.70 moved to FULL state on interface vlan6

<189>Mar 12 10:43:28 sw-access-03 OSPF: Neighbor with Router ID 192.168.33.210 changed state from FULL to DOWN
<189>Mar 12 10:43:29 sw-access-01 SECURITY: possible port scan detected from IP 192.168.39.173
<191>Mar 12 10:43:30 sw-core-01 BGP: Peer 192.168.50.95 Down - Hold Timer Expired
<190>Mar 12 10:43:31 sw-core-02 VLAN: VLAN 192.168.33.22 removed from port 1/0/64
<189>Mar 12 10:43:32 sw-access-01 BGP: Peer 192.168.12.239 changed state from Established to Idle
<190>Mar 12 10:43:33 sw-access-03 SNMP: Authentication failure from 192.168.50.92
<191>Mar 12 10:43:34 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.4.20 over UDP protocol
<190>Mar 12 10:43:35 sw-access-03 OSPF: Neighbor with Router ID 192.168.32.59 changed state from FULL to DOWN
<189>Mar 12 10:43:36 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.36.51
<191>Mar 12 10:43:37 sw-access-01 SECURITY: possible port scan detected from IP 192.168.10.42
<189>Mar 12 10:43:38 sw-access-02 VLAN: VLAN 192.168.39.52 removed from port 1/0/45
<191>Mar 12 10:43:39 sw-core-01 PORT: port 1/0/192.168.37.229 changed state to down
<191>Mar 12 10:43:40 sw-access-02 SECURITY: MAC 192.168.9.173 blocked due to security policy
<191>Mar 12 10:43:41 sw-access-03 BGP: Peer 192.168.7.250 moved to Established state
<191>Mar 12 10:43:42 sw-access-02 PORT: port 1/0/192.168.48.205 changed state to up
<191>Mar 12 10:43:43 sw-access-01 VLAN: VLAN 192.168.2.115 added to port 1/0/2
<190>Mar 12 10:43:44 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.8.236
<190>Mar 12 10:43:45 sw-access-02 SECURITY: possible port scan detected from IP 192.168.29.195
<191>Mar 12 10:43:46 sw-core-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:43:47 sw-access-02 SECURITY: MAC 192.168.10.20 blocked due to security policy
<190>Mar 12 10:43:48 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.7.149 - client 26 - port 1/0/7C:DE:CA:54:A0:46
<191>Mar 12 10:43:49 sw-access-03 SNMP: Authentication failure from 192.168.17.147
<190>Mar 12 10:43:50 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.16.123 over UDP protocol
<191>Mar 12 10:43:51 sw-core-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:43:52 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.9.110 - client 3 - port 1/0/1D:89:2B:07:79:40
<189>Mar 12 10:43:53 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.11.109 over UDP protocol

<190>Mar 12 10:43:54 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.32.202 - client 67 - port 1/0/FE:D2:6E:DB:FA:FC
<191>Mar 12 10:43:55 sw-access-02 VLAN: VLAN 192.168.0.127 removed from port 1/0/83
<191>Mar 12 10:43:56 sw-core-02 BGP: Peer 192.168.26.40 changed state from Established to Idle
<190>Mar 12 10:43:57 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.39.96
<189>Mar 12 10:43:58 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.2.65 IP 80 on port 1/0/3C:D7:CE:9D:AD:7C
<189>Mar 12 10:43:59 sw-core-01 SNMP: Authentication failure from 192.168.39.38
<190>Mar 12 10:44:00 sw-access-03 PORT: port 1/0/192.168.48.248 changed state to down
<189>Mar 12 10:44:01 sw-access-02 SNMP: Authentication failure from 192.168.37.145
<190>Mar 12 10:44:02 sw-core-01 OSPF: Neighbor with Router ID 192.168.30.55 moved to FULL state on interface vlan21
<191>Mar 12 10:44:03 sw-access-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:44:04 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.20.7
<191>Mar 12 10:44:05 sw-core-02 SECURITY: MAC 192.168.32.137 blocked due to security policy
<190>Mar 12 10:44:06 sw-access-01 OSPF: Neighbor with Router ID 192.168.7.56 changed state from FULL to DOWN
<191>Mar 12 10:44:07 sw-access-02 PORT: link status change on port 1/0/192.168.12.123
<189>Mar 12 10:44:08 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.17.45 - client 21 - port 1/0/12:21:B8:3C:D8:AF
<189>Mar 12 10:44:09 sw-access-02 OSPF: Neighbor with Router ID 192.168.47.67 changed state from FULL to DOWN
<189>Mar 12 10:44:10 sw-core-01 BGP: Peer 192.168.48.85 moved to Established state
<191>Mar 12 10:44:11 sw-access-02 BGP: Peer 192.168.48.134 moved to Established state
<190>Mar 12 10:44:12 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.15.103
<191>Mar 12 10:44:13 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.5.13 IP 50 on port 1/0/D9:6F:A8:EF:99:86
<190>Mar 12 10:44:14 sw-access-02 VLAN: VLAN 192.168.26.180 removed from port 1/0/58
<191>Mar 12 10:44:15 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.4.248 - client 22 - port 1/0/B1:EA:9F:7D:5C:D1
<190>Mar 12 10:44:16 sw-core-01 BGP: Peer 192.168.48.83 changed state from Established to Idle
<189>Mar 12 10:44:17 sw-access-03 OSPF: Neighbor with Router ID 192.168.17.106 moved to FULL state on interface vlan17
<189>Mar 12 10:44:18 sw-access-01 PORT: link status change on port 1/0/192.168.2.30
<190>Mar 12 10:44:19 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.43.80 over UDP protocol

<190>Mar 12 10:44:20 sw-access-01 OSPF: Neighbor with Router ID 192.168.39.79 changed state from FULL to DOWN
<189>Mar 12 10:44:21 sw-access-01 SECURITY: MAC 192.168.24.124 blocked due to security policy
<190>Mar 12 10:44:22 sw-access-03 BGP: Peer 192.168.33.20 changed state from Established to Idle
<190>Mar 12 10:44:23 sw-access-01 OSPF: Neighbor with Router ID 192.168.28.150 moved to FULL state on interface vlan53
<191>Mar 12 10:44:24 sw-access-03 SNMP: Authentication failure from 192.168.15.120
<190>Mar 12 10:44:25 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.45.254 over UDP protocol
<189>Mar 12 10:44:26 sw-core-02 BGP: Peer 192.168.43.72 moved to Established state
<190>Mar 12 10:44:27 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.6.120 - client 80 - port 1/0/C4:2E:45:8E:D8:4F
<190>Mar 12 10:44:28 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.24.100 over UDP protocol
<190>Mar 12 10:44:29 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.13.83 over UDP protocol
<191>Mar 12 10:44:30 sw-access-03 BGP: Peer 192.168.36.168 moved to Established state
<189>Mar 12 10:44:31 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.39.161 over UDP protocol
<191>Mar 12 10:44:32 sw-core-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:44:33 sw-access-03 SNMP: Authentication failure from 192.168.15.166
<191>Mar 12 10:44:34 sw-access-01 SECURITY: MAC 192.168.31.49 blocked due to security policy
<190>Mar 12 10:44:35 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.50.161 over UDP protocol
<189>Mar 12 10:44:36 sw-access-03 VLAN: VLAN 192.168.0.76 added to port 1/0/29
<190>Mar 12 10:44:37 sw-core-02 SNMP: Authentication failure from 192.168.5.240
<190>Mar 12 10:44:38 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.46.217 IP 92 on port 1/0/D9:84:2D:6B:39:20
<190>Mar 12 10:44:39 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.43.27 - client 75 - port 1/0/13:07:A4:70:2A:1A
<189>Mar 12 10:44:40 sw-access-01 SECURITY: possible port scan detected from IP 192.168.18.138
<190>Mar 12 10:44:41 sw-access-01 PORT: link status change on port 1/0/192.168.12.58
<191>Mar 12 10:44:42 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.28.214 - client 7 - port 1/0/61:3E:C4:7F:4A:7F
<190>Mar 12 10:44:43 sw-core-01 SECURITY: possible port scan detected from IP 192.168.4.117
<191>Mar 12 10:44:44 sw-core-01 BGP: Peer 192.168.35.63 moved to Established state
<190>Mar 12 10:44:45 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.50.205

<190>Mar 12 10:44:46 sw-access-01 PORT: link status change on port 1/0/192.168.29.171
<190>Mar 12 10:44:47 sw-access-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:44:48 sw-core-02 VLAN: VLAN 192.168.15.26 added to port 1/0/94
<189>Mar 12 10:44:49 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.34.72 - client 84 - port 1/0/19:9E:2F:C3:E6:E6
<191>Mar 12 10:44:50 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.35.121 - client 9 - port 1/0/50:50:D1:3D:2F:B6
<189>Mar 12 10:44:51 sw-core-02 VLAN: VLAN 192.168.4.75 removed from port 1/0/68
<191>Mar 12 10:44:52 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.33.241
<189>Mar 12 10:44:53 sw-core-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:44:54 sw-access-01 SECURITY: possible port scan detected from IP 192.168.35.47
<190>Mar 12 10:44:55 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.1.233
<191>Mar 12 10:44:56 sw-core-02 SECURITY: possible port scan detected from IP 192.168.0.9
<191>Mar 12 10:44:57 sw-core-02 OSPF: Neighbor with Router ID 192.168.49.53 moved to FULL state on interface vlan73
<191>Mar 12 10:44:58 sw-core-02 VLAN: VLAN 192.168.49.123 added to port 1/0/21
<189>Mar 12 10:44:59 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.13.22 - client 71 - port 1/0/A0:BE:47:36:8A:17
<189>Mar 12 10:45:00 sw-core-02 SECURITY: MAC 192.168.17.18 blocked due to security policy
<190>Mar 12 10:45:01 sw-access-02 BGP: Peer 192.168.28.206 changed state from Established to Idle
<191>Mar 12 10:45:02 sw-access-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:45:03 sw-access-02 VLAN: VLAN 192.168.40.75 added to port 1/0/99
<189>Mar 12 10:45:04 sw-access-01 VLAN: VLAN 192.168.12.243 removed from port 1/0/81
<190>Mar 12 10:45:05 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.36.109 IP 17 on port 1/0/B4:56:17:B7:15:43
<189>Mar 12 10:45:06 sw-access-02 VLAN: VLAN 192.168.32.18 added to port 1/0/71
<190>Mar 12 10:45:07 sw-core-02 PORT: port 1/0/192.168.36.228 changed state to up
<191>Mar 12 10:45:08 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.14.210 - client 68 - port 1/0/3D:97:1E:A6:5B:FA
<191>Mar 12 10:45:09 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.50.85
<191>Mar 12 10:45:10 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.20.103 over UDP protocol
<189>Mar 12 10:45:11 sw-core-02 BGP: Peer 192.168.12.116 changed state from Established to Idle

<189>Mar 12 10:45:12 sw-core-02 SECURITY: possible port scan detected from IP 192.168.32.144
<189>Mar 12 10:45:13 sw-access-02 SECURITY: possible port scan detected from IP 192.168.27.155
<190>Mar 12 10:45:14 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.30.15 over UDP protocol
<190>Mar 12 10:45:15 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.26.53 - client 90 - port 1/0/0D:B0:53:8E:02:E8
<191>Mar 12 10:45:16 sw-access-02 VLAN: VLAN 192.168.20.243 added to port 1/0/78
<189>Mar 12 10:45:17 sw-access-01 PORT: link status change on port 1/0/192.168.19.25
<189>Mar 12 10:45:18 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.1.253 - client 98 - port 1/0/B8:47:A2:04:B2:9E
<189>Mar 12 10:45:19 sw-access-03 SNMP: Authentication failure from 192.168.24.21
<191>Mar 12 10:45:20 sw-core-01 SNMP: Authentication failure from 192.168.4.140
<190>Mar 12 10:45:21 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.28.250 - client 94 - port 1/0/FE:8E:32:75:58:EA
<189>Mar 12 10:45:22 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.50.254 - client 84 - port 1/0/3A:40:C4:33:EE:28
<190>Mar 12 10:45:23 sw-access-03 PORT: link status change on port 1/0/192.168.46.79
<189>Mar 12 10:45:24 sw-access-01 SNMP: Authentication failure from 192.168.29.97
<189>Mar 12 10:45:25 sw-access-02 BGP: Peer 192.168.50.179 Down - Hold Timer Expired
<189>Mar 12 10:45:26 sw-access-03 SNMP: Authentication failure from 192.168.28.250
<191>Mar 12 10:45:27 sw-core-02 SNMP: Authentication failure from 192.168.16.66
<190>Mar 12 10:45:28 sw-core-01 OSPF: Neighbor with Router ID 192.168.3.65 changed state from FULL to DOWN
<190>Mar 12 10:45:29 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.18.182
<191>Mar 12 10:45:30 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.0.171 over UDP protocol
<190>Mar 12 10:45:31 sw-core-01 BGP: Peer 192.168.40.58 changed state from Established to Idle
<190>Mar 12 10:45:32 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.16.58 over UDP protocol
<189>Mar 12 10:45:33 sw-core-01 OSPF: Neighbor with Router ID 192.168.20.28 moved to FULL state on interface vlan9
<190>Mar 12 10:45:34 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.13.118
<189>Mar 12 10:45:35 sw-access-02 BGP: Peer 192.168.14.198 moved to Established state
<191>Mar 12 10:45:36 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.22.95 over UDP protocol
<189>Mar 12 10:45:37 sw-access-02 PORT: port 1/0/192.168.26.167 changed state to down
<189>Mar 12 10:45:38 sw-access-03 SNMP: Authentication failure from 192.168.2.97
<189>Mar 12 10:45:39 sw-access-03 BGP: Peer 192.168.23.253 Down - Hold Timer Expired
<190>Mar 12 10:45:40 sw-access-03 VLAN: VLAN 192.168.4.13 removed from port 1/0/61

<191>Mar 12 10:45:41 sw-access-02 BGP: Peer 192.168.28.53 Down - Hold Timer Expired
<191>Mar 12 10:45:42 sw-core-02 BGP: Peer 192.168.40.102 changed state from Established to Idle
<190>Mar 12 10:45:43 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.37.241 - client 55 - port 1/0/B7:94:76:3D:C9:1B
<191>Mar 12 10:45:44 sw-core-02 SECURITY: possible port scan detected from IP 192.168.49.81
<191>Mar 12 10:45:45 sw-access-03 OSPF: Neighbor with Router ID 192.168.4.183 changed state from FULL to DOWN
<189>Mar 12 10:45:46 sw-access-03 OSPF: Neighbor with Router ID 192.168.31.234 changed state from FULL to DOWN
<189>Mar 12 10:45:47 sw-access-02 PORT: link status change on port 1/0/192.168.11.73
<191>Mar 12 10:45:48 sw-access-01 SECURITY: MAC 192.168.5.120 blocked due to security policy
<190>Mar 12 10:45:49 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.32.60 IP 34 on port 1/0/C3:FC:10:F0:8D:1F
<191>Mar 12 10:45:50 sw-access-01 SECURITY: possible port scan detected from IP 192.168.17.89
<191>Mar 12 10:45:51 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.9.149
<189>Mar 12 10:45:52 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.31.109
<191>Mar 12 10:45:53 sw-access-01 BGP: Peer 192.168.20.154 Down - Hold Timer Expired
<190>Mar 12 10:45:54 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.7.116
<190>Mar 12 10:45:55 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.23.108 - client 84 - port 1/0/EC:65:46:E1:97:3F
<189>Mar 12 10:45:56 sw-access-02 OSPF: Neighbor with Router ID 192.168.12.159 moved to FULL state on interface vlan95
<191>Mar 12 10:45:57 sw-access-02 BGP: Peer 192.168.1.208 Down - Hold Timer Expired
<189>Mar 12 10:45:58 sw-access-01 PORT: port 1/0/192.168.21.229 changed state to up
<189>Mar 12 10:45:59 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.42.151
<191>Mar 12 10:46:00 sw-core-01 OSPF: Neighbor with Router ID 192.168.7.205 moved to FULL state on interface vlan88
<189>Mar 12 10:46:01 sw-access-03 OSPF: Neighbor with Router ID 192.168.37.140 changed state from FULL to DOWN
<190>Mar 12 10:46:02 sw-core-01 PORT: port 1/0/192.168.40.164 changed state to down
<189>Mar 12 10:46:03 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.32.82 over UDP protocol
<191>Mar 12 10:46:04 sw-access-03 VLAN: VLAN 192.168.45.161 added to port 1/0/57
<190>Mar 12 10:46:05 sw-core-02 SNMP: Authentication failure from 192.168.15.218
<191>Mar 12 10:46:06 sw-access-01 BGP: Peer 192.168.34.86 changed state from Established to Idle

<191>Mar 12 10:46:07 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.40.201 over UDP protocol
<191>Mar 12 10:46:08 sw-access-01 PORT: port 1/0/192.168.19.110 changed state to down
<190>Mar 12 10:46:09 sw-core-01 OSPF: Neighbor with Router ID 192.168.49.25 moved to FULL state on interface vlan26
<189>Mar 12 10:46:10 sw-core-01 PORT: port 1/0/192.168.5.1 changed state to up
<189>Mar 12 10:46:11 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.19.19 over UDP protocol
<191>Mar 12 10:46:12 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.14.52 over UDP protocol
<190>Mar 12 10:46:13 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.32.81 - client 14 - port 1/0/C3:0F:21:9B:1A:B6
<190>Mar 12 10:46:14 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.17.122 - client 84 - port 1/0/6F:E9:18:73:47:B6
<190>Mar 12 10:46:15 sw-access-01 OSPF: Neighbor with Router ID 192.168.18.7 changed state from FULL to DOWN
<190>Mar 12 10:46:16 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.49.112 - client 26 - port 1/0/D9:57:98:04:AA:59
<190>Mar 12 10:46:17 sw-core-02 VLAN: VLAN 192.168.35.187 added to port 1/0/8
<189>Mar 12 10:46:18 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.11.33 IP 93 on port 1/0/60:3A:CE:76:6B:A1
<191>Mar 12 10:46:19 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.39.186 - client 93 - port 1/0/A7:11:9C:4A:0D:E3
<190>Mar 12 10:46:20 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.36.208 over UDP protocol
<189>Mar 12 10:46:21 sw-access-03 SECURITY: possible port scan detected from IP 192.168.5.200
<189>Mar 12 10:46:22 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.42.47 over UDP protocol
<189>Mar 12 10:46:23 sw-core-02 SNMP: Authentication failure from 192.168.33.26
<189>Mar 12 10:46:24 sw-access-01 OSPF: Neighbor with Router ID 192.168.31.241 changed state from FULL to DOWN
<190>Mar 12 10:46:25 sw-access-02 VLAN: VLAN 192.168.49.117 added to port 1/0/26
<190>Mar 12 10:46:26 sw-core-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:46:27 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.28.99 - client 25 - port 1/0/CB:22:87:76:C4:CF
<190>Mar 12 10:46:28 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.23.13 - client 51 - port 1/0/57:3F:77:40:F3:50
<191>Mar 12 10:46:29 sw-core-01 VLAN: VLAN 192.168.3.132 added to port 1/0/71
<191>Mar 12 10:46:30 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.35.100
<190>Mar 12 10:46:31 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.30.138 over UDP protocol

<191>Mar 12 10:46:32 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.43.133 - client 12 - port 1/0/48:C2:77:7A:C7:C1
<191>Mar 12 10:46:33 sw-access-03 BGP: Peer 192.168.14.107 moved to Established state
<190>Mar 12 10:46:34 sw-core-02 BGP: Peer 192.168.48.177 Down - Hold Timer Expired
<191>Mar 12 10:46:35 sw-access-01 BGP: Peer 192.168.12.2 moved to Established state
<191>Mar 12 10:46:36 sw-access-02 BGP: Peer 192.168.14.218 moved to Established state
<191>Mar 12 10:46:37 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.21.216
<191>Mar 12 10:46:38 sw-access-03 VLAN: VLAN 192.168.24.129 removed from port 1/0/98
<189>Mar 12 10:46:39 sw-access-02 BGP: Peer 192.168.4.137 moved to Established state
<190>Mar 12 10:46:40 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.32.83 over UDP protocol
<190>Mar 12 10:46:41 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.37.21 IP 64 on port 1/0/2C:05:3A:14:13:5A
<190>Mar 12 10:46:42 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.48.118
<191>Mar 12 10:46:43 sw-core-01 OSPF: Neighbor with Router ID 192.168.19.93 moved to FULL state on interface vlan47
<189>Mar 12 10:46:44 sw-core-01 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:46:45 sw-access-03 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:46:46 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.2.132
<189>Mar 12 10:46:47 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.1.151 over UDP protocol
<189>Mar 12 10:46:48 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.38.230 IP 8 on port 1/0/6C:B0:85:D9:03:EA
<189>Mar 12 10:46:49 sw-access-02 PORT: port 1/0/192.168.48.78 changed state to up
<189>Mar 12 10:46:50 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.31.225 - client 61 - port 1/0/E3:C7:14:BC:DD:19
<189>Mar 12 10:46:51 sw-access-01 OSPF: Neighbor with Router ID 192.168.22.135 changed state from FULL to DOWN
<191>Mar 12 10:46:52 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.5.224 - client 23 - port 1/0/1F:22:45:CA:FA:82
<189>Mar 12 10:46:53 sw-core-02 PORT: link status change on port 1/0/192.168.34.54
<190>Mar 12 10:46:54 sw-access-02 BGP: Peer 192.168.30.174 moved to Established state
<191>Mar 12 10:46:55 sw-access-02 SNMP: Authentication failure from 192.168.47.126
<189>Mar 12 10:46:56 sw-access-01 SECURITY: MAC 192.168.46.149 blocked due to security policy
<189>Mar 12 10:46:57 sw-core-02 PORT: port 1/0/192.168.42.242 changed state to down
<190>Mar 12 10:46:58 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.17.254 over UDP protocol
<189>Mar 12 10:46:59 sw-core-02 PORT: port 1/0/192.168.39.143 changed state to down

<191>Mar 12 10:47:00 sw-access-01 SECURITY: MAC 192.168.4.130 blocked due to security policy
<190>Mar 12 10:47:01 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.7.45 - client 43 - port 1/0/A4:20:8E:57:4D:74
<189>Mar 12 10:47:02 sw-access-03 OSPF: Neighbor with Router ID 192.168.38.70 changed state from FULL to DOWN
<191>Mar 12 10:47:03 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.7.228 - client 36 - port 1/0/86:8A:07:0F:42:7A
<190>Mar 12 10:47:04 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.20.185 over UDP protocol
<190>Mar 12 10:47:05 sw-access-01 SECURITY: possible port scan detected from IP 192.168.25.188
<191>Mar 12 10:47:06 sw-core-02 BGP: Peer 192.168.39.72 Down - Hold Timer Expired
<191>Mar 12 10:47:07 sw-access-01 PORT: port 1/0/192.168.18.66 changed state to up
<191>Mar 12 10:47:08 sw-core-02 SNMP: Authentication failure from 192.168.38.252
<191>Mar 12 10:47:09 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.13.80 over UDP protocol
<190>Mar 12 10:47:10 sw-access-03 DHCP_SNOOP: DHCP binding added for MAC 192.168.29.12 IP 48 on port 1/0/AC:14:D0:4B:41:03
<189>Mar 12 10:47:11 sw-access-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.5.177
<191>Mar 12 10:47:12 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.37.3 over UDP protocol
<189>Mar 12 10:47:13 sw-access-03 SECURITY: MAC 192.168.42.170 blocked due to security policy
<189>Mar 12 10:47:14 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.13.144
<190>Mar 12 10:47:15 sw-access-03 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:47:16 sw-access-03 PORT: port 1/0/192.168.48.217 changed state to down
<191>Mar 12 10:47:17 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.18.190
<190>Mar 12 10:47:18 sw-core-01 BGP: Peer 192.168.41.128 moved to Established state
<189>Mar 12 10:47:19 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.4.155 over UDP protocol
<190>Mar 12 10:47:20 sw-core-02 OSPF: Neighbor with Router ID 192.168.38.18 changed state from FULL to DOWN
<190>Mar 12 10:47:21 sw-core-02 SNMP: Authentication failure from 192.168.46.197
<191>Mar 12 10:47:22 sw-access-02 SNMP: Authentication failure from 192.168.49.95
<189>Mar 12 10:47:23 sw-core-01 SNMP: Authentication failure from 192.168.47.124
<191>Mar 12 10:47:24 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.39.41 over UDP protocol
<190>Mar 12 10:47:25 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.23.82 over UDP protocol

<190>Mar 12 10:47:26 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.5.136 over UDP protocol
<191>Mar 12 10:47:27 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.46.200 over UDP protocol
<190>Mar 12 10:47:28 sw-access-01 SECURITY: MAC 192.168.10.57 blocked due to security policy
<190>Mar 12 10:47:29 sw-access-01 PORT: link status change on port 1/0/192.168.14.244
<189>Mar 12 10:47:30 sw-access-03 SECURITY: MAC 192.168.39.60 blocked due to security policy
<190>Mar 12 10:47:31 sw-core-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.41.196
<191>Mar 12 10:47:32 sw-core-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:47:33 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.31.17 - client 12 - port 1/0/71:13:AA:8F:7C:56
<191>Mar 12 10:47:34 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.9.136 IP 99 on port 1/0/88:9C:5C:96:4C:FF
<191>Mar 12 10:47:35 sw-access-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.7.149
<191>Mar 12 10:47:36 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.38.10 - client 73 - port 1/0/0A:B6:33:2B:B1:BF
<191>Mar 12 10:47:37 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.37.200 - client 2 - port 1/0/E9:0B:AD:06:21:EC
<190>Mar 12 10:47:38 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.13.103 - client 90 - port 1/0/37:84:70:80:42:B8
<191>Mar 12 10:47:39 sw-core-01 SNMP: Authentication failure from 192.168.34.93
<190>Mar 12 10:47:40 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.29.197 - client 33 - port 1/0/06:13:D3:6A:4F:8D
<190>Mar 12 10:47:41 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.49.49 over UDP protocol
<189>Mar 12 10:47:42 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.9.251 - client 25 - port 1/0/44:3D:8C:EF:5E:83
<189>Mar 12 10:47:43 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.19.251
<191>Mar 12 10:47:44 sw-access-02 VLAN: VLAN 192.168.45.153 added to port 1/0/71
<189>Mar 12 10:47:45 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.16.127 - client 5 - port 1/0/DB:C5:F2:BA:6A:EA
<191>Mar 12 10:47:46 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.31.96 over UDP protocol
<191>Mar 12 10:47:47 sw-access-03 BGP: Peer 192.168.7.189 moved to Established state
<190>Mar 12 10:47:48 sw-core-01 BGP: Peer 192.168.18.132 moved to Established state
<191>Mar 12 10:47:49 sw-access-01 syslog: Information logging started on the SYSLOG server 192.168.20.246 over UDP protocol
<189>Mar 12 10:47:50 sw-access-01 VLAN: VLAN 192.168.12.31 removed from port 1/0/75

<191>Mar 12 10:47:51 sw-access-02 VLAN: VLAN 192.168.16.190 removed from port 1/0/33
<189>Mar 12 10:47:52 sw-access-03 SECURITY: possible port scan detected from IP 192.168.32.217
<190>Mar 12 10:47:53 sw-access-02 BGP: Peer 192.168.4.164 Down - Hold Timer Expired
<190>Mar 12 10:47:54 sw-core-02 OSPF: Neighbor with Router ID 192.168.26.169 moved to FULL state on interface vlan33
<191>Mar 12 10:47:55 sw-core-01 SECURITY: possible port scan detected from IP 192.168.38.129
<190>Mar 12 10:47:56 sw-core-01 IDM: ACL error - invalid source VLAN index 192.168.46.170 - client 60 - port 1/0/3C:F8:15:9F:23:46
<189>Mar 12 10:47:57 sw-access-03 PORT: link status change on port 1/0/192.168.15.201
<190>Mar 12 10:47:58 sw-access-03 SECURITY: MAC 192.168.23.73 blocked due to security policy
<190>Mar 12 10:47:59 sw-core-02 VLAN: VLAN 192.168.7.79 removed from port 1/0/62
<189>Mar 12 10:48:00 sw-access-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:48:01 sw-core-01 SECURITY: MAC 192.168.18.244 blocked due to security policy
<189>Mar 12 10:48:02 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.16.251
<190>Mar 12 10:48:03 sw-core-02 OSPF: Neighbor with Router ID 192.168.24.165 changed state from FULL to DOWN
<191>Mar 12 10:48:04 sw-core-01 SNMP: Authentication failure from 192.168.44.162
<189>Mar 12 10:48:05 sw-access-01 SECURITY: possible port scan detected from IP 192.168.22.206
<189>Mar 12 10:48:06 sw-core-02 SNMP: Authentication failure from 192.168.44.189
<190>Mar 12 10:48:07 sw-core-02 PORT: port 1/0/192.168.23.211 changed state to down
<190>Mar 12 10:48:08 sw-access-01 BGP: Peer 192.168.28.174 moved to Established state
<191>Mar 12 10:48:09 sw-access-02 SECURITY: possible port scan detected from IP 192.168.4.139
<189>Mar 12 10:48:10 sw-core-01 VLAN: VLAN 192.168.32.111 added to port 1/0/73
<191>Mar 12 10:48:11 sw-core-01 VLAN: VLAN 192.168.13.2 removed from port 1/0/41
<190>Mar 12 10:48:12 sw-core-02 SECURITY: MAC 192.168.4.136 blocked due to security policy
<190>Mar 12 10:48:13 sw-access-03 BGP: Peer 192.168.28.125 changed state from Established to Idle
<189>Mar 12 10:48:14 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.36.147
<189>Mar 12 10:48:15 sw-access-02 OSPF: Neighbor with Router ID 192.168.48.196 moved to FULL state on interface vlan53
<190>Mar 12 10:48:16 sw-access-02 SNMP: Authentication failure from 192.168.49.62
<191>Mar 12 10:48:17 sw-access-03 SNMP: Authentication failure from 192.168.8.184
<190>Mar 12 10:48:18 sw-access-03 BGP: Peer 192.168.50.100 changed state from Established to Idle

<191>Mar 12 10:48:19 sw-access-03 BGP: Peer 192.168.13.70 changed state from Established to Idle
<189>Mar 12 10:48:20 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.3.145 over UDP protocol
<191>Mar 12 10:48:21 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.45.130
<189>Mar 12 10:48:22 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.25.235
<191>Mar 12 10:48:23 sw-core-01 BGP: Peer 192.168.48.175 Down - Hold Timer Expired
<191>Mar 12 10:48:24 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.18.180 - client 85 - port 1/0/80:D7:15:94:74:87
<189>Mar 12 10:48:25 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.27.225
<190>Mar 12 10:48:26 sw-access-03 OSPF: Neighbor with Router ID 192.168.47.239 moved to FULL state on interface vlan64
<190>Mar 12 10:48:27 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.6.45
<189>Mar 12 10:48:28 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.26.191 - client 76 - port 1/0/66:58:8A:AB:9B:8C
<189>Mar 12 10:48:29 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.38.103 over UDP protocol
<191>Mar 12 10:48:30 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.28.136 over UDP protocol
<190>Mar 12 10:48:31 sw-access-01 SNMP: Authentication failure from 192.168.39.90
<191>Mar 12 10:48:32 sw-access-01 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:48:33 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.27.30
<191>Mar 12 10:48:34 sw-access-01 BGP: Peer 192.168.38.245 moved to Established state
<190>Mar 12 10:48:35 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.10.62
<190>Mar 12 10:48:36 sw-access-03 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:48:37 sw-core-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.45.143 IP 34 on port 1/0/A9:A1:65:4E:8F:BC
<190>Mar 12 10:48:38 sw-access-03 syslog: Information logging started on the SYSLOG server 192.168.39.94 over UDP protocol
<190>Mar 12 10:48:39 sw-access-03 BGP: Peer 192.168.47.26 changed state from Established to Idle
<190>Mar 12 10:48:40 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.47.13 IP 4 on port 1/0/F6:80:23:D0:3F:D2
<190>Mar 12 10:48:41 sw-core-01 OSPF: Neighbor with Router ID 192.168.44.192 moved to FULL state on interface vlan46

<191>Mar 12 10:48:42 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.21.202 - client 59 - port 1/0/49:34:FD:C5:28:C8
<191>Mar 12 10:48:43 sw-access-03 Manager: Configuration saved to flash memory by user admin
<189>Mar 12 10:48:44 sw-access-01 BGP: Peer 192.168.28.13 changed state from Established to Idle
<191>Mar 12 10:48:45 sw-access-02 SECURITY: MAC 192.168.37.195 blocked due to security policy
<189>Mar 12 10:48:46 sw-access-03 OSPF: Neighbor with Router ID 192.168.1.155 moved to FULL state on interface vlan78
<189>Mar 12 10:48:47 sw-access-03 SNMP: Authentication failure from 192.168.36.179
<190>Mar 12 10:48:48 sw-access-01 DHCP_SNOOP: DHCP binding added for MAC 192.168.45.12 IP 30 on port 1/0/EC:87:01:92:C1:2E
<190>Mar 12 10:48:49 sw-core-02 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.24.142
<191>Mar 12 10:48:50 sw-core-02 syslog: Information logging started on the SYSLOG server 192.168.22.116 over UDP protocol
<189>Mar 12 10:48:51 sw-core-01 PORT: port 1/0/192.168.29.147 changed state to down
<190>Mar 12 10:48:52 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.11.23 - client 54 - port 1/0/28:25:11:33:2E:8C
<189>Mar 12 10:48:53 sw-core-01 OSPF: Neighbor with Router ID 192.168.31.147 moved to FULL state on interface vlan36
<189>Mar 12 10:48:54 sw-access-02 BGP: Peer 192.168.5.153 Down - Hold Timer Expired
<189>Mar 12 10:48:55 sw-access-01 PORT: port 1/0/192.168.15.121 changed state to down
<189>Mar 12 10:48:56 sw-core-02 SECURITY: MAC 192.168.19.154 blocked due to security policy
<190>Mar 12 10:48:57 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.3.205 - client 13 - port 1/0/1A:09:33:86:69:4B
<191>Mar 12 10:48:58 sw-core-02 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.45.237
<190>Mar 12 10:48:59 sw-access-02 Manager: Configuration saved to flash memory by user admin
<190>Mar 12 10:49:00 sw-access-03 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.7.201
<189>Mar 12 10:49:01 sw-core-02 BGP: Peer 192.168.4.48 moved to Established state
<191>Mar 12 10:49:02 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.4.90 over UDP protocol
<191>Mar 12 10:49:03 sw-access-03 OSPF: Neighbor with Router ID 192.168.42.1 moved to FULL state on interface vlan61
<190>Mar 12 10:49:04 sw-core-02 SNMP: Authentication failure from 192.168.1.35
<191>Mar 12 10:49:05 sw-access-03 PORT: port 1/0/192.168.9.181 changed state to up
<189>Mar 12 10:49:06 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.32.60 - client 14 - port 1/0/06:A3:EF:FF:C1:D6
<191>Mar 12 10:49:07 sw-access-03 PORT: port 1/0/192.168.26.4 changed state to down

<190>Mar 12 10:49:08 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.31.52
<189>Mar 12 10:49:09 sw-access-02 BGP: Peer 192.168.15.52 changed state from Established to Idle
<190>Mar 12 10:49:10 sw-access-03 IDM: ACL error - invalid source VLAN index 192.168.38.128 - client 48 - port 1/0/27:7C:01:42:DE:EB
<191>Mar 12 10:49:11 sw-access-02 OSPF: Neighbor with Router ID 192.168.39.45 moved to FULL state on interface vlan9
<191>Mar 12 10:49:12 sw-core-01 SECURITY: MAC 192.168.19.28 blocked due to security policy
<189>Mar 12 10:49:13 sw-access-01 OSPF: Neighbor with Router ID 192.168.42.60 changed state from FULL to DOWN
<190>Mar 12 10:49:14 sw-access-01 OSPF: Neighbor with Router ID 192.168.4.252 moved to FULL state on interface vlan41
<191>Mar 12 10:49:15 sw-access-03 BGP: Peer 192.168.44.93 moved to Established state
<190>Mar 12 10:49:16 sw-core-02 VLAN: VLAN 192.168.38.74 removed from port 1/0/44
<189>Mar 12 10:49:17 sw-access-01 IDM: ACL error - invalid source VLAN index 192.168.4.197 - client 81 - port 1/0/A7:B3:13:B2:03:A1
<190>Mar 12 10:49:18 sw-core-02 DHCP_SNOOP: DHCP binding added for MAC 192.168.28.72 IP 66 on port 1/0/98:63:73:6E:5C:00
<191>Mar 12 10:49:19 sw-access-02 IDM: ACL error - invalid source VLAN index 192.168.36.245 - client 97 - port 1/0/FF:58:4C:2B:F4:02
<191>Mar 12 10:49:20 sw-core-02 VLAN: VLAN 192.168.33.67 added to port 1/0/76
<190>Mar 12 10:49:21 sw-access-02 OSPF: Neighbor with Router ID 192.168.23.212 moved to FULL state on interface vlan91
<190>Mar 12 10:49:22 sw-access-01 SNMP: Authentication failure from 192.168.17.247
<189>Mar 12 10:49:23 sw-access-01 SECURITY: MAC 192.168.27.200 blocked due to security policy
<189>Mar 12 10:49:24 sw-access-01 SECURITY: possible port scan detected from IP 192.168.31.52
<189>Mar 12 10:49:25 sw-access-03 BGP: Peer 192.168.30.191 moved to Established state
<189>Mar 12 10:49:26 sw-access-01 BGP: Peer 192.168.28.80 Down - Hold Timer Expired
<189>Mar 12 10:49:27 sw-access-03 SNMP: Authentication failure from 192.168.24.74
<191>Mar 12 10:49:28 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.9.166 - client 84 - port 1/0/39:E4:60:7F:86:AC
<190>Mar 12 10:49:29 sw-access-01 OSPF: Neighbor with Router ID 192.168.33.202 changed state from FULL to DOWN
<191>Mar 12 10:49:30 sw-access-03 VLAN: VLAN 192.168.32.59 added to port 1/0/80
<189>Mar 12 10:49:31 sw-core-01 syslog: Information logging started on the SYSLOG server 192.168.28.166 over UDP protocol
<189>Mar 12 10:49:32 sw-access-01 OSPF: Neighbor with Router ID 192.168.35.16 moved to FULL state on interface vlan44
<190>Mar 12 10:49:33 sw-access-02 Manager: Configuration saved to flash memory by user admin

<191>Mar 12 10:49:34 sw-core-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.10.250
<189>Mar 12 10:49:35 sw-core-01 SNMP: Authentication failure from 192.168.40.36
<189>Mar 12 10:49:36 sw-core-01 SNMP: Authentication failure from 192.168.34.248
<189>Mar 12 10:49:37 sw-access-01 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.9.38
<191>Mar 12 10:49:38 sw-access-03 BGP: Peer 192.168.0.207 moved to Established state
<190>Mar 12 10:49:39 sw-access-02 VLAN: VLAN 192.168.7.233 added to port 1/0/76
<190>Mar 12 10:49:40 sw-access-03 Manager: User admin moved to manager mode for the SSH/TELNET session from IP address 192.168.9.148
<190>Mar 12 10:49:41 sw-access-03 OSPF: Neighbor with Router ID 192.168.41.50 moved to FULL state on interface vlan94
<189>Mar 12 10:49:42 sw-access-01 SECURITY: MAC 192.168.31.76 blocked due to security policy
<189>Mar 12 10:49:43 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.50.209 - client 3 - port 1/0/DA:9A:C8:2C:47:78
<189>Mar 12 10:49:44 sw-core-02 Manager: Configuration saved to flash memory by user admin
<191>Mar 12 10:49:45 sw-core-01 VLAN: VLAN 192.168.10.225 added to port 1/0/98
<189>Mar 12 10:49:46 sw-access-01 SNMP: Authentication failure from 192.168.11.69
<190>Mar 12 10:49:47 sw-access-01 DHCP_SNOOP: Drop DHCP packet from untrusted port 1/0/192.168.40.194
<189>Mar 12 10:49:48 sw-access-03 VLAN: VLAN 192.168.31.167 added to port 1/0/60
<189>Mar 12 10:49:49 sw-access-03 SECURITY: possible port scan detected from IP 192.168.38.170
<189>Mar 12 10:49:50 sw-access-03 BGP: Peer 192.168.33.146 moved to Established state
<191>Mar 12 10:49:51 sw-core-01 VLAN: VLAN 192.168.46.46 removed from port 1/0/41
<191>Mar 12 10:49:52 sw-core-02 IDM: ACL error - invalid source VLAN index 192.168.43.115 - client 58 - port 1/0/7D:F0:21:E2:A2:81
<191>Mar 12 10:49:53 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.34.151 over UDP protocol
<189>Mar 12 10:49:54 sw-core-01 PORT: port 1/0/192.168.38.209 changed state to up
<189>Mar 12 10:49:55 sw-access-02 syslog: Information logging started on the SYSLOG server 192.168.34.152 over UDP protocol
<190>Mar 12 10:49:56 sw-core-01 SECURITY: possible port scan detected from IP 192.168.5.233
<189>Mar 12 10:49:57 sw-access-03 PORT: port 1/0/192.168.17.16 changed state to down
<191>Mar 12 10:49:58 sw-core-01 SNMP: Authentication failure from 192.168.18.65
<190>Mar 12 10:49:59 sw-access-02 SECURITY: possible port scan detected from IP 192.168.4.254

OpenvSwitch logs generated locally

2026-03-17T04:27:03.705Z|00019|ofproto_dpif|INFO|system@ovs-system: Max dp_hash algorithm probed to be 1
2026-03-17T04:27:03.705Z|00020|ofproto_dpif|INFO|system@ovs-system: Datapath supports check_pkt_len action
2026-03-17T04:27:03.705Z|00021|ofproto_dpif|INFO|system@ovs-system: Datapath supports timeout policy in conntrack action
2026-03-17T04:27:03.705Z|00022|ofproto_dpif|INFO|system@ovs-system: Datapath supports ct_zero_snat
2026-03-17T04:27:03.705Z|00023|ofproto_dpif|INFO|system@ovs-system: Datapath supports add_mpls action
2026-03-17T04:27:03.705Z|00024|ofproto_dpif|INFO|system@ovs-system: Datapath supports ct_state
2026-03-17T04:27:03.705Z|00025|ofproto_dpif|INFO|system@ovs-system: Datapath supports ct_zone
2026-03-17T04:27:03.705Z|00026|ofproto_dpif|INFO|system@ovs-system: Datapath supports ct_mark
2026-03-17T04:27:03.705Z|00027|ofproto_dpif|INFO|system@ovs-system: Datapath supports ct_label
2026-03-17T04:27:03.705Z|00028|ofproto_dpif|INFO|system@ovs-system: Datapath supports ct_state_nat
2026-03-17T04:27:03.705Z|00029|ofproto_dpif|INFO|system@ovs-system: Datapath supports ct_orig_tuple
2026-03-17T04:27:03.705Z|00030|ofproto_dpif|INFO|system@ovs-system: Datapath supports ct_orig_tuple6
2026-03-17T04:27:03.705Z|00031|ofproto_dpif|INFO|system@ovs-system: Datapath does not support IPv6 ND Extensions
2026-03-17T04:27:03.705Z|00032|ofproto_dpif_upcall|INFO|Overriding n-handler-threads to 8, setting n-revalidator-threads to 3
2026-03-17T04:27:03.705Z|00033|ofproto_dpif_upcall|INFO|Starting 11 threads
2026-03-17T04:27:03.786Z|00034|bridge|INFO|bridge br0: added interface br0 on port 65534
2026-03-17T04:27:03.787Z|00035|bridge|INFO|bridge br0: using datapath ID 00009ac920178d4b
2026-03-17T04:27:03.787Z|00036|connmgr|INFO|br0: added service controller "punix:/var/run/openvswitch/br0.mgmt"
2026-03-17T04:27:14.407Z|00037|memory|INFO|peak resident set size grew 636% in last 10.1 seconds, from 15728 kB to 115824 kB
2026-03-17T04:27:14.407Z|00038|memory|INFO|handlers:8 idl-cells-Open_vSwitch:96 ports:1 revalidators:3 rules:5

Network logs