## **CONTENTS IN DETAIL**

| PREFACE xxi  ACKNOWLEDGMENTS xxiii  INTRODUCTION 1  |
|---|
|   |
| INTRODUCTION  |
| INTRODUCTION  |
| What Is Binary Analysis, and Why Do You Need It?  What Makes Binary Analysis Challenging?  Who Should Read This Book?  What's in This Book?  How to Use This Book  Instruction Set Architecture  Assembly Syntax  Binary Format and Development Platform  Code Samples and Virtual Machine  Exercises  PART I: BINARY FORMATS |
| 1<br>ANATOMY OF A BINARY 11   |
| 1.1       The C Compilation Process       12         1.1.1       The Preprocessing Phase       12         1.1.2       The Compilation Phase       14         1.1.3       The Assembly Phase       16         1.1.4       The Linking Phase       17   |
| 1.2       Symbols and Stripped Binaries       18         1.2.1       Viewing Symbolic Information       18         1.2.2       Another Binary Turns to the Dark Side: Stripping a Binary       20   |
| 1.3 Disassembling a Binary  |
| 1.4 Loading and Executing a Binary       27         1.5 Summary       29         Exercises       29   |

| 2<br>The | ELF FOR     | MAT  | 31 |
|----------|-------------|--|----|
| 2.1      | The Execut  | able Header  | 33 |
|          | 2.1.1       | The e_ident Array  | 34 |
|          | 2.1.2       | The e_type, e_machine, and e_version Fields                    | 35 |
|          | 2.1.3       | The e_entry Field  | 36 |
|          | 2.1.4       | The e_phoff and e_shoff Fields                                 | 36 |
|          | 2.1.5       | The e_flags Field  | 36 |
|          | 2.1.6       | The e_ehsize Field   | 37 |
|          | 2.1.7       | The e_*entsize and e_*num Fields                               | 37 |
|          | 2.1.8       | The e_shstrndx Field   | 37 |
| 2.2      | Section He  | eaders   | 38 |
|          | 2.2.1       | The sh_name Field  | 39 |
|          | 2.2.2       | The sh_type Field  | 39 |
|          | 2.2.3       | The sh_flags Field   | 40 |
|          | 2.2.4       | The sh_addr, sh_offset, and sh_size Fields                     | 40 |
|          | 2.2.5       | The sh_link Field  | 40 |
|          | 2.2.6       | The sh_info Field  | 41 |
|          | 2.2.7       | The sh_addralign Field   | 41 |
|          | 2.2.8       | The sh_entsize Field   | 41 |
| 2.3      | Sections    |  |    |
|          | 2.3.1       | The .init and .fini Sections                                   |    |
|          | 2.3.2       | The .text Section  |    |
|          | 2.3.3       | The .bss, .data, and .rodata Sections                          |    |
|          | 2.3.4       | Lazy Binding and the .plt, .got, and .got.plt Sections         |    |
|          | 2.3.5       | The .rel.* and .rela.* Sections                                |    |
|          | 2.3.6       | The .dynamic Section   |    |
|          | 2.3.7       | The .init_array and .fini_array Sections                       |    |
|          | 2.3.8       | The .shstrtab, .symtab, .strtab, .dynsym, and .dynstr Sections |    |
| 2.4      | •           | leaders  |    |
|          | 2.4.1       | The p_type Field   |    |
|          | 2.4.2       | The p_flags Field  |    |
|          | 2.4.3       | The p_offset, p_vaddr, p_paddr, p_filesz, and p_memsz Fields   |    |
|          | 2.4.4       | The p_align Field  |    |
| 2.5      |             |  |    |
| Exer     | cises       |  | 55 |
| 3        |             |  |    |
| _        |             | MAT: A BRIEF INTRODUCTION                                      | 57 |
| 3.1      |             | OS Header and MS-DOS Stub                                      |    |
| 3.2      | The PE Sig  | nature, File Header, and Optional Header                       | 58 |
|          | 3.2.1       | The PE Signature   | 61 |
|          | 3.2.2       | The PE File Header   |    |
|          | 3.2.3       | The PE Optional Header   |    |
| 3.3      | The Section | n Header Table   | 62 |

| 3.4  |   |  |  |
|--|---|--|--|
|  | 3.4.1   | The .edata and .idata Sections   |  |
| 3.5  | 3.4.2   | Padding in PE Code Sections  |  |
|  |   |  |  |
| LXCIC  | 1303  |  | 00   |
| _  |   |  |  |
| 4<br>RIII  | IDING A   | BINARY LOADER USING LIBBFD   | 67   |
| 4.1  |   |  |  |
| 4.1  |   | bfd?inary-Loading Interface  |  |
| 4.2  | 4.2.1   | The Binary Class   |  |
|  | 4.2.2   | The Section Class  |  |
|  | 4.2.3   | The Symbol Class   |  |
| 4.3  | Implementi  | ng the Binary Loader   |  |
|  | 4.3.1   | Initializing libbfd and Opening a Binary   |  |
|  | 4.3.2   | Parsing Basic Binary Properties  |  |
|  | 4.3.3   | Loading Symbols  |  |
| 4.4  | 4.3.4   | Loading Sections   |  |
| 4.4  |   | Billary Loader   |  |
|  | ,   |  |  |
|  |   |  |  |
|  |   |  |  |
|  |   |  |  |
| PAI  | RT II: BI   | NARY ANALYSIS FUNDAMENTALS   |  |
| PAI  | RT II: BI   | NARY ANALYSIS FUNDAMENTALS   |  |
|  | RT II: BI   | NARY ANALYSIS FUNDAMENTALS   |  |
| 5  | -   |  | 20   |
| 5<br>BAS   | IC BINA   | RY ANALYSIS IN LINUX   | 89   |
| 5<br>BAS<br>5.1  | IC BINA   | RY ANALYSIS IN LINUX dentity Crises Using file   | 90   |
| 5<br>BAS<br>5.1<br>5.2   | Resolving I   | RY ANALYSIS IN LINUX  dentity Crises Using file  | 90<br>93   |
| 5<br>BAS<br>5.1<br>5.2<br>5.3  | Resolving I<br>Using Idd t<br>Viewing Fil   | RY ANALYSIS IN LINUX  dentity Crises Using file  | 90<br>93<br>94   |
| 5<br>BAS<br>5.1<br>5.2<br>5.3<br>5.4   | Resolving I<br>Using Idd t<br>Viewing Fil<br>Parsing the  | RY ANALYSIS IN LINUX  dentity Crises Using file  | 90<br>93<br>94<br>96   |
| 5<br>BAS<br>5.1<br>5.2<br>5.3  | Resolving I<br>Using Idd t<br>Viewing Fil<br>Parsing the<br>Parsing Syn   | RY ANALYSIS IN LINUX  dentity Crises Using file  | 90<br>93<br>94<br>96<br>99   |
| 5<br>BAS<br>5.1<br>5.2<br>5.3<br>5.4<br>5.5  | Resolving I<br>Using Idd t<br>Viewing Fil<br>Parsing the<br>Parsing Syr<br>Looking for  | RY ANALYSIS IN LINUX  dentity Crises Using file  | 90<br>93<br>94<br>96<br>99<br>102                                    |
| 5<br>BAS<br>5.1<br>5.2<br>5.3<br>5.4<br>5.5<br>5.6                                     | Resolving I<br>Using Idd t<br>Viewing Fil<br>Parsing the<br>Parsing Syr<br>Looking for<br>Tracing Syr   | RY ANALYSIS IN LINUX  dentity Crises Using file o Explore Dependencies le Contents with xxd e Extracted ELF with readelf mbols with nm · Hints with strings  | 90<br>93<br>94<br>96<br>99<br>102<br>104                             |
| 5 BAS<br>5.1<br>5.2<br>5.3<br>5.4<br>5.5<br>5.6<br>5.7<br>5.8<br>5.9                   | Resolving I<br>Using Idd to<br>Viewing Fil<br>Parsing the<br>Parsing Syn<br>Looking for<br>Tracing Syn<br>Examining<br>Dumping a              | RY ANALYSIS IN LINUX  dentity Crises Using file o Explore Dependencies le Contents with xxd Extracted ELF with readelf mbols with nm Hints with strings stem Calls and Library Calls with strace and Itrace Instruction-Level Behavior Using objdump Dynamic String Buffer Using gdb   | 90<br>93<br>94<br>96<br>99<br>102<br>104<br>109                      |
| 5 BAS<br>5.1<br>5.2<br>5.3<br>5.4<br>5.5<br>5.6<br>5.7<br>5.8<br>5.9<br>5.10           | Resolving II Using Idd to Viewing Fil Parsing the Parsing Syn Looking for Tracing Syn Examining Dumping an Summary                            | RY ANALYSIS IN LINUX  dentity Crises Using file o Explore Dependencies le Contents with xxd Extracted ELF with readelf mbols with nm Hints with strings stem Calls and Library Calls with strace and Itrace Instruction-Level Behavior Using objdump Dynamic String Buffer Using gdb   | 90<br>93<br>94<br>96<br>99<br>102<br>104<br>109<br>111<br>113        |
| 5 BAS<br>5.1<br>5.2<br>5.3<br>5.4<br>5.5<br>5.6<br>5.7<br>5.8<br>5.9<br>5.10           | Resolving II Using Idd to Viewing Fil Parsing the Parsing Syn Looking for Tracing Syn Examining Dumping an Summary                            | RY ANALYSIS IN LINUX  dentity Crises Using file o Explore Dependencies le Contents with xxd Extracted ELF with readelf mbols with nm Hints with strings stem Calls and Library Calls with strace and Itrace Instruction-Level Behavior Using objdump Dynamic String Buffer Using gdb   | 90<br>93<br>94<br>96<br>99<br>102<br>104<br>109<br>111<br>113        |
| 5 BAS<br>5.1<br>5.2<br>5.3<br>5.4<br>5.5<br>5.6<br>5.7<br>5.8<br>5.9<br>5.10           | Resolving II Using Idd to Viewing Fil Parsing the Parsing Syn Looking for Tracing Syn Examining Dumping an Summary                            | RY ANALYSIS IN LINUX  dentity Crises Using file o Explore Dependencies le Contents with xxd Extracted ELF with readelf mbols with nm Hints with strings stem Calls and Library Calls with strace and Itrace Instruction-Level Behavior Using objdump Dynamic String Buffer Using gdb   | 90<br>93<br>94<br>96<br>99<br>102<br>104<br>109<br>111<br>113        |
| 5 BAS<br>5.1<br>5.2<br>5.3<br>5.4<br>5.5<br>5.6<br>5.7<br>5.8<br>5.9<br>5.10           | Resolving II Using Idd to Viewing Fil Parsing the Parsing Syn Looking for Tracing Syn Examining Dumping an Summary                            | RY ANALYSIS IN LINUX  dentity Crises Using file o Explore Dependencies le Contents with xxd Extracted ELF with readelf mbols with nm Hints with strings stem Calls and Library Calls with strace and Itrace Instruction-Level Behavior Using objdump Dynamic String Buffer Using gdb   | 90<br>93<br>94<br>96<br>99<br>102<br>104<br>109<br>111<br>113        |
| 5 BAS<br>5.1<br>5.2<br>5.3<br>5.4<br>5.5<br>5.6<br>5.7<br>5.8<br>5.9<br>5.10<br>Exerce | Resolving I<br>Using Idd to<br>Viewing Fil<br>Parsing the<br>Parsing Syn<br>Looking for<br>Tracing Syn<br>Examining<br>Dumping a<br>Summary . | RY ANALYSIS IN LINUX  dentity Crises Using file o Explore Dependencies le Contents with xxd e Extracted ELF with readelf mbols with nm Hints with strings stem Calls and Library Calls with strace and Itrace Instruction-Level Behavior Using objdump Dynamic String Buffer Using gdb | 90<br>93<br>94<br>96<br>99<br>102<br>104<br>109<br>111<br>113        |
| 5 BAS<br>5.1<br>5.2<br>5.3<br>5.4<br>5.5<br>5.6<br>5.7<br>5.8<br>5.9<br>5.10<br>Exerce | Resolving Identity Using Identity Viewing File Parsing Syn Looking for Tracing Syn Examining Dumping a Summary . ise                          | dentity Crises Using file o Explore Dependencies le Contents with xxd Extracted ELF with readelf mbols with nm Hints with strings stem Calls and Library Calls with strace and Itrace Instruction-Level Behavior Using objdump Dynamic String Buffer Using gdb                         | 90<br>93<br>94<br>96<br>99<br>102<br>104<br>109<br>111<br>113        |
| 5 BAS<br>5.1<br>5.2<br>5.3<br>5.4<br>5.5<br>5.6<br>5.7<br>5.8<br>5.9<br>5.10<br>Exerce | Resolving Identity Using Identity Viewing File Parsing Syn Looking for Tracing Syn Examining Dumping a Summary . ise                          | RY ANALYSIS IN LINUX  dentity Crises Using file o Explore Dependencies le Contents with xxd e Extracted ELF with readelf mbols with nm Hints with strings stem Calls and Library Calls with strace and Itrace Instruction-Level Behavior Using objdump Dynamic String Buffer Using gdb | 90<br>93<br>94<br>96<br>99<br>102<br>104<br>109<br>111<br>113<br>113 |

| 6.2  | Dynamic I    | Disassembly                                     |              |
|------|--------------|---|--------------|
|      | 6.2.1        | Example: Tracing a Binary Execution with gdb    | 122          |
|      | 6.2.2        | Code Coverage Strategies                        | 125          |
| 6.3  | Structuring  | g Disassembled Code and Data                    | 129          |
|      | 6.3.1        | Structuring Code                                | 129          |
|      | 6.3.2        | Structuring Data                                |              |
|      | 6.3.3        | Decompilation                                   | 138          |
|      | 6.3.4        | Intermediate Representations                    |              |
| 6.4  | Fundamer     | ntal Analysis Methods                           |              |
|      | 6.4.1        | Binary Analysis Properties                      |              |
|      | 6.4.2        | Control-Flow Analysis                           | 146          |
|      | 6.4.3        | Data-Flow Analysis                              | 148          |
| 6.5  | Effects of ( | Compiler Settings on Disassembly                | 152          |
| 6.6  |              |   |              |
| Exer | cises        |   | 153          |
|      |              |   |              |
| 7    |              |   |              |
| -    | IPLE COD     | DE INJECTION TECHNIQUES FOR ELF                 | 155          |
| 7.1  | Bare-Meta    | ll Binary Modification Using Hex Editing        | 155          |
|      | 7.1.1        | Observing an Off-by-One Bug in Action           |              |
|      | 7.1.2        | Fixing the Off-by-One Bug                       |              |
| 7.2  |              | Shared Library Behavior Using LD_PRELOAD        |              |
|      | 7.2.1        | A Heap Overflow Vulnerability                   |              |
|      | 7.2.2        | Detecting the Heap Overflow                     |              |
| 7.3  | Injecting of | a Code Section                                  |              |
|      | 7.3.1        | Injecting an ELF Section: A High-Level Overview |              |
|      | 7.3.2        | Using elfinject to Inject an ELF Section        | 1 <i>7</i> 1 |
| 7.4  | Calling In   | jected Code                                     | 175          |
|      | 7.4.1        | Entry Point Modification                        | 1 <i>76</i>  |
|      | 7.4.2        | Hijacking Constructors and Destructors          | 1 <i>7</i> 9 |
|      | 7.4.3        | Hijacking GOT Entries                           | 182          |
|      | 7.4.4        | Hijacking PLT Entries                           | 185          |
|      | 7.4.5        | Redirecting Direct and Indirect Calls           |              |
| 7.5  |              |   |              |
| Exer | cises        |   | 187          |
|      |              |   |              |
|      |              |   |              |
| PA   | RT III: /    | ADVANCED BINARY ANALYSIS                        |              |
|      |              |   |              |
| 8    |              |   |              |
| CU   | STOMIZI      | NG DISASSEMBLY                                  | 191          |
| 8.1  | Why Writ     | re a Custom Disassembly Pass?                   | 192          |
|      | 8.1.1        | ·   |              |
|      | 8.1.2        | Other Reasons to Write a Custom Disassembler    |              |
|      |              |   |              |

| 8.2  | Introductio | on to Capstone   | 196 |
|------|-------------|--|-----|
|      | 8.2.1       | Installing Capstone                                    | 196 |
|      | 8.2.2       | Linear Disassembly with Capstone                       | 198 |
|      | 8.2.3       | Exploring the Capstone C API                           | 203 |
|      | 8.2.4       | Recursive Disassembly with Capstone                    | 204 |
| 8.3  | Implement   | ing a ROP Gadget Scanner                               | 213 |
|      | 8.3.1       | Introduction to Return-Oriented Programming            | 213 |
|      | 8.3.2       | Finding ROP Gadgets                                    | 215 |
| 8.4  | Summary     |  | 221 |
| Exer | cises       |  | 221 |
|      |             |  |     |
| 9    |             |  |     |
| BIN  |             | TRUMENTATION   | 223 |
| 9.1  | What Is Bi  | inary Instrumentation?                                 |     |
|      | 9.1.1       | Binary Instrumentation APIs                            |     |
|      | 9.1.2       | Static vs. Dynamic Binary Instrumentation              |     |
| 9.2  |             | ary Instrumentation                                    |     |
|      | 9.2.1       | The int 3 Approach                                     |     |
|      | 9.2.2       | The Trampoline Approach                                |     |
| 9.3  | Dynamic E   | Binary Instrumentation                                 |     |
|      | 9.3.1       | Architecture of a DBI System                           |     |
|      | 9.3.2       | Introduction to Pin                                    |     |
| 9.4  | Profiling w | vith Pin   |     |
|      | 9.4.1       | The Profiler's Data Structures and Setup Code          |     |
|      | 9.4.2       | Parsing Function Symbols                               |     |
|      | 9.4.3       | Instrumenting Basic Blocks                             |     |
|      | 9.4.4       | Instrumenting Control Flow Instructions                | 243 |
|      | 9.4.5       | Counting Instructions, Control Transfers, and Syscalls |     |
|      | 9.4.6       | Testing the Profiler                                   |     |
| 9.5  | Automatic   | Binary Unpacking with Pin                              |     |
|      | 9.5.1       | Introduction to Executable Packers                     |     |
|      | 9.5.2       | The Unpacker's Data Structures and Setup Code          |     |
|      | 9.5.3       | Instrumenting Memory Writes                            | 255 |
|      | 9.5.4       | Instrumenting Control-Flow Instructions                | 256 |
|      | 9.5.5       | Tracking Memory Writes                                 | 256 |
|      | 9.5.6       | Detecting the Original Entry Point and Dumping the     |     |
|      |             | Unpacked Binary  |     |
|      | 9.5.7       | Testing the Unpacker                                   |     |
| 9.6  | ,           |  |     |
| Exer | cises       |  | 264 |

| 10<br>PRII | NCIPLES     | OF DYNAMIC TAINT ANALYSIS                                      | 265 |
|------------|-------------|--|-----|
| 10.1       | What Is DT  |  | 266 |
| 10.2       | DTA in Thre | ee Steps: Taint Sources, Taint Sinks, and Taint Propagation    | 266 |
|            | 10.2.1      | Defining Taint Sources   | 266 |
|            | 10.2.2      | Defining Taint Sinks   |     |
|            | 10.2.3      | Tracking Taint Propagation                                     |     |
| 10.3       | Using DTA   | to Detect the Heartbleed Bug                                   | 268 |
|            | 10.3.1      | A Brief Overview of the Heartbleed Vulnerability               |     |
|            | 10.3.2      | Detecting Heartbleed Through Tainting                          |     |
| 10.4       | DTA Design  | n Factors: Taint Granularity, Taint Colors, and Taint Policies |     |
|            | 10.4.1      | Taint Granularity  |     |
|            | 10.4.2      | Taint Colors   |     |
|            | 10.4.3      | Taint Propagation Policies                                     |     |
|            | 10.4.4      | Overtainting and Undertainting                                 |     |
|            | 10.4.5      | Control Dependencies   |     |
|            | 10.4.6      | Shadow Memory  |     |
|            | •           |  |     |
| Exerc      | ise         |  | 2/8 |
| 11<br>PRA  | CTICAL E    | OYNAMIC TAINT ANALYSIS WITH LIBDFT                             | 279 |
| 11.1       | Introducing | libdft   | 279 |
|            | 11.1.1      | Internals of libdft  |     |
|            | 11.1.2      | Taint Policy   | 282 |
| 11.2       | Using DTA   | to Detect Remote Control-Hijacking                             | 283 |
|            | 11.2.1      | Checking Taint Information                                     | 286 |
|            | 11.2.2      | Taint Sources: Tainting Received Bytes                         | 288 |
|            | 11.2.3      | Taint Sinks: Checking execve Arguments                         | 290 |
|            | 11.2.4      | Detecting a Control-Flow Hijacking Attempt                     |     |
| 11.3       | Circumvent  | ring DTA with Implicit Flows                                   | 296 |
| 11.4       | A DTA-Base  | ed Data Exfiltration Detector                                  |     |
|            | 11.4.1      | Taint Sources: Tracking Taint for Open Files                   |     |
|            | 11.4.2      | Taint Sinks: Monitoring Network Sends for Data Exfiltration    |     |
|            | 11.4.3      | Detecting a Data Exfiltration Attempt                          |     |
|            |             |  |     |
| Exerc      | ise         |  | 307 |
| 12         |             |  |     |
|            |             | OF SYMBOLIC EXECUTION  | 309 |
| 12.1       |             | ew of Symbolic Execution                                       |     |
|            | 12.1.1      | Symbolic vs. Concrete Execution                                |     |
|            | 12.1.2      | Variants and Limitations of Symbolic Execution                 |     |
|            | 12.1.3      | Increasing the Scalability of Symbolic Execution               | 319 |

| 12.2 | Constraint  | Solving with Z3   | 321 |
|------|-------------|---|-----|
|      | 12.2.1      | Proving Reachability of an Instruction                  |     |
|      | 12.2.2      | Proving Unreachability of an Instruction                | 325 |
|      | 12.2.3      | Proving Validity of a Formula                           | 325 |
|      | 12.2.4      | Simplifying Expressions                                 | 327 |
|      | 12.2.5      | Modeling Constraints for Machine Code with Bitvectors   | 327 |
|      | 12.2.6      | Solving an Opaque Predicate Over Bitvectors             | 329 |
| 12.3 | Summary .   |   | 330 |
| Exer | cises       |   | 330 |
| 13   |             |   |     |
| PR/  | ACTICAL S   | SYMBOLIC EXECUTION WITH TRITON                          | 333 |
| 13.1 | Introductio | n to Triton   | 334 |
|      |             | g Symbolic State with Abstract Syntax Trees             |     |
|      |             | Slicing with Triton                                     |     |
|      | 13.3.1      | Triton Header Files and Configuring Triton              |     |
|      | 13.3.2      | The Symbolic Configuration File                         |     |
|      | 13.3.3      | Emulating Instructions                                  | 342 |
|      | 13.3.4      | Setting Triton's Architecture                           | 343 |
|      | 13.3.5      | Computing the Backward Slice                            | 344 |
| 13.4 | Using Trito | n to Increase Code Coverage                             | 346 |
|      | 13.4.1      | Creating Symbolic Variables                             | 348 |
|      | 13.4.2      | Finding a Model for a New Path                          |     |
|      | 13.4.3      | Testing the Code Coverage Tool                          |     |
| 13.5 |             | ally Exploiting a Vulnerability                         |     |
|      | 13.5.1      | The Vulnerable Program                                  |     |
|      | 13.5.2      | Finding the Address of the Vulnerable Call Site         |     |
|      | 13.5.3      | Building the Exploit Generator                          |     |
|      | 13.5.4      | Getting a Root Shell                                    |     |
|      | ,           |   |     |
| Exer | cise        |   | 370 |
| PA   | RT IV: A    | APPENDIXES  |     |
| A    |             |   |     |
| A C  | RASH CC     | DURSE ON X86 ASSEMBLY                                   | 373 |
| A.1  | Layout of c | an Assembly Program                                     | 374 |
|      | A.1.1       | Assembly Instructions, Directives, Labels, and Comments |     |
|      | A.1.2       | Separation Between Code and Data                        |     |
|      | A.1.3       | AT&T vs. Intel Syntax                                   |     |
| A.2  | Structure o | f an x86 Instruction                                    |     |
|      | A.2.1       | Assembly-Level Representation of x86 Instructions       |     |
|      | A.2.2       | Machine-Level Structure of x86 Instructions             |     |
|      | A.2.3       | Register Operands                                       | 377 |

|            | A.2.4      | Memory Operands                              | 379 |
|------------|------------|--|-----|
|            | A.2.5      | Immediates                                   | 380 |
| A.3        | Common x   | x86 Instructions                             |     |
|            | A.3.1      | Comparing Operands and Setting Status Flags  |     |
|            | A.3.2      | Implementing System Calls                    |     |
|            | A.3.3      | Implementing Conditional Jumps               |     |
|            | A.3.4      | Loading Memory Addresses                     |     |
| A.4        | Common (   | Code Constructs in Assembly                  |     |
|            | A.4.1      | The Stack                                    |     |
|            | A.4.2      | Function Calls and Function Frames           |     |
|            | A.4.3      | Conditional Branches                         |     |
|            | A.4.4      | Loops  | 389 |
| В          |            | INC DT MOTE OVERWRITING LIGHIC LIBER         | 201 |
| IMP<br>B.1 |            | ING PT_NOTE OVERWRITING USING LIBELF Headers |     |
| B.2        |            | tures Used in elfinject                      |     |
| B.3        |            | libelf                                       |     |
| B.4        | 0          | Executable Header                            |     |
| B.5        |            | PT_NOTE Segment                              |     |
| B.6        |            | ne Code Bytes                                |     |
| B.7        |            | ne Load Address for the Injected Section     |     |
| B.8        |            | g the .note.ABI-tag Section Header           |     |
| B.9        |            | Name of the Injected Section                 |     |
| B.10       | •          | g the PT_NOTE Program Header                 |     |
|            |            | the Entry Point                              |     |
| C          |            |  |     |
| LIST       | OF BIN     | ARY ANALYSIS TOOLS                           | 413 |
| C.1        | Disassemb  | lers   | 413 |
| C.2        |            | 5  |     |
| C.3        |            | ly Frameworks                                |     |
| C.4        | Binary And | alysis Frameworks                            | 416 |
| D          |            |  |     |
| FUR        | THER RE    | ADING  | 417 |
| D.1        |            | and References                               |     |
| D.2        |            | d Articles                                   |     |
| D.3        | Books      |  | 420 |
| IND        | EX         |  | 421 |