


# LangQuest

## *User Guide*




*LangQuest*

**HES-SO Valais//Wallis**  
Systems Engineering • Infotronics  
Advanced Programming • Silvan Zahno  
Fall Semester 2026 • I3

---


**Silvan Zahno, Amand Axel**

24.06.2026 • v1.0.0 • final



# Contents

|       |                                   |    |
|-------|-----------------------------------|----|
| 1     | Introduction .....                | 3  |
| 2     | Installation .....                | 4  |
| 2.1   | Rust Toolchain .....              | 4  |
| 2.1.1 | Installation .....                | 4  |
| 2.1.2 | Install <b>cargo</b> addons ..... | 5  |
| 2.1.3 | Verification .....                | 5  |
| 2.2   | LangQuest .....                   | 6  |
| 2.2.1 | Installation .....                | 6  |
| 2.2.2 | Quick use .....                   | 6  |
| 2.2.3 | Mapping files to editor .....     | 6  |
| 2.3   | Zed Code Editor .....             | 8  |
| 2.3.1 | Installation .....                | 8  |
| 2.3.2 | Verification .....                | 8  |
| 2.4   | Just - Command Runner .....       | 9  |
| 2.4.1 | Installation .....                | 9  |
| 2.4.2 | Verification .....                | 9  |
| 3     | LangQuest Guide .....             | 10 |
| 3.1   | Run LangQuest .....               | 10 |
| 3.2   | Overview page .....               | 11 |
| 3.2.1 | Shortcuts summary .....           | 12 |
| 3.3   | Exercises page .....              | 13 |
| 3.3.1 | Theory .....                      | 13 |
| 3.3.2 | Tasks .....                       | 13 |
| 3.3.3 | Debug .....                       | 13 |
| 3.3.4 | Output .....                      | 14 |
| 3.3.5 | Tips and Solution .....           | 14 |
| 3.3.6 | Shortcuts summary .....           | 15 |
| 3.4   | About page .....                  | 16 |
| 3.5   | Troubleshooting .....             | 16 |
|       | Glossary .....                    | 18 |



# 1 Introduction

LangQuest as presented by its GitHub page:



*LangQuest*


A terminal-based, interactive programming exercise runner. Inspired by Rustlings and 100 Exercises to Learn Rust, LangQuest extends the concept to multiple languages - work through hands-on exercises in Rust, Go, C++, Python, RISC-V assembly, and Markdown with real-time feedback, progress tracking, and a built-in hint system.

This tool is developed by [Zahno Silvan](#) and released under the MIT License.

The source code can be found under <https://github.com/tschinz/langquest>.

LangQuest is an interactive tool whose interface runs in the command line thanks to [Ratatui](#) and allows you to work on hands-on exercises in Rust, Go, C++, Python, RISC-V assembly, and Markdown with real-time feedback, progress tracking, and a built-in hint system.

The following document provides a comprehensive user guide for LangQuest, covering installation, usage, and troubleshooting to help you get the most out of this interactive learning tool.



## 2 | Installation

This section covers the installation of all tools related to LangQuest. Work through the subsections in order - some tools depend on others being installed first.

### 2.1 Rust Toolchain



Figure 1 - Rust Programming Language

LangQuest is installed through **Cargo**, the Rust package manager.

Rust is installed and managed through **rustup** - the official Rust toolchain installer. **rustup** handles installation of the compiler (**rustc**), the package manager and build tool (**cargo**), and additional targets or components.

#### 2.1.1 Installation

Visit [rust-lang.org/tools/install](https://rust-lang.org/tools/install) for full instructions.


Open a terminal and run:

```
1 curl --proto '=https' --tlsv1.2 -sSf https://sh.rustup.rs | sh
```



Follow the on-screen prompts (the default installation is recommended). After installation, re-open your terminal or reload the environment:

```
1 source "$HOME/.cargo/env"
```



Download and run **rustup-init.exe** from <https://win.rustup.rs/>.

If **MSVC** tools are not installed, choose to install them when prompted:



Then proceed with installation (the standard installation is recommended):




Figure 2 - MSVC installation through rustup




Figure 3 - Rust installation through rustup on Windows

### 2.1.2 Install cargo addons

In a new terminal, run the following commands to install useful **cargo** addons for code formatting and linting:

```
1 # Install rustfmt for code formatting
2 rustup component add rustfmt
3 # Install clippy for linting and code analysis
4 rustup component add clippy
```


### 2.1.3 Verification

Verify that the following command prints a version number without error:



```
1 rustup --version
2 rustc --version
3 cargo --version
4 cargo fmt --version
5 cargo clippy --version
```

All commands should print a version number. If they fail, ensure **\$HOME/.cargo/bin** (macOS/Linux) or **%USERPROFILE%\bin** (Windows) is in your **PATH**.



## 2.2 LangQuest



Figure 4 - LangQuest - vocabulary quiz tool

**LangQuest** is a terminal-based vocabulary quiz tool used to practice programming terminology and concepts. It is distributed as a binary Rust crate and installed via **cargo**.

### 2.2.1 Installation



```
1 cargo install --git https://github.com/tschinz/langquest
```

Verify that the following command prints a version number without error.



```
1 lq --version
```

### 2.2.2 Quick use

To run it, head to a folder containing LangQuest exercises and run it:



```
1 cd <path/to/exercises>
2 lq
```


The program will automatically detect the exercises layout and content.

### 2.2.3 Mapping files to editor

LangQuest opens exercises in the default set editor for:

- **Rust:** \*.rs
- **Python:** \*.py
- **Go:** \*.go
- **C++:** \*.c, \*.h, \*.cpp, \*.hpp
- **RISC-V:** \*.s, \*.asm
- **Markdown:** \*.md

To simplify usage, map file extensions used in LangQuest to your editor of choice:



Right click the file with the relevant extension (e.g. **exercise.rs**) -> **Get Info**  
-> **Open with** -> Select your editor (e.g. Zed) -> **Change All..** -> Confirm -> Close




*OS dependent*

E.g. Ubuntu GUI: **Settings** -> **Default Applications** -> **Set default applications by file type** -> Search for relevant extensions (e.g. **.rs**) -> Select your editor (e.g. VSCode or Zed) -> Close



Right click the file with the relevant extension (e.g. **exercise.rs**) -> **Open with**  
-> **Choose another app** -> Select your editor (e.g. Zed) -> Check **Always use this app to open .xx files** -> **OK**



## 2.3 Zed Code Editor



Figure 5 - Zed - high-performance code editor

Zed is a high-performance, multiplayer code editor built in Rust. It is the primary editor used throughout this guide.

### 2.3.1 Installation

Visit [zed.dev](https://zed.dev) and download the installer for your platform.



Download the **.dmg**, open it and drag *Zed* to the *Applications* folder.

Install the Zed CLI tool by running the following command in Zed Press **cmd-shift-p** and type **cli:install cli binary**



Open a terminal and run the official installer script:

```
curl https://zed.dev/install.sh | sh
```



Download and run the **.exe** installer.


Add **zed.exe** to your **PATH** if the installer does not do it automatically.

### 2.3.2 Verification



Open Zed and confirm the welcome screen appears. Sign in with your GitHub account to enable **Artificial Intelligence (AI)** features.






## 2.4 Just - Command Runner


**just** is a handy command runner (similar to **make**) that reads a **justfile** in your project. It is distributed as a binary Rust crate and installed via **cargo**.


### 2.4.1 Installation



This may take a few minutes on the first install as it downloads and compiles the crate and its dependencies.

### 2.4.2 Verification





## 3 | LangQuest Guide

### 3.1 Run LangQuest

LangQuest does not require any specific location for the exercises to be put in, but requires the exercises tree to follow a specific layout:

```
my-exercises/
├── lq.toml                ← auto-created by lq on first run
├── 01-basics/             ← module (prefixed with NN-)
│   ├── 01-hello-world/   ← exercise (prefixed with NN-)
│   │   ├── 01-theory.md
│   │   ├── 02-task.md
│   │   ├── main.rs
│   │   └── solution/
│   │       ├── main.rs
│   │       └── solution.md
│   └── 02-variables/
│       └── ...
└── 02-control-flow/
    └── ...
```


Save the exercises for your current course somewhere under a dedicated folder.

In a terminal, navigate to the folder containing the exercises and run **lq** to start LangQuest:

```
cd <path/to/exercises>
lq
```



It is recommended to run it in a terminal opened in **Zed** to directly open the exercise files in the same editor. The following guide's screenshots are from Zed.



### 3.2 Overview page

Open the folder containing the exercises in **Zed**:




Figure 6 - Open exercises in Zed

Open the terminal through **View > Terminal Panel**, type **lq** then press **Enter**:





Figure 7 - **lq** in Zed



If the program does not launch, read the terminal. Most errors come from running **lq** outside an exercises folder, or from an invalid exercise layout.



The program is as follows:




Figure 8 - lq overview page

### 1. Exercises list

Found exercises are shown in an ordered fashion. Iterate through them with the arrow keys `↓ ↑` and select one with **Enter**.

- The **blue** lines indicate modules/groups of exercises. Click on **\*z\*** to collapse/expand the modules.
- The **purple** line represent the cursor position.
- The **green** line indicates fully completed exercises.
- The **yellow** line indicates partially completed exercises.
- The **red** line indicates exercises that have not been completed.

For each exercise, the view shows the language (Rust, Go, C++, Python, RISC-V assembly, and Markdown), its difficulty level compared to relative exercises in the same module, and the topics it covers.

#### 3.2.1 Shortcuts summary

- `↓ ↑`: navigate through the exercises list
- **Enter**: expand module / select an exercise
- **\*z\***: collapse/expand all modules in the list

### 2. Progression


The progress bar shows the number of exercises completed in the course. It is updated to follow the completion of each exercise by showing:

- **\***: fully completed exercise
- **~**: partially meeting the requirements for the exercise
- **x**: not meeting the requirements

### 3. Menu

List of the keyboard strokes available in the program for the currently shown menu. Click on **\*m\*** to hide/show the menu.

- **\*a\***: show the about page
- **\*q\*** / **\*Esc\***: quit the program
- **\*m\***: show/hide the menu with the shortcuts for the current view



### 3.3 Exercises page

The views are walked through by using the ← → keys.

#### 3.3.1 Theory

Upon entering an exercise, the theory tab is shown. It contains a short description and reminders to the core concepts needed to solve the exercise.




Figure 9 - Theory tab

#### 3.3.2 Tasks

The tasks view contains the list of tasks to be completed for the exercise, code snippets, guidelines ...



Figure 10 - Tasks tab

#### 3.3.3 Debug

The debug window is used to show the output of **stdout** and **stderr** of the program being tested. *This window is not useful for RISC-V and Markdown.*





Figure 11 - Debug tab

### 3.3.4 Output

The output window is used to show the result of tests. The tests are defined in the exercise code directly, so refer to those to understand them better in case of failures.

It shows the total of tests passing and which ones are failing, the format being language specific.

The threshold on the right is the minimum percentage of tests that must pass for the exercise to be considered **partially completed** or **fully completed**.

*This threshold is mostly targeted for Markdown exercises due to how tests are performed on them.*




Figure 12 - Output tab

Press **\*e\*** to open the exercise in the default editor set before in Section 2.2.3. If mapped with the same editor used for running **lq** (e.g. Zed), it opens in a new tab in the same window.


### 3.3.5 Tips and Solution

By default, the solution is locked as shown by the lock icon  **Solution**

It is unlocked under two conditions:

- The threshold completion for the exercise is met.
- All the tips are unlocked.

To unlock tips, press **\*h\*** to be met with the following view under the **Output** tab:



```

01-basics/04-algorithms/08-algo-01 | Fibonacci Without Loops
Output
Set the two seed values first: 0 and 1.
[HINT 2/2]
For each next term, add the previous two registers.

⚠ The solution will be unlocked. Are you really sure?
Press 'h' again to confirm, or any other key to cancel.

Overview / Exercise Theory Task Debug Output Solution
← → page ↑ ↓ scroll j / k exercise e edit h hint o overview a about q quit m menu

```

Figure 13 - Output tab

Once all tips unlocked, pressing "h" again unlocks the solution which shows the following view:

```

01-basics/02-instructions/03-instruction-01 | Arithmetic Expression (Positive Values)
Solution
— Reference Solution —

# EXPECT_REG: t0 1
# EXPECT_REG: t1 2
# EXPECT_REG: t2 5
# EXPECT_REG: s0 -2

_start:
# a = b + c - d;
# t0 = b, t1 = c, t2 = d. s0 = d

# b = 1, c = 2, d = 5
addi t0, zero, 1
addi t1, zero, 2
addi t2, zero, 5
# t = b + c
add t3, t0, t1
# a = t - c
sub s0, t3, t2

Explanation
## Explanation

You practice expression lowering into primitive arithmetic instructions with explicit temporaries.

Read solution/main.asm together with the hints, then compare with main.asm to understand each implementation choice.


Overview / Exercise Theory Task Debug Output Solution
← → page ↑ ↓ scroll j / k exercise e edit h hint o overview a about q quit m menu

```

Figure 14 - Solution tab

### 3.3.6 Shortcuts summary

- ← →: navigate through the different views of the exercise
- ↓ ↑: scroll in the views
- \*j\* / \*k\*: go to previous/next exercise
- \*e\*: open the exercise in the default editor
- \*h\*: show tips + unlock solution
- \*o\*: go back to the overview page - Section 3.2
- \*a\*: show the about page
- \*q\* / \*Esc\*: quit the program
- \*m\*: show/hide the menu with the shortcuts for the current view



### 3.4 About page

To give credits to the people behind LangQuest:





Figure 15 - About page

### 3.5 Troubleshooting

| Problem                                                    | Source                                                                    | Resolution steps                                                                                                                                                                                                                                                                                                              |
|------------------------------------------------------------|---------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>rustup</b> , <b>cargo</b> , or <b>rustc</b> unavailable | Rust toolchain is not installed correctly                                 | <ol style="list-style-type: none"> <li>1. Re-run Rust installation from <b><a href="https://rust-lang.org/tools/install/">https://rust-lang.org/tools/install/</a></b>.</li> <li>2. Restart terminal session.</li> <li>3. Verify with <b>rustup --version</b>, <b>rustc --version</b>, and <b>cargo --version</b>.</li> </ol> |
| <b>lq</b> command not found                                | LangQuest is not installed or Cargo binaries are missing from <b>PATH</b> | <ol style="list-style-type: none"> <li>1. Run <b>cargo install --git https://github.com/tschinz/langquest</b>.</li> <li>2. Check <b>cargo --version</b> and <b>lq --version</b>.</li> <li>3. Add Cargo bin directory to <b>PATH</b> and reopen terminal.</li> </ol>                                                           |
| Program is ran but immediately exits                       | Wrong working directory or invalid exercise tree layout                   | <ol style="list-style-type: none"> <li>1. Check terminal output. Most of the time, it says that no exercises were found.</li> </ol>                                                                                                                                                                                           |





| Problem                                                  | Source                                                                                                                                                                                                                                                                                                     | Resolution steps                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                          |                                                                                                                                                                                                                                                                                                            | <ol style="list-style-type: none"> <li>2. Go to the root folder containing the exercise modules.</li> <li>3. Confirm the folder structure matches the expected <b>NN-module/NN-exercise</b> pattern.</li> <li>4. Start <b>lq</b> again from that root.</li> <li>5. Raise an issue under <a href="https://github.com/tschinz/langquest/issues">https://github.com/tschinz/langquest/issues</a>.</li> </ol> |
| Pressing <b>e</b> does not open files in expected editor | File type associations are missing or point to another application                                                                                                                                                                                                                                         | <ol style="list-style-type: none"> <li>1. Reconfigure default apps for <b>.rs</b>, <b>.py</b>, <b>.go</b>, <b>.cpp</b>, <b>.md</b>, etc.</li> <li>2. Close and reopen editor.</li> <li>3. Relaunch <b>lq</b>.</li> </ol>                                                                                                                                                                                  |
| Solution remains locked                                  | Completion threshold not reached or tips not fully unlocked                                                                                                                                                                                                                                                | <ol style="list-style-type: none"> <li>1. Fix your code to pass the tests until threshold is reached.</li> <li>2. Press <b>h</b> repeatedly to unlock all tips.</li> <li>3. Press <b>h</b> again to unlock the solution tab.</li> </ol>                                                                                                                                                                   |
| Interface freezes or becomes unresponsive                | Currently, <b>lq</b> works on a single thread. When an exercise is opened or the exercise file is saved, a compilation + execution of that file is performed. If either of these steps takes time, the interface may appear frozen. For example, an infinite loop in the exercise code can cause a freeze. | <ol style="list-style-type: none"> <li>1. Check that the exercise code does not contain an infinite loop.</li> <li>2. Try compiling outside of <b>lq</b>.</li> <li>3. Check if a newer version of <b>LangQuest</b> is available.</li> </ol>                                                                                                                                                               |



# Glossary

**AI – Artificial Intelligence:** Field of computer science focused on creating systems capable of performing tasks that typically require human intelligence. [8](#)