

Results from the Turk 20 Study

Susan VanderPlas*

Department of Statistics and Statistical Laboratory, Iowa State University
and

Heike Hofmann

Department of Statistics and Statistical Laboratory, Iowa State University

December 11, 2015

Abstract

Graphics play a crucial role in statistical analysis and data mining. Being able to quantify structure in data that is visible in plots, and how people read the structure from plots is an ongoing challenge. XXX just a placeholder

Keywords: Visual inference, Lineup protocol, XXX Other keywords?.

*The authors gratefully acknowledge funding from the National Science Foundation Grant # DMS 1007697. All data collection has been conducted with approval from the Institutional Review Board IRB 10-347

Contents

1	Motivation and Background	3
2	Overview of all plots involved	3

```
## Error in eval(expr, envir, enclos): object 'list_of_pics16' not found
## Error in eval(expr, envir, enclos): object 'list_of_pics19' not found
## Error in arrangeGrob(...): object 'l16' not found
```

```
## Error in eval(expr, envir, enclos): object 'list_of_pics16' not found
## Error in eval(expr, envir, enclos): object 'list_of_pics19' not found
## Error in arrangeGrob(...): object 'l16' not found
```

1 Motivation and Background

Motivation: in a previous study we noticed that an imbalance in the size of clusters made participants -depending on the set of aesthetics used- change their target.

2 Overview of all plots involved

```
## Error in file(file, "rt"): invalid 'description' argument
## Error in file(file, "rt"): invalid 'description' argument
```

```
## Error in eval(expr, envir, enclos): object 'list_of_pics16' not found
## Error in eval(expr, envir, enclos): object 'list_of_pics19' not found
## Error in arrangeGrob(...): object 'l16' not found
```