



Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Vienna, 5. November 2025

Table of Contents

Thanks to.....	2
Source code of available at github.com	2
source code of WinForm PermAgainCrypt is available at:	2
isource code of secure chat is available at GitHub:	2
WinForm PermAgainCrypt & Secure Chat Winx86/x64 client download	2
WinForm PermAgainCrypt	3
ASCII Text Encryption	5
Encrypt binary file	7
Secure Chat	10
Secure Chat startup.....	10
Secure Chat modes	12
peer-2-peer mode.....	12
chat server session mode.....	14
chat server mode technical description.....	15
Import Contacts	16
Import Contacts from Google	16
Import Contacts from Outlook.....	20
Viewing imported contacts	20
Controls on Secure Chat Winform	21



Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Vienna, 5. November 2025

Thanks to

*Normally, thanks to are always at the end of each paper,
but the people or organizations I benefited from while trying to make AES strong again
are more important than a simple proof of concept showing that it works, except on my
raw experimental test form.*

<https://www.bouncycastle.org/>

<https://www.schneier.com/>

<https://github.com/dotnet/>

<https://github.com/microsoft>

<https://git.lysator.liu.se/nettle/nettle> (real easy to read c/c++ code)

Source code of available at github.com

source code of WinForm PermAgainCrypt is available at:

<https://github.com/heinrichelsigan/PermAgainCrypt>

isource code of secure chat is available at GitHub:

<https://github.com/heinrichelsigan/chat-ipv6>

WinForm PermAgainCrypt & Secure Chat Winx86/x64 client download

Go to <https://cgrxs.eu/download/> and choose latest version.

Attention, version before March 2025 have a **3-fish over Aes-Engine** encryption bug, because 3-fish uses AES default block size and key length and Bouncy Castle Aes-Engine parameters. It works, but settings AES default engine for 3-fish, isn't so serious and please download version after March 30.

Thanks with best greetings

(Heinrich Elsigan)



Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Vienna, 5. November 2025

WinForm PermAgainCrypt

PermAgainCrypt Windows Form encrypts or decrypts an ASCII text or binary file:

Enter you secret key here

Select here compression default: none

Select here hashing method

You can use either Set Pipeline or Hash Pipe to create an encryption pipeline

or manually add algorithms one by one to your own individual created symmetric cipher pipe
Maximum of crypt stages is 8.



Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Vienna, 5. November 2025

Choose binary to ASCII encoding method here.



Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Vienna, 5. November 2025

ASCII Text Encryption

Enter your text to encryption in text area on left side or press Button Random Text.

Then press Encrypt Button. You will see in text area on the right side the encrypted text =>

Then select the text in the text area on the right side with Ctrl-A =>



Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Vienna, 5. November 2025

Press Ctrl-C to copy all cipher text in left text input area.

EncryptFormSimple

Main Compression Encoding Hash Serialize ?

heinrich.elsigan@live.at Set Pipeline

☐ BCrypt ☐ MD5 ☐ SCrypt ☐ Sha256
☒ Hex ☐ OpenBSDCryp ☐ Sha1 ☐ Sha512

hash 6865696e726963682e656c736967616e406c6976652e6174 Hash Pipe

GZip add Des3;BlowFish;Fish2;Seed;XTea;Aria;RC6;Idea; Base64

Files (drag files into)

file [Input File]

Symmetric cipher encryption pipeline

Compression Compression bin to ascii base64, uu, xx, hex16, ... Encoding

Encrypt Decrypt Random Text Clear Form

Z+O5984poH0b3U
+xa2W3ndE/C5t7o2J86B9gvdhVvibzOWtX2wNxyxgq7+x9GJw80
zoD0egt4AjpUeaFf899NGnOpnKF6pjOjtiUU81NWBfMvB1OFpV
++THwXRy40MXJ3MJ3kWe5ZrXIRPVvUZZCVFZIm8rM
+L7Pnrvs10j
+cU5imRi7wT3niXxytno0XIhqQdhQHpkIfn83Zd2KhEhwJlitDWsY
5Wce/u35KsfeY2qkntq359wvsDbCucYxcmGhdwvCDMPFvdS/tu
DXfNULXajL7R026yit/OInhpAQfUyY3KUNylAM8LnG5G3rNkgxz8
C9B85+zTsOyouAXsioolyvYGU+aspj

Enter your text to encryption here or press Button Random Text.
Then press Encrypt Button.
You will see in text area on the right side the encrypted text =>
Then select the text in the text area on the right side =>
and press Ctrl-A Ctrl-C to copy all cipher text =>

Then insert all the copied text in the text area on the left side by pressing CTRL-A CTRL-V.
Now you can decrypt ASCII encoded encryption of your crypted text.




Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824


Vienna, 5. November 2025

Encrypt binary file

Press CTRL-O or Menu Main Open to choose a file for encryption od decryption.



Be sure, that you set already the pipeline by Set Pipeline or Hash Pipe or manually add symmetric cipher algorithms.







Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Vienna, 5. November 2025



Then press Encrypt Button to encrypt the file. A save dialog opens to choose the save location for encrypted file.





Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Vienna, 5. November 2025

The screenshot shows the 'EncryptFormSimple' application window. The 'Main' tab is active. The email field contains 'heinrich.elsigan@live.at'. The 'Hash' field contains '6865696e726963682e656c736967616e406c6976652e6174'. The 'Encoding' dropdown is set to 'Base64'. The 'Files (drag files into)' section shows a pipeline diagram with steps: Compression (gz, bz2, zip), Symmetric cipher encryption pipeline, and bin to ascii (base64, uu, xx, hex16...). The output file is 'Logo_Xybille_Stoa_2023.png.DbfsXarl.base64'. The 'Encrypt' button is highlighted.

Do it vice versa to decrypt the encrypted file:

The screenshot shows the 'EncryptFormSimple' application window with the 'Decrypt' button highlighted. The 'Files (drag files into)' section shows the same pipeline diagram, but the input file is 'Logo_Xybille_Stoa_2025.png' and the output file is 'Logo_Xybille_Stoa_2023.png.DbfsXarl.base64'. The 'Decrypt' button is highlighted.



Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Vienna, 5. November 2025

Secure Chat

Secure Chat startup

First, when starting application, you have to enter some kind of nickname and a valid email address. You can upload a picture, but it will not be transferred for now.

The dialog box is titled "-1" and contains a QR code on the left with the text "CQRXS.EU" below it. On the right, there are input fields for "Name" (set to "Anonymous Tester"), "Email" (set to "anonymous.testers@area23.at"), "Mobile", and "Address". Below these is a "Picture" section with a large button that says "Click here to upload Image". An "OK" button is at the bottom right.

The application window is titled "SecureChat" and has a menu bar with "cqr chat", "view", "network", "chat commands", "contacts", "options", and "help". Below the menu, there are input fields for "[enter secret key here]" (with a dropdown arrow), "[Enter peer IPv4/IPv6]" (with a dropdown arrow), and a "6CDgbXff" field. A "Select Contact" button is also present. The main area shows two chat logs: "[05:21:09] Registering contact: Anonymous Tester <anonymous.testers@area23.at>" and "[05:21:09] Got Cuid: 39da472a-e107-4b19-bcec-dc4281b3fbe9 for Anonymous Tester <anonymous.testers@area23.at>".




Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Vienna, 5. November 2025

After starting Secure Chat Windows Client, you must enter a shared secure key for all modes.

Unless you don't enter at least 2 characters, you will asked again to enter a secure key.



You must share that secure key with your partner via phone or email, so that they can secure chat with you.

The 8x strong cipher pipeline will be created from the key and all stages of the pipeline encrypt a symmetric cipher via that key.



Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824


Vienna, 5. November 2025

Secure Chat modes


Secure chat supports 2 modes.

peer-2-peer mode

In peer-2-peer mode, no connection to cqrxs.eu server is made and chat msg will be send peer to peer between to chat clients. Each chat client opens a server socket on interface ifx:7777 to receive messages. You can choose only 1 network interface, where chat application should listen and switch between different interfaces



By default, the network interface with connection to the internet is chosen, if IPv6 is available with route to ::0 access to internet, IPv6 address will be selected by default.



Grayed addresses don't have a route to 0/0 or ::0 at the moment, you can choose them. Loopback adapters aren't grayed, you can choose them to chat via loopback with yourself. (echo lo).





Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at


UID ATU72804824

Vienna, 5. November 2025


Then enter in IP-Address Box a valid over interface, you choosed before, reachable IP, where your partner has also a secure chat app running.



When partner ip is connectable and a socket connection to partner IP port 7777 could be established, then you will get a notification.



See more information at status label at bottom.





Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at


UID ATU72804824

Vienna, 5. November 2025

chat server session mode

In chat server session mode, secure chat app connects to this webservice on AWS in Spain:

<https://cqrxs.eu/cqrsrv/cqrid/CqrService.aspx>



In **chat server session** mode, you must import contacts first, see section import contacts.

Peer-2-Peer mode will be disabled, if you choose this mode.



Vienna, 5. November 2025

Communication is over webservice on <https://cqrxs.eu>



<https://cgrxs.eu/cgrsrv/cgrjd/CqrService.aspx>



Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at


UID ATU72804824

Vienna, 5. November 2025

Import Contacts

Import Contacts from Google

Go to <https://contacts.google.com/> and choose contacts label, that you will export or choose all.



Export

Then click on  export contacts.



Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Vienna, 5. November 2025

Export contacts

lawyer-insurance-official (5) ▼

Export as

☒ Google CSV

☐ CSV for Outlook only

☐ vCard for Android or iOS

Cancel Export

 **contacts (1).csv**
37.3 KB • Done

 **contacts.vcf**
47.7 KB • Done

You can choose either **Google CSV** or **CSV for Outlook only** or **vCard for Android or IOS**.




Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at


UID ATU72804824

Vienna, 5. November 2025

When starting Secure Chat Winx86/x64 Client, choose menu **contacts** => **import contacts** or **ALT-i**.



You can select between CSV (*.csv) and VCard (*.vcf) format. CSV (*.csv) is default selected.







Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Vienna, 5. November 2025



Only contacts, with existing E-Mail Address will be imported.






Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Vienna, 5. November 2025

Import Contacts from Outlook

Open MS Outlook and click on  then choose Export contacts in  Manage contacts ▾




Contacts will be exported to a csv file.

After export import contacts as same as described in section Google before.

Viewing imported contacts

Click on menu contacts => view contacts or ALT-v






Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824


Vienna, 5. November 2025

Controls on Secure Chat Winform


Description and usage of different controls on Windows Forms



0. Menu see section Menu later



1. Secure key Texbox



You and your chat partner must enter the **same secret key** for symmetric 8-fime encryption pipeline.




Name: Heinrich Elsigan
Adresse: [Theresianumgasse 6/28](#), 1040 Vienna, Austria
Telefon: +43 650 7527928
E-Mail: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Vienna, 5. November 2025

2. IP-Address of your partner 
that is reachable from your selected network interface. (example above with loopback ipv4)
3. Internal hash for symmetric cipher algorithms



- g Ghost28147
A AES [AES Galois field](#)
6 Cast6
F 3-Fish (Bruce Schneier on [ThreeFish](#))
f 2-Fish (Bruce Schneier on [TwoFish](#))
z Zenmatrix (my own easy fast symmetric cipher algo)
b Blowfish (Bruce Schneier)
5 RC532
4. ChatRoomNumber every member of your chat room session has to add.
When using Server Session Chat mode, every invited person has to add both Secure Key and Chatroom Number.
Please remark, that cqrxs.eu don't spams and you have to tell via phone call or SMS both secret key and exactly spelled Chatroom number.
- 5.