Name: Heinrich Elsigan
Adresse: Theresianumgasse 6/28, 1040 Vienna, Austria
Telefon: +43 650 7527928
Email: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Wien, 15. Juni 2024

An: Logic4BIZ Informationstechnologie GmbH
Reisnerstraße 53, Hofhaus, 1030 Wien
+43 1 877 18 81 office@logic4biz.com

Liebe Geschäftsführer Matthias Wohlmann und Peter Fasol der Logic4BIZ GmbH.

Der beauftragte Office2PDF Spooler ist soweit für den letzten Test bereit.

Privates Github repository: https://github.com/heinrichelsigan/Spooler_Office2PDF
Zugang haben nur ich, Matthias und Peter.

Am TestServer ist enabler4Biz UpdateService skeleton stub hier zu testen:

http://103-win2019.logic4biz.local/Enabler.Lib/UpdateService/UpdateService.asmx

Eine Standard Webtest Form gibt es hier.
http://103-win2019.logic4biz.local/Enabler.Lib/
http://192.168.1.103/Enabler.Lib/

Release ist unter C:\enabler4Biz\@Deploy zu finden und beinhaltet sowohl den WinForm Spooler als auch eine ConsoleApp zum händischen konvertieren.

Spoolerbasisverzeichnis ist unterhalb von:

C:\enabler4BIZ\SpoolerRunning

Spooler Dokumentverzeichnis ist unterhalb von:

C:\enabler4BIZ\Enabler.Lib\Documents

Im IIS ist unterhalb von C:\enabler4BIZ\Enabler.Lib\

der enabler4Biz UpdateService Stub als Applikation mit Im IIS ist unterhalb von
C:\enabler4BIZ\Enabler.Lib\ => http://192.168.1.103/Enabler.Lib/

Besten Dank und freundliche Grüße,

(Heinrich Elsigan)

Name: Heinrich Elsigan
Adresse: Theresianumgasse 6/28, 1040 Vienna, Austria
Telefon: +43 650 7527928
Email: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Wien, 15. Juni 2024

Enabler4Biz UpdateService WinForm Spooler



Da der Spooler unendlich laufen sollte und nicht geschlossen werden sollte,
erscheint folgender Dialog beim Versuch Spooler mit Close Button oder ALT-F4 zu schließen:



Name: Heinrich Elsigan
Adresse: Theresianumgasse 6/28, 1040 Vienna, Austria
Telefon: +43 650 7527928
Email: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Wien, 15. Juni 2024

enabler4Biz Spooler Konfiguration

Bestehende Schlüssel Werte (keys) in der WinForm Core Konfiguration.

Datei: C:\enabler4BIZ\SpoolerRunning\WinFormCore\PDFConverterSpoolerCore.dll.config



```xml
<?xml version="1.0" encoding="utf-8" ?>
<configuration>
    <appSettings>
        <!-- default conversion method setting at startup:
            Default = 0x00,         // is same as
            OfficeInterop = 0x01,   // standard Office.Interopt conversion
            NetOfficeFw = 0x02      // is NetOfficeFw NuGet package based on Office.Interopt
            OpenLibreOffice = 0x03, // LibreOffice or OpenOffice must be installed on your server
            MitEdu = 0x0a, Sicos = 0x0b, // various open source github projects, I tested to evaluate
            GemBox = 0x0c,          // a commercial NuGet package, that has limited features 1-2 times per day free
            MSPrintPdf = 0x0d,      // Printer Queue: "Microsoft Print to PDF" must exist on your server
            ConsoleExe = 0x0e,      // Console Application shipped with WinFormCore Spooler
            None = 0xff             // no converion at all will be made by WinFormCore Spooler Application -->
        <add key="PDF_Conversion_Method" value="Default" />
        <!-- add key PDF_Spooler_Directory for spooling directory on filesystem, where UpdateService writes office documents -->
        <add key="PDF_Spooler_Directory" value="C:\enabler4BIZ\Enabler.Lib\Documents" />
        <!-- add key for backup directory of spooler directory -->
        <add key="Backup_Spooler_Directory" value="C:\enabler4BIZ\SpoolerRunning\Documents" />
        <!-- Path to PDF converter console exe -->
        <!-- key PDF_Converter_Console_Path for filesystem path to console spooler application /-->
        <add key="PDF_Converter_Console_Path" value="C:\enabler4BIZ\SpoolerRunning\Console\OfficeConvert.exe" />
        <!-- key Sysinternals_Handle_Exe for sysinternals handle.exe binary to find office365 blocking window handless -->
        <add key="Sysinternals_Handle_Exe" value="C:\enabler4BIZ\SpoolerRunning\Handle.exe" />
        <!-- key PDF_Spooler_Try_Convert for -->
        <add key="PDF_Spooler_Try_Convert" value="2" />
        <!-- key for own spooler application log file directory -->
        <add key="Log_File_Directory" value="C:\enabler4BIZ\SpoolerRunning\log\" />
        <!-- Json statistics file of performed spooler operations -->
        <add key="JsonStatFile" value="C:\enabler4BIZ\SpoolerRunning\EnablerSpoolerConverter_Statistics.json" />
        <!-- help url -->
        <add key="Help_Url" value="https://logic4biz.com/blog/" />
        <!-- if you want to throw an exception at startup, when office or visio isn't installed on your server => set to true
                Better not change this! -->
        <add key="THROW_EXCEPTION_On_Missing_Office" value="false" />
        <!-- Old keys no longer needed! -->
        <add key="MUTEX_WRITE_SPOOLDIR" value="Mutex.Write.SpoolDirectory" />
        <add key="INSTALLATION_NAME" value="zen@area23.at "/>
```

Name: Heinrich Elsigan
Adresse: Theresianumgasse 6/28, 1040 Vienna, Austria
Telefon: +43 650 7527928
Email: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Wien, 15. Juni 2024

enabler4Biz UpdateService Anpassungen für MW

im bestehenden Enabler4Biz UpdateService einfach folgenden Code so umschreiben:



```
#region ConvertToPDF
private static int TryTimes = 144;
[WebMethod]
2 references | Heinrich Elsigan, 8 days ago | 4 authors, 15 changes
public byte[] ConvertToPDF_v2(byte[] document, string fileName, string convertType, string licenceNumber, string intallationName, string source_Type, int source_ID, out string message)
{
    string address = Enabler.Lib.Util.Util.GetClientIPAddress(this.Context.Request);
    string hostName = Enabler.Lib.Util.Util.GetClientHostName(this.Context.Request);
    string clientInfo = "Source: " + address + "-" + hostName + "; ";
    Logging.EnablerLog.LogStatic("ConvertToPDF called: " + intallationName + " (" + licenceNumber + "); " + clientInfo + fileName + "; Convert Type: " + convertType);
    try {
        Save File to savePath
        #region Convert to PDF
        Delete file outpath
        int i = 0;
        while (true)
        {
            i++;
            #region no convert anymore since spooler
            #endregion no convert anymore since spooler
            if (i <= TryTimes) {
                Thread.Sleep(1000 * 2); // wait 2 seconds
                if (File.Exists(outPath)) {
                    this.LogInfo($"Converted file {outPath} found in spooling directory!");
                    break;
                }
            }
            else {
                if (!File.Exists(outPath)) {
                    throw new System.IO.FileNotFoundException($"Converted file {outPath} not found in spooling directory!");
                }
            }
        }
        #endregion Convert to PDF
        read PDF to return as byte[] data
        Clean up old files
        message = "[OK]";
        return data;
    }
    catch (System.Exception convertToPdfFailed) {
        try...
        throw convertToPdfFailed;
    }
}
#endregion
```

Name: Heinrich Elsigan
Adresse: Theresianumgasse 6/28, 1040 Vienna, Austria
Telefon: +43 650 7527928
Email: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Wien, 15. Juni 2024

```
private static int TryTimes = 144;
[WebMethod]
public byte[] ConvertToPDF_v2(byte[] document, string fileName, string convertType, string
licenceNumber, string intallationName, string source_Type, int source_ID, out string message)
{
  string address = Enabler.Lib.Util.Util.GetClientIPAddress(this.Context.Request);
  // [...]
   try
   {
   // [...]
          int i = 0;
          while (true)
          {
                    i++;
                  #region no convert anymore since spooler
                  #endregion no convert anymore since spooler
                  if (i <= TryTimes) {
                            Thread.Sleep(1000 * 2); // wait 2 seconds
                            if (File.Exists(outPath)) {
                                      this.LogInfo("Converted file \”” +outPath +
                                      “\” found in spooling directory!");
                                       break;
                             }
                  } else {

                                      if (!File.Exists(outPath)) {
                                                throw new System.IO.FileNotFoundException(
                                                          "Converted file \”” + {outPath +
                                                          “\” not found in spooling directory!");
                                      }
                            }

                  }

          }

   }

}
```

Name: Heinrich Elsigan
Adresse: Theresianumgasse 6/28, 1040 Vienna, Austria
Telefon: +43 650 7527928
Email: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Wien, 15. Juni 2024

Windows Server2019 Auto Login

RegEdit öffnen und zu diesen Key navigieren.
Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Winlogon

Darunter folgende Werte setzen:

AutoAdminLogon	1
DefaultUserName	he
DefaultPassword	{*hier das entsprechende Passwort setzen*}
DefaultDomainName	logic4biz



Achtung in der oben eingefügten Grafik ist der User “pc” auf meinem lokalen Rechner ohne Domaine eingetragen. Bitte den Autologin Benutzer für Logic4BIZ einsetzen.

Name: Heinrich Elsigan
Adresse: Theresianumgasse 6/28, 1040 Vienna, Austria
Telefon: +43 650 7527928
Email: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Wien, 15. Juni 2024

Autostart Spooler in Registry aktivieren

Unter folgendem Reg Key einen Wert für das zu startenden Script mit Pfad setzen:
Computer\HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Run
oder
Computer\HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\RunOnce



Autostart Spooler cmd sniplet

```
echo "%date% %time%: Starting enabler4Biz PDFConverterSpooler "
start  C:\enabler4Biz\SpoolerRunning\WinFormCore\PDFConverterSpoolerCore.exe
```

Lock Server Desktop cmd sniplet

```
echo "%date% %time%: Call Lock.bat for locking workstation ..."
%windir%\System32\rundll32.exe user32.dll,LockWorkStation

exit
```

Name: Heinrich Elsigan
Adresse: Theresianumgasse 6/28, 1040 Vienna, Austria
Telefon: +43 650 7527928
Email: heinrich.elsigan@gmail.com he@area23.at

UID ATU72804824

Wien, 15. Juni 2024

Script bei Autologin für Autostart von Spooler mit LOCK Screen

Command Prompt

```
C:\Users\he>type bin\UserLogon2.bat
@echo off
set CUR_DATE=%date:~-4%-%date:~4,2%-%date:~7,2%
set CUR_TIME=%time:~0,2%:%time:~3,2%:%time:~6,2%
set LogonLog=%USERPROFILE%\log\%CUR_DATE%_WinLogon.txt

echo "%CUR_DATE% %CUR_TIME%: Login (username = %USERNAME%) (profile = %USERPROFILE%), currently logged on: "
%USERPROFILE%\bin\PsLoggedon64.exe -nobanner


echo "%CUR_DATE% %CUR_TIME%: Login (user = %USERNAME%) (profile = %USERPROFILE%), logged on: "  >> %LogonLog%
%USERPROFILE%\bin\PsLoggedon64.exe -nobanner                                                     >> %LogonLog%

echo "%CUR_DATE% %CUR_TIME%: Starting enabler4Biz PDFConverterSpooler "                          >> %LogonLog%
echo "%CUR_DATE% %CUR_TIME%: Starting enabler4Biz PDFConverterSpooler "
start   C:\enabler4Biz\SpoolerRunning\WinFormCore\PDFConverterSpoolerCore.exe

echo "%CUR_DATE% %CUR_TIME%: Get Sid:
%USERPROFILE%\bin\PsGetsid64.exe -nobanner

echo "%CUR_DATE% %CUR_TIME%: Found user specfic temporary files in %TEMP%"                       >> %LogonLog%
%USERPROFILE%\bin\du64.exe -nobanner -l -u %LOCALAPPDATA%\Temp                                   >> %LogonLog%
echo "%CUR_DATE% %CUR_TIME%: deleteing user specfic temporary files in %TEMP%"                   >> %LogonLog%
echo "%CUR_DATE% %CUR_TIME%: Deleting user specfic temporary files in %TEMP%"
%USERPROFILE%\bin\sdelete -nobanner -p 1 -r -s %TEMP%\*
echo "%CUR_DATE% %CUR_TIME%: Deleting temporary files in %USERPROFILE%\AppData\Local\Temp\"
%USERPROFILE%\bin\sdelete -p 2 -r -s %USERPROFILE%\AppData\Local\Temp\*.

REM @call %USERPROFILE%\bin\LockScreen.bat
echo "%CUR_DATE% %CUR_TIME%: call Lock.bat for locking workstation ..."
%windir%\System32\rundll32.exe user32.dll,LockWorkStation
exit



C:\Users\he>
```