1 Variables

2 root

	var	symbol	documentation	type	units	tokens	eqs
13	$F_{N,A}$	F	directed graph incidence matrix	network		[]	
1	t_N	t	time	frame	s	[]	
3	$t^o{}_N$	to	starting time	frame	s	[]	1
4	$t^e{}_N$	te	end time	frame	s	[]	2
2	#	value	numerical value	constant		[]	
18	$null$	null	numerical value 0	constant		[]	16
19	one	one	numerical value 1	constant		[]	17

3 System

	var	symbol	documentation	type	units	tokens	eqs
5	x_N	x	state - length	state	m	[]	13
11	$\pi^a{}_N$	pi_a	effort a	state	m	[]	7 14
12	$\pi^b{}_N$	pi_b	effort b	state	m	[]	8 15
14	$\hat{x}^a{}_N$	fx_a	flow of x mechanism a	state	ms^{-1}	[]	9
15	$\hat{x}^b{}_N$	fx_b	flow of x mechanism b	state	ms^{-1}	[]	10
16	$\dot{x}_N$	dx	differential state	state	ms^{-1}	[]	11 18
17	$x^o{}_N$	xo	initial condition	state	m	[]	12
20	pi_stack_N	pi_stack	the stack of intensive variables	state	m	[]	19
7	K_N	K	frequency a	constant	s^{-1}	[]	3
8	L_N	L	frequency b	constant	s^{-1}	[]	4

	var	symbol	documentation	type	units	tokens	eqs
9	M	M	gain a	constant		[]	5
10	N	N	gain b	constant		[]	6

4 Properties

	var	symbol	documentation	type	units	tokens	eqs

5 Control

	var	symbol	documentation	type	units	tokens	eqs

6 System–Properties

	var	symbol	documentation	type	units	tokens	eqs

7 Properties–System

	var	symbol	documentation	type	units	tokens	eqs

8 System–Control

	var	symbol	documentation	type	units	tokens	eqs

9 Control–System

	var	symbol	documentation	type	units	tokens	eqs

10 Properties–Control

	var	symbol	documentation	type	units	tokens	eqs

11 Control–Properties

	var	symbol	documentation	type	units	tokens	eqs

12 Equations

12.1 Model equations

no	equation	documentation	layer
1	$t^o{}_N := Set(t_N, \#)$	starting time	root
2	$t^e{}_N := Set(t_N, \#)$	end time	root
3	$K_N := Set((t_N)^{-1}, \#)$	frequency a	System
4	$L_N := Set((t_N)^{-1}, \#)$	frequency b	System
5	$M := Set(\#, \#)$	gain a	System
6	$N := Set(\#, \#)$	gain b	System
7	$\pi^a{}_N := M \cdot x_N$	effort a	System
8	$\pi^b{}_N := N \cdot x_N$	effort b	System
9	$\hat{x}^a{}_N := F_{N,A} \overset{A}{\star} \left(K_N \cdot F_{N,A} \overset{N}{\star} \pi^a{}_N \right)$	flow of x mechanism a	System
10	$\hat{x}^b{}_N := F_{N,A} \overset{A}{\star} \left(L_N \cdot F_{N,A} \overset{N}{\star} \pi^b{}_N \right)$	flow of x mechanism b	System
11	$\dot{x}_N := \hat{x}^a{}_N + \hat{x}^b{}_N$	differential state	System
12	$x^o{}_N := Set(x_N, \#)$	initial condition	System
13	$x_N := \int_{t^o{}_N}^{t^e{}_N} \dot{x}_N \, d\,t_N + x^o{}_N$	state - length	System
14	$\pi^a{}_N := Set(\pi^a{}_N, \#)$	effort a	System
15	$\pi^b{}_N := Set(\pi^b{}_N, \#)$	effort b	System
16	$null := Set(\#, \#)$	numerical value 0	root

Continued on next page

4

no	equation	documentation	layer
17	$one := Set(\#,\#)$	numerical value 1	root
18	$\dot{x}_N := Set(\dot{x}_N, null)$	differential state	System
19	$pi_stack_N := Stack\left(\pi^a{}_N, \pi^b{}_N\right)$	the stack of intensive variables	System