### 1 Variables

### 2 root

	var	symbol	documentation	type	units	tokens	eqs
1	$F_{N,A}$	F	incidence matrix of directed graph	network			
2	t	t	time	frame	s		
3	#	value	numerical value	constant			
4	1	one	numerical value 1	constant			1
5	0	zero	numerical value 0	constant			2
6	1/2	onehalf	numerical value $1/2$	constant			3
58	$t^o$	to	starting time	constant	s		41
59	$t^e$	te	end time	constant	s		42

## 3 physical

	var	symbol	documentation	type	units	tokens	eqs
15	$r_{xN}$	r_x	x-coordinate	frame	m		
16	$r_{y_N}$	r_y	y-coordinate	frame	$\mid m \mid$		
17	$r_{zN}$	r_z	z-coordinate	frame	$\mid m \mid$		
18	$n_{NS}$	n	foundation state – species mass	state	$igg \ mol$		
19	$U_N$	U	foundation state – internal energy	state	$kg  m^2  s^{-2} \\ kg  m^2  K^{-1}  s^{-2}$		
20	$S_N$	S	foundation state – entropy	state	$kg m^2 K^{-1} s^{-2}$		
21	$V_N$	V	foundation state – volume	state	$m^3$		
29	$H_N$	Н	enthalpy	state	$kg m^2 s^{-2}$ $kg m^2 s^{-2}$		13
30	$A_N$	A	Helmholtz energy	state	$kg m^2 s^{-2}$		14

	var	symbol	documentation	type	units	tokens	eqs
31	$G_N$	G	Gibbs energy	state	$kg m^2 s^{-2}$		15
27	$B_N$	В	Boltzmann constant	constant	$kg  m^2  K^{-1}  s^{-2}$		11
101	$Av_N$	Av	Avogadro number	constant	$mol^{-1}$		
102	$R_N$	R	Gas constant	constant	$kg  m^2  mol^{-1}  K^{-1}  s^{-2}$		82
22	$p_N$	p	thermodynamic pressure	effort	$kg  m^{-1}  s^{-2}$		7
23	$T_N$	Т	temperature	effort	K		8
24	$\mu_{NS}$	chem_potential	chemical potential	effort	$kg  m^2  mol^{-1}  s^{-2}$		9
36	$v_{xN}$	v_x	velocity in x-direction	seconaryState	$ms^{-1}$		20
37	$v_{y_N}$	v_y	velocity in y-direction	seconaryState	$ms^{-1}$		21
38	$v_{zN}$	v_z	velocity in z-direction	seconaryState	$ms^{-1}$		22
39	$v_N$	v	velocity vector	seconaryState	$ms^{-1}$		23

### 4 control

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

### 5 reactions

	var	symbol	documentation	type	units	tokens	eqs
98	$N_{S,K}$	N	stoichiometric matrix	constant			
104	$E_{aNK}$	Ea	Arrhenius's activation energy	constant	$kg m^2 mol^{-1} s^{-2}$		84
105	$K^o{}_K$	Ко	Arrhenius's frequency factor	constant	$m^{-3}  mol  s^{-1}$		
108	$c^{o}{}_{KS}$	co_KS	standardisation of concentration	constant	$m^{-3}  mol$		87
106	$K_{NK}$	K_NK	Arrhenius reaction constants	seconaryState	$m^{-3}  mol  s^{-1}$		85
109	$\phi_{KS}$	phi_KS	propabilities to meet	seconaryState			88

### 6 material

	var	symbol	documentation	type	units	tokens	eqs
40	$\lambda_S$	Mm	species molecular masses	constant	$kg  mol^{-1}$		
41	$C_{p_N}$	Ср	total heat capacity at constant pressure	constant	$kg m^2 K^{-1} s^{-2}$		24
42	$C_{vN}$	Cv	total heat capacity at constant volume	constant	$kg m^2 K^{-1} s^{-2}$		25
43	$c_{p_S}$	ср	specific heat capacity at constant pressure	constant	$m^2  mol^2  K^{-1}  s^{-2}$		26
44	$c_{vS}$	cv	specific heat capacity at constant volume	constant	$m^2  mol^2  K^{-1}  s^{-2}$		27
45	$k_{xN}^q$	kq_x	thermal conductivity in x-direction	seconaryState	$kg K^{-1} s^{-3}$		28
46	$k_{y_N}^q$	kq_y	thermal conductivity in y-direction	seconaryState	$kg K^{-1} s^{-3}$		29
47	$k_{zN}^q$	kq_z	thermal conductivity in z-direction	seconaryState	$kg K^{-1} s^{-3}$		30
48	$k^q{}_N$	kq	Carthesian thermal conductivity vector	seconaryState	$kg K^{-1} s^{-3}$		31
49	$k_{xN}^c$	kc_x	convective mass convectivity in x-direction	seconaryState	$m^{-1} s$		32
50	$k_{y_N}^c$	kc_y	convective mass convectivity in y-direction	seconaryState	$m^{-1} s$		33
51	$k_{zN}^c$	kc_z	convective mass convectivity in z-direction	seconaryState	$m^{-1} s$		34
52	$k^c{}_N$	kc	Cartesian convective mass convectivity vector	seconaryState	$m^{-1} s$		35
53	$k_{xNS}^d$	kd_x	diffusional mass conductivity in x-direction	seconaryState	$kg^{-1} m^{-4} mol^2 s$		36
54	$k_{yNS}^d$	kd_y	diffusional mass conductivity in y-direction	seconaryState	$kg^{-1} m^{-4} mol^2 s$		37
55	$k_{zNS}^d$	kd_z	diffusional mass conductivity in z-direction	seconaryState	$kg^{-1} m^{-4} mol^2 s$		38
56	$k^d{}_{NS}$	kd	Cartesian diffusional mass conductivity vector	seconaryState	$kg^{-1} m^{-4} mol^2 s$		39
60	$h_{NS}$	h	partial molar enthalpies	seconaryState	$kg  m^2  mol^{-1}  s^{-2}$		43

## 7 macroscopic

	var	symbol	documentation	type	units	tokens	eqs
78	$d_A$	d	direction of convective flow	transport			61
80	$A_{y,z_N}$	Ayz	cross sectional area in x-direction	transport	$m^2$		63
83	$\hat{V}_A$	fV	convective volumetric flow	transport	$m^3 s^{-1}$		66
84	$c_{AS}$	c_AS	molar species concentration in convective flow	transport	$m^{-3}  mol$		67
85	$\hat{n}_{AS}^c$	fnc_AS	convective mass flow by stream	transport	$\mod s^{-1}$		68
86	$\hat{n}_{NS}^c$	fnc	net convective mass flow	transport	$\mod s^{-1}$		69
115	$\hat{m}_A$	fm_A	mass flow in arc	transport	$kg s^{-1}$		94
125	$\hat{H}^c_A$	fHc_A	enthalpy flow due to convection	transport	$kg m^2 s^{-3}$		104
127	$\hat{H}_N^c$	fHc	net enthalpy flow due to convection	transport	$kg m^2 s^{-3}$		106
128	$\hat{n}_{AS}^d$	fnd_AS	diffusional mass transfer in arc	transport	$\mod s^{-1}$		107
129	$\hat{n}_{NS}^d$	fnd	net diffusional mass transfer	transport	$\mod s^{-1}$		108
130	$\hat{H}^d_A$	fHd_A	enthalpy flow due to mass diffusion	transport	$kg m^2 s^{-3}$		109
131	$\hat{H}_N^d$	fHd	net enthalpy flow due to diffusion	transport	$kg m^2 s^{-3}$		110
135	$\hat{w}_A$	fw_A	example of work flow	transport	$kg m^2 s^{-3}$		114
136	$\hat{w}_N$	fw	net work flow	transport	$kg m^2 s^{-3}$		115
10	$F_{NS,AS}$	F_NS_AS	blick incidence matrix of directed species graph	network			6
9	$P_{NS,AS}$	P_NS_AS	node species to arc species projection	projection			
11	$P_{K,NK}$	P_K_NK	projection of conversion to node x conversion	projection			
12	$P_{S,NS}$	P_S_NS	projection species to conversion x species	projection			
13	$P_{N,NK}$	P_N_NK	projection node to node x conversion	projection			
14	$P_{NK,KS}$	P_NK_KS	projection node x conversion to conversion x species	projection			
95	$P_{NS,KS}$	P_NS_KS	projection node x species to conversion x species	projection			

	var	symbol	documentation	type	units	tokens	eqs
92	$1_{NK}$	one_NK	one with energy	effort			75
79	$c_{NS}$	С	molar concentration	seconaryState	$m^{-3}  mol$		62
81	$m_N$	m	mass in kg	seconaryState	kg		64
82	$ ho_N$	density	density	seconaryState	$kg m^{-3}$		65
91	$T_{NK}$	T_NK	temperature in reactive systems	conversion	K		74
96	$c_{KS}$	c_KS	concentration in the reactive systems	conversion	$m^{-3}  mol$		78
112	$\xi_{NK}$	xi	extent of reaction	conversion	$m^{-3}  mol  s^{-1}$		91
113	$N_{NS,NK}$	N_NS_NK	extended stoichiometry	conversion			92
114	$ ilde{n}_{NS}$	pn	production term	conversion	$\mod s^{-1}$		93
132	$\dot{n}_{NS}$	dndt	species mass accumulation	diffState	$\mod s^{-1}$		111
133	$\dot{H}_N$	dHdt	differential enthalpy balance	diffState	$kg m^2 s^{-3}$		116

### 8 solid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

### 9 fluid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

## 10 liquid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

## 11 gas

	var	symbol	documentation	type	units	tokens	eqs
.2	control-react	ions					
	var	symbol	documentation	type	units	tokens	eqs
.3	reactions-cor	itrol					
	var	symbol	documentation	type	units	tokens	eqs
.4	control-mate	rial					
	var	symbol	documentation	type	units	tokens	eqs
5	var material—con		documentation	type	units	tokens	eqs
.5			documentation	type	units	tokens	eqs
.6	material-con	trol					

# 17 macroscopic-control

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

#### 18 reactions—material

	var	symbol	documentation	type	units	tokens	eqs

#### 19 material-reactions

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

### ${\bf 20} \quad {\bf reactions-macroscopic}$

	var	symbol	documentation	type	units	tokens	eqs
107	$K_{NK}$	K_NK	link	transform	$m^{-3}  mol  s^{-1}$		86
110	$\phi_{KS}$	phi_KS	link	transform			89
111	$N_{S,K}$	N	link	transform			90

### ${\bf 21} \quad {\bf macroscopic-reactions}$

	var	symbol	documentation	type	units	tokens	eqs
94	$T_{NK}$	T_NK	temperature of reacive systems	transform	K		77
97	$c_{KS}$	c_KS	link	transform	$m^{-3}  mol$		79
103	$P_{N,NK}$	P_N_NK	link	transform			83

### ${\bf 22} \quad {\bf material-macroscopic}$

	var	symbol	documentation	type	units	tokens	eqs
61	$\lambda_S$	Mm	link to molar masses	transform	$kg  mol^{-1}$		44
62	$k_{xN}^q$	kq_x	link	transform	$kg K^{-1} s^{-3}$		45
63	$k_{y_N}^q$	kq_y	link	transform	$kg K^{-1} s^{-3}$		46
64	$k_{zN}^q$	kq_z	link	transform	$kg K^{-1} s^{-3}$		47
65	$k^q{}_N$	kq	link	transform	$kg K^{-1} s^{-3}$		48
66	$k_{xN}^c$	kc_x	link	transform	$m^{-1} s$		49
67	$k_{y_N}^c$	kc_y	link	transform	$m^{-1} s$		50
68	$k_{zN}^c$	kc_z	link	transform	$m^{-1} s$		51
69	$k^c{}_N$	kc	link	transform	$m^{-1} s$		52
70	$k_{xNS}^d$	kd_x	link	transform	$kg^{-1} m^{-4} mol^2 s$		53
73	$k_{y}^d{}_{NS}$	kd_y	link	transform	$kg^{-1} m^{-4} mol^2 s$		56
74	$k_{zNS}^d$	kd_z	link	transform	$kg^{-1} m^{-4} mol^2 s$		57
75	$k^d{}_{NS}$	kd	link	transform	$kg^{-1} m^{-4} mol^2 s$		58
76	$c_{p_S}$	ср	link	transform	$m^2  mol^2  K^{-1}  s^{-2}$		59
77	$c_{vS}$	cv	link	transform	$m^2  mol^2  K^{-1}  s^{-2}$		60
119	$h_{NS}$	h	link	transform	$kg  m^2  mol^{-1}  s^{-2}$		98

## ${\bf 23} \quad {\bf macroscopic-material}$

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

## 24 gas-liquid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

### 25 gas-solid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

# 26 liquid-solid

	var	symbol	documentation	type	units	tokens	eqs

# 27 Equations

### 27.1 Model equations

no	equation	documentation	layer
1	1 := Set(#,#)	numerical value 1	root
2	0 := Set(#, #)	numerical value 1	root
3	1/2 := Set(#,#)	numerical value $1/2$	root
6	$F_{NS,AS} := F_{N,A} \odot P_{NS,AS}$	blick incidence matrix of directed species graph	physical
7	$p_N := \frac{\partial U_N}{\partial V_N}$	thermodynamic pressure	physical
8	$T_N := rac{\partial U_N}{\partial S_N}$	temperature	physical
9	$\mu_{NS} := rac{\partial U_N}{\partial n_{NS}}$	chemical potential	physical
11	$B_N := Set(S_N, \#)$	Boltzmann constant	physical
13	$H_N := U_N + p_N \cdot V_N$	enthalpy	physical
14	$A_N := U_N - T_N . S_N$	Helmholtz energy	physical
15	$G_N := U_N + p_N \cdot V_N - T_N \cdot S_N$	Gibbs energy	physical
20	$v_{xN} := \frac{\partial  r_{xN}}{\partial  t}$	velocity in x-direction	physical
21	$v_{y_N} := \frac{\partial  r_{y_N}}{\partial  t}$	velocity in y-direction	physical
22	$v_{zN} := \frac{\partial  r_{zN}}{\partial  t}$	velocity in z-direction	physical
23	$v_N := Stack\left(v_{xN}, v_{y_N}, v_{z_N}\right)$	velocity vector	physical

no	equation	documentation	layer
24	$C_{p_N} := \frac{\partial H_N}{\partial T_N}$	total heat capacity at constant pressure	material
25	$C_{vN} := \frac{\partial U_N}{\partial T_N}$	total heat capacity at constant volume	material
26	$c_{p_S} := C_{p_N} \cdot (\lambda_S)^{-1} \overset{N \in NS}{\star} n_{NS}$	specific heat capacity at constant pressure	material
27	$c_{vS} := C_{vN} \cdot (\lambda_S)^{-1} \overset{N \in NS}{\star} n_{NS}$	specific heat capacity at constant volume	material
28	$k_{xN}^q := (V_N)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{xN}$	thermal conductivity in x-direction	material
29	$k_{y_N}^q := (V_N)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{y_N}$	thermal conductivity in y-direction	material
30	$k_{z_N}^q := (V_N)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{z_N}$	thermal conductivity in z-direction	material
31	$k^{q}{}_{N} := Stack \left(k^{q}_{xN}, k^{q}_{yN}, k^{q}_{zN}\right)$	Carthesian thermal conductivity vector	material
32	$k_{xN}^c := \left(\lambda_S \overset{S \in NS}{\star} (\mu_{NS})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{xN}$	convective mass convectivity in x-direction	material
33	$k_{y_N}^c := \left(\lambda_S \overset{S \in NS}{\star} (\mu_{NS})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{y_N}$	convective mass convectivity in y-direction	material
34	$k_{zN}^c := \left(\lambda_S \overset{S \in NS}{\star} (\mu_{NS})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{zN}$	convective mass convectivity in z-direction	material
35	$k^{c}{}_{N} := Stack\left(k^{c}_{xN}, k^{c}_{yN}, k^{c}_{zN}\right)$	Cartesian convective mass convectivity vector	material
36	$k_{xNS}^d := (\mu_{NS})^{-1} \cdot \left( v_{xN} \odot \left( (V_N)^{-1} \odot \frac{\partial U_N}{\partial \mu_{NS}} \right) \right)$	diffusional mass conductivity in x-direction	material
37	$k_{y_{NS}}^d := (\mu_{NS})^{-1} \cdot \left( v_{y_N} \odot \left( (V_N)^{-1} \odot \frac{\partial U_N}{\partial \mu_{NS}} \right) \right)$	diffusional mass conductivity in y- direction	material

no	equation	documentation	layer
38	$k_{zNS}^d := (\mu_{NS})^{-1} \cdot \left( v_{zN} \odot \left( (V_N)^{-1} \odot \frac{\partial U_N}{\partial \mu_{NS}} \right) \right)$	diffusional mass conductivity in z-direction	material
39	$k^{d}_{NS} := Stack\left(k^{d}_{xNS}, k^{d}_{yNS}, k^{d}_{zNS}\right)$	Cartesian diffusional mass conductivity vector	material
41	$t^o := Set(t,t)$	starting time	root
42	$t^e := Set(t, t)$	end time	root
43	$h_{NS} := H_N \odot \left( n_{NS} \right)^{-1}$	partial molar enthalpies	material
44	$\lambda_S := \lambda_S$	link to molar masses	material »> macro- scopic
45	$k_{xN}^q := k_{xN}^q$	link	material »> macro- scopic
46	$k_{y_N}^q := k_{y_N}^q$	link	material »> macro- scopic
47	$k_{zN}^q:=k_{zN}^q$	link	material »> macro- scopic
48	$k^q{}_N := k^q{}_N$	link	material »> macro- scopic
49	$k_{xN}^c := k_{xN}^c$	link	material »> macro- scopic
50	$k_{y_N}^c := k_{y_N}^c$	link	material »> macro- scopic
51	$k_{zN}^c := k_{zN}^c$	link	material »> macro- scopic

no	equation	documentation	layer
52	$k^c{}_N := k^c{}_N$	link	material »> macro- scopic
53	$k_{xNS}^d := k_{xNS}^d$	link	material »> macro- scopic
56	$k_{y_{NS}}^d := k_{y_{NS}}^d$	link	material »> macro- scopic
57	$k_{zNS}^d := k_{zNS}^d$	link	material »> macro- scopic
58	$k^d{}_{NS} := k^d{}_{NS}$	link	material »> macro- scopic
59	$c_{p_S} := c_{p_S}$	link	material »> macro- scopic
60	$c_{vS} := c_{vS}$	link	material »> macro- scopic
61	$d_A := \operatorname{sign}\left(F_{N,A} \stackrel{N}{\star} p_N\right)$	direction of convective flow	macroscopic
62	$c_{NS} := \left(V_N\right)^{-1} \odot n_{NS}$	molar concentration	macroscopic
63	$A_{y,z_N} := r_{y_N} \cdot r_{z_N}$	cross sectional area in x-direction	macroscopic
64	$m_N := \lambda_S \overset{S \in NS}{\star} n_{NS}$	mass in kg	macroscopic
65	$\rho_N := \left(V_N\right)^{-1}  .  m_N$	density	macroscopic
66	$\hat{V}_A := (\rho_N)^{-1} \cdot k_{xN}^c \cdot A_{y,z_N} \cdot F_{N,A} *^N p_N$	convective volumetric flow	macroscopic
67	$c_{AS} := (1/2 \cdot (F_{NS,AS} - d_A \odot  F_{NS,AS} )) \overset{NS}{\star} c_{NS}$	molar species concentration in convective flow	macroscopic

no	equation	documentation	layer
68	$\hat{n}_{AS}^c := \hat{V}_A \odot c_{AS}$	convective mass flow by stream	macroscopic
69	$\hat{n}_{NS}^c := F_{NS,AS} \stackrel{AS}{\star} \hat{n}_{AS}^c$	net convective mass flow	macroscopic
74	$T_{NK} := P_{N,NK} \stackrel{N}{\star} T_N$	temperature in reactive systems	macroscopic
75	$1_{NK} := (T_{NK})^{-1} \cdot T_{NK}$	one with energy	macroscopic
77	$T_{NK} := T_{NK}$	temperature of reacive systems	macroscopic »> reactions
78	$c_{KS} := c_{NS} \stackrel{NS}{\star} P_{NS,KS}$	concentration in the reactive systems	macroscopic
79	$c_{KS} := c_{KS}$	link	macroscopic »> reactions
82	$R_N := Av_N \cdot B_N$	Gas constant	physical
83	$P_{N,NK} := P_{N,NK}$	link	macroscopic »> reactions
84	$E_{aNK} := Set(P_{N,NK} \stackrel{N}{\star} R_N . T_{NK}, \#)$	Arrhenius's activation energy	reactions
85	$K_{NK} := K^o{}_K \odot exp((-E_{aNK}) \cdot \left(R_N * P_{N,NK} \cdot T_{NK}\right)^{-1})$	Arrhenius reaction constants	reactions
86	$K_{NK} := K_{NK}$	link	reactions »> macroscopic
87	$c^{o}_{KS} := Set(c_{KS}, \#)$	standardisation of concentration	reactions
88	$\phi_{KS} := \prod \left( c_{KS} \cdot \left( c^o_{KS} \right)^{-1} \right)$	propabilities to meet	reactions
89	$\phi_{KS} := \phi_{KS}$	link	reactions »> macroscopic

no	equation	documentation	layer
90	$N_{S,K} := N_{S,K}$	link	reactions »> macroscopic
91	$\xi_{NK} := K_{NK} \cdot P_{NK,KS} \overset{KS}{\star} \phi_{KS}$	extent of reaction	macroscopic
92	$N_{NS,NK} := P_{S,NS} \stackrel{S}{\star} \left( \left( P_{K,NK} \cdot T_{NK} \cdot \left( T_{NK} \right)^{-1} \right) \stackrel{K}{\star} N_{S,K} \right)$	extended stoichiometry	macroscopic
93	$\tilde{n}_{NS} := V_N \odot \left( N_{NS,NK} \stackrel{NK}{\star} \xi_{NK} \right)$	production term	macroscopic
94	$\hat{m}_A := \lambda_S \overset{S \in AS}{\star}  \hat{n}^c_{AS}$	mass flow in arc	macroscopic
98	$h_{NS} := h_{NS}$	link	material »> macro- scopic
104	$\hat{H}_A^c := \left( F_{NS,AS} \overset{NS}{\star} h_{NS} \right) \overset{S \in AS}{\star} \hat{n}_{AS}^c$	enthalpy flow due to convection	macroscopic
106	$\hat{H}_N^c := F_{N,A} \stackrel{A}{\star} \hat{H}_A^c$	net enthalpy flow due to convection	macroscopic
107	$\hat{n}_{AS}^d := A_{y,z_N} \odot \left( -k_{xNS}^d \right) . F_{NS,AS} \overset{NS}{\star} \mu_{NS}$	diffusional mass transfer in arc	macroscopic
	$\hat{n}_{NS}^d := F_{NS,AS} \overset{AS}{\star} \hat{n}_{AS}^d$	net diffusional mass transfer	macroscopic
109	$\hat{H}_A^d := \left( F_{NS,AS} \overset{NS}{\star} h_{NS} \right) \overset{S \in AS}{\star} \hat{n}_{AS}^d$	enthalpy flow due to mass diffusion	macroscopic
110	$\hat{H}_N^d := F_{N,A} \stackrel{A}{\star} \hat{H}_A^d$	net enthalpy flow due to diffusion	macroscopic
111	$\dot{n}_{NS} := \hat{n}_{NS}^c + \hat{n}_{NS}^d + \tilde{n}_{NS}$	species mass accumulation	macroscopic

no	equation	documentation	layer
114	$\hat{w}_A := Set(\hat{H}_A^c, \#)$	example of work flow	macroscopic
115	$\hat{w}_N := F_{N,A} \overset{A}{\star} \hat{w}_A$	net work flow	macroscopic
116	$\dot{H}_N := \hat{H}_N^c + \hat{H}_N^d + \hat{w}_N$	differential enthalpy balance	macroscopic