## 1 Variables

# 2 root

	var	symbol	documentation	type	units	tokens	eqs
5	F	F	incidence matrix of a directed graph	network		[]	
6	t	t	time	frame	s		
7	$t_o$	to	starting time	frame	s		4
8	$t_e$	te	end time	frame	s		5
1	#	value	numerical value	constant			
2	0	zero	numerical value zero	constant			1
3	1	one	numerical value one	constant			2
4	0.5	onehalf	numerical value one half	constant			3

# 3 physical

	var	symbol	documentation	type	units	tokens	eqs
9	$r_{xN}$	r_x	x-coordinate	frame	m	[]	
10	$r_{yN}$	r_y	y-coordinate	frame	$\mid m \mid$		
23	$r_{zN}$	r_z	z-coordinate	frame	$\mid m \mid$		
11	$U_N$	U	foundation state – internal energy	state	$ kg  m^2  s^{-2}  kg  m^2  K^{-1}  s^{-2} $		
12	$S_N$	S	foundation state – entropy	state	$kg m^2 K^{-1} s^{-2}$		
13	$V_N$	V	foundation state – volume	state	$m^3$		
18	$H_N$	Н	enthalpy	state	$kg m^2 s^{-2}$		9
19	$A_N$	A	Helmholtz energy	state	$kg m^2 s^{-2}$		10
20	$G_N$	G	Gibbs energy	state	$kg m^2 s^{-2}$		11
42	$n_{NS}$	n	species molar mass	state	mol		
26	$A^v$	Avogadro	Avogadro number	constant	$mol^{-1}$		
27	$Bo_N$	Boltzmann	Boltzmann constant	constant	$kg m^2 K^{-1} s^{-2}$		16
28	$R_N$	GasConstant	Gas constant	constant	$kg  m^2  mol^{-1}  K^{-1}  s^{-2}$		17
15	$p_N$	p	thermodynamic pressure	effort	$kg  m^{-1}  s^{-2}$		6
16	$T_N$	Т	temperature	effort	K		7
45	$\mu_{NS}$	chem_pot	chemical potential	effort	$kg m^2 mol^{-1} s^{-2}$		32
21	$v_{xN}$	v_x	velocity in x-direction	seconaryState	$ms^{-1}$		12
22	$v_{yN}$	v_y	velocity in y direction	seconaryState	$ms^{-1}$		13
24	$v_{zN}$	v_z	velocity in z-direction	seconaryState	$ms^{-1}$		14
25	$v_N$	v	velocity vector	seconaryState	$ms^{-1}$		15

#### 4 control

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

#### 5 reactions

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

#### 6 material

	var	symbol	documentation	type	units	tokens	eqs
29	S	Mm	species molecular masses	constant	$kg  mol^{-1}$		
46	$C_{pN}$	C_p	total heat capacity at constant pressure	seconaryState	$kg m^2 K^{-1} s^{-2}$		33
47	$C_{vN}$	C_v	specific heat capacity at constant volume	seconaryState	$kg m^2 K^{-1} s^{-2}$		34
48	$c_{pS}$	ср	specific heat capacity at constant pressure	seconaryState	$m^2  mol^2  K^{-1}  s^{-2}$		35
49	$c_{vS}$	cv	specific heat capacity at constant volume	seconaryState	$m^2  mol^2  K^{-1}  s^{-2}$		36
30	$C_{pN}$	Cp	total heat capacity at constant pressure	property	$kg m^2 K^{-1} s^{-2}$		18
31	$C_{vN}$	Cv	total heat capacity at constant volume	property	$kg m^2 K^{-1} s^{-2}$		19
34	$k_{xN}^q$	kq_x	thermal conductivity in x-direction	property	$kg K^{-1} s^{-3}$		22
35	$k_{yN}^q$	kq_y	thermal conductivity in y-direction	property	$kg K^{-1} s^{-3}$		23
36	$k_{zN}^q$	kq_z	thermal conductivity in z-direction	property	$kg K^{-1} s^{-3}$		24
37	$k^q{}_N$	kq	Carthesian thermal conductivity vector	property	$kg K^{-1} s^{-3}$		25
50	$k_{xN}^c$	kc_x	convective mass convectivity in x-direction	property	$m^{-1} s$		37
51	$k_{yN}^c$	kc_y	convective mass convectivity in y-direction	property	$m^{-1} s$		38
52	$k_{zN}^c$	kc_z	convective mass convectivity in z-direction	property	$m^{-1} s$		39
53	$k^c{}_N$	kc	Cartesian convective mass convectivity vector	property	$m^{-1} s$		40
54	$k_{xNS}^d$	kd_x	diffusional mass conductivity in x-direction	property	$kg^{-1} m^{-4} mol^2 s$		41
55	$k_{yNS}^d$	kd_y	diffusional mass conductivity in y-direction	property	$kg^{-1} m^{-4} mol^2 s$		42
56	$k_{zNS}^d$	kd_z	diffusional mass conductivity in z-direction	property	$kg^{-1} m^{-4} mol^2 s$		43
57	$k^d{}_{NS}$	kd	Cartesian dffusional mass conductivity vector	property	$kg^{-1} m^{-4} mol^2 s$		44
58	$h_{NS}$	h	partial molar enthalpies	property	$kg  m^2  mol^{-1}  s^{-2}$		45

## 7 macroscopic

	var	symbol	documentation	type	units	$_{ m tokens}$	eqs
59	$P_N S_A S_{NS,AS}$	P_NS_AS	node species to arc species projection	projection		[]	
60	$P_{KN}K_{CS,NS}$	P_K_NK	projection of conversion to node x conversion	projection			

## 8 solid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

## 9 fluid

var symbol documentation type units tokens		var   symbol		type	units	tokens	eqs
--	--	--------------	--	------	-------	--------	-----

# 10 liquid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

# 11 gas

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

#### 12 control-control

var symbol documentation type units tokens		var   symbol	documentation	type			eqs
--	--	--------------	---------------	------	--	--	-----

# 13 gas-liquid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

## 14 gas-gas

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

# 15 liquid-liquid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

# 16 gas-solid

var symbol documentation	type	units	tokens	eqs
--------------------------	------	-------	--------	-----

# 17 solid-solid

var symbol documentation type units tokens		var   symbol	documentation	type			eqs
--	--	--------------	---------------	------	--	--	-----

# 18 liquid-solid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

#### 19 material-material

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

#### 20 reactions—reactions

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

## 21 Equations

#### 22 Generic

no	equation	documentation	layer
1	0 := Instantiate(#, #)	numerical value zero	root
2	1 := Instantiate(#, #)	numerical value one	root
3	0.5 := Instantiate(#, #)	numerical value one half	root
4	$t_o := \text{Instantiate}(t, \#)$	starting time	root
5	$t_e := \text{Instantiate}(t, \#)$	end time	root
6	$p_N := \left( - \frac{\partial U_N}{\partial V_N} \right)$	thermodynamic pressure	physical
7	$T_N := \frac{\partial U_N}{\partial S_N}$	temperature	physical
9	$H_N := U_N - p_N \cdot V_N$	enthalpy	physical
10	$A_N := U_N - T_N \cdot S_N$	Helmholtz energy	physical
11	$G_N := U_N + p_N \cdot V_N - T_N \cdot S_N$	Gibbs energy	physical
12	$v_{xN} := \frac{\partial r_{xN}}{\partial t}$	velocity in x-direction	physical
13	$v_{yN} := \frac{\partial r_{yN}}{\partial t}$	velocity in y direction	physical
14	$v_{zN} := \frac{\partial r_{zN}}{\partial t}$	velocity in z-direction	physical
15	$v_N := \operatorname{Stack}\left(v_{xN}, v_{yN}, v_{zN}\right)$	velocity vector	physical
16	$Bo_N := \operatorname{Instantiate}(S_N, \#)$	Boltzmann constant	physical
17	$R_N := A^v \cdot Bo_N$	Gas constant	physical

Continued on next page

no	equation	documentation	layer
18	$C_{pN} := \frac{\partial H_N}{\partial T_N}$	total heat capacity	material
19	$C_{vN} := rac{\partial  U_N}{\partial  T_N}$	total heat capacity at constant volume	material
22	$k_{xN}^q := \left(V_N\right)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{xN}$	thermal conductivity in x-direction	material
23	$k_{yN}^q := (V_N)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{yN}$	thermal conductivity in y-direction	material
24	$k_{zN}^q := (V_N)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{zN}$	thermal conductivity in z-direction	material
25	$k^q{}_N := \operatorname{Stack}\left(k^q_{xN}, k^q_{yN}, k^q_{zN}\right)$	Carthesian thermal conductivity vector	material
32	$\mu_{NS} := \frac{\partial U_N}{\partial n_{NS}}$	chemical potential	physical
33	$C_{pN} := \frac{\partial H_N}{\partial T_N}$	total heat capacity at constant pressure	material
34	$C_{vN} := \frac{\partial U_N}{\partial T_N}$	specic heat capacity at constant volume	material
35	$c_{pS} := C_{pN} \cdot \left(_{S}\right)^{-1} \overset{N \in NS}{\star} n_{NS}$	specific heat capacity at constant pressure	material
36	$c_{vS} := C_{vN} \cdot (_S)^{-1} \overset{N \in NS}{\star} n_{NS}$	specific heat capacity at constant volume	material
37	$k_{xN}^c := \left(s \overset{S \in NS}{\star} (\mu_{NS})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{xN}$	convective mass convectivity in x-direction	material
38	$k_{yN}^c := \left(s \overset{S \in NS}{\star} (\mu_{NS})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{yN}$	convective mass convectivity in y-direction	material
39	$k_{zN}^c := \left( s \overset{S \in NS}{\star} (\mu_{NS})^{-1} \right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{zN}$	convective mass convectivity in z-direction	material
40	$k^{c}{}_{N} := \operatorname{Stack}\left(k^{c}_{xN}, k^{c}_{yN}, k^{c}_{zN}\right)$	Cartesian convective mass convectivity vector	material

Continued on next page

no	equation	documentation	layer
41	$k_{xNS}^d := (\mu_{NS})^{-1} \cdot \left( v_{xN} \odot \left( (V_N)^{-1} \odot \frac{\partial U_N}{\partial \mu_{NS}} \right) \right)$	diffusional mass conductivity in x-direction	material
42	$k_{yNS}^d := (\mu_{NS})^{-1} \cdot \left( v_{yN} \odot \left( (V_N)^{-1} \odot \frac{\partial U_N}{\partial \mu_{NS}} \right) \right)$	diffusional mass conductivity in y- direction	material
43	$k_{zNS}^d := (\mu_{NS})^{-1} \cdot \left( v_{zN} \odot \left( (V_N)^{-1} \odot \frac{\partial U_N}{\partial \mu_{NS}} \right) \right)$	diffusional mass conductivity in z- direction	material
44	$k^d_{NS} := \operatorname{Stack}\left(k^d_{xNS}, k^d_{yNS}, k^d_{zNS}\right)$	Cartesian dffusional mass conductivity vector	material
45	$h_{NS} := H_N \odot \left( n_{NS} \right)^{-1}$	partial molar enthalpies	material