1 Variables

2 root

	var	symbol	documentation	type	units	tokens	eqs
1	$F_{N,A}$	F	incidence matrix of directed graph	network			
2	t	t	time	frame	s		98
3	#	value	numerical value	constant			
4	1	one	numerical value 1	constant			1
5	0	zero	numerical value 0	constant			2
6	1/2	onehalf	numerical value $1/2$	constant			3
58	t^o	to	starting time	constant	s		41
59	t^e	te	end time	constant	s		42

3 physical

	var	symbol	documentation	type	units	tokens	eqs
15	r_{xN}	r_x	x-coordinate	frame	m		101
16	r_{y_N}	r_y	y-coordinate	frame	m		99
17	r_{zN}	r_z	z-coordinate	frame	m		100
18	n_{NS}	n	foundation state – species mass	state	mol	['mass']	94
19	U_N	U	foundation state – internal energy	state	$kg m^2 s^{-2}$ $kg m^2 K^{-1} s^{-2}$	['energy']	95
20	S_N	S	foundation state – entropy	state	$kg m^2 K^{-1} s^{-2}$		96
21	V_N	V	foundation state – volume	state	m^3		97
29	H_N	Н	enthalpy	state	$kg m^2 s^{-2}$ $kg m^2 s^{-2}$	['energy']	13
30	A_N	A	Helmholtz energy	state	kgm^2s^{-2}	['energy']	14

	var	symbol	documentation	type	units	tokens	eqs
31	G_N	G	Gibbs energy	state	$kg m^2 s^{-2}$	['energy']	15
27	B_N	В	Boltzmann constant	constant	$kgm^2K^{-1}s^{-2}$		11
101	Av_N	Av	Avogadro number	constant	mol^{-1}		
102	R_N	R	Gas constant	constant	$kg m^2 mol^{-1} K^{-1} s^{-2}$		82
22	p_N	р	thermodynamic pressure	effort	$kg m^{-1} s^{-2}$	['energy']	7
23	T_N	Т	temperature	effort	K	['energy']	8
24	μ_{NS}	chem_potential	chemical potential	effort	$kgm^2mol^{-1}s^{-2}$	['energy', 'mass']	9
36	v_{xN}	v_x	velocity in x-direction	seconaryState	ms^{-1}		20
37	v_{y_N}	v_y	velocity in y-direction	seconaryState	ms^{-1}		21
38	v_{zN}	v_z	velocity in z-direction	seconaryState	ms^{-1}		22
39	v_N	v	velocity vector	seconaryState	ms^{-1}		23

4 control

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

5 reactions

	var	symbol	documentation	type	units	tokens	eqs
98	$N_{S,K}$	N	stoichiometric matrix	constant			
104	E_{aNK}	Ea	Arrhenius's activation energy	constant	$kg m^2 mol^{-1} s^{-2}$	['energy']	84
105	$K^o{}_K$	Ко	Arrhenius's frequency factor	constant	$m^{-3} mol s^{-1}$		
108	$c^o{}_{KS}$	co_KS	standardisation of concentration	constant	$m^{-3} mol$	['mass']	87
106	K_{NK}	K_NK	Arrhenius reaction constants	seconaryState	$m^{-3} mol s^{-1}$	['energy']	85

	var	symbol	documentation	type	units	tokens	eqs
109	ϕ_{KS}	phi_KS	propabilities to meet	seconaryState		['mass']	88

6 material

	var	symbol	documentation	type	units	tokens	eqs
40	λ_S	Mm	species molecular masses	constant	$kg mol^{-1}$		
41	C_{p_N}	Ср	total heat capacity at constant pressure	constant	$kg m^2 K^{-1} s^{-2}$	['energy']	24
42	C_{vN}	Cv	total heat capacity at constant volume	constant	$kg m^2 K^{-1} s^{-2}$	['energy']	25
43	c_{p_S}	ср	specific heat capacity at constant pressure	constant	$m^2 mol^2 K^{-1} s^{-2}$	['energy', 'mass']	26
44	c_{vS}	cv	specific heat capacity at constant volume	constant	$m^2 mol^2 K^{-1} s^{-2}$	['energy', 'mass']	27
45	k_{xN}^q	kq_x	thermal conductivity in x-direction	seconaryState	$kg K^{-1} s^{-3}$	['energy']	28
46	$k^q_{y}{}_N$	kq_y	thermal conductivity in y-direction	seconaryState	$kg K^{-1} s^{-3}$	['energy']	29
47	k_{zN}^q	kq_z	thermal conductivity in z-direction	seconaryState	$kg K^{-1} s^{-3}$	['energy']	30
48	$k^q{}_N$	kq	Carthesian thermal conductivity vector	seconaryState	$kg K^{-1} s^{-3}$	['energy']	31
49	k_{xN}^c	kc_x	convective mass convectivity in x-direction	seconaryState	$m^{-1} s$	['energy', 'mass']	32
50	k^c_{yN}	kc_y	convective mass convectivity in y-direction	seconaryState	$m^{-1} s$	['energy', 'mass']	33
51	k_{zN}^c	kc_z	convective mass convectivity in z-direction	seconaryState	$m^{-1} s$	['energy', 'mass']	34
52	$k^c{}_N$	kc	Cartesian convective mass convectivity vector	seconaryState	$m^{-1} s$	['energy', 'mass']	35
53	k_{xNS}^d	kd_x	diffusional mass conductivity in x-direction	seconaryState	$kg^{-1} m^{-4} mol^2 s$	['energy', 'mass']	36
54	k_{yNS}^d	kd_y	diffusional mass conductivity in y-direction	seconaryState	$kg^{-1} m^{-4} mol^2 s$	['energy', 'mass']	37

	var	symbol	documentation	type	units	tokens	eqs
55	k_{zNS}^d	kd_z	diffusional mass conductivity in z-direction	seconaryState	$kg^{-1}m^{-4}mol^2s$	['energy', 'mass']	38
56	k^d_{NS}	kd	Cartesian diffusional mass conductivity vector	seconaryState	$kg^{-1}m^{-4}mol^2s$	['energy', 'mass']	39
60	h_{NS}	h	partial molar enthalpies	seconaryState	$kg m^2 mol^{-1} s^{-2}$	['energy', 'mass']	43

7 macroscopic

	var	symbol	documentation	type	units	tokens	eqs
78	d_A	d	direction of convective flow	transport		[]	61
80	A_{y,z_N}	Ayz	cross sectional area in x-direction	transport	m^2		63
83	\hat{V}_A	fV	convective volumetric flow	transport	$m^3 s^{-1}$	['mass']	66
84	c_{AS}	c_AS	molar species concentration in convective flow	transport	$m^{-3} mol$	['mass']	67
85	\hat{n}^c_{AS}	fnc_AS	convective mass flow by stream	transport	$mol s^{-1}$	['mass']	68
86	\hat{n}^c_{NS}	fnc	net convective mass flow	transport	$mol s^{-1}$	['mass']	69
87	\hat{n}_{AS}^d	fnd_AS	diffusional mass flow by stream	transport	$mol s^{-1}$	['energy']	70
88	\hat{n}_{NS}^d	fnd	net diffusional mass flow	transport	$mol s^{-1}$	['energy']	71
10	$F_{NS,AS}$	F_NS_AS	blick incidence matrix of directed species graph	network			6
9	$P_{NS,AS}$	P_NS_AS	node species to arc species projection	projection			
11	$P_{K,NK}$	P_K_NK	projection of conversion to node x conversion	projection			
12	$P_{S,NS}$	P_S_NS	projection species to conversion x species	projection			
13	$P_{N,NK}$	P_N_NK	projection node to node x conversion	projection			
14	$P_{NK,KS}$	P_NK_KS	projection node x conversion to conversion x species	projection			

	var	symbol	documentation	type	units	tokens	eqs
95	$P_{NS,KS}$	P_NS_KS	projection node x species to conversion x species	projection			
92	1_{NK}	one_NK	one with energy	effort		['energy']	75
79	c_{NS}	С	molar concentration	seconaryState	$m^{-3} mol$	['mass']	62
81	m_N	m	mass in kg	seconaryState	kg	['mass']	64
82	$ ho_N$	density	density	seconaryState	$kg m^{-3}$	['mass']	65
91	T_{NK}	T_NK	temperature in reactive systems	conversion	K	['energy']	74
96	c_{KS}	c_KS	concentration in the reactive systems	conversion	$m^{-3} mol$	['mass']	78
112	ξ_{NK}	xi	extent of reaction	conversion	$m^{-3} mol s^{-1}$	['energy', 'mass']	91
113	$N_{NS,NK}$	N_NS_NK	extended stoichiometry	conversion		['energy']	92
114	$ ilde{n}_{NS}$	pn	production term	conversion	$mol s^{-1}$	['mass']	93

8 solid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

9 fluid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

10 liquid

var	symbol	documentation	type	units	tokens	eqs

1	1	gas
		0

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

12 control-reactions

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

13 reactions—control

yar symbol documentation type units tokens eqs				symbol		type	units	tokens	eqs
--	--	--	--	--------	--	------	-------	--------	-----

14 control-material

	1 1	1		• .	. 1	
var	symbol	documentation	type	units	tokens	eqs

15 material-control

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

$16 \quad control-macroscopic$

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

$17 \quad macroscopic-control$

var symbol documentation type ur	units tokens	eqs
----------------------------------	--------------	-----

18 reactions-material

_							
	var	symbol	documentation	type	units	tokens	eqs

19 material-reactions

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

$20 \quad {\rm reactions-macroscopic}$

	var	symbol	documentation	type	units	tokens	eqs
107	K_{NK}	K_NK	link	transform	$m^{-3} mol s^{-1}$	['energy']	86
110	ϕ_{KS}	phi_KS	link	transform		['mass']	89
111	$N_{S,K}$	N	link	transform			90

$21 \quad {\rm macroscopic-reactions}$

	var	symbol	documentation	type	units	tokens	eqs
94	T_{NK}	T_NK	temperature of reacive systems	transform	K	['energy']	77
97	c_{KS}	c_KS	link	transform	$m^{-3} mol$	['mass']	79
103	$P_{N,NK}$	P_N_NK	link	transform			83

22 material–macroscopic

	var	symbol	documentation	type	units	tokens	eqs
61	λ_S	Mm	link to molar masses	transform	$kg mol^{-1}$		44
62	k_{xN}^q	kq_x	link	transform	$kg K^{-1} s^{-3}$	['energy']	45
63	$k_{y_{N}}^{q}$	kq_y	link	transform	$kg K^{-1} s^{-3}$	['energy']	46
64	k_{zN}^q	kq_z	link	transform	$kg K^{-1} s^{-3}$	['energy']	47
65	$k^q{}_N$	kq	link	transform	$kg K^{-1} s^{-3}$	['energy']	48
66	k_{xN}^c	kc_x	link	transform	$m^{-1} s$	['energy', 'mass']	49
67	$k^c_{y_N}$	kc_y	link	transform	$m^{-1} s$	['energy', 'mass']	50
68	k_{zN}^c	kc_z	link	transform	$m^{-1} s$	['energy', 'mass']	51
69	$k^c{}_N$	kc	link	transform	$m^{-1} s$	['energy', 'mass']	52
70	k_{xNS}^d	kd_x	link	transform	$kg^{-1} m^{-4} mol^2 s$	['energy', 'mass']	53
73	k_{yNS}^d	kd_y	link	transform	$kg^{-1} m^{-4} mol^2 s$	['energy', 'mass']	56
74	k_{zNS}^d	kd_z	link	transform	$kg^{-1} m^{-4} mol^2 s$	['energy', 'mass']	57
75	$k^d{}_{NS}$	kd	link	transform	$kg^{-1}m^{-4}mol^2s$	['energy', 'mass']	58
76	c_{p_S}	ср	link	transform	$m^2 mol^2 K^{-1} s^{-2}$	['energy', 'mass']	59
77	c_{vS}	cv	link	transform	$m^2 mol^2 K^{-1} s^{-2}$	['energy', 'mass']	60

$23 \quad {\rm macroscopic-material}$

	var	symbol	documentation	type	units	tokens	eqs
24	gas–liquid						
	var	symbol	documentation	type	units	tokens	eqs
25	gas–solid						
	var	symbol	documentation	type	units	tokens	eqs
26	liquid–solid						

27 Equations

27.1 Model equations

no	equation	documentation	layer
1	1 := Set(#, #)	numerical value 1	root
2	0 := Set(#, #)	numerical value 1	root
3	1/2 := Set(#,#)	numerical value $1/2$	root
6	$F_{NS,AS} := F_{N,A} \odot P_{NS,AS}$	blick incidence matrix of directed species graph	physical
7	$p_N := \frac{\partial U_N}{\partial V_N}$	thermodynamic pressure	physical
8	$T_N := \frac{\partial U_N}{\partial S_N}$	temperature	physical
9	$\mu_{NS} := \frac{\partial U_N}{\partial n_{NS}}$	chemical potential	physical
11	$B_N := Set(S_N, \#)$	Boltzmann constant	physical
	$H_N := U_N + p_N \cdot V_N$	enthalpy	physical
14	$A_N := U_N - T_N . S_N$	Helmholtz energy	physical
15	$G_N := U_N + p_N \cdot V_N - T_N \cdot S_N$	Gibbs energy	physical
20	$v_{xN} := \frac{\partial r_{xN}}{\partial t}$	velocity in x-direction	physical
21	$v_{y_N} := \frac{\partial r_{y_N}}{\partial t}$	velocity in y-direction	physical
22	$v_{zN} := \frac{\partial r_{zN}}{\partial t}$	velocity in z-direction	physical
23	$v_N := Stack\left(v_{xN}, v_{y_N}, v_{z_N}\right)$	velocity vector	physical

no	equation	documentation	layer
24	$C_{p_N} := \frac{\partial H_N}{\partial T_N}$	total heat capacity at constant pressure	material
25	· OIN	total heat capacity at constant volume	material
26	$c_{p_S} := C_{p_N} \cdot (\lambda_S)^{-1} \overset{N \in NS}{\star} n_{NS}$	specific heat capacity at constant pressure	material
27	$c_{vS} := C_{vN} \cdot (\lambda_S)^{-1} \overset{N \in NS}{\star} n_{NS}$	specific heat capacity at constant volume	material
28	$k_{xN}^q := (V_N)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{xN}$	thermal conductivity in x-direction	material
29	$k_{y_N}^q := (V_N)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{y_N}$	thermal conductivity in y-direction	material
30	$k_{z_N}^q := (V_N)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{z_N}$	thermal conductivity in z-direction	material
31	$k^{q}{}_{N}:=Stack\left(k_{xN}^{q},k_{yN}^{q},k_{zN}^{q}\right)$	Carthesian thermal conductivity vector	material
32	$k_{xN}^c := \left(\lambda_S \overset{S \in NS}{\star} (\mu_{NS})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{xN}$	convective mass convectivity in x-direction	material
33	$k_{y_N}^c := \left(\lambda_S \overset{S \in NS}{\star} (\mu_{NS})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{y_N}$	convective mass convectivity in y-direction	material
34	$k_{zN}^c := \left(\lambda_S \overset{S \in NS}{\star} (\mu_{NS})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{zN}$	convective mass convectivity in z-direction	material
35	$k^{c}{}_{N} := Stack\left(k^{c}_{xN}, k^{c}_{yN}, k^{c}_{zN}\right)$	Cartesian convective mass convectivity vector	material
36	$k_{xNS}^d := (\mu_{NS})^{-1} \cdot \left(v_{xN} \odot \left((V_N)^{-1} \odot \frac{\partial U_N}{\partial \mu_{NS}} \right) \right)$	diffusional mass conductivity in x-direction	material
37	$k_{y_{NS}}^d := (\mu_{NS})^{-1} \cdot \left(v_{y_N} \odot \left((V_N)^{-1} \odot \frac{\partial U_N}{\partial \mu_{NS}} \right) \right)$	diffusional mass conductivity in y- direction	material

no	equation	documentation	layer
38	$k_{zNS}^d := (\mu_{NS})^{-1} \cdot \left(v_{zN} \odot \left((V_N)^{-1} \odot \frac{\partial U_N}{\partial \mu_{NS}} \right) \right)$	diffusional mass conductivity in z-direction	material
39	$k^{d}_{NS} := Stack\left(k^{d}_{xNS}, k^{d}_{yNS}, k^{d}_{zNS}\right)$	Cartesian diffusional mass conductivity vector	material
41	$t^o := Set(t, t)$	starting time	root
	$t^e := Set(t,t)$	end time	root
43	$h_{NS} := H_N \odot \left(n_{NS} \right)^{-1}$	partial molar enthalpies	material
44	$\lambda_S := \lambda_S$	link to molar masses	material »> macro- scopic
45	$k_{xN}^q := k_{xN}^q$	link	material »> macro- scopic
46	$k_{y_N}^q := k_{y_N}^q$	link	material »> macro- scopic
47	$k_{zN}^q := k_{zN}^q$	link	material »> macro- scopic
48	$k^q{}_N := k^q{}_N$	link	material »> macro- scopic
49	$k_{xN}^c := k_{xN}^c$	link	material »> macro- scopic
50	$k_{y_N}^c := k_{y_N}^c$	link	material »> macro- scopic
51	$k_{zN}^c := k_{zN}^c$	link	material »> macro- scopic

no	equation	documentation	layer
52	$k^c{}_N := k^c{}_N$	link	material »> macro- scopic
53	$k_{xNS}^d := k_{xNS}^d$	link	material »> macro- scopic
	$k_{y_{NS}}^d := k_{y_{NS}}^d$	link	material »> macro- scopic
	$k_{zNS}^d := k_{zNS}^d$	link	material »> macro- scopic
58	$k^d{}_{NS} := k^d{}_{NS}$	link	material »> macro- scopic
59	$c_{p_S} := c_{p_S}$	link	material »> macro- scopic
60	$c_{vS} := c_{vS}$	link	material »> macro- scopic
61	$d_A := \operatorname{sign}\left(F_{N,A} \stackrel{N}{\star} p_N\right)$	direction of convective flow	macroscopic
62	$c_{NS} := (V_N)^{-1} \odot n_{NS}$	molar concentration	macroscopic
63	$A_{y,z_N} := r_{y_N} \cdot r_{z_N}$	cross sectional area in x-direction	macroscopic
64	$m_N := \lambda_S \overset{S \in NS}{\star} n_{NS}$	mass in kg	macroscopic
65	$\rho_N := (V_N)^{-1} \cdot m_N$	density	macroscopic
66	$\hat{V}_A := (\rho_N)^{-1} \cdot k_{xN}^c \cdot A_{y,z_N} \cdot F_{N,A} * p_N$	convective volumetric flow	macroscopic
67	$c_{AS} := (1/2 \cdot (F_{NS,AS} - d_A \odot F_{NS,AS})) \stackrel{NS}{\star} c_{NS}$	molar species concentration in convective flow	macroscopic

no	equation	documentation	layer
68	$\hat{n}_{AS}^c := \hat{V}_A \odot c_{AS}$	convective mass flow by stream	macroscopic
69	$\hat{n}_{NS}^c := F_{NS,AS} \stackrel{AS}{\star} \hat{n}_{AS}^c$	net convective mass flow	macroscopic
70	$\hat{n}_{AS}^d := A_{y,z_N} \odot \left(-k_{xNS}^d \right) \cdot F_{NS,AS} \overset{NS}{\star} \mu_{NS}$	diffusional mass flow by stream	macroscopic
71	$\hat{n}_{NS}^d := F_{NS,AS} \stackrel{AS}{\star} \hat{n}_{AS}^d$	net diffusional mass flow	macroscopic
74	$T_{NK} := P_{N,NK} \stackrel{N}{\star} T_N$	temperature in reactive systems	macroscopic
75	$1_{NK} := \left(T_{NK}\right)^{-1} . T_{NK}$	one with energy	macroscopic
77	$T_{NK} := T_{NK}$	temperature of reacive systems	macroscopic »> reactions
78	$c_{KS} := c_{NS} \stackrel{NS}{\star} P_{NS,KS}$	concentration in the reactive systems	macroscopic
79	$c_{KS} := c_{KS}$	link	macroscopic »> reactions
82	$R_N := Av_N \cdot B_N$	Gas constant	physical
83	$P_{N,NK} := P_{N,NK}$	link	macroscopic »> reactions
84	$E_{aNK} := Set(P_{N,NK} \stackrel{N}{\star} R_N . T_{NK}, \#)$	Arrhenius's activation energy	reactions
85	$K_{NK} := K^o{}_K \odot exp((-E_{aNK}) \cdot \left(R_N * P_{N,NK} \cdot T_{NK}\right)^{-1})$	Arrhenius reaction constants	reactions
86	$K_{NK} := K_{NK}$	link	reactions »> macroscopic
87	$c^o{}_{KS} := Set(c_{KS}, \#)$	standardisation of concentration	reactions
88	$\phi_{KS} := \prod \left(c_{KS} \cdot \left(c^o_{KS} \right)^{-1} \right)$	propabilities to meet	reactions

no	equation	documentation	layer
89	$\phi_{KS} := \phi_{KS}$	link	reactions »> macroscopic
90	$N_{S,K} := N_{S,K}$	link	reactions »> macroscopic
91	$\xi_{NK} := K_{NK} \cdot P_{NK,KS} \overset{KS}{\star} \phi_{KS}$	extent of reaction	macroscopic
92	$N_{NS,NK} := P_{S,NS} \stackrel{S}{\star} \left(\left(P_{K,NK} \cdot T_{NK} \cdot \left(T_{NK} \right)^{-1} \right) \stackrel{K}{\star} N_{S,K} \right)$	extended stoichiometry	macroscopic
93	$ ilde{n}_{NS} := V_N \odot \left(N_{NS,NK} \stackrel{NK}{\star} \xi_{NK} \right)$	production term	macroscopic
94	$n_{NS} := Set(n_{NS}, \#)$	foundation state – species mass	physical
95	$U_N := Set(U_N, \#)$	foundation state – internal energy	physical
96	$S_N := Set(S_N, \#)$	foundation state – entropy	physical
97	$V_N := Set(V_N, \#)$	foundation state – volume	physical
98	t := Set(t, #)	time	root
99	$r_{y_N} := Set(r_{y_N}, \#)$	y-coordinate	physical
100	$r_{zN} := Set(r_{zN}, \#)$	z-coordinate	physical
101	$r_{xN} := Set(r_{xN}, \#)$	x-coordinate	physical