1 Variables

2 root

	var	symbol	documentation	type	units	tokens	eqs
5	$F_{N,A}$	F	incidence matrix of a directed graph	network		[]	
6	t	t	time	frame	s		
7	t_o	to	starting time	frame	s		4
8	t_e	te	end time	frame	s		5
1	#	value	numerical value	constant			
2	0	zero	numerical value zero	constant			1
3	1	one	numerical value one	constant			2
4	0.5	onehalf	numerical value one half	constant			3

3 physical

	var	symbol	documentation	type	units	tokens	eqs
9	r_{xN}	r_x	x-coordinate	frame	m	[]	
10	r_{yN}	r_y	y-coordinate	frame	$\mid m \mid$		
23	r_{zN}	r_z	z-coordinate	frame	$\mid m \mid$		
11	U_N	U	foundation state – internal energy	state	$ kg m^2 s^{-2} kg m^2 K^{-1} s^{-2} $		
12	S_N	S	foundation state – entropy	state	$kg m^2 K^{-1} s^{-2}$		
13	V_N	V	foundation state – volume	state	m^3		
18	H_N	Н	enthalpy	state	$kg m^2 s^{-2}$		9
19	A_N	A	Helmholtz energy	state	$kg m^2 s^{-2}$		10
20	G_N	G	Gibbs energy	state	$kg m^2 s^{-2}$		11
42	n_{NS}	n	species molar mass	state	mol		
26	A^v	Avogadro	Avogadro number	constant	mol^{-1}		
27	Bo_N	Boltzmann	Boltzmann constant	constant	$kg m^2 K^{-1} s^{-2}$		16
28	R_N	GasConstant	Gas constant	constant	$kg m^2 mol^{-1} K^{-1} s^{-2}$		17
15	p_N	p	thermodynamic pressure	effort	$kg m^{-1} s^{-2}$		6
16	T_N	Т	temperature	effort	K		7
45	μ_{NS}	chem_pot	chemical potential	effort	$kg m^2 mol^{-1} s^{-2}$		32
21	v_{xN}	v_x	velocity in x-direction	seconaryState	ms^{-1}		12
22	v_{yN}	v_y	velocity in y direction	seconaryState	ms^{-1}		13
24	v_{zN}	v_z	velocity in z-direction	seconaryState	ms^{-1}		14
25	v_N	v	velocity vector	seconaryState	ms^{-1}		15

4 control

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

5 reactions

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

6 material

	var	symbol	documentation	type	units	tokens	eqs
29	S	Mm	species molecular masses	constant	$kg mol^{-1}$		
46	C_{pN}	C_p	total heat capacity at constant pressure	seconaryState	$kg m^2 K^{-1} s^{-2}$		33
47	C_{vN}	C_v	specific heat capacity at constant volume	seconaryState	$kg m^2 K^{-1} s^{-2}$		34
48	c_{pS}	ср	specific heat capacity at constant pressure	seconaryState	$m^2 mol^2 K^{-1} s^{-2}$		35
49	c_{vS}	cv	specific heat capacity at constant volume	seconaryState	$m^2 mol^2 K^{-1} s^{-2}$		36
30	C_{pN}	Cp	total heat capacity at constant pressure	property	$kg m^2 K^{-1} s^{-2}$		18
31	C_{vN}	Cv	total heat capacity at constant volume	property	$kg m^2 K^{-1} s^{-2}$		19
34	k_{xN}^q	kq_x	thermal conductivity in x-direction	property	$kg K^{-1} s^{-3}$		22
35	k_{yN}^q	kq_y	thermal conductivity in y-direction	property	$kg K^{-1} s^{-3}$		23
36	k_{zN}^q	kq_z	thermal conductivity in z-direction	property	$kg K^{-1} s^{-3}$		24
37	$k^q{}_N$	kq	Carthesian thermal conductivity vector	property	$kg K^{-1} s^{-3}$		25
50	k_{xN}^c	kc_x	convective mass convectivity in x-direction	property	$m^{-1} s$		37
51	k_{yN}^c	kc_y	convective mass convectivity in y-direction	property	$m^{-1} s$		38
52	k_{zN}^c	kc_z	convective mass convectivity in z-direction	property	$m^{-1} s$		39
53	$k^c{}_N$	kc	Cartesian convective mass convectivity vector	property	$m^{-1} s$		40
54	k_{xNS}^d	kd_x	diffusional mass conductivity in x-direction	property	$kg^{-1} m^{-4} mol^2 s$		41
55	k_{yNS}^d	kd_y	diffusional mass conductivity in y-direction	property	$kg^{-1} m^{-4} mol^2 s$		42
56	k_{zNS}^d	kd_z	diffusional mass conductivity in z-direction	property	$kg^{-1} m^{-4} mol^2 s$		43
57	$k^d{}_{NS}$	kd	Cartesian dffusional mass conductivity vector	property	$kg^{-1} m^{-4} mol^2 s$		44
58	h_{NS}	h	partial molar enthalpies	property	$kg m^2 mol^{-1} s^{-2}$		45

7 macroscopic

	var	symbol	documentation	type	units	tokens	eqs
65	d_A	d	direction of convective ow	transport			46
59	$P_{NS,AS}$	P_NS_AS	node species to arc species projection	projection			
60	$P_{K,NK}$	P_K_NK	projection of conversion to node x conversion	projection			
61	$P_{SN}S_{S,NS}$	P_S_NS	projection species to conversion x species	projection			
62	$P_{NN}K_{N,NK}$	P_N_NK	projection node to node x conversion	projection			
63	$P_NK_KS_{NK,KS}$	P_NK_KS	projection node x conversion to conversion x species	projection			
64	$P_N S_K S_{NS,KS}$	P_NS_KS	projection node x species to conversion x species	projection			

8 solid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

9 fluid

var symbol documentation type units tokens		var symbol		type	units	tokens	eqs
--	--	--------------	--	------	-------	--------	-----

10 liquid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

11 gas

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

12 control-control

var symbol documentation type units tokens		var symbol	documentation	type			eqs
--	--	--------------	---------------	------	--	--	-----

13 gas-liquid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

14 gas-gas

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

15 liquid-liquid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

16 gas-solid

var symbol documentation	type	units	tokens	eqs
--------------------------	------	-------	--------	-----

17 solid-solid

var symbol documentation type units tokens		var symbol	documentation	type			eqs
--	--	--------------	---------------	------	--	--	-----

18 liquid-solid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

19 material-material

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

20 reactions—reactions

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

21 Equations

22 Generic

no	equation	documentation	layer
1	0 := Instantiate(#, #)	numerical value zero	root
2	1 := Instantiate(#, #)	numerical value one	root
3	0.5 := Instantiate(#, #)	numerical value one half	root
4	$t_o := \text{Instantiate}(t, \#)$	starting time	root
5	$t_e := \text{Instantiate}(t, \#)$	end time	root
6	$p_N := \left(- \frac{\partial U_N}{\partial V_N} \right)$	thermodynamic pressure	physical
7	$T_N := \frac{\partial U_N}{\partial S_N}$	temperature	physical
9	$H_N := U_N - p_N \cdot V_N$	enthalpy	physical
10	$A_N := U_N - T_N \cdot S_N$	Helmholtz energy	physical
11	$G_N := U_N + p_N \cdot V_N - T_N \cdot S_N$	Gibbs energy	physical
12	$v_{xN} := \frac{\partial r_{xN}}{\partial t}$	velocity in x-direction	physical
13	$v_{yN} := \frac{\partial r_{yN}}{\partial t}$	velocity in y direction	physical
14	$v_{zN} := \frac{\partial r_{zN}}{\partial t}$	velocity in z-direction	physical
15	$v_N := \operatorname{Stack}\left(v_{xN}, v_{yN}, v_{zN}\right)$	velocity vector	physical
16	$Bo_N := \operatorname{Instantiate}(S_N, \#)$	Boltzmann constant	physical
17	$R_N := A^v \cdot Bo_N$	Gas constant	physical

Continued on next page

no	equation	documentation	layer
18	$C_{pN} := \frac{\partial H_N}{\partial T_N}$	total heat capacity	material
19	$C_{vN} := rac{\partial U_N}{\partial T_N}$	total heat capacity at constant volume	material
22	$k_{xN}^q := \left(V_N\right)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{xN}$	thermal conductivity in x-direction	material
23	$k_{yN}^q := (V_N)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{yN}$	thermal conductivity in y-direction	material
24	$k_{zN}^q := (V_N)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{zN}$	thermal conductivity in z-direction	material
25	$k^q{}_N := \operatorname{Stack}\left(k^q_{xN}, k^q_{yN}, k^q_{zN}\right)$	Carthesian thermal conductivity vector	material
32	$\mu_{NS} := \frac{\partial U_N}{\partial n_{NS}}$	chemical potential	physical
33	$C_{pN} := \frac{\partial H_N}{\partial T_N}$	total heat capacity at constant pressure	material
34	$C_{vN} := \frac{\partial U_N}{\partial T_N}$	specic heat capacity at constant volume	material
35	$c_{pS} := C_{pN} \cdot \left(_{S}\right)^{-1} \overset{N \in NS}{\star} n_{NS}$	specific heat capacity at constant pressure	material
36	$c_{vS} := C_{vN} \cdot (_S)^{-1} \overset{N \in NS}{\star} n_{NS}$	specific heat capacity at constant volume	material
37	$k_{xN}^c := \left(s \overset{S \in NS}{\star} (\mu_{NS})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{xN}$	convective mass convectivity in x-direction	material
38	$k_{yN}^c := \left(s \overset{S \in NS}{\star} (\mu_{NS})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{yN}$	convective mass convectivity in y-direction	material
39	$k_{zN}^c := \left(s \overset{S \in NS}{\star} (\mu_{NS})^{-1} \right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{zN}$	convective mass convectivity in z-direction	material
40	$k^{c}{}_{N} := \operatorname{Stack}\left(k^{c}_{xN}, k^{c}_{yN}, k^{c}_{zN}\right)$	Cartesian convective mass convectivity vector	material

Continued on next page

no	equation	documentation	layer
41	$k_{xNS}^d := (\mu_{NS})^{-1} \cdot \left(v_{xN} \odot \left((V_N)^{-1} \odot \frac{\partial U_N}{\partial \mu_{NS}} \right) \right)$	diffusional mass conductivity in x-direction	material
42	$k_{yNS}^d := (\mu_{NS})^{-1} \cdot \left(v_{yN} \odot \left((V_N)^{-1} \odot \frac{\partial U_N}{\partial \mu_{NS}} \right) \right)$	diffusional mass conductivity in y- direction	material
43	$k_{zNS}^d := (\mu_{NS})^{-1} \cdot \left(v_{zN} \odot \left((V_N)^{-1} \odot \frac{\partial U_N}{\partial \mu_{NS}} \right) \right)$	diffusional mass conductivity in z- direction	material
44	$k^{d}_{NS} := \operatorname{Stack}\left(k^{d}_{xNS}, k^{d}_{yNS}, k^{d}_{zNS}\right)$	Cartesian dffusional mass conductivity vector	material
45	$h_{NS} := H_N \odot \left(n_{NS} \right)^{-1}$	partial molar enthalpies	material
46	$d_A := \operatorname{sign}\left(F_{N,A} \stackrel{N}{\star} p_N\right)$	direction of convective ow	macroscopic