### 1 Variables

### 2 root

	var	symbol	documentation	type	units	tokens	eqs
1	$F_{N,A}$	F	incidence matrix of directed graph	network			
2	t	t	time	frame	s		
3	#	value	numerical value	constant			
4	1	one	numerical value 1	constant			1
5	0	zero	numerical value 0	constant			2
6	1/2	onehalf	numerical value $1/2$	constant			3
58	$t^o$	to	starting time	constant	s		41
59	$t^e$	te	end time	constant	s		42

### 3 physical

	var	symbol	documentation	type	units	tokens	eqs
15	$r_{xN}$	r_x	x-coordinate	frame	m		
16	$r_{y_N}$	r_y	y-coordinate	frame	m		
17	$r_{zN}$	r_z	z-coordinate	frame	m		
18	$n_{NS}$	n	foundation state – species mass	state	mol	['mass']	
19	$U_N$	U	foundation state – internal energy	state	$kg  m^2  s^{-2}$ $kg  m^2  K^{-1}  s^{-2}$	['energy']	
20	$S_N$	S	foundation state – entropy	state	$kg  m^2  K^{-1}  s^{-2}$		
21	$V_N$	V	foundation state – volume	state	$m^3$		
29	$H_N$	Н	enthalpy	state	$kg m^2 s^{-2}$ $kg m^2 s^{-2}$	['energy']	13
30	$A_N$	A	Helmholtz energy	state	$kgm^2s^{-2}$	['energy']	14

	var	symbol	documentation	type	units	tokens	eqs
31	$G_N$	G	Gibbs energy	state	$kg m^2 s^{-2}$	['energy']	15
26	$N^o$	No	Avogadro number	constant			10
27	$B_N$	В	Boltzmann constant	constant	$kg  m^2  K^{-1}  s^{-2}$ $kg  m^2  K^{-1}  s^{-2}$		11
28	$R_N$	R	gas constant	constant			12
22	$p_N$	р	thermodynamic pressure	effort	$kg  m^{-1}  s^{-2}$	['energy']	7
23	$T_N$	Т	temperature	effort	K	['energy']	8
24	$\mu_{NS}$	chem_potential	chemical potential	effort	$kg  m^2  mol^{-1}  s^{-2}$	['energy', 'mass']	9
36	$v_{xN}$	v_x	velocity in x-direction	seconaryState	$ms^{-1}$		20
37	$v_{y_N}$	v_y	velocity in y-direction	seconaryState	$ms^{-1}$		21
38	$v_{zN}$	v_z	velocity in z-direction	seconaryState	$ms^{-1}$		22
39	$v_N$	v	velocity vector	seconaryState	$ms^{-1}$	[]	23

### 4 control

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

### 5 reactions

var symbol documentation type units tokens eqs		units	type		symbol	var	
--	--	-------	------	--	--------	-----	--

### 6 material

	var	symbol	documentation	type	units	tokens	eqs
40	$\lambda_S$	Mm	species molecular masses	constant	$kg  mol^{-1}$		

	var	symbol	documentation	type	units	tokens	eqs
41	$C_{p_N}$	Ср	total heat capacity at constant pressure	constant	$kg  m^2  K^{-1}  s^{-2}$	['energy']	24
42	$C_{vN}$	Cv	total heat capacity at constant volume	constant	$kg m^2 K^{-1} s^{-2}$	['energy']	25
43	$c_{p_S}$	ср	specific heat capacity at constant pressure	constant	$m^2  mol^2  K^{-1}  s^{-2}$	['energy', 'mass']	26
44	$c_{vS}$	cv	specific heat capacity at constant volume	constant	$m^2  mol^2  K^{-1}  s^{-2}$	['energy', 'mass']	27
45	$k_{xN}^q$	kq_x	thermal conductivity in x-direction	seconaryState	$kg K^{-1} s^{-3}$	['energy']	28
46	$k_{yN}^q$	kq_y	thermal conductivity in y-direction	seconaryState	$kg K^{-1} s^{-3}$	['energy']	29
47	$k_{zN}^q$	kq_z	thermal conductivity in z-direction	seconaryState	$kg K^{-1} s^{-3}$	['energy']	30
48	$k^q{}_N$	kq	Carthesian thermal conductivity vector	seconaryState	$kg K^{-1} s^{-3}$	['energy']	31
49	$k_{xN}^c$	kc_x	convective mass convectivity in x-direction	seconaryState	$m^{-1} s$	['energy', 'mass']	32
50	$k^c_{yN}$	kc_y	convective mass convectivity in y-direction	seconaryState	$m^{-1} s$	['energy', 'mass']	33
51	$k_{zN}^c$	kc_z	convective mass convectivity in z-direction	seconaryState	$m^{-1} s$	['energy', 'mass']	34
52	$k^c{}_N$	kc	Cartesian convective mass convectivity vector	seconaryState	$m^{-1} s$	['energy', 'mass']	35
53	$k_{xNS}^d$	kd_x	diffusional mass conductivity in x-direction	seconaryState	$kg^{-1} m^{-4} mol^2 s$	['energy', 'mass']	36
54	$k_{yNS}^d$	kd_y	diffusional mass conductivity in y-direction	seconaryState	$kg^{-1} m^{-4} mol^2 s$	['energy', 'mass']	37
55	$k_{zNS}^d$	kd_z	diffusional mass conductivity in z-direction	seconaryState	$kg^{-1} m^{-4} mol^2 s$	['energy', 'mass']	38
56	$k^d_{\ NS}$	kd	Cartesian diffusional mass conductivity vector	seconaryState	$kg^{-1} m^{-4} mol^2 s$	['energy', 'mass']	39
60	$h_{NS}$	h	partial molar enthalpies	seconaryState	$kg  m^2  mol^{-1}  s^{-2}$	['energy', 'mass']	43

# 7 macroscopic

	var	symbol	documentation	type	units	tokens	eqs
78	$d_A$	d	direction of convective flow	transport			61
80	$A_{y,z_N}$	Ayz	cross sectional area in x-direction	transport	$m^2$		63
83	$\hat{V}_A$	fV	convective volumetric flow	transport	$m^3 s^{-1}$	['mass']	66
84	$c_{AS}$	c_AS	molar species concentration in convective flow	transport	$m^{-3}  mol$	['mass']	67
85	$\hat{n}^c_{AS}$	fnc_AS	convective mass flow by stream	transport	$mol  s^{-1}$	['mass']	68
86	$\hat{n}^c_{NS}$	fnc	net convective mass flow	transport	$mol  s^{-1}$	['mass']	69
87	$\hat{n}_{AS}^d$	fnd_AS	diffusional mass flow by stream	transport	$mol  s^{-1}$	['energy']	70
88	$\hat{n}_{NS}^d$	fnd	net diffusional mass flow	transport	$mol  s^{-1}$	['energy']	71
10	$F_{NS,AS}$	F_NS_AS	blick incidence matrix of directed species graph	network			6
9	$P_{NS,AS}$	P_NS_AS	node species to arc species projection	projection			
11	$P_{K,NK}$	P_K_NK	projection of conversion to node x conversion	projection			
12	$P_{S,NS}$	P_S_NS	projection species to conversion x species	projection			
13	$P_{N,NK}$	P_N_NK	projection node to node x conversion	projection			
14	$P_{NK,KS}$	P_NK_KS	projection node x conversion to conversion x species	projection			
95	$P_N S_K S_{NS,KS}$	P_NS_KS	projection node x species to conversion x species	projection			
91	$T_N K_{NK}$	T_NK	temperature in reactive systems	effort	K	['energy']	74
92	$one_N K_{NK}$	one_NK	one with energy	effort		['energy']	75
79	$c_{NS}$	С	molar concentration	seconaryState	$m^{-3}  mol$	['mass']	62
81	$m_N$	m	mass in kg	seconaryState	kg	['mass']	64
82	$ ho_N$	density	density	seconaryState	$kg m^{-3}$	['mass']	65

#### 8 solid

T	I					
var	symbol	documentation	type	units	tokens	eqs

#### 9 fluid

var	symbol	documentation	type	units	tokens	eqs

## 10 liquid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

### 11 gas

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

#### 12 control-reactions

var symbol documentation type units tokens eqs
--

#### 13 reactions—control

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

#### 14 control-material

erial-control		<u>'</u>			1					
symb	15 material—control    var   symbol   documentation   type   units   tokens   eqs									
Symb	bol do	ocumentation	type	units	tokens	eqs				
16 control-macroscopic										
symb	bol do	ocumentation	type	units	tokens	eqs				
17 macroscopic-control										
symb	bol do	ocumentation	type	units	tokens	eqs				
18 reactions-material										
symb	bol do	ocumentation	type	units	tokens	eqs				
19 material-reactions										
symb	bol do	ocumentation	type	units	tokens	eqs				
]	roscopic—contr sym tions—material sym erial—reactions	symbol do roscopic—control symbol do tions—material symbol do erial—reactions	symbol documentation  roscopic—control  symbol documentation  tions—material  symbol documentation  erial—reactions	symbol documentation type  roscopic—control  symbol documentation type  tions—material  symbol documentation type  erial—reactions	symbol documentation type units  roscopic—control  symbol documentation type units  tions—material  symbol documentation type units  erial—reactions	symbol documentation type units tokens  roscopic—control  symbol documentation type units tokens  tions—material  symbol documentation type units tokens  erial—reactions				

# $20 \quad {\rm reactions-macroscopic}$

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

### $21 \quad {\rm macroscopic-reactions}$

	var	symbol	documentation	type	units	tokens	eqs
94	$T_N K_{NK}$	T_NK	temperature of reacive systems	transform	K	['energy']	77

## ${\bf 22} \quad {\bf material-macroscopic}$

	var	symbol	documentation	type	units	tokens	eqs
61	$\lambda_S$	Mm	link to molar masses	transform	$kg  mol^{-1}$		44
62	$k_{xN}^q$	kq_x	link	transform	$kg K^{-1} s^{-3}$	['energy']	45
63	$k_{yN}^q$	kq_y	link	transform	$kg K^{-1} s^{-3}$	['energy']	46
64	$k_{zN}^q$	kq_z	link	transform	$kg K^{-1} s^{-3}$	['energy']	47
65	$k^q{}_N$	kq	link	transform	$kg K^{-1} s^{-3}$	['energy']	48
66	$k_{xN}^c$	kc_x	link	transform	$m^{-1} s$	['energy', 'mass']	49
67	$k_{yN}^c$	kc_y	link	transform	$m^{-1} s$	['energy', 'mass']	50
68	$k_{zN}^c$	kc_z	link	transform	$m^{-1} s$	['energy', 'mass']	51
69	$k^c{}_N$	kc	link	transform	$m^{-1} s$	['energy', 'mass']	52
70	$k_{xNS}^d$	kd_x	link	transform	$kg^{-1} m^{-4} mol^2 s$	['energy', 'mass']	53
73	$k_{yNS}^d$	kd_y	link	transform	$kg^{-1} m^{-4} mol^2 s$	['energy', 'mass']	56

	var	symbol	documentation	type	units	tokens	eqs
74	$k_{zNS}^d$	kd_z	link	transform	$kg^{-1}  m^{-4}  mol^2  s$	['energy', 'mass']	57
75	$k^d_{NS}$	kd	link	transform	$kg^{-1} m^{-4} mol^2 s$	['energy', 'mass']	58
76	$c_{p_S}$	ср	link	transform	$m^2  mol^2  K^{-1}  s^{-2}$	['energy', 'mass']	59
77	$c_{vS}$	cv	link	transform	$m^2  mol^2  K^{-1}  s^{-2}$	['energy', 'mass']	60

## $23 \quad {\rm macroscopic-material}$

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

## 24 gas-liquid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

## 25 gas-solid

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

## 26 liquid-solid

var	symbol	documentation	type	units	tokens	eqs

## 27 Equations

### 27.1 Model equations

no	equation	documentation	layer
1	1 := Set(#, #)	numerical value 1	root
2	0 := Set(#, #)	numerical value 1	root
3	1/2 := Set(#,#)	numerical value $1/2$	root
6	$F_{NS,AS} := F_{N,A} \odot P_{NS,AS}$	blick incidence matrix of directed species graph	physical
7	$p_N := \frac{\partial U_N}{\partial V_N}$	thermodynamic pressure	physical
8	$T_N := \frac{\partial U_N}{\partial S_N}$	temperature	physical
9	$\mu_{NS} := \frac{\partial U_N}{\partial n_{NS}}$	chemical potential	physical
10	$N^o := Set(\#,\#)$	Avogadro number	physical
11	$B_N := Set(S_N, \#)$	Boltzmann constant	physical
12	$R_N := B_N \cdot N^o$	gas constant	physical
13	$H_N := U_N + p_N \cdot V_N$	enthalpy	physical
14	$A_N := U_N - T_N \cdot S_N$	Helmholtz energy	physical
15	$G_N := U_N + p_N \cdot V_N - T_N \cdot S_N$	Gibbs energy	physical
20	$v_{xN} := \frac{\partial  r_{xN}}{\partial  t}$	velocity in x-direction	physical
21	$v_{y_N} := \frac{\partial  r_{y_N}}{\partial  t}$	velocity in y-direction	physical

no	equation	documentation	layer
22	$v_{zN} := \frac{\partial r_{zN}}{\partial t}$	velocity in z-direction	physical
23	$v_N := Stack\left(v_{xN}, v_{y_N}, v_{zN}\right)$	velocity vector	physical
24	$C_{p_N} := \frac{\partial H_N}{\partial T_N}$	total heat capacity at constant pressure	material
	$C_{vN} := rac{\partial U_N}{\partial T_N}$	total heat capacity at constant volume	material
26	$c_{p_S} := C_{p_N} \cdot (\lambda_S)^{-1} \overset{N \in NS}{\star} n_{NS}$	specific heat capacity at constant pressure	material
27	$c_{vS} := C_{vN} \cdot (\lambda_S)^{-1} \overset{N \in NS}{\star} n_{NS}$	specific heat capacity at constant volume	material
28	$k_{xN}^q := (V_N)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{xN}$	thermal conductivity in x-direction	material
29	$k_{y_N}^q := (V_N)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{y_N}$	thermal conductivity in y-direction	material
30	$k_{zN}^q := (V_N)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{zN}$	thermal conductivity in z-direction	material
31	$k^{q}{}_{N} := Stack\left(k^{q}_{xN}, k^{q}_{yN}, k^{q}_{zN}\right)$	Carthesian thermal conductivity vector	material
32	$k_{xN}^c := \left(\lambda_S \overset{S \in NS}{\star} (\mu_{NS})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{xN}$	convective mass convectivity in x-direction	material
33	$k_{y_N}^c := \left(\lambda_S \overset{S \in NS}{\star} (\mu_{NS})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{y_N}$	convective mass convectivity in y-direction	material
34	$k_{zN}^c := \left(\lambda_S \overset{S \in NS}{\star} (\mu_{NS})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{zN}$	convective mass convectivity in z-direction	material
35	$k^{c}{}_{N} := Stack\left(k^{c}_{xN}, k^{c}_{yN}, k^{c}_{zN}\right)$	Cartesian convective mass convectivity vector	material
36	$k_{xNS}^d := (\mu_{NS})^{-1} \cdot \left( v_{xN} \odot \left( (V_N)^{-1} \odot \frac{\partial U_N}{\partial \mu_{NS}} \right) \right)$	diffusional mass conductivity in x-direction	material

no	equation	documentation	layer
37	$k_{y_{NS}}^{d} := (\mu_{NS})^{-1} \cdot \left( v_{y_{N}} \odot \left( (V_{N})^{-1} \odot \frac{\partial U_{N}}{\partial \mu_{NS}} \right) \right)$	diffusional mass conductivity in y- direction	material
38	$k_{zNS}^d := (\mu_{NS})^{-1} \cdot \left( v_{zN} \odot \left( (V_N)^{-1} \odot \frac{\partial U_N}{\partial \mu_{NS}} \right) \right)$	diffusional mass conductivity in z- direction	material
39	$k^{d}_{NS} := Stack\left(k^{d}_{xNS}, k^{d}_{yNS}, k^{d}_{zNS}\right)$	Cartesian diffusional mass conductivity vector	material
41	$t^o := Set(t, t)$	starting time	root
	$t^e := Set(t, t)$	end time	root
43	$h_{NS} := H_N \odot (n_{NS})^{-1}$	partial molar enthalpies	material
44	$\lambda_S := \lambda_S$	link to molar masses	material »> macro- scopic
45	$k_{xN}^q := k_{xN}^q$	link	material »> macro- scopic
46	$k_{y_N}^q := k_{y_N}^q$	link	material »> macro- scopic
47	$k_{zN}^q := k_{zN}^q$	link	material »> macro- scopic
48	$k^q{}_N := k^q{}_N$	link	material »> macro- scopic
49	$k_{xN}^c := k_{xN}^c$	link	material »> macro- scopic
50	$k_{y_N}^c := k_{y_N}^c$	link	material »> macro- scopic

no	equation	documentation	layer
51	$k_{zN}^c := k_{zN}^c$	link	material »> macro- scopic
52	$k^c{}_N := k^c{}_N$	link	material »> macro- scopic
	$k_{xNS}^d := k_{xNS}^d$	link	material »> macro- scopic
	$k_{y_{NS}}^d := k_{y_{NS}}^d$	link	material »> macro- scopic
57	$k_{zNS}^d := k_{zNS}^d$	link	material »> macro- scopic
58	$k^d{}_{NS} := k^d{}_{NS}$	link	material »> macro- scopic
59	$c_{p_S} := c_{p_S}$	link	material »> macro- scopic
60	$c_{vS} := c_{vS}$	link	material »> macro- scopic
61	$d_A := \operatorname{sign}\left(F_{N,A} \overset{N}{\star} p_N\right)$	direction of convective flow	macroscopic
62	$c_{NS} := (V_N)^{-1} \odot n_{NS}$	molar concentration	macroscopic
63	$A_{y,z_N} := r_{y_N} \cdot r_{z_N}$	cross sectional area in x-direction	macroscopic
64	$m_N := \lambda_S \stackrel{S \in NS}{\star} n_{NS}$	mass in kg	macroscopic
65	$\rho_N := (V_N)^{-1} \cdot m_N$	density	macroscopic
66	$\hat{V}_A := (\rho_N)^{-1} \cdot k_{xN}^c \cdot A_{y,zN} \cdot F_{N,A} \stackrel{N}{\star} p_N$	convective volumetric flow	macroscopic

no	equation	documentation	layer
67	$c_{AS} := (1/2 \cdot (F_{NS,AS} - d_A \odot  F_{NS,AS} )) \stackrel{NS}{\star} c_{NS}$	molar species concentration in convective flow	macroscopic
68	$\hat{n}_{AS}^c := \hat{V}_A \odot c_{AS}$	convective mass flow by stream	macroscopic
	$\hat{n}_{NS}^c := F_{NS,AS} \stackrel{AS}{\star} \hat{n}_{AS}^c$	net convective mass flow	macroscopic
70	$\hat{n}_{AS}^d := A_{y,z_N} \odot \left( -k_{xNS}^d \right) \cdot F_{NS,AS} \overset{NS}{\star} \mu_{NS}$	diffusional mass flow by stream	macroscopic
71	$\hat{n}_{NS}^d := F_{NS,AS} \stackrel{AS}{\star} \hat{n}_{AS}^d$	net diffusional mass flow	macroscopic
74	$T_N K_{NK} := P_{N,NK} \stackrel{N}{\star} T_N$	temperature in reactive systems	macroscopic
75	$one_N K_{NK} := (T_N K_{NK})^{-1} \cdot T_N K_{NK}$	one with energy	macroscopic
77	$T_N K_{NK} := T_N K_{NK}$	temperature of reacive systems	macroscopic »> reactions