

# 1 Variables

## 2 root

	var	symbol	documentation	type	units	tokens	eqs
13	$F_{N,A}$	<b>F</b>	directed graph incidence matrix	network		[]	
1	$t_N$	<b>t</b>	time	frame	$s$	[]	
3	$t_N^o$	<b>to</b>	starting time	frame	$s$	[]	1
4	$t_N^e$	<b>te</b>	end time	frame	$s$	[]	2
2	$\#$	<b>value</b>	numerical value	constant		[]	
18	0	<b>null</b>	numerical value 0	constant		[]	16
19	1	<b>one</b>	numerical value 1	constant		[]	17

# 3 System

	var	symbol	documentation	type	units	tokens	eqs
28	$\hat{x}^{A,\alpha}_A$	<b>fx_A_alpha</b>	flow of A mechanism alpha	transport	$ms^{-1}$	[]	28 47
29	$\hat{x}^{A,\beta}_A$	<b>fx_A_beta</b>	flow of A mechanism beta	transport	$ms^{-1}$	[]	48 49
32	$\hat{y}^{B,\gamma}_A$	<b>fy_B_gamma</b>	flow of B mechanism gamma	transport	$s^{-1}$	[]	31 45
35	$\hat{y}^{B,\delta}_A$	<b>fy_B_delta</b>	flow of B mechanism delta	transport	$s^{-1}$	[]	34 46
5	$x_N$	<b>x</b>	state token A	state	$m$	[]	38
11	$\pi^{A,\alpha}_N$	<b>pi_A_alpha</b>	effort A mechanism alpha	state	$m$	[]	7 14
12	$\pi^{A,\beta}_N$	<b>pi_A_beta</b>	effort A mechanism beta	state	$m$	[]	8 15
16	$\dot{x}_N$	<b>dx</b>	differential state	state	$ms^{-1}$	[]	18 37
17	$x_N^o$	<b>xo</b>	initial condition for token A	state	$m$	[]	12
20	$\underline{\pi}^A_N$	<b>pi_A_stack</b>	the stack of intensive variables token A	state	$m$	[]	19

*Continued on next page*

	var	symbol	documentation	type	units	tokens	eqs
21	$y_N$	y	state token B	state	$s^{-1}$	[]	39
24	$\pi^{B,\gamma}_N$	pi_B_gamma	effort B mechanism gamma	state		[]	23
26	$\dot{y}_N$	dy	differential state for token B	state		[]	35 36
27	$y^o_N$	yo	initial condition for token B	state		[]	26
33	$\pi^{B,\delta}_N$	pi_B_delta	effort B mechansim delta	state		[]	32
36	$\underline{\pi}^B_N$	pi_B_stack	the stack of intensive variables token B	state	$s^{-1}$	[]	44
7	$K^{A,\alpha}_N$	K_A_alpha	frequency token A	constant		[]	40
8	$K^{A,\beta}_N$	K_A_beta	frequency token B	constant		[]	41
9	$M^{A,\alpha}$	M_A_alpha	norming factor token A mechanism alpha	constant		[]	42
10	$M^{A,\beta}$	M_A_beta	norming factor token A mechanism beta	constant		[]	43
22	$M^{B,\gamma}$	M_B_gamma	norming factor token B mechanism gamma	constant	$s^{-1}$	[]	
23	$K^{B,\gamma}_N$	K_B_gamma	norming factor token A mechanism d	constant		[]	22
30	$K^{B,\delta}_N$	K_B_delta	frequency B delta	constant		[]	30
31	$M^{B,\delta}$	M_B_delta	norming factor token B mechanism delta	constant		[]	

## 4 Properties

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

## 5 Control

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

## 6 System-Properties

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

## 7 Properties–System

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

## 8 System–Control

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

## 9 Control–System

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

## 10 Properties–Control

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

## 11 Control–Properties

	var	symbol	documentation	type	units	tokens	eqs
--	-----	--------	---------------	------	-------	--------	-----

## 12 Equations

### 12.1 Model equations

no	equation	documentation	layer
1	$t_N^o := \text{Instantiate}(t_N, \#)$	starting time	root
2	$t_N^e := \text{Instantiate}(t_N, \#)$	end time	root
7	$\pi^{A,\alpha}_N := M^{A,\alpha} . x_N$	effort a	System
8	$\pi^{A,\beta}_N := M^{A,\beta} . x_N$	effort b	System
12	$x_N^o := \text{Instantiate}(x_N, \#)$	initial condition	System
14	$\pi^{A,\alpha}_N := \text{Instantiate}(\pi^{A,\alpha}_N, \#)$	effort a	System
15	$\pi^{A,\beta}_N := \text{Instantiate}(\pi^{A,\beta}_N, \#)$	effort b	System
16	$0 := \text{Instantiate}(\#, \#)$	numerical value 0	root
17	$1 := \text{Instantiate}(\#, \#)$	numerical value 1	root
18	$\dot{x}_N := \text{Instantiate}(\dot{x}_N, 0)$	differential state	System
19	$\underline{\pi}^A_N := \text{Stack}(\pi^{A,\alpha}_N, \pi^{A,\beta}_N)$	the stack of intensive variables	System
22	$K^{B,\gamma}_N := \text{Instantiate}((t_N)^{-1}, \#)$	frequency B alpha	System
23	$\pi^{B,\gamma}_N := M^{B,\gamma} . y_N$	transport of B mechanism gamma	System
26	$y_N^o := \text{Instantiate}(y_N, \#)$	initial condition for token B	System
28	$\hat{x}^{A,\alpha}_A := K^{A,\alpha}_N . F_{N,A} \overset{N}{\star} \pi^{A,\alpha}_N$	flow of A mechanism alpha	System
30	$K^{B,\delta}_N := \text{Instantiate}((t_N)^{-1}, \#)$	var doc : frequency B delta	System

*Continued on next page*

no	equation	documentation	layer
31	$\hat{y}^{B,\gamma}_A := K^{B,\gamma}_N \cdot F_{N,A} \overset{N}{\star} \pi^{B,\gamma}_N$	flow of B mechanism gamma	System
32	$\pi^{B,\delta}_N := M^{B,\delta} \cdot y_N$	effort B mechanism delta	System
34	$\hat{y}^{B,\delta}_A := K^{B,\delta}_N \cdot F_{N,A} \overset{N}{\star} \pi^{B,\delta}_N$	flow of B mechanism delta	System
35	$\dot{y}_N := F_{N,A} \overset{A}{\star} \hat{y}^{B,\gamma}_A + F_{N,A} \overset{A}{\star} \hat{y}^{B,\delta}_A$	differential state for token B	System
36	$\dot{y}_N := \text{Instantiate}(\dot{y}_N, \#)$	differential state for token B	System
37	$\dot{x}_N := F_{N,A} \overset{A}{\star} \hat{x}^{A,\alpha}_A + F_{N,A} \overset{A}{\star} \hat{x}^{A,\beta}_A$	differential state	System
38	$x_N := \int_{t^o_N}^{t^e_N} \dot{x}_N \, dt_N$	state token A	System
39	$y_N := \int_{t^o_N}^{t^e_N} \dot{y}_N \, dt_N$	state token B	System
40	$K^{A,\alpha}_N := \text{Instantiate}((t_N)^{-1}, \#)$	frequency token A	System
41	$K^{A,\beta}_N := \text{Instantiate}((t_N)^{-1}, \#)$	frequency token B	System
42	$M^{A,\alpha} := \text{Instantiate}(\#, \#)$	norming factor token A mechanism alpha	System
43	$M^{A,\beta} := \text{Instantiate}(\#, \#)$	norming factor token A mechanism beta	System
44	$\underline{\pi}^B_N := \text{Stack}(\pi^{B,\gamma}_N, \pi^{B,\delta}_N)$	the stack of intensive variables token B	System
45	$\hat{y}^{B,\gamma}_A := \text{Instantiate}(\hat{y}^{B,\gamma}_A, \#)$	flow of B mechanism gamma	System
46	$\hat{y}^{B,\delta}_A := \text{Instantiate}(\hat{y}^{B,\delta}_A, \#)$	flow of B mechanism delta	System
47	$\hat{x}^{A,\alpha}_A := \text{Instantiate}(\hat{x}^{A,\alpha}_A, \#)$	flow of A mechanism alpha	System
48	$\hat{x}^{A,\beta}_A := \text{Instantiate}(\hat{x}^{A,\beta}_A, \#)$	flow of A mechanism beta	System

Continued on next page

no	equation	documentation	layer
49	$\hat{x}^{A,\beta}_A := K^{A,\beta}_N \cdot F_{N,A} \overset{N}{\star} \pi^{A,\beta}_N$	flow of A mechanism beta	System