# 1 Variables

# 2 root

	var	symbol	documentation	type	units	eqs
10	$F_{N,A}$	F	basic directed graph incidence matrix	network		
96	$I_N$	I_N	vector of ones of length nodes	projection		
48	$I_{N,A}$	I_N_A	project node on arc	projection		
97	$I_A$	I_A	vector of ones of length arcs	projection		
4	t	t	time	frame	s	
5	$t^o$	to	time zero	frame	s	3
9	$\Delta$	pulse	pulse of length time interval	frame		7
6	$t^e$	te	time end	frame	s	4
7	$\Delta t$	t_interval	time interval	frame	s	5
1	#	value	numerical value	constant		
3	0	zero	numerical value zero	constant		2
2	1	one	numerical one	constant		1
8	0.5	onehalf	numerical one half	constant		6

# 3 physical

	var	symbol	documentation	type	units	eqs
98	$I_S$	I_S	vector of ones of length sepecies	projection		
12	$r_{xN}$	r_x	x-direction	frame	m	8
13	$r_{yN}$	r_y	y-direction	frame	m	9
14	$r_{zN}$	r_z	z-direction	frame	m	10
11	$\ell_N$	1	length	frame	m	
24	$G_N$	G	Gibbs free energy	state	$kgm^2s^{-2}$	18
25	$C_N$	C	fundamental state - charge	state	As	
16	$U_N$	U	fundamental state - internal energy	state	$kg m^2 s^{-2}$	
23	$A_N$	A	Helmholts energy	state	$kg m^2 s^{-2}$	17
18	$n_{N,S}$	n	fundamental state - molar mass	state	mol	129
15	$V_N$	V	fundamental state - volume	state	$m^3$	11
22	$H_N$	Н	Enthalpy	state	$kg m^2 s^{-2}$	15 128
17	$S_N$	S	fundamental state - entropy	state	$kg  m^2  K^{-1}  s^{-2}$	
33	$B_N$	Boltz	Boltzmann constant	constant	$kg  m^2  K^{-1}  s^{-2}$	24
34	$R_N$	R	Gas constant	constant	$kg  m^2  mol^{-1}  K^{-1}  s^{-2}$	25
32	$A^v$	Av	Avogadro number	constant	$mol^{-1}$	
35	$U^e{}_N$	Ue	electrical potential – voltage	effort	$kg  m^2  A^{-1} s^{-3}$	26
21	$\mu_{N,S}$	chemPot	chemical potential	effort	$kg  m^2  mol^{-1}  s^{-2}$	14 88
19	$T_N$	Т	temperature	effort	K	16
20	$p_N$	p	pressure	effort	$kg  m^{-1}  s^{-2}$	13
29	$v_{zN}$	v_z	velocity in z-direction	secondaryState	$ms^{-1}$	21
27	$v_{xN}$	v_x	velocity in x-direction	secondaryState	$ms^{-1}$	19

		var	symbol	documentation	type	units	eqs
28	o 1	$v_{yN}$	v_y	velocity in y-direction	secondaryState	$ms^{-1}$	20

#### 4 reactions

	var	symbol	documentation	type	units	eqs
113	$P_{N,K}$	P_N_K	what node has what reaction	projection		
114	$T_{N,K}$	T_K	temparature of the nodes with reactions	effort	K	99
129	$ar{n}_{N,S,K}$	cn_NK	normed concentration – context node and conversion	secondaryState		113
128	$ar{n}_{N,S}$	cn	normed concentration	secondaryState		112
135	$K_{N,K}$	K	reaction"constant	properties	$m^{-3}  mol  s^{-1}$	119
134	$K^o{}_K$	Ко	Arrhenius frequency factor – a strange construction	properties	$m^{-3}  mol  s^{-1}$	118
118	$N_{S,K}$	N	stoichiometric matrix	properties		
126	$c^n_{N,S}$	c_norming	norming concentration used in the definition of the species interaction probability	properties	$m^{-3}  mol$	110
115	$E_{aN,K}$	Ea	Arrhenius activation energy	properties	$kg  m^2  mol^{-1}  s^{-2}$	100
131	$\phi_{N,K}$	interactionProbability	probability for the species to meet to undergo reaction	properties		115
136	$ ilde{n}_{N,S}$	nProd	production term for differential component mass balance	conversion	$mol  s^{-1}$	120

#### 5 material

	var	symbol	documentation	type	units	eqs
40	$k_{zN}^q$	kq_z	thermal conductivity in z-direction	property	$kg K^{-1} s^{-3}$	31
36	$C_{pN}$	Ср	total heat capacity at constant pressure	property	$kg  m^2  K^{-1}  s^{-2}$	27
41	$k_{xN,S}^d$	kd_x	diffusional mass conductivity in x-direction	property	$kg^{-1}  m^{-4}  mol^2  s$	32
47	$h_{N,S}$	h	partial molar enthalpies	property	$kg  m^2  mol^{-1}  s^{-2}$	38
37	$C_{vN}$	Cv	total heat capacity at constant volume	property	$kg  m^2  K^{-1}  s^{-2}$	28
62	$k_y^{d,Fick}{}_{A,S}$	kd_y_Fick	Fick's diffusivity in arc and y-direction	property	$ms^{-1}$	52
43	$k_{zN,S}^d$	kd_z	diffusional mass conductivity in z-direction	property	$kg^{-1} m^{-4} mol^2 s$	34
55	$k_{xA}^q$	kq_x_A	thermal conductivity in x-direction in arc	property	$kg K^{-1} s^{-3}$	45
63	$k_z^{d,Fick}{}_{A,S}$	kd_z_Fick	Fick's diffusivity in arc and z-direction	property	$ms^{-1}$	53
89	$ ho_A$	density_A	density of arc material	property	$kgm^{-3}$	78
56	$k_{yA}^q$	kq_y_A	thermal conductivity in y-direction in arc	property	$kg  K^{-1}  s^{-3}$	46
45	$k_{yN}^c$	kc_y	convective mass conductivity in y-direction	property	$m^{-1} s$	36
58	$m_N$	m	mass	property	kg	48
49	$k_{xA}^c$	kc_x_A	convective mass conductivity in x-direction in arc	property	$m^{-1} s$	39
51	$k_{zA}^c$	kc_z_A	convective mass conductivity in z-direction in arc	property	$m^{-1} s$	41
50	$k_{yA}^c$	kc_y_A	convective mass conductivity in y-direction in arc	property	$m^{-1} s$	40
107	$h_{AA,S}$	h_A	partial molar enthalpies of transport system	property	$kg  m^2  mol^{-1}  s^{-2}$	93
26	$\lambda_S$	Mm	species' molecular mass	property	$kg  mol^{-1}$	
61	$k_x^{d,Fick}{}_{A,S}$	kd_x_Fick	Fick's diffusivity in arc and x-direction	property	$ms^{-1}$	51
60	$v_S$	v	molar volume of species	property	$m^3  mol^{-1}$	50
53	$k_{yA,S}^d$	kd_y_A	diffusional mass conductivity in y-direction in arc	property	$kg^{-1} m^{-4} mol^2 s$	43
57	$k_{zA}^q$	kq_z_A	thermal conductivity in z-direction in arc	property	$kg  K^{-1}  s^{-3}$	47
39	$k_{yN}^q$	kq_y	thermal conductivity in y-direction	property	$kg  K^{-1}  s^{-3}$	30

	var	symbol	documentation	type	units	eqs
59	$\rho_N$	density	density	property	$kg  m^{-3}$	49
46	$k_{zN}^c$	kc_z	convective mass conductivity in z-direction	property	$m^{-1} s$	37
52	$k_{xA,S}^d$	kd_x_A	diffusional mass conductivity in x-direction in arc	property	$kg^{-1} m^{-4} mol^2 s$	42
44	$k_{xN}^c$	kc_x	convective mass conductivity in x-direction	property	$m^{-1} s$	35
42	$k_{yN,S}^d$	kd_y	diffusional mass conductivity in z-direction	property	$kg^{-1}  m^{-4}  mol^2  s$	33
54	$k_{zA,S}^d$	kd_z_A	diffusional mass conductivity in z-direction in arc	property	$kg^{-1}  m^{-4}  mol^2  s$	44
38	$k_{xN}^q$	kq_x	thermal conductivity in x-direction	property	$kg K^{-1} s^{-3}$	29
102	$\mu^{o}{}_{N,S}$	chemPot_o	standard chemical potential	effort	$kg  m^2  mol^{-1}  s^{-2}$	86

#### 6 macroscopic

	var	symbol	documentation	type	units	eqs
84	$\dot{q}_N$	aq	accumulation due to conductive heat flow	transport	$kgm^2s^{-3}$	73
87	$c_{A,S}$	c_A	concentration in convective mass flow	transport	$m^{-3}  mol$	76
110	$\hat{H}^d{}_A$	fHd	enthalpy flow due to diffusive mass flow	transport	$kgm^2s^{-3}$	96
142	$\dot{w}_N$	aw	enthalpy accumulation due to work flows	transport	$kgm^2s^{-3}$	126
86	$d_A$	d	fow direction of convective flow	transport		75
91	$\dot{V}_A$	fV	volumetric flow	transport	$m^3  s^{-1}$	80
104	$\dot{n}^d{}_{N,S}$	and	accumulation due to diffusional mass transfer	transport	$mol  s^{-1}$	90
93	$\dot{n}^c{}_{N,S}$	anc	accumulation due to convective mass flow	transport	$mol  s^{-1}$	82
83	$\hat{q}_{xA}$	fq_x	heat flow in arc and x-direction	transport	$kgm^2s^{-3}$	72
101	$\hat{n}^d{}_{A,S}$	fnd	diffusional mass flow in arc	transport	$mol  s^{-1}$	85 89
111	$\dot{H}^c{}_N$	aHc	enthalpy accumulation due to convective mass flow	transport	$kgm^2s^{-3}$	97
141	$\hat{w}_A$	fw	just an numerical work flow term – as a starter	transport	$kgm^2s^{-3}$	125
92	$\hat{n}^c{}_{A,S}$	fnc	convective mass flow in an arc	transport	$mol  s^{-1}$	81
109	$\hat{H}^c{}_A$	fHc	enthalpy flow due to convective mass flow	transport	$kgm^2s^{-3}$	95
112	$\dot{H}^d{}_N$	aHd	enthalpy accumulation due to diffusive mass flow	transport	$kg m^2 s^{-3}$	98
67	$A_{yzN}$	A_yz	cross sectional area yz	geometry	$m^2$	56
66	$A_{xzN}$	A_xz	cross sectional area xz	geometry	$m^2$	55
68	$A_{xyA}$	A_xy_A	cross sectional area yz of arc	geometry	$m^2$	57
70	$A_{yzA}$	A_yz_A	cross sectional area yz of arc	geometry	$m^2$	59
69	$A_{xzA}$	A_xz_A	cross sectional area xz of arc	geometry	$m^2$	58
65	$A_{xyN}$	A_xy	cross sectional area xy	geometry	$m^2$	54
64	$D_{N,A}$	D	difference operator	differenceOperator		
144	$H^o{}_N$	Но	initial enthalpy	state	$kg m^2 s^{-2}$	130

	var	symbol	documentation	type	units	eqs
145	$n^o{}_{N,S}$	no	initial species masses	state	mol	131
151	$\bar{c}^o{}_{N,S}$	c_normed	normed concentration	secondaryState		137
85	$c_{N,S}$	С	molar concentration	secondaryState	$m^{-3}  mol$	74
150	$\bar{p}^o{}_N$	p_normed	normed pressure	secondaryState		136
148	$c^o{}_{N,S}$	c_norming	norming concentration	secondaryState	$m^{-3}  mol$	134
100	$x_{N,S}$	x	concentration mole fraction	secondaryState		84
99	$n^t{}_N$	nt	total amount	secondaryState	mol	83
149	$\bar{T}^o{}_N$	T_normed	normed temperature	secondaryState		135
146	$T^o{}_N$	T_norming	norming temperature	secondaryState	K	132
147	$p^o{}_N$	p_norming	normed pressure	secondaryState	$kg  m^{-1}  s^{-2}$	133
138	$\dot{n}_{N,S}$	anProduction	production term	conversion	$mol  s^{-1}$	122
143	$\dot{H}_N$	аН	differential enthalpy balance	diffState	$kg m^2 s^{-3}$	127
139	$\dot{n}_{N,S}$	an	differentional species balance	diffState	$mol  s^{-1}$	123

### 7 control

	var	symbol	documentation	type	units	eqs
157	$m^{v\star}{}_A$	setpoint_vector	setpoint for measurement vector	constant		144
159	P	P	gain	constant		
158	$m^{m\star}{}_{A,S}$	setpoint_matrix	setpoiint for measurment matrix	constant		145
161	$e^m{}_{A,S}$	error_matrix	output error matrix	algebraic		147
160	$e^v{}_A$	error_vector	output error vector	algebraic		146
162	$u^v{}_A$	u_vector	control ouput vector	algebraic		148
155	$m_A$	measurement_vector	normed measurements of temparatures	algebraic		141
						142
163	$u^m{}_{A,S}$	u_matrix	control output matrix	algebraic		149
156	$m_{A,S}$	measurement_matrix	normed measurment of concentration	algebraic		143

# ${\bf 8} \quad {\bf material-macroscopic}$

	var	symbol	documentation	type	units	eqs
74	$-k_{xA,S}^d$	_kd_x_A	$\begin{array}{c} \mbox{link variable kd x A to interface material } >> \mbox{macroscopic} \\ \mbox{scopic} \end{array}$	get	$kg^{-1}m^{-4}mol^2s$	63
73	$-k_z^c{}_A$	_kc_z_A	link variable kc z A to interface material »> macroscopic	get	$m^{-1} s$	62
90	$_{-} ho_{A}$	_density_A	link variable density A to interface material »> macroscopic	get	$kg m^{-3}$	79
88	$\_ ho_N$	_density	link variable density to interface material »> macroscopic	get	$kg m^{-3}$	77
71	$-k_{xA}^{c}$	_kc_x_A	link variable kc x A to interface material »> macroscopic	get	$m^{-1} s$	60
75	$\_k_x^{d,Fick}{}_{A,S}$	_kd_x_Fick	link variable kd x Fick to interface material »> macroscopic	get	$ms^{-1}$	64
76	$\_k_y^{d,Fick}{}_{A,S}$	_kd_y_Fick	link variable kd y Fick to interface material »> macroscopic	get	$ms^{-1}$	65
79	$-k_z^{d,Fick}{}_{A,S}$	_kd_z_Fick	link variable kd z Fick to interface material »> macroscopic	get	$ms^{-1}$	68
72	$-k_{yA}^{c}$	_kc_y_A	link variable kc y A to interface material »> macroscopic	get	$m^{-1} s$	61
77	$\_k_y^d{}_{A,S}$	_kd_y_A	link variable kd y A to interface material »> macroscopic	get	$kg^{-1} m^{-4} mol^2 s$	66
78	$\_k^d_{zA,S}$	_kd_z_A	link variable kd z A to interface material »> macroscopic	get	$kg^{-1} m^{-4} mol^2 s$	67
81	$-k_{yA}^q$	_kq_y_A	link variable kq y A to interface material »> macroscopic	get	$kg  K^{-1}  s^{-3}$	70
108	$\_h_{A,S}$	_h_A	link variable h A to interface material »> macroscopic	get	$kgm^2mol^{-1}s^{-2}$	94
82	$-k_{zA}^q$	_kq_z_A	link variable kq z A to interface material »> macroscopic	get	$kg K^{-1} s^{-3}$	71

	var	symbol	documentation	type	units	eqs
80	$-k_{xA}^{q}$	_kq_x_A	link variable kq x A to interface material $\gg >$ macroscopic	get	$kg K^{-1} s^{-3}$	69
30	$-\lambda_S$	_Mm	link variable Mm to interface material »> macroscopic	get	$kg  mol^{-1}$	22
106	$\_h_{N,S}$	_h	link variable h to interface material $\gg$ macroscopic	get	$kg  m^2  mol^{-1}  s^{-2}$	92

### 9 reactions-macroscopic

	var	symbol	documentation	type	units	eqs
122	NS,K	_N	link variable N to interface reactions $\gg >$ macroscopic	get		106
123	$\_T_{N,K}$	_T_K	link variable T K to interface reactions »> macroscopic	get	K	107
119	$_{-}E^{a}{}_{N,K}$	_Ea	link variable Ea to interface reactions »> macroscopic	get	$kg m^2 mol^{-1} s^{-2}$	103
137	$_{\tilde{n}_{N,S}}$	_nProd	link variable nProd to interface reactions »> macroscopic	get	$mol  s^{-1}$	121

### 10 control-macroscopic

	var	symbol	documentation	type	${ m units}$	eqs
165	$\_m^v{}_A$	_setpoint_vector	link variable setpoint vector to interface control »> macroscopic	get		151
164	$\_m^m{}_{A,S}$	_setpoint_matrix	link variable setpoint matrix to interface control $\gg>$ macroscopic	get		150

### 11 macroscopic-reactions

	var	symbol	documentation	type	units	eqs
125	$\_c_{N,S}$	_c	link variable c to interface macroscopic $\gg >$ reactions	get	$m^{-3}  mol$	109

### 12 macroscopic-material

	var	symbol	documentation	type	${ m units}$	eqs
103	$\_x_{N,S}$	_x	link variable x to interface macroscopic $\gg$ material	get		87

### 13 macroscopic-control

	var	symbol	documentation	type	units	eqs
153	$-ar{T}_N$	_T_normed	link variable T normed to interface macroscopic »> control	get		139
152	$ar{p}_N$	_p_normed	link variable p normed to interface macroscopic »> control	get		138
154	$ar{c}_{N,S}$	_c_normed	link variable c normed to interface macroscopic »> control	get		140

# 14 Equations

### 15 Generic

no	equation	documentation	layer
1	1 := Instantiate(#, #)	numerical one	root
2	0 := Instantiate(#, #)	numerical value zero	root
3	$t^o := \text{Instantiate}(t, 0)$	time zero	root
4	$t^e := \text{Instantiate}(t, \#)$	time end	root
5	$\Delta t := \operatorname{Instantiate}(t, \#)$	time interval	root
6	0.5 := Instantiate(#, #)	numerical one half	root
7	$\Delta := \operatorname{sign}(t - t^{o}) - \operatorname{sign}(t - (t^{o} - \Delta t))$	pulse of length time interval	root
8	$r_{xN} := \text{Instantiate}(\ell_N, \#)$	x-direction	physical
9	$r_{yN} := \text{Instantiate}(\ell_N, \#)$	y-direction	physical
10	$r_{zN} := \text{Instantiate}(\ell_N, \#)$	z-direction	physical
11	$V_N := r_{xN} \cdot r_{yN} \cdot r_{zN}$	volume	physical
13	$p_N := \frac{\partial U_N}{\partial V_N}$	pressure	physical
14	$\mu_{N,S} := \frac{\partial U_N}{\partial n_{N,S}}$	chemical potential	physical
15	$H_N := U_N - p_N \cdot V_N$	Enthalpy	physical
16	$T_N := \frac{\partial U_N}{\partial S_N}$	temperature	physical
17	$A_N := U_N - T_N \cdot S_N$	Helmholts energy	physical

no	equation	documentation	layer
18	$G_N := U_N + p_N \cdot V_N - T_N \cdot S_N$	Gibbs free energy	physical
19	$v_{xN} := \left(t\right)^{-1} . r_{xN}$	velocity in x-direction	physical
20	$v_{yN} := (t)^{-1} \cdot r_{yN}$	velocity in y-direction	physical
21	$v_{zN} := (t)^{-1} \cdot r_{zN}$	velocity in z-direction	physical
24	$B_N := \operatorname{Instantiate}(S_N, \#)$	Boltzmann constant	physical
25	$R_N := A^v \cdot B_N$	Gas constant	physical
26	$U^e_N := \left(C_N\right)^{-1} . U_N$	electrical potential – voltage	physical
27	$C_{pN} := \frac{\partial H_N}{\partial T_N}$	total heat capacity at constant pressure	material
28	$C_{vN} := rac{\partial U_N}{\partial T_N}$	total heat capacity at constant volume	material
29	$k_{xN}^q := (V_N)^{-1} \cdot C_{pN} \cdot v_{xN}$	thermal conductivity in x-direction	material
30	$k_{yN}^q := (V_N)^{-1} \cdot C_{pN} \cdot v_{yN}$	thermal conductivity in y-direction	material
31	$k_{zN}^q := (V_N)^{-1} \cdot C_{pN} \cdot v_{zN}$	thermal conductivity in z-direction	material
32	$k_{xN,S}^d := \left(\mu_{N,S}\right)^{-1} \cdot \left(v_{xN} \cdot \left(\left(V_N\right)^{-1} \cdot \frac{\partial U_N}{\partial \mu_{N,S}}\right)\right)$	diffusional mass conductivity in x-direction	material
33	$k_{yN,S}^d := (\mu_{N,S})^{-1} \cdot \left( v_{yN} \cdot \left( (V_N)^{-1} \cdot \frac{\partial U_N}{\partial \mu_{N,S}} \right) \right)$	diffusional mass conductivity in y- direction	material
34	$k_{zN,S}^d := (\mu_{N,S})^{-1} \cdot \left( v_{zN} \cdot \left( (V_N)^{-1} \cdot \frac{\partial U_N}{\partial \mu_{N,S}} \right) \right)$	diffusional mass conductivity in z-direction	material
35	$k_{xN}^c := \left(\lambda_S \star (\mu_{N,S})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{xN}$	convective mass conductivity in x-direction	mat erial

no	equation	documentation	layer
36	$k_{yN}^c := \left(\lambda_S \star (\mu_{N,S})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{yN}$	convective mass conductivity in y-direction	material
37	$k_{zN}^c := \left(\lambda_S \star (\mu_{N,S})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{zN}$	convective mass conductivity in z-direction	mat erial
38	$h_{N,S} := H_N \cdot \left( n_{N,S} \right)^{-1}$	partial molar enthalpies	material
39	$k_{xA}^c := I_{N,A} \star k_{xN}^c$	convective mass conductivity in x-direction in arc	material
40	$k_{yA}^c := I_{N,A} \star k_{yN}^c$	convective mass conductivity in y-direction in arc	material
41	$k^c_{zA} := I_{N,A} \star k^c_{zN}$	convective mass conductivity in z-direction in arc	mat erial
42	$k^d_{xA,S} := I_{N,A} \star k^d_{xN,S}$	diffusional mass conductivity in x-direction in arc	mat erial
43	$k_{yA,S}^d := I_{N,A} \star k_{yN,S}^d$	diffusional mass conductivity in z- direction in arc	mat erial
44	$k_{zA,S}^d := I_{N,A} \star k_{zN,S}^d$	diffusional mass conductivity in z- direction in arc	mat erial
45	$k_{xA}^q := I_{N,A} \star k_{xN}^q$	thermal conductivity in x-direction in arc	mat erial
46	$k_{yA}^q := I_{N,A} \star k_{yN}^q$	thermal conductivity in y-direction in arc	mat erial
47	$k^q_{zA} := I_{N,A} \star k^q_{zN}$	thermal conductivity in z-direction in arc	material
48	$m_N := \lambda_S \star n_{N,S}$	mass	material

no	equation	documentation	layer
49	$\rho_N := (V_N)^{-1} \cdot m_N$	density	material
50	$v_S := V_N \star (n_{N,S})^{-1}$	molar volume of species	material
51	$k_x^{d,Fick}{}_{A,S} := I_{N,A} \star \left( v_{xN} \cdot \frac{\partial U_N}{\partial \mu_{N,S}} \cdot (n_{N,S})^{-1} \right)$	Fick's diffusivity in arc and x-direction	material
52	$k_y^{d,Fick}{}_{A,S} := I_{N,A} \star \left( v_{yN} \cdot \frac{\partial U_N}{\partial \mu_{N,S}} \cdot (n_{N,S})^{-1} \right)$	Fick's diffusivity in arc and y-direction	material
53	$k_z^{d,Fick}{}_{A,S} := I_{N,A} \star \left( v_{zN} \cdot \frac{\partial U_N}{\partial \mu_{N,S}} \cdot (n_{N,S})^{-1} \right)$	Fick's diffusivity in arc and z-direction	material
54	$A_{xyN} := r_{xN} \cdot r_{yN}$	cross sectional area xy	macroscopic
55	$A_{xzN} := r_{xN} \cdot r_{zN}$	cross sectional area xz	macroscopic
56	$A_{yzN} := r_{yN} . r_{zN}$	cross sectional area yz	macroscopic
57	$A_{xyA} := I_{N,A} \star A_{xyN}$	cross sectional area yz of arc	macroscopic
58	$A_{xzA} := I_{N,A} \star A_{xzN}$	cross sectional area xz of arc	macroscopic
59	$A_{yzA} := I_{N,A} \star A_{yzN}$	cross sectional area yz of arc	macroscopic
72	$\hat{q}_{xA} := A_{yzA} \cdot \underline{k}_{xA}^q \cdot (D_{N,A} \star T_N)$	heat flow in arc and x-direction	macroscopic
73	$\dot{q}_N := F_{N,A} \star \hat{q}_{xA}$	accumulation due to conductive heat flow	macroscopic
74	$c_{N,S} := \left(V_N\right)^{-1} . n_{N,S}$	molar concentration	macroscopic
75	$d_A := \operatorname{sign}\left(D_{N,A} \star p_N\right)$	fow direction of convective flow	macroscopic
76	$c_{A,S} := (0.5 \cdot (D_{N,A} - d_A \cdot  D_{N,A} )) \star c_{N,S}$	concentration in convective mass flow	macroscopic
78	$ ho_A := I_{N,A} \star  ho_N$	density of arc material	material
80	$\dot{V}_A := (\_\rho_A)^{-1} \cdot \_k_{xA}^c \cdot A_{yzA} \cdot (D_{N,A} \star p_N)$	volumetric flow	macroscopic

no	equation	${f documentation}$	layer
81	$\hat{n}^c{}_{A,S} := \dot{V}_A \cdot c_{A,S}$	convective mass flow in an arc	macroscopic
82	$\dot{n}^c{}_{N,S} := F_{N,A} \star \hat{n}^c{}_{A,S}$	accumulation due to convective mass flow	macroscopic
83	$n^t{}_N := I_S \star n_{N,S}$	total amount	macroscopic
84	$x_{N,S} := (n^t{}_N)^{-1} \cdot n_{N,S}$	concentration mole fraction	macroscopic
85	$\hat{n}^d{}_{A,S} := A_{yzA} \cdot \left( - k_x^{d,Fick}{}_{A,S} \right) \cdot \left( D_{N,A} \star c_{N,S} \right)$	diffusional mass flow in arc	macroscopic
86	$\mu^{o}_{N,S} := \text{Instantiate}(\mu_{N,S}, \#)$	standard chemical potential	material
88	$\mu_{N,S} := \mu^{o}_{N,S} + R_{N} \cdot T_{N} \cdot ln(\underline{x}_{N,S})$	chemical potential standard model with mole fraction	material
89	$\hat{n}^d{}_{A,S} := A_{yzA} \cdot (-k^d_{xA,S}) \cdot (D_{N,A} \star \mu_{N,S})$	diffusional mass flow in arc	macroscopic
90	$\left  \dot{n}^d{}_{N,S} := F_{N,A} \star \hat{n}^d{}_{A,S} \right $	accumulation due to diffusional mass transfer	macroscopic
93	$h_{AA,S} := I_{N,A} \star h_{N,S}$	partial molar enthalpies of transport system	material
95	$\hat{H}^c{}_A := I_S \star (\_h_{A,S} . \hat{n}^c{}_{A,S})$	enthalpy flow due to convective mass flow	macroscopic
96	$\hat{H}^d{}_A := I_S \star \left( \underline{\ } h_{A,S} \cdot \hat{n}^d{}_{A,S} \right)$	enthalpy flow due to diffusive mass flow	macroscopic
97	$\dot{H}^c{}_N := F_{N,A} \star \hat{H}^c{}_A$	enthalpy accumulation due to convective mass flow	macroscopic
98	$\dot{H}^d{}_N := F_{N,A} \star \hat{H}^d{}_A$	enthalpy accumulation due to diffusive mass flow	macroscopic
99	$T_{N,K} := T_N \cdot P_{N,K}$	temparature of the nodes with reactions	reactions

no	equation	documentation	layer
100	$E_{aN,K} := \operatorname{Instantiate}(R_N . T_{N,K}, \#)$	Arrhenius activation energy	reactions
110	$c^n_{N,S} := \text{Instantiate}(\_c_{N,S}, \#)$	norming concentration used in the definition of the species interaction probability	reactions
112	$\bar{n}_{N,S} := (c^n{}_{N,S})^{-1} \cdot \_c_{N,S}$	normed concentration	reactions
113	$\bar{n}_{N,S,K} := P_{N,K} \cdot \bar{n}_{N,S}$	normed concentration – context node and conversion	reactions
115	$\phi_{N,K} := \prod_{S} \bar{n}_{N,S,K}(N_{S,K})$	probability for the species to meet to undergo reaction	reactions
118	$K^{o}_{K} := \operatorname{Instantiate}(I_{S} \star \left(P_{N,K} \star \left(\left(t\right)^{-1} \cdot \left(V_{N}\right)^{-1} \cdot n_{N,S}\right)\right), \#)$	Arrhenius frequency factor – a strange construction	reactions
119	$K_{N,K} := K^o_K \cdot exp((-E_{aN,K}) \cdot (R_N \cdot T_{N,K})^{-1})$	reaction"constant	reactions
120	$\tilde{n}_{N,S} := V_N \cdot (N_{S,K} \star (K_{N,K} \cdot \phi_{N,K}))$	production term for differential component mass balance	reactions
122	$\dot{n}_{N,S} := \~{n}_{N,S}$	production term	macroscopic
123	$\dot{n}_{N,S} := \dot{n}^c{}_{N,S} + \dot{n}^d{}_{N,S} + \dot{n}_{N,S}$	differentional species balance	macroscopic
125	$\hat{w}_A := \operatorname{Instantiate}(\hat{H}^c{}_A, \#)$	just an numerical work flow term – as a starter	macroscopic
126	$\dot{w}_N := F_{N,A} \star \hat{w}_A$	enthalpy accumulation due to work flows	macroscopic
127	$\dot{H}_N := \dot{H}^c{}_N + \dot{H}^d{}_N + \dot{q}_N + \dot{w}_N$	differential enthalpy balance	macroscopic
128	$H_N := \int_{t^o}^{t^e} \dot{H}_N \ dt + H^o{}_N$	Enthalpy	macroscopic

no	equation	documentation	layer
129	$n_{N,S} := \int_{t^o}^{t^e} \dot{n}_{N,S} \ dt + n^o{}_{N,S}$	fundamental state - molar mass	macroscopic
130	$H^o{}_N := \operatorname{Instantiate}(H_N, \#)$	initial enthalpy	macroscopic
131	$n^o{}_{N,S} := \text{Instantiate}(n_{N,S}, \#)$	initial species masses	macroscopic
132	$T^o{}_N := \operatorname{Instantiate}(T_N, \#)$	norming temperature	macroscopic
133	$p^o{}_N := \text{Instantiate}(p_N, \#)$	normed pressure	macroscopic
134	$c^o{}_{N,S} := \operatorname{Instantiate}(c_{N,S}, \#)$	norming concentration	macroscopic
135	$\bar{T}^o{}_N := T_N \cdot (T^o{}_N)^{-1}$	normed temperature	macroscopic
136	$\bar{p}^o{}_N := (p_N)^{-1} \cdot p_N$	normed pressure	macroscopic
137	$\bar{c}^{o}{}_{N,S} := (c^{o}{}_{N,S})^{-1} \cdot c_{N,S}$	normed concentration	macroscopic
141	$m_A := F_{N,A} \star \_\bar{T}_N$	normed measurements of temparatures	control
142	$m_A := F_{N,A} \star \_\bar{p}_N$	normed measurements of pressures	control
143	$m_{A,S} := F_{N,A} \star \_\bar{c}_{N,S}$	normed measurment of concentration	control
144	$m^{v\star}{}_A := \operatorname{Instantiate}(m_A, \#)$	setpoint for measurement vector	control
145	$m^{m\star}_{A,S} := \text{Instantiate}(m_{A,S}, \#)$	setpoiint for measurment matrix	control
146	$e^{v}{}_{A} := m^{v\star}{}_{A} - m_{A}$	output error vector	control
147	$e^m{}_{A,S} := m^{m\star}{}_{A,S} - m_{A,S}$	output error matrix	control
148	$u^v{}_A := P \cdot e^v{}_A$	control ouput vector	control
149	$u^m{}_{A,S} := P \cdot e^m{}_{A,S}$	control output matrix	control

# 16 Interface Link Equation

no	equation	documentation	layer
22	$_{-}\lambda_{S}:=\lambda_{S}$	interface equation	material -> macro- scopic
60	$\_k_{xA}^c := k_{xA}^c$	interface equation	material -> macro- scopic
61	$\_k_{yA}^c := k_{yA}^c$	interface equation	material -> macro- scopic
62	$\_k_{zA}^c := k_{zA}^c$	interface equation	material -> macro- scopic
63	$\_k_{xA,S}^d := k_{xA,S}^d$	interface equation	material -> macro- scopic
64	$_{-}k_{x}^{d,Fick}{}_{A,S} := k_{x}^{d,Fick}{}_{A,S}$	interface equation	material -> macro- scopic
65	$\_k_y^{d,Fick}{}_{A,S} := k_y^{d,Fick}{}_{A,S}$	interface equation	material -> macro- scopic
66	$\_k_{yA,S}^d := k_{yA,S}^d$	interface equation	material -> macro- scopic
67	$\_k_{zA,S}^d := k_{zA,S}^d$	interface equation	material -> macro- scopic
68		interface equation	material -> macro- scopic
69	$\_k_{xA}^q := k_{xA}^q$	interface equation	material -> macro- scopic

no	equation	documentation	layer
70	$\_k_{yA}^q := k_{yA}^q$	interface equation	material -> macro- scopic
71	$\_k_{z}^{q}{}_{A} := k_{z}^{q}{}_{A}$	interface equation	material -> macro- scopic
77	$\_ ho_N :=  ho_N$	interface equation	material -> macro- scopic
79	$\_ ho_A :=  ho_A$	interface equation	material -> macro- scopic
87	$_{-}x_{N,S}:=x_{N,S}$	interface equation	macroscopic -> material
92	$\_h_{N,S} := h_{N,S}$	interface equation	material -> macro- scopic
94	$\_h_{A,S} := h_{AA,S}$	interface equation	material -> macro- scopic
103	$_{E^{a}_{N,K}}:=E_{aN,K}$	interface equation	reactions -> macroscopic
106	$_{NS,K}:=N_{S,K}$	interface equation	reactions -> macroscopic
107	$\_T_{N,K} := T_{N,K}$	interface equation	reactions -> macroscopic
109	$\_c_{N,S} := c_{N,S}$	interface equation	macroscopic -> re- actions
121	$_{\tilde{n}_{N,S}}:=\tilde{n}_{N,S}$	interface equation	reactions -> macroscopic

no	equation	documentation	layer
138	$_{ar{p}_{N}}:=ar{p}^{o}{}_{N}$	interface equation	macroscopic -> control
139	$_{-}ar{T}_{N}:=ar{T}^{o}{}_{N}$	interface equation	macroscopic -> control
140	$_{\bar{c}_{N,S}}:=\bar{c}^{o}{}_{N,S}$	interface equation	macroscopic -> control
150	$\_m^m{}_{A,S} := m^{m\star}{}_{A,S}$	interface equation	control -> macro- scopic
151	$\_m^v{}_A := m^{v\star}{}_A$	interface equation	control -> macro- scopic