1 Variables

2 root

	var	symbol	documentation	type	units	eqs
10	$F_{N,A}$	F	basic directed graph incidence matrix	network		
97	I_A	I_A	vector of ones of length arcs	projection		
48	$I_{N,A}$	I_N_A	project node on arc	projection		
96	I_N	I_N	vector of ones of length nodes	projection		
4	t	t	time	frame	s	
5	t^o	to	time zero	frame	s	3
7	Δt	t_interval	time interval	frame	s	5
9	Δ	pulse	pulse of length time interval	frame		7
6	t^e	te	time end	frame	s	4
2	1	one	numerical one	constant		1
8	0.5	onehalf	numerical one half	constant		6
1	#	value	numerical value	constant		
3	0	zero	numerical value zero	constant		2

3 physical

	var	symbol	documentation	type	units	eqs
170	S_S	S_S	species selection	projection		
98	I_S	I_S	vector of ones of length sepecies	projection		
189	h_N	height	height	frame	m	176
14	r_{zN}	r_z	z-direction	frame	m	10
12	r_{xN}	r_x	x-direction	frame	m	8
11	ℓ_N	l	length	frame	m	
13	r_{yN}	r_y	y-direction	frame	m	9
15	V_N	V	fundamental state - volume	state	m^3	11
24	G_N	G	Gibbs free energy	state	$kg\,m^2\,s^{-2}$	18
25	C_N	C	fundamental state - charge	state	$A\,s$	
22	H_N	H	Enthalpy	state	$kg\,m^2\,s^{-2}$	15 128 161
18	$n_{N,S}$	n	fundamental state - molar mass	state	mol	129
17	S_N	S	fundamental state - entropy	state	$kg\,m^2\,K^{-1}\,s^{-2}$	
16	U_N	U	fundamental state - internal energy	state	$kg\,m^2\,s^{-2}$	
23	A_N	A	Helmholts energy	state	$kg\,m^2\,s^{-2}$	17
33	B_N	Boltz	Boltzmann constant	constant	$kg\,m^2\,K^{-1}\,s^{-2}$	24
34	R_N	R	Gas constant	constant	$kg\,m^2\,mol^{-1}\,K^{-1}\,s^{-2}$	25
32	A^v	Av	Avogadro number	constant	mol^{-1}	
190	g	g	gravitational constant	constant	ms^{-2}	
20	p_N	p	pressure	effort	$kg\,m^{-1}\,s^{-2}$	13
35	$U^e{}_N$	Ue	electrical potential − voltage	effort	$kg\,m^2\,A^{-1}s^{-3}$	26

Continued on next page

		var	symbol	documentation	type	units	eqs
19		T_N	T	temperature	effort	K	16
							162
21		$\mu_{N,S}$	chemPot	chemical potential	effort	$kg\,m^2\,mol^{-1}\,s^{-2}$	14 88
28		v_{yN}	v_y	velocity in y-direction	secondaryState	ms^{-1}	20
29		v_{zN}	v_z	velocity in z-direction	secondaryState	ms^{-1}	21
27		v_{xN}	v_x	velocity in x-direction	secondaryState	ms^{-1}	19

4   reactions

	var	symbol	documentation	type	units	eqs
113	$P_{N,K}$	P_N_K	what node has what reaction	projection		
114	$T_{N,K}$	T_K	temparature of the nodes with reactions	effort	K	99
128	$\bar{n}_{N,S}$	cn	normed concentration	secondaryState		112
129	$\bar{n}_{N,S,K}$	cn_NK	normed concentration − context node and conversion	secondaryState		113
131	$\phi_{N,K}$	interactionProbability	probability for the species to meet to undergo reaction	properties		115
115	$E_{aN,K}$	Ea	Arrhenius activation energy	properties	$kg\,m^2\,mol^{-1}\,s^{-2}$	100
126	$c^n{}_{N,S}$	c_norming	norming concentration used in the definition of the species interaction probability	properties	$m^{-3}\,mol$	110
135	$K_{N,K}$	K	reaction"constant	properties	$m^{-3}\,mol\,s^{-1}$	119
134	$K^o{}_K$	Ko	Arrhenius frequency factor − a strange construction	properties	$m^{-3}\,mol\,s^{-1}$	118
118	$N_{S,K}$	N	stoichiometric matrix	properties		
136	$\tilde{n}_{N,S}$	nProd	production term for differential component mass balance	conversion	$mol\,s^{-1}$	120

5 material

	var	symbol	documentation	type	units	eqs
43	$k^d_{z\,N,S}$	kd_z	diffusional mass conductivity in z-direction	property	$kg^{-1}\,m^{-4}\,mol^2\,s$	34
38	$k^q_{x\,N}$	kq_x	thermal conductivity in x-direction	property	$kg\,K^{-1}\,s^{-3}$	29
168	$R^e{}_N$	Re	electrical resistance	property	$kg\,m^2\,A^{-2}s^{-3}$	154
61	$k^{d,Fick}_{x}{}_{A,S}$	kd_x_Fick	Fick's diffusivity in arc and x-direction	property	ms^{-1}	51
54	$k^d_{z\,A,S}$	kd_z_A	diffusional mass conductivity in z-direction in arc	property	$kg^{-1}\,m^{-4}\,mol^2\,s$	44
62	$k^{d,Fick}_{y}{}_{A,S}$	kd_y_Fick	Fick's diffusivity in arc and y-direction	property	ms^{-1}	52
46	$k^c_{z\,N}$	kc_z	convective mass conductivity in z-direction	property	$m^{-1}\,s$	37
49	$k^c_{x\,A}$	kc_x_A	convective mass conductivity in x-direction in arc	property	$m^{-1}\,s$	39
50	$k^c_{y\,A}$	kc_y_A	convective mass conductivity in y-direction in arc	property	$m^{-1}\,s$	40
58	m_N	m	mass	property	kg	48
37	$C_{v\,N}$	Cv	total heat capacity at constant volume	property	$kg\,m^2\,K^{-1}\,s^{-2}$	28
55	$k^q_{x\,A}$	kq_x_A	thermal conductivity in x-direction in arc	property	$kg\,K^{-1}\,s^{-3}$	45
56	$k^q_{y\,A}$	kq_y_A	thermal conductivity in y-direction in arc	property	$kg\,K^{-1}\,s^{-3}$	46
63	$k^{d,Fick}_{z}{}_{A,S}$	kd_z_Fick	Fick's diffusivity in arc and z-direction	property	ms^{-1}	53
107	$h_{A,S}$	h_A	partial molar enthalpies of transport system	property	$kg\,m^2\,mol^{-1}\,s^{-2}$	93
40	$k^q_{z\,N}$	kq_z	thermal conductivity in z-direction	property	$kg\,K^{-1}\,s^{-3}$	31
36	$C_{p\,N}$	Cp	total heat capacity at constant pressure	property	$kg\,m^2\,K^{-1}\,s^{-2}$	27
59	ρ_N	density	density	property	$kg\,m^{-3}$	49
41	$k^d_{x\,N,S}$	kd_x	diffusional mass conductivity in x-direction	property	$kg^{-1}\,m^{-4}\,mol^2\,s$	32
53	$k^d_{y\,A,S}$	kd_y_A	diffusional mass conductivity in y-direction in arc	property	$kg^{-1}\,m^{-4}\,mol^2\,s$	43
39	$k^q_{y\,N}$	kq_y	thermal conductivity in y-direction	property	$kg\,K^{-1}\,s^{-3}$	30
57	$k^q_{z\,A}$	kq_z_A	thermal conductivity in z-direction in arc	property	$kg\,K^{-1}\,s^{-3}$	47
89	ρ_A	density_A	density of arc material	property	$kg\,m^{-3}$	78

Continued on next page

	var	symbol	documentation	type	units	eqs
51	k^c_{zA}	`kc_z_A`	convective mass conductivity in z-direction in arc	property	$m^{-1}\,s$	41
44	k^c_{xN}	`kc_x`	convective mass conductivity in x-direction	property	$m^{-1}\,s$	35
52	$k^d_{xA,S}$	`kd_x_A`	diffusional mass conductivity in x-direction in arc	property	$kg^{-1}\,m^{-4}\,mol^2\,s$	42
45	k^c_{yN}	`kc_y`	convective mass conductivity in y-direction	property	$m^{-1}\,s$	36
26	λ_S	`Mm`	species' molecular mass	property	$kg\,mol^{-1}$	
171	$k^{e,x}{}_N$	`kex`	electrical conductivity – a simple model being a function of a selected set of species	property	$kg^{-1}\,m^{-2}\,A^2 s^3$	155
172	cp_N	`cp`	specific heat capacity at constant pressure	property	$m^2\,K^{-1}\,s^{-2}$	156
47	$h_{N,S}$	`h`	partial molar enthalpies	property	$kg\,m^2\,mol^{-1}\,s^{-2}$	38
42	$k^d_{yN,S}$	`kd_y`	diffusional mass conductivity in z-direction	property	$kg^{-1}\,m^{-4}\,mol^2\,s$	33
60	v_S	`v`	molar volume of species	property	$m^3\,mol^{-1}$	50
102	$\mu^o_{N,S}$	`chemPot_o`	standard chemical potential	effort	$kg\,m^2\,mol^{-1}\,s^{-2}$	86

6   macroscopic

	var	symbol	documentation	type	units	eqs
201	$\dot{E}^p{}_A$	aE_potential	net potential energy	transport	$kg\,m^2\,s^{-3}$	186
87	$c_{A,S}$	c_A	concentration in convective mass flow	transport	$m^{-3}\,mol$	76
92	$\hat{n}^c{}_{A,S}$	fnc	convective mass flow in an arc	transport	$mol\,s^{-1}$	81
200	$\dot{E}^k{}_A$	aE_kinetic	net kinetic energy	transport	$kg\,m^2\,s^{-3}$	185
207	$r^m{}_A$	residual_aE_mechanical	residual form of differential mechanical energy balance	transport	$kg\,m^2\,s^{-3}$	193
83	$\hat{q}_{xA}$	fq_x	heat flow in arc and x-direction	transport	$kg\,m^2\,s^{-3}$	72
109	$\hat{H}^c{}_A$	fHc	enthalpy flow due to convective mass flow	transport	$kg\,m^2\,s^{-3}$	95
141	$\hat{w}_A$	fw	just an numerical work flow term – as a starter	transport	$kg\,m^2\,s^{-3}$	125 189
196	L_A	length_pipe	length of pipe	transport	m	181
91	$\hat{V}_A$	fV	volumetric flow	transport	$m^3\,s^{-1}$	80 172 175 194
210	$r^m{}_A$	residual_am_A	residual formulation for the mass balance for an arc node	transport	$kg\,s^{-1}$	198
84	$\dot{q}_N$	aq	accumulation due to conductive heat flow	transport	$kg\,m^2\,s^{-3}$	73
86	d_A	d	fow direction of convective flow	transport		75
93	$\dot{n}^c{}_{N,S}$	anc	accumulation due to convective mass flow	transport	$mol\,s^{-1}$	82
142	$\dot{w}_N$	aw	enthalpy accumulation due to work flows	transport	$kg\,m^2\,s^{-3}$	126
101	$\hat{n}^d{}_{A,S}$	fnd	diffusional mass flow in arc	transport	$mol\,s^{-1}$	85 89
205	$\dot{w}^V{}_A$	fw_V	net volume work	transport	$kg\,m^2\,s^{-3}$	191
188	$\hat{m}^c{}_A$	fmc	mass flow rate	transport	$kg\,s^{-1}$	174 197

Continued on next page

	var	symbol	documentation	type	units	eqs
112	$\dot{H}^d{}_N$	`aHd`	enthalpy accumulation due to diffusive mass flow	transport	$kg\,m^2\,s^{-3}$	98
104	$\dot{n}^d{}_{N,S}$	`and`	accumulation due to diffusional mass transfer	transport	$mol\,s^{-1}$	90
110	$\hat{H}^d{}_A$	`fHd`	enthalpy flow due to diffusive mass flow	transport	$kg\,m^2\,s^{-3}$	96
166	I_N	`I`	electric current definition	transport	A	152
206	$\dot{E}^m{}_A$	`aE_mechanical`	accumulation of mechanical work	transport	$kg\,m^2\,s^{-3}$	192
111	$\dot{H}^c{}_N$	`aHc`	enthalpy accumulation due to convective mass flow	transport	$kg\,m^2\,s^{-3}$	97
69	A_{xzA}	`A_xz_A`	cross sectional area xz of arc	geometry	m^2	58
68	A_{xyA}	`A_xy_A`	cross sectional area yz of arc	geometry	m^2	57
67	A_{yzN}	`A_yz`	cross sectional area yz	geometry	m^2	56
65	A_{xyN}	`A_xy`	cross sectional area xy	geometry	m^2	54
66	A_{xzN}	`A_xz`	cross sectional area xz	geometry	m^2	55
70	A_{yzA}	`A_yz_A`	cross sectional area yz of arc	geometry	m^2	59
203	$f^l{}_A$	`friction_coeff_linear`	friction coefficient for linear model	properties	$kg\,ms^{-3}$	188
191	f	`friction_coeff`	friction coefficient	properties		
186	$k^{valve}{}_A$	`valveConstant`	valve constant – pressure difference must be dimensionless	properties	$m^3\,s^{-1}$	171
64	$D_{N,A}$	`D`	difference operator	differenceOperator		
145	$n^o{}_{N,S}$	`no`	initial species masses	state	mol	131
144	$H^o{}_N$	`Ho`	initial enthalpy	state	$kg\,m^2\,s^{-2}$	130
209	$r^m{}_N$	`residual_am`	residual form of differential mass balance	state	$kg\,s^{-1}$	196
150	$\bar{p}_N$	`p_normed`	normed pressure	secondaryState		136
85	$c_{N,S}$	`c`	molar concentration	secondaryState	$m^{-3}\,mol$	74
175	C_{pN}	`Cp`	total heat capacity	secondaryState	$kg\,m^2\,K^{-1}\,s^{-2}$	159
174	m_N	`m`	mass	secondaryState	kg	158
149	$\bar{T}_N$	`T_normed`	normed temperature	secondaryState		135

Continued on next page

	var	symbol	documentation	type	units	eqs
148	$c^o{}_{N,S}$	c_norming	norming concentration	secondaryState	$m^{-3}\,mol$	134
100	$x_{N,S}$	x	concentration mole fraction	secondaryState		84
176	$T^{ref}{}_N$	T_ref	reference temperature	secondaryState	K	160
146	$T^o{}_N$	T_norming	norming temperature	secondaryState	K	132
208	$\hat{m}_N$	am	accumulation of mass	secondaryState	$kg\,s^{-1}$	195
99	$n^t{}_N$	nt	total amount	secondaryState	mol	83
192	v_{xA}	v_x_A	velocity in arc	secondaryState	ms^{-1}	177
147	$p^o{}_N$	p_norming	normed pressure	secondaryState	$kg\,m^{-1}\,s^{-2}$	133
151	$\bar{c}_{N,S}$	c_normed	normed concentration	secondaryState		137
138	$\dot{n}^p{}_{N,S}$	anProduction	production term	conversion	$mol\,s^{-1}$	122
143	$\dot{H}_N$	aH	differential enthalpy balance	diffState	$kg\,m^2\,s^{-3}$	127
139	$\dot{n}_{N,S}$	an	differentional species balance	diffState	$mol\,s^{-1}$	123

7 control

	var	symbol	documentation	type	units	eqs
185	t_{sA}	t_switch_A	switching times	frame	s	169
179	x_N	x	controller state	state		165
183	$x^o{}_N$	xo	initial controller state	state		166
181	$I_{N,D}$	I_N_D	map differential space to node space	constant		
159	P	P	gain	constant		
178	$B_{A,D}$	B	LTIS B-matrix	constant	s^{-1}	
158	$m^{m\star}{}_{A,S}$	setpoint_matrix	setpoiint for measurment matrix	constant		145
157	$m^{v\star}{}_A$	setpoint_vector	setpoint for measurement vector	constant		144
177	$A_{N,D}$	A	LTIS A-matrix	constant	s^{-1}	
182	$\dot{x}_D$	dxdt	differential controller state	diffState	s^{-1}	164
163	$u^m{}_{A,S}$	u_matrix	control output matrix	algebraic		149
160	$e^v{}_A$	error_vector	output error vector	algebraic		146
155	m_A	measurement_vector	normed measurements of temparatures	algebraic		141
						142
161	$e^m{}_{A,S}$	error_matrix	output error matrix	algebraic		147
162	$u^v{}_A$	u_vector	control ouput vector	algebraic		148
						170
156	$m_{A,S}$	measurement_matrix	normed measurment of concentration	algebraic		143

8 material–macroscopic

	var	symbol	documentation	type	units	eqs
81	$\_k_{yA}^{q}$	_kq_y_A	link variable kq y A to interface material »> macroscopic	get	$kg\,K^{-1}\,s^{-3}$	70
74	$\_k_{xA,S}^{d}$	_kd_x_A	link variable kd x A to interface material »> macroscopic	get	$kg^{-1}\,m^{-4}\,mol^2\,s$	63
80	$\_k_{xA}^{q}$	_kq_x_A	link variable kq x A to interface material »> macroscopic	get	$kg\,K^{-1}\,s^{-3}$	69
78	$\_k_{zA,S}^{d}$	_kd_z_A	link variable kd z A to interface material »> macroscopic	get	$kg^{-1}\,m^{-4}\,mol^2\,s$	67
82	$\_k_{zA}^{q}$	_kq_z_A	link variable kq z A to interface material »> macroscopic	get	$kg\,K^{-1}\,s^{-3}$	71
106	$\_h_{N,S}$	_h	link variable h to interface material »> macroscopic	get	$kg\,m^2\,mol^{-1}\,s^{-2}$	92
90	$\_\rho_A$	_density_A	link variable density A to interface material »> macroscopic	get	$kg\,m^{-3}$	79
173	$\_c_{pN}$	_cp	link variable cp to interface material »> macroscopic	get	$m^2\,K^{-1}\,s^{-2}$	157
30	$\_\lambda_S$	_Mm	link variable Mm to interface material »> macroscopic	get	$kg\,mol^{-1}$	22
75	$\_k_{x\ A,S}^{d,Fick}$	_kd_x_Fick	link variable kd x Fick to interface material »> macroscopic	get	$m\,s^{-1}$	64
77	$\_k_{yA,S}^{d}$	_kd_y_A	link variable kd y A to interface material »> macroscopic	get	$kg^{-1}\,m^{-4}\,mol^2\,s$	66
108	$\_h_{A,S}$	_h_A	link variable h A to interface material »> macroscopic	get	$kg\,m^2\,mol^{-1}\,s^{-2}$	94
72	$\_k_{yA}^{c}$	_kc_y_A	link variable kc y A to interface material »> macroscopic	get	$m^{-1}\,s$	61
88	$\_\rho_N$	_density	link variable density to interface material »> macroscopic	get	$kg\,m^{-3}$	77

Continued on next page

	var	symbol	documentation	type	units	eqs
76	$\_k_y^{d,Fick}{}_{A,S}$	`_kd_y_Fick`	link variable kd y Fick to interface material »> macroscopic	get	ms^{-1}	65
79	$\_k_z^{d,Fick}{}_{A,S}$	`_kd_z_Fick`	link variable kd z Fick to interface material »> macroscopic	get	ms^{-1}	68
73	$\_k_{zA}^{c}$	`_kc_z_A`	link variable kc z A to interface material »> macroscopic	get	$m^{-1}\,s$	62
71	$\_k_{xA}^{c}$	`_kc_x_A`	link variable kc x A to interface material »> macroscopic	get	$m^{-1}\,s$	60

9 control–macroscopic

	var	symbol	documentation	type	units	eqs
164	$\_m^m{}_{A,S}$	`_setpoint_matrix`	link variable setpoint matrix to interface control »> macroscopic	get		150
187	$\_u^v{}_A$	`_u_vector`	link variable u vector to interface control »> macroscopic	get		173
165	$\_m^v{}_A$	`_setpoint_vector`	link variable setpoint vector to interface control »> macroscopic	get		151

10 macroscopic–reactions

	var	symbol	documentation	type	units	eqs
125	$\_c_{N,S}$	_c	link variable c to interface macroscopic »> reactions	get	$m^{-3}\,mol$	109

11   macroscopic–control

	var	symbol	documentation	type	units	eqs
154	$\_\bar{c}_{N,S}$	_c_normed	link variable c normed to interface macroscopic »> control	get		140
153	$\_\bar{T}_{N}$	_T_normed	link variable T normed to interface macroscopic »> control	get		139
152	$\_\bar{p}_{N}$	_p_normed	link variable p normed to interface macroscopic »> control	get		138

12   reactions–macroscopic

	var	symbol	documentation	type	units	eqs
123	$\_T_{N,K}$	_T_K	link variable T K to interface reactions »> macroscopic	get	K	107
119	$\_E^a{}_{N,K}$	_Ea	link variable Ea to interface reactions »> macroscopic	get	$kg\,m^2\,mol^{-1}\,s^{-2}$	103
122	$_{N\,S,K}$	_N	link variable N to interface reactions »> macroscopic	get		106
137	$\_\tilde{n}_{N,S}$	_nProd	link variable nProd to interface reactions »> macroscopic	get	$mol\,s^{-1}$	121

13   macroscopic–material

	var	symbol	documentation	type	units	eqs
103	$\_x_{N,S}$	_x	link variable x to interface macroscopic »> material	get		87
167	$_{IN}$	_I	link variable I to interface macroscopic »> material	get	A	153

14   Equations

15   Generic

no	equation	documentation	layer
1	$1 := \mathbf{Instantiate}(\#, \#)$	numerical one	root
2	$0 := \mathbf{Instantiate}(\#, \#)$	numerical value zero	root
3	$t^o := \mathbf{Instantiate}(t, 0)$	time zero	root
4	$t^e := \mathbf{Instantiate}(t, \#)$	time end	root
5	$\Delta t := \mathbf{Instantiate}(t, \#)$	time interval	root
6	$0.5 := \mathbf{Instantiate}(\#, \#)$	numerical one half	root
7	$\Delta := \mathbf{sign}\,(t - t^o) - \mathbf{sign}\,(t - (t^o - \Delta t))$	pulse of length time interval	root
8	$r_{xN} := \mathbf{Instantiate}(\ell_N, \#)$	x-direction	physical
9	$r_{yN} := \mathbf{Instantiate}(\ell_N, \#)$	y-direction	physical
10	$r_{zN} := \mathbf{Instantiate}(\ell_N, \#)$	z-direction	physical
11	$V_N := r_{xN} \cdot r_{yN} \cdot r_{zN}$	volume	physical
13	$p_N := \frac{\partial U_N}{\partial V_N}$	pressure	physical
14	$\mu_{N,S} := \frac{\partial U_N}{\partial n_{N,S}}$	chemical potential	physical
15	$H_N := U_N - p_N \cdot V_N$	Enthalpy	physical
16	$T_N := \frac{\partial U_N}{\partial S_N}$	temperature	physical
17	$A_N := U_N - T_N \cdot S_N$	Helmholts energy	physical

no	equation	documentation	layer
18	$G_N := U_N + p_N \cdot V_N - T_N \cdot S_N$	Gibbs free energy	physical
19	$v_{xN} := (t)^{-1} \cdot r_{xN}$	velocity in x-direction	physical
20	$v_{yN} := (t)^{-1} \cdot r_{yN}$	velocity in y-direction	physical
21	$v_{zN} := (t)^{-1} \cdot r_{zN}$	velocity in z-direction	physical
24	$B_N := \mathbf{Instantiate}(S_N, \#)$	Boltzmann constant	physical
25	$R_N := A^v \cdot B_N$	Gas constant	physical
26	$U^e{}_N := (C_N)^{-1} \cdot U_N$	electrical potential − voltage	physical
27	$C_{pN} := \frac{\partial H_N}{\partial T_N}$	total heat capacity at constant pressure	material
28	$C_{vN} := \frac{\partial U_N}{\partial T_N}$	total heat capacity at constant volume	material
29	$k^q_{xN} := (V_N)^{-1} \cdot C_{pN} \cdot v_{xN}$	thermal conductivity in x-direction	material
30	$k^q_{yN} := (V_N)^{-1} \cdot C_{pN} \cdot v_{yN}$	thermal conductivity in y-direction	material
31	$k^q_{zN} := (V_N)^{-1} \cdot C_{pN} \cdot v_{zN}$	thermal conductivity in z-direction	material
32	$k^d_{xN,S} := (\mu_{N,S})^{-1} \cdot \left(v_{xN} \cdot \left((V_N)^{-1} \cdot \frac{\partial U_N}{\partial \mu_{N,S}} \right) \right)$	diffusional mass conductivity in x-direction	material
33	$k^d_{yN,S} := (\mu_{N,S})^{-1} \cdot \left(v_{yN} \cdot \left((V_N)^{-1} \cdot \frac{\partial U_N}{\partial \mu_{N,S}} \right) \right)$	diffusional mass conductivity in y-direction	material
34	$k^d_{zN,S} := (\mu_{N,S})^{-1} \cdot \left(v_{zN} \cdot \left((V_N)^{-1} \cdot \frac{\partial U_N}{\partial \mu_{N,S}} \right) \right)$	diffusional mass conductivity in z-direction	material
35	$k^c_{xN} := \left(\lambda_S \overset{S}{\star} (\mu_{N,S})^{-1} \right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{xN}$	convective mass conductivity in x-direction	material

no	equation	documentation	layer
36	$k_{yN}^c := \left(\lambda_S \overset{S}{\star} (\mu_{N,S})^{-1} \right) . (V_N)^{-1} . \frac{\partial U_N}{\partial p_N} . v_{yN}$	convective mass conductivity in y-direction	material
37	$k_{zN}^c := \left(\lambda_S \overset{S}{\star} (\mu_{N,S})^{-1} \right) . (V_N)^{-1} . \frac{\partial U_N}{\partial p_N} . v_{zN}$	convective mass conductivity in z-direction	material
38	$h_{N,S} := H_N . (n_{N,S})^{-1}$	partial molar enthalpies	material
39	$k_{xA}^c := I_{N,A} \overset{N}{\star} k_{xN}^c$	convective mass conductivity in x-direction in arc	material
40	$k_{yA}^c := I_{N,A} \overset{N}{\star} k_{yN}^c$	convective mass conductivity in y-direction in arc	material
41	$k_{zA}^c := I_{N,A} \overset{N}{\star} k_{zN}^c$	convective mass conductivity in z-direction in arc	material
42	$k_{xA,S}^d := I_{N,A} \overset{N}{\star} k_{xN,S}^d$	diffusional mass conductivity in x-direction in arc	material
43	$k_{yA,S}^d := I_{N,A} \overset{N}{\star} k_{yN,S}^d$	diffusional mass conductivity in z-direction in arc	material
44	$k_{zA,S}^d := I_{N,A} \overset{N}{\star} k_{zN,S}^d$	diffusional mass conductivity in z-direction in arc	material
45	$k_{xA}^q := I_{N,A} \overset{N}{\star} k_{xN}^q$	thermal conductivity in x-direction in arc	material
46	$k_{yA}^q := I_{N,A} \overset{N}{\star} k_{yN}^q$	thermal conductivity in y-direction in arc	material
47	$k_{zA}^q := I_{N,A} \overset{N}{\star} k_{zN}^q$	thermal conductivity in z-direction in arc	material
48	$m_N := \lambda_S \overset{S}{\star} n_{N,S}$	mass	material

no	equation	documentation	layer
49	$\rho_N := (V_N)^{-1} . m_N$	density	material
50	$v_S := V_N \overset{N}{\star} (n_{N,S})^{-1}$	molar volume of species	material
51	$k_x^{d,Fick}{}_{A,S} := I_{N,A} \overset{N}{\star} \left(v_{xN} . \frac{\partial U_N}{\partial \mu_{N,S}} . (n_{N,S})^{-1} \right)$	Fick's diffusivity in arc and x-direction	material
52	$k_y^{d,Fick}{}_{A,S} := I_{N,A} \overset{N}{\star} \left(v_{yN} . \frac{\partial U_N}{\partial \mu_{N,S}} . (n_{N,S})^{-1} \right)$	Fick's diffusivity in arc and y-direction	material
53	$k_z^{d,Fick}{}_{A,S} := I_{N,A} \overset{N}{\star} \left(v_{zN} . \frac{\partial U_N}{\partial \mu_{N,S}} . (n_{N,S})^{-1} \right)$	Fick's diffusivity in arc and z-direction	material
54	$A_{xyN} := r_{xN} . r_{yN}$	cross sectional area xy	macroscopic
55	$A_{xzN} := r_{xN} . r_{zN}$	cross sectional area xz	macroscopic
56	$A_{yzN} := r_{yN} . r_{zN}$	cross sectional area yz	macroscopic
57	$A_{xyA} := I_{N,A} \overset{N}{\star} A_{xyN}$	cross sectional area yz of arc	macroscopic
58	$A_{xzA} := I_{N,A} \overset{N}{\star} A_{xzN}$	cross sectional area xz of arc	macroscopic
59	$A_{yzA} := I_{N,A} \overset{N}{\star} A_{yzN}$	cross sectional area yz of arc	macroscopic
72	$\hat{q}_{xA} := A_{yzA} . \_k_{xA}^q . \left(D_{N,A} \overset{N}{\star} T_N \right)$	heat flow in arc and x-direction	macroscopic
73	$\dot{q}_N := F_{N,A} \overset{A}{\star} \hat{q}_{xA}$	accumulation due to conductive heat flow	macroscopic
74	$c_{N,S} := (V_N)^{-1} . n_{N,S}$	molar concentration	macroscopic
75	$d_A := \mathbf{sign} \left(D_{N,A} \overset{N}{\star} p_N \right)$	fow direction of convective flow	macroscopic
76	$c_{A,S} := (0.5 . (D_{N,A} - d_A . |D_{N,A}|)) \overset{N}{\star} c_{N,S}$	concentration in convective mass flow	macroscopic
78	$\rho_A := I_{N,A} \overset{N}{\star} \rho_N$	density of arc material	material
80	$\hat{V}_A := (\_\rho_A)^{-1} . \_k_{xA}^c . A_{yzA} . \left(D_{N,A} \overset{N}{\star} p_N \right)$	volumetric flow	macroscopic

no	equation	documentation	layer
81	$\hat{n}^c{}_{A,S} := \hat{V}_A \,.\, c_{A,S}$	convective mass flow in an arc	macroscopic
82	$\dot{n}^c{}_{N,S} := F_{N,A} \overset{A}{\star} \hat{n}^c{}_{A,S}$	accumulation due to convective mass flow	macroscopic
83	$n^t{}_N := I_S \overset{S}{\star} n_{N,S}$	total amount	macroscopic
84	$x_{N,S} := (n^t{}_N)^{-1} \,.\, n_{N,S}$	concentration mole fraction	macroscopic
85	$\hat{n}^d{}_{A,S} := A_{yz\,A} \,.\, \left(- {}_{\_}k_x^{d,Fick}{}_{A,S}\right) \,.\, \left(D_{N,A} \overset{N}{\star} c_{N,S}\right)$	diffusional mass flow in arc	macroscopic
86	$\mu^o{}_{N,S} := \mathbf{Instantiate}(\mu_{N,S}, \#)$	standard chemical potential	material
88	$\mu_{N,S} := \mu^o{}_{N,S} + R_N \,.\, T_N \,.\, \mathbf{ln}\left({}_{\_}x_{N,S}\right)$	chemical potential standard model with mole fraction	material
89	$\hat{n}^d{}_{A,S} := A_{yz\,A} \,.\, \left(- {}_{\_}k_x^d{}_{A,S}\right) \,.\, \left(D_{N,A} \overset{N}{\star} \mu_{N,S}\right)$	diffusional mass flow in arc	macroscopic
90	$\dot{n}^d{}_{N,S} := F_{N,A} \overset{A}{\star} \hat{n}^d{}_{A,S}$	accumulation due to diffusional mass transfer	macroscopic
93	$h_{A,S} := I_{N,A} \overset{N}{\star} h_{N,S}$	partial molar enthalpies of transport system	material
95	$\hat{H}^c{}_A := I_S \overset{S}{\star} ({}_{\_}h_{A,S} \,.\, \hat{n}^c{}_{A,S})$	enthalpy flow due to convective mass flow	macroscopic
96	$\hat{H}^d{}_A := I_S \overset{S}{\star} \left({}_{\_}h_{A,S} \,.\, \hat{n}^d{}_{A,S}\right)$	enthalpy flow due to diffusive mass flow	macroscopic
97	$\dot{H}^c{}_N := F_{N,A} \overset{A}{\star} \hat{H}^c{}_A$	enthalpy accumulation due to convective mass flow	macroscopic
98	$\dot{H}^d{}_N := F_{N,A} \overset{A}{\star} \hat{H}^d{}_A$	enthalpy accumulation due to diffusive mass flow	macroscopic
99	$T_{N,K} := T_N \,.\, P_{N,K}$	temparature of the nodes with reactions	reactions

Continued on next page

no	equation	documentation	layer
100	$E_{aN,K} := \textbf{Instantiate}(R_N \, . \, T_{N,K}, \#)$	Arrhenius activation energy	reactions
110	$c^n{}_{N,S} := \textbf{Instantiate}(\_c_{N,S}, \#)$	norming concentration used in the definition of the species interaction probability	reactions
112	$\bar{n}_{N,S} := \left(c^n{}_{N,S}\right)^{-1} . \_c_{N,S}$	normed concentration	reactions
113	$\bar{n}_{N,S,K} := P_{N,K} \, . \, \bar{n}_{N,S}$	normed concentration − context node and conversion	reactions
115	$\phi_{N,K} := \prod_S \bar{n}_{N,S,K}{}^{(N_{S,K})}$	probability for the species to meet to undergo reaction	reactions
118	$K^o{}_K := \textbf{Instantiate}(I_S \overset{S}{\star} \left(P_{N,K} \overset{N}{\star} \left((t)^{-1} . (V_N)^{-1} . n_{N,S}\right)\right), \#)$	Arrhenius frequency factor − a strange construction	reactions
119	$K_{N,K} := K^o{}_K . \textbf{exp}\left((-E_{aN,K}) . (R_N . T_{N,K})^{-1}\right)$	reaction"constant	reactions
120	$\tilde{n}_{N,S} := V_N . \left(N_{S,K} \overset{K}{\star} (K_{N,K} . \phi_{N,K})\right)$	production term for differential component mass balance	reactions
122	$\dot{n}^p{}_{N,S} := \_\tilde{n}_{N,S}$	production term	macroscopic
123	$\dot{n}_{N,S} := \dot{n}^c{}_{N,S} + \dot{n}^d{}_{N,S} + \dot{n}^p{}_{N,S}$	differential species balance	macroscopic
125	$\hat{w}_A := \textbf{Instantiate}(\hat{H}^c{}_A, \#)$	just an numerical work flow term − as a starter	macroscopic
126	$\dot{w}_N := F_{N,A} \overset{A}{\star} \hat{w}_A$	enthalpy accumulation due to work flows	macroscopic
127	$\dot{H}_N := \dot{H}^c{}_N + \dot{H}^d{}_N + \dot{q}_N + \dot{w}_N$	differential enthalpy balance	macroscopic
128	$H_N := \int_{t^o}^{t^e} \dot{H}_N \, dt + H^o{}_N$	Enthalpy	macroscopic

no	equation	documentation	layer
129	$n_{N,S} := \int_{t^o}^{t^e} \dot{n}_{N,S} \, dt + n^o{}_{N,S}$	fundamental state - molar mass	macroscopic
130	$H^o{}_N := \textbf{Instantiate}(H_N, \#)$	initial enthalpy	macroscopic
131	$n^o{}_{N,S} := \textbf{Instantiate}(n_{N,S}, \#)$	initial species masses	macroscopic
132	$T^o{}_N := \textbf{Instantiate}(T_N, \#)$	norming temperature	macroscopic
133	$p^o{}_N := \textbf{Instantiate}(p_N, \#)$	normed pressure	macroscopic
134	$c^o{}_{N,S} := \textbf{Instantiate}(c_{N,S}, \#)$	norming concentration	macroscopic
135	$\bar{T}_N := T_N \, . \, (T^o{}_N)^{-1}$	normed temperature	macroscopic
136	$\bar{p}_N := (p_N)^{-1} \, . \, p_N$	normed pressure	macroscopic
137	$\bar{c}_{N,S} := (c^o{}_{N,S})^{-1} \, . \, c_{N,S}$	normed concentration	macroscopic
141	$m_A := F_{N,A} \overset{N}{\star} \_ \bar{T}_N$	normed measurements of temparatures	control
142	$m_A := F_{N,A} \overset{N}{\star} \_ \bar{p}_N$	normed measurements of pressures	control
143	$m_{A,S} := F_{N,A} \overset{N}{\star} \_ \bar{c}_{N,S}$	normed measurment of concentration	control
144	$m^{v\star}{}_A := \textbf{Instantiate}(m_A, \#)$	setpoint for measurement vector	control
145	$m^{m\star}{}_{A,S} := \textbf{Instantiate}(m_{A,S}, \#)$	setpoiint for measurment matrix	control
146	$e^v{}_A := m^{v\star}{}_A - m_A$	output error vector	control
147	$e^m{}_{A,S} := m^{m\star}{}_{A,S} - m_{A,S}$	output error matrix	control
148	$u^v{}_A := P \, . \, e^v{}_A$	control ouput vector	control
149	$u^m{}_{A,S} := P \, . \, e^m{}_{A,S}$	control output matrix	control

no	equation	documentation	layer
152	$I_N := \frac{d\,C_N}{d\,t}$	electric current definition	macroscopic
154	$R^e{}_N := (_IN)^{-1}\,.\,U^e{}_N$	electrical resistance	material
155	$k^{e,x}{}_N := (R^e{}_N)^{-1}\,.\,\left(S_S \overset{S}{\star} \_x_{N,S}\right)$	electrical conductivity − a simple model being a function of a selected set of species	material
156	$cp_N := C_{pN}\,.\,(m_N)^{-1}$	specific heat capacity at constant pressure	material
158	$m_N := \_\lambda_S \overset{S}{\star} n_{N,S}$	mass	macroscopic
159	$C_{pN} := m_N\,.\,\_c_{pN}$	total heat capacity	macroscopic
160	$T^{ref}{}_N := \mathbf{Instantiate}(T_N, \#)$	reference temperature	macroscopic
161	$H_N := C_{pN}\,.\,\left(T_N - T^{ref}{}_N\right)$	Enthalpy	macroscopic
162	$T_N := \mathbf{Root}\left(H_N\right)$	temperature	macroscopic
164	$\dot{x}_D := A_{N,D} \overset{N}{\star} x_N + B_{A,D} \overset{A}{\star} m_A$	differential controller state	control
165	$x_N := \int_{t^o}^{t^e} I_{N,D} \overset{D}{\star} \dot{x}_D\ d\,t + x^o{}_N$	controller state	control
166	$x^o{}_N := \mathbf{Instantiate}(x_N, \#)$	initial controller state	control
169	$t_{sA} := \mathbf{Instantiate}(I_A\,.\,t, \#)$	switching times	control
170	$u^v{}_A := 0.5\,.\,(I_A\,.\,1 - \mathbf{sign}\left((I_A\,.\,t) - t_{sA}\right))$	control ouput vector − switches	control
171	$k^{valve}{}_A := \mathbf{Instantiate}(\hat{V}_A, \#)$	valve constant − pressure difference must be dimensionless	macroscopic
172	$\hat{V}_A := \_u^v{}_A\,.\,k^{valve}{}_A\,.\,\mathbf{sqrt}\left(\left(D_{N,A} \overset{N}{\star} \left(p_N\,.\,(p^o{}_N)^{-1}\right)\right)\right)$	volumetric flow	macroscopic

Continued on next page

no	equation	documentation	layer
174	$\hat{m}^c{}_A := \_\rho_A \,.\, \hat{V}_A$	mass flow rate	macroscopic
175	$\hat{V}_A := \left(I_{N,A} \overset{N}{\star} v_{xN} \right) .\, A_{yzA}$	volumetric flow	macroscopic
176	$h_N := \mathbf{Instantiate}(\ell_N, \#)$	height	physical
177	$v_{xA} := I_{N,A} \overset{N}{\star} v_{xN}$	velocity in arc	macroscopic
181	$L_A := I_{N,A} \overset{N}{\star} \ell_N$	length of pipe	macroscopic
185	$\dot{E}^k{}_A := \hat{m}^c{}_A \,.\, D_{N,A} \overset{N}{\star} (v_{xN} \,.\, v_{xN})$	net kinetic energy	macroscopic
186	$\dot{E}^p{}_A := \hat{m}^c{}_A \,.\, g \,.\, D_{N,A} \overset{N}{\star} h_N$	net potential energy	macroscopic
188	$f^l{}_A := \mathbf{Instantiate}(\dot{E}^p{}_A \,.\, \left(I_{N,A} \overset{N}{\star} (\ell_N)^{-1} \right), \#)$	friction coefficient for linear model	macroscopic
189	$\hat{w}_A := f^l{}_A \,.\, L_A$	a linear model	macroscopic
191	$\dot{w}^V{}_A := \hat{V}_A \,.\, \left(D_{N,A} \overset{N}{\star} p_N \right)$	net volume work	macroscopic
192	$\dot{E}^m{}_A := \dot{E}^k{}_A + \dot{E}^p{}_A + \dot{w}^V{}_A + \hat{w}_A$	accumulation of mechanical work	macroscopic
193	$r^m{}_A := \dot{E}^m{}_A - \left(\dot{E}^k{}_A + \dot{E}^p{}_A + \dot{w}^V{}_A + \hat{w}_A \right)$	residual form of differential mechanical energy balance	macroscopic
194	$\hat{V}_A := \mathbf{Root}\left(r^m{}_A \right)$	volumetric flow as a root of the pressure distribution	macroscopic
195	$\hat{m}_N := \_\lambda_S \overset{S}{\star} \dot{n}_{N,S}$	accumulation of mass	macroscopic
196	$r^m{}_N := \hat{m}_N - \_\lambda_S \overset{S}{\star} (\dot{n}_{N,S})$	residual form of differential mass balance	macroscopic
197	$\hat{m}^c{}_A := \_\lambda_S \overset{I}{\star} \hat{n}^c{}_{A,S}$	mass flow rate from molar flow	macroscopic

no	equation	documentation	layer
198	$r^m{}_A := I_{N,A} \overset{N}{\star} r^m{}_N$	residual formulation for the mass balance for an arc node	macroscopic

16   Interface Link Equation

no	equation	documentation	layer
22	$\_\lambda_S := \lambda_S$	interface equation	material $\to$ macroscopic
60	$\_k^c_{xA} := k^c_{xA}$	interface equation	material $\to$ macroscopic
61	$\_k^c_{yA} := k^c_{yA}$	interface equation	material $\to$ macroscopic
62	$\_k^c_{zA} := k^c_{zA}$	interface equation	material $\to$ macroscopic
63	$\_k^d_{xA,S} := k^d_{xA,S}$	interface equation	material $\to$ macroscopic
64	$\_k^{d,Fick}_{x\,A,S} := k^{d,Fick}_{x\,A,S}$	interface equation	material $\to$ macroscopic
65	$\_k^{d,Fick}_{y\,A,S} := k^{d,Fick}_{y\,A,S}$	interface equation	material $\to$ macroscopic
66	$\_k^d_{yA,S} := k^d_{yA,S}$	interface equation	material $\to$ macroscopic
67	$\_k^d_{zA,S} := k^d_{zA,S}$	interface equation	material $\to$ macroscopic
68	$\_k^{d,Fick}_{z\,A,S} := k^{d,Fick}_{z\,A,S}$	interface equation	material $\to$ macroscopic
69	$\_k^q_{xA} := k^q_{xA}$	interface equation	material $\to$ macroscopic

no	equation	documentation	layer
70	$\_k_{yA}^q := k_{yA}^q$	interface equation	material −> macroscopic
71	$\_k_{zA}^q := k_{zA}^q$	interface equation	material −> macroscopic
77	$\_\rho_N := \rho_N$	interface equation	material −> macroscopic
79	$\_\rho_A := \rho_A$	interface equation	material −> macroscopic
87	$\_x_{N,S} := x_{N,S}$	interface equation	macroscopic −> material
92	$\_h_{N,S} := h_{N,S}$	interface equation	material −> macroscopic
94	$\_h_{A,S} := h_{A,S}$	interface equation	material −> macroscopic
103	$\_E^a{}_{N,K} := E_{aN,K}$	interface equation	reactions −> macroscopic
106	$_{N S,K} := N_{S,K}$	interface equation	reactions −> macroscopic
107	$\_T_{N,K} := T_{N,K}$	interface equation	reactions −> macroscopic
109	$\_c_{N,S} := c_{N,S}$	interface equation	macroscopic −> reactions
121	$\_\tilde{n}_{N,S} := \tilde{n}_{N,S}$	interface equation	reactions −> macroscopic

no	equation	documentation	layer
138	$\_\bar{p}_N := \bar{p}_N$	interface equation	macroscopic -> control
139	$\_\bar{T}_N := \bar{T}_N$	interface equation	macroscopic -> control
140	$\_\bar{c}_{N,S} := \bar{c}_{N,S}$	interface equation	macroscopic -> control
150	$\_m^m{}_{A,S} := m^{m\star}{}_{A,S}$	interface equation	control -> macroscopic
151	$\_m^v{}_A := m^{v\star}{}_A$	interface equation	control -> macroscopic
153	$\_{I_N} := I_N$	interface equation	macroscopic -> material
157	$\_c_{pN} := cp_N$	interface equation	material -> macroscopic
173	$\_u^v{}_A := u^v{}_A$	interface equation	control -> macroscopic