1 Variables

2 root

	var	symbol	documentation	type	units	eqs
10	$F_{N,A}$	`F`	basic directed graph incidence matrix	network		
96	I_N	`I_N`	vector of ones of length nodes	projection		
97	I_A	`I_A`	vector of ones of length arcs	projection		
48	$I_{N,A}$	`I_N_A`	project node on arc	projection		
9	Δ	`pulse`	pulse of length time interval	frame		7
5	t^o	`to`	time zero	frame	s	3
7	Δt	`t_interval`	time interval	frame	s	5
6	t^e	`te`	time end	frame	s	4
4	t	`t`	time	frame	s	
8	0.5	`onehalf`	numerical one half	constant		6
1	#	`value`	numerical value	constant		
3	0	`zero`	numerical value zero	constant		2
2	1	`one`	numerical one	constant		1

3 physical

	var	symbol	documentation	type	units	eqs
98	I_S	`I_S`	vector of ones of length sepecies	projection		
170	S_S	`S_S`	species selection	projection		
189	h_N	`height`	height	frame	m	176
14	$r_{z\,N}$	`r_z`	z-direction	frame	m	10
11	ℓ_N	`l`	length	frame	m	
13	$r_{y\,N}$	`r_y`	y-direction	frame	m	9
12	$r_{x\,N}$	`r_x`	x-direction	frame	m	8
16	U_N	`U`	fundamental state - internal energy	state	$kg\, m^2\, s^{-2}$	
22	H_N	`H`	Enthalpy	state	$kg\, m^2\, s^{-2}$	15 128 161
25	C_N	`C`	fundamental state - charge	state	$A\, s$	
15	V_N	`V`	fundamental state - volume	state	m^3	11
24	G_N	`G`	Gibbs free energy	state	$kg\, m^2\, s^{-2}$	18
18	$n_{N,S}$	`n`	fundamental state - molar mass	state	mol	129
17	S_N	`S`	fundamental state - entropy	state	$kg\, m^2\, K^{-1}\, s^{-2}$	
23	A_N	`A`	Helmholts energy	state	$kg\, m^2\, s^{-2}$	17
32	A^v	`Av`	Avogadro number	constant	mol^{-1}	
190	g	`g`	gravitational constant	constant	ms^{-2}	
34	R_N	`R`	Gas constant	constant	$kg\, m^2\, mol^{-1}\, K^{-1}\, s^{-2}$	25
33	B_N	`Boltz`	Boltzmann constant	constant	$kg\, m^2\, K^{-1}\, s^{-2}$	24
20	p_N	`p`	pressure	effort	$kg\, m^{-1}\, s^{-2}$	13
19	T_N	`T`	temperature	effort	K	16 162

Continued on next page

	var	symbol	documentation	type	units	eqs
35	${U^e}_N$	`Ue`	electrical potential – voltage	effort	$kg\, m^2\, A^{-1} s^{-3}$	26
21	$\mu_{N,S}$	`chemPot`	chemical potential	effort	$kg\, m^2\, mol^{-1}\, s^{-2}$	14 88
27	$v_{x\,N}$	`v_x`	velocity in x-direction	secondaryState	ms^{-1}	19
28	$v_{y\,N}$	`v_y`	velocity in y-direction	secondaryState	ms^{-1}	20
29	$v_{z\,N}$	`v_z`	velocity in z-direction	secondaryState	ms^{-1}	21

4 reactions

	var	symbol	documentation	type	units	eqs
113	$P_{N,K}$	P_N_K	what node has what reaction	projection		
114	$T_{N,K}$	T_K	temparature of the nodes with reactions	effort	K	99
129	$\bar{n}_{N,S,K}$	cn_NK	normed concentration – context node and conversion	secondaryState		113
128	$\bar{n}_{N,S}$	cn	normed concentration	secondaryState		112
134	${K^o}_K$	Ko	Arrhenius frequency factor – a strange construction	properties	$m^{-3}\,mol\,s^{-1}$	118
126	${c^n}_{N,S}$	c_norming	norming concentration used in the definition of the species interaction probability	properties	$m^{-3}\,mol$	110
131	$\phi_{N,K}$	interactionProbability	probability for the species to meet to undergo reaction	properties		115
115	$E_{a\,N,K}$	Ea	Arrhenius activation energy	properties	$kg\,m^2\,mol^{-1}\,s^{-2}$	100
135	$K_{N,K}$	K	reaction"constant	properties	$m^{-3}\,mol\,s^{-1}$	119
118	$N_{S,K}$	N	stoichiometric matrix	properties		
136	$\tilde{n}_{N,S}$	nProd	production term for differential component mass balance	conversion	$mol\,s^{-1}$	120

5 material

	var	symbol	documentation	type	units	eqs
26	λ_S	Mm	species' molecular mass	property	$kg\,mol^{-1}$	
59	ρ_N	density	density	property	$kg\,m^{-3}$	49
42	$k^d_{y\,N,S}$	kd_y	diffusional mass conductivity in z-direction	property	$kg^{-1}\,m^{-4}\,mol^2\,s$	33
172	cp_N	cp	specific heat capacity at constant pressure	property	$m^2\,K^{-1}\,s^{-2}$	156
46	$k^c_{z\,N}$	kc_z	convective mass conductivity in z-direction	property	$m^{-1}\,s$	37
57	$k^q_{z\,A}$	kq_z_A	thermal conductivity in z-direction in arc	property	$kg\,K^{-1}\,s^{-3}$	47
43	$k^d_{z\,N,S}$	kd_z	diffusional mass conductivity in z-direction	property	$kg^{-1}\,m^{-4}\,mol^2\,s$	34
58	m_N	m	mass	property	kg	48
39	$k^q_{y\,N}$	kq_y	thermal conductivity in y-direction	property	$kg\,K^{-1}\,s^{-3}$	30
47	$h_{N,S}$	h	partial molar enthalpies	property	$kg\,m^2\,mol^{-1}\,s^{-2}$	38
36	$C_{p\,N}$	Cp	total heat capacity at constant pressure	property	$kg\,m^2\,K^{-1}\,s^{-2}$	27
40	$k^q_{z\,N}$	kq_z	thermal conductivity in z-direction	property	$kg\,K^{-1}\,s^{-3}$	31
41	$k^d_{x\,N,S}$	kd_x	diffusional mass conductivity in x-direction	property	$kg^{-1}\,m^{-4}\,mol^2\,s$	32
50	$k^c_{y\,A}$	kc_y_A	convective mass conductivity in y-direction in arc	property	$m^{-1}\,s$	40
54	$k^d_{z\,A,S}$	kd_z_A	diffusional mass conductivity in z-direction in arc	property	$kg^{-1}\,m^{-4}\,mol^2\,s$	44
51	$k^c_{z\,A}$	kc_z_A	convective mass conductivity in z-direction in arc	property	$m^{-1}\,s$	41
44	$k^c_{x\,N}$	kc_x	convective mass conductivity in x-direction	property	$m^{-1}\,s$	35
62	$k^{d,Fick}_{y\;A,S}$	kd_y_Fick	Fick's diffusivity in arc and y-direction	property	ms^{-1}	52
56	$k^q_{y\,A}$	kq_y_A	thermal conductivity in y-direction in arc	property	$kg\,K^{-1}\,s^{-3}$	46
107	$h_{A,S}$	h_A	partial molar enthalpies of transport system	property	$kg\,m^2\,mol^{-1}\,s^{-2}$	93
168	$R^e{}_N$	Re	electrical resistance	property	$kg\,m^2\,A^{-2}s^{-3}$	154
61	$k^{d,Fick}_{x\;A,S}$	kd_x_Fick	Fick's diffusivity in arc and x-direction	property	ms^{-1}	51
49	$k^c_{x\,A}$	kc_x_A	convective mass conductivity in x-direction in arc	property	$m^{-1}\,s$	39

Continued on next page

	var	symbol	documentation	type	units	eqs
60	v_S	v	molar volume of species	property	$m^3\,mol^{-1}$	50
52	$k^d_{x\,A,S}$	kd_x_A	diffusional mass conductivity in x-direction in arc	property	$kg^{-1}\,m^{-4}\,mol^2\,s$	42
37	$C_{v\,N}$	Cv	total heat capacity at constant volume	property	$kg\,m^2\,K^{-1}\,s^{-2}$	28
45	$k^c_{y\,N}$	kc_y	convective mass conductivity in y-direction	property	$m^{-1}\,s$	36
53	$k^d_{y\,A,S}$	kd_y_A	diffusional mass conductivity in y-direction in arc	property	$kg^{-1}\,m^{-4}\,mol^2\,s$	43
38	$k^q_{x\,N}$	kq_x	thermal conductivity in x-direction	property	$kg\,K^{-1}\,s^{-3}$	29
171	$k^{e,x}{}_N$	kex	electrical conductivity – a simple model being a function of a selected set of species	property	$kg^{-1}\,m^{-2}\,A^2 s^3$	155
89	ρ_A	density_A	density of arc material	property	$kg\,m^{-3}$	78
63	$k^{d,Fick}_z{}_{A,S}$	kd_z_Fick	Fick's diffusivity in arc and z-direction	property	ms^{-1}	53
55	$k^q_{x\,A}$	kq_x_A	thermal conductivity in x-direction in arc	property	$kg\,K^{-1}\,s^{-3}$	45
102	$\mu^o{}_{N,S}$	chemPot_o	standard chemical potential	effort	$kg\,m^2\,mol^{-1}\,s^{-2}$	86

6 macroscopic

	var	symbol	documentation	type	units	eqs
104	$\dot{n}^{d}{}_{N,S}$	`and`	accumulation due to diffusional mass transfer	transport	$mol\, s^{-1}$	90
196	L_A	`length_pipe`	length of pipe	transport	m	181
86	d_A	`d`	fow direction of convective flow	transport		75
87	$c_{A,S}$	`c_A`	concentration in convective mass flow	transport	$m^{-3}\, mol$	76
188	$\hat{m}^{c}{}_{A}$	`fmc`	mass flow rate	transport	$kg\, s^{-1}$	174 197
101	$\hat{n}^{d}{}_{A,S}$	`fnd`	diffusional mass flow in arc	transport	$mol\, s^{-1}$	85 89
111	$\dot{H}^{c}{}_{N}$	`aHc`	enthalpy accumulation due to convective mass flow	transport	$kg\, m^2\, s^{-3}$	97
207	$r^{m}{}_{A}$	`residual_aE_mechanical`	residual form of differential mechanical energy balance	transport	$kg\, m^2\, s^{-3}$	193
141	$\hat{w}_A$	`fw`	just an numerical work flow term – as a starter	transport	$kg\, m^2\, s^{-3}$	125 189
92	$\hat{n}^{c}{}_{A,S}$	`fnc`	convective mass flow in an arc	transport	$mol\, s^{-1}$	81
84	$\dot{q}_N$	`aq`	accumulation due to conductive heat flow	transport	$kg\, m^2\, s^{-3}$	73
112	$\dot{H}^{d}{}_{N}$	`aHd`	enthalpy accumulation due to diffusive mass flow	transport	$kg\, m^2\, s^{-3}$	98
109	$\hat{H}^{c}{}_{A}$	`fHc`	enthalpy flow due to convective mass flow	transport	$kg\, m^2\, s^{-3}$	95
83	$\hat{q}_{x\,A}$	`fq_x`	heat flow in arc and x-direction	transport	$kg\, m^2\, s^{-3}$	72
91	$\hat{V}_A$	`fV`	volumetric flow	transport	$m^3\, s^{-1}$	80 172 175 194
110	$\hat{H}^{d}{}_{A}$	`fHd`	enthalpy flow due to diffusive mass flow	transport	$kg\, m^2\, s^{-3}$	96
166	I_N	`I`	electric current definition	transport	A	152
93	$\dot{n}^{c}{}_{N,S}$	`anc`	accumulation due to convective mass flow	transport	$mol\, s^{-1}$	82
206	$\dot{E}^{m}{}_{A}$	`aE_mechanical`	accumulation of mechanical work	transport	$kg\, m^2\, s^{-3}$	192

Continued on next page

	var	symbol	documentation	type	units	eqs
200	${\dot{E}^k}_A$	aE_kinetic	net kinetic energy	transport	$kg\,m^2\,s^{-3}$	185
142	$\dot{w}_N$	aw	enthalpy accumulation due to work flows	transport	$kg\,m^2\,s^{-3}$	126
201	${\dot{E}^p}_A$	aE_potential	net potential energy	transport	$kg\,m^2\,s^{-3}$	186
210	${r^m}_A$	residual_am_A	residual formulation for the mass balance for an arc node	transport	$kg\,s^{-1}$	198
205	${\dot{w}^V}_A$	fw_V	net volume work	transport	$kg\,m^2\,s^{-3}$	191
68	$A_{xy\,A}$	A_xy_A	cross sectional area yz of arc	geometry	m^2	57
66	$A_{xz\,N}$	A_xz	cross sectional area xz	geometry	m^2	55
69	$A_{xz\,A}$	A_xz_A	cross sectional area xz of arc	geometry	m^2	58
67	$A_{yz\,N}$	A_yz	cross sectional area yz	geometry	m^2	56
70	$A_{yz\,A}$	A_yz_A	cross sectional area yz of arc	geometry	m^2	59
65	$A_{xy\,N}$	A_xy	cross sectional area xy	geometry	m^2	54
186	${k^{valve}}_A$	valveConstant	valve constant – pressure difference must be dimensionless	properties	$m^3\,s^{-1}$	171
191	f	friction_coeff	friction coefficient	properties		
203	${f^l}_A$	friction_coeff_linear	friction coefficient for linear model	properties	$kg\,ms^{-3}$	188
64	$D_{N,A}$	D	difference operator	differenceOperator		
145	${n^o}_{N,S}$	no	initial species masses	state	mol	131
209	${r^m}_N$	residual_am	residual form of differential mass balance	state	$kg\,s^{-1}$	196
144	${H^o}_N$	Ho	initial enthalpy	state	$kg\,m^2\,s^{-2}$	130
151	$\bar{c}_{N,S}$	c_normed	normed concentration	secondaryState		137
208	$\hat{m}_N$	am	accumulation of mass	secondaryState	$kg\,s^{-1}$	195
99	${n^t}_N$	nt	total amount	secondaryState	mol	83
176	${T^{ref}}_N$	T_ref	reference temperature	secondaryState	K	160
146	${T^o}_N$	T_norming	norming temperature	secondaryState	K	132

Continued on next page

	var	symbol	documentation	type	units	eqs
192	$v_{x\,A}$	v_x_A	velocity in arc	secondaryState	ms^{-1}	177
150	$\bar{p}_N$	p_normed	normed pressure	secondaryState		136
147	${p^o}_N$	p_norming	normed pressure	secondaryState	$kg\,m^{-1}\,s^{-2}$	133
148	${c^o}_{N,S}$	c_norming	norming concentration	secondaryState	$m^{-3}\,mol$	134
175	${C_p}_N$	Cp	total heat capacity	secondaryState	$kg\,m^2\,K^{-1}\,s^{-2}$	159
85	$c_{N,S}$	c	molar concentration	secondaryState	$m^{-3}\,mol$	74
100	$x_{N,S}$	x	concentration mole fraction	secondaryState		84
174	m_N	m	mass	secondaryState	kg	158
149	$\bar{T}_N$	T_normed	normed temperature	secondaryState		135
138	${\dot{n}^p}_{N,S}$	anProduction	production term	conversion	$mol\,s^{-1}$	122
139	$\dot{n}_{N,S}$	an	differentional species balance	diffState	$mol\,s^{-1}$	123
143	$\dot{H}_N$	aH	differential enthalpy balance	diffState	$kg\,m^2\,s^{-3}$	127

7 control

	var	symbol	documentation	type	units	eqs
185	${t_s}_A$	t_switch_A	switching times	frame	s	169
183	${x^o}_N$	xo	initial controller state	state		166
179	x_N	x	controller state	state		165
181	$I_{N,D}$	I_N_D	map differential space to node space	constant		
177	$A_{N,D}$	A	LTIS A-matrix	constant	s^{-1}	
157	${m^{v\star}}_A$	setpoint_vector	setpoint for measurement vector	constant		144
159	P	P	gain	constant		
158	${m^{m\star}}_{A,S}$	setpoint_matrix	setpoiint for measurment matrix	constant		145
178	$B_{A,D}$	B	LTIS B-matrix	constant	s^{-1}	
182	$\dot{x}_D$	dxdt	differential controller state	diffState	s^{-1}	164
163	${u^m}_{A,S}$	u_matrix	control output matrix	algebraic		149
155	m_A	measurement_vector	normed measurements of temparatures	algebraic		141 142
161	${e^m}_{A,S}$	error_matrix	output error matrix	algebraic		147
160	${e^v}_A$	error_vector	output error vector	algebraic		146
156	$m_{A,S}$	measurement_matrix	normed measurment of concentration	algebraic		143
162	${u^v}_A$	u_vector	control ouput vector	algebraic		148 170

8 control–macroscopic

	var	symbol	documentation	type	units	eqs
187	$\_u^v{}_A$	`_u_vector`	link variable u vector to interface control »> macroscopic	get		173
165	$\_m^v{}_A$	`_setpoint_vector`	link variable setpoint vector to interface control »> macroscopic	get		151
164	$\_m^m{}_{A,S}$	`_setpoint_matrix`	link variable setpoint matrix to interface control »> macroscopic	get		150

9 macroscopic–material

	var	symbol	documentation	type	units	eqs
167	$_{IN}$	`_I`	link variable I to interface macroscopic »> material	get	A	153
103	$\_x_{N,S}$	`_x`	link variable x to interface macroscopic »> material	get		87

10 reactions–macroscopic

	var	symbol	documentation	type	units	eqs
119	$\_{E^a}_{N,K}$	`_Ea`	link variable Ea to interface reactions »> macroscopic	get	$kg\,m^2\,mol^{-1}\,s^{-2}$	103
123	$\_T_{N,K}$	`_T_K`	link variable T K to interface reactions »> macroscopic	get	K	107
137	$\_\tilde{n}_{N,S}$	`_nProd`	link variable nProd to interface reactions »> macroscopic	get	$mol\,s^{-1}$	121
122	$_{N\,S,K}$	`_N`	link variable N to interface reactions »> macroscopic	get		106

11 macroscopic–control

	var	symbol	documentation	type	units	eqs
152	$\_\bar{p}_N$	`_p_normed`	link variable p normed to interface macroscopic »> control	get		138
154	$\_\bar{c}_{N,S}$	`_c_normed`	link variable c normed to interface macroscopic »> control	get		140
153	$\_\bar{T}_N$	`_T_normed`	link variable T normed to interface macroscopic »> control	get		139

12 material–macroscopic

	var	symbol	documentation	type	units	eqs
173	$\_c_{pN}$	`_cp`	link variable cp to interface material »> macroscopic	get	$m^2\,K^{-1}\,s^{-2}$	157
30	$\_\lambda_S$	`_Mm`	link variable Mm to interface material »> macroscopic	get	$kg\,mol^{-1}$	22
106	$\_h_{N,S}$	`_h`	link variable h to interface material »> macroscopic	get	$kg\,m^2\,mol^{-1}\,s^{-2}$	92
71	$\_k^c_x{}_A$	`_kc_x_A`	link variable kc x A to interface material »> macroscopic	get	$m^{-1}\,s$	60
76	$\_k^{d,Fick}_y{}_{A,S}$	`_kd_y_Fick`	link variable kd y Fick to interface material »> macroscopic	get	ms^{-1}	65
108	$\_h_{A,S}$	`_h_A`	link variable h A to interface material »> macroscopic	get	$kg\,m^2\,mol^{-1}\,s^{-2}$	94
80	$\_k^q_x{}_A$	`_kq_x_A`	link variable kq x A to interface material »> macroscopic	get	$kg\,K^{-1}\,s^{-3}$	69
77	$\_k^d_y{}_{A,S}$	`_kd_y_A`	link variable kd y A to interface material »> macroscopic	get	$kg^{-1}\,m^{-4}\,mol^2\,s$	66
78	$\_k^d_z{}_{A,S}$	`_kd_z_A`	link variable kd z A to interface material »> macroscopic	get	$kg^{-1}\,m^{-4}\,mol^2\,s$	67
79	$\_k^{d,Fick}_z{}_{A,S}$	`_kd_z_Fick`	link variable kd z Fick to interface material »> macroscopic	get	ms^{-1}	68
75	$\_k^{d,Fick}_x{}_{A,S}$	`_kd_x_Fick`	link variable kd x Fick to interface material »> macroscopic	get	ms^{-1}	64
81	$\_k^q_y{}_A$	`_kq_y_A`	link variable kq y A to interface material »> macroscopic	get	$kg\,K^{-1}\,s^{-3}$	70
88	$\_\rho_N$	`_density`	link variable density to interface material »> macroscopic	get	$kg\,m^{-3}$	77
74	$\_k^d_x{}_{A,S}$	`_kd_x_A`	link variable kd x A to interface material »> macroscopic	get	$kg^{-1}\,m^{-4}\,mol^2\,s$	63

Continued on next page

	var	symbol	documentation	type	units	eqs
73	$\_k^c_{zA}$	`_kc_z_A`	link variable kc z A to interface material »> macroscopic	get	$m^{-1}\,s$	62
72	$\_k^c_{yA}$	`_kc_y_A`	link variable kc y A to interface material »> macroscopic	get	$m^{-1}\,s$	61
90	$\_\rho_A$	`_density_A`	link variable density A to interface material »> macroscopic	get	$kg\,m^{-3}$	79
82	$\_k^q_{zA}$	`_kq_z_A`	link variable kq z A to interface material »> macroscopic	get	$kg\,K^{-1}\,s^{-3}$	71

13 macroscopic–reactions

	var	symbol	documentation	type	units	eqs
125	$\_c_{N,S}$	`_c`	link variable c to interface macroscopic »> reactions	get	$m^{-3}\,mol$	109

14 Equations

15 Generic

no	equation	documentation	layer
1	$1 := \mathbf{Instantiate}(\#, \#)$	numerical one	root
2	$0 := \mathbf{Instantiate}(\#, \#)$	numerical value zero	root
3	$t^o := \mathbf{Instantiate}(t, 0)$	time zero	root
4	$t^e := \mathbf{Instantiate}(t, \#)$	time end	root
5	$\Delta t := \mathbf{Instantiate}(t, \#)$	time interval	root
6	$0.5 := \mathbf{Instantiate}(\#, \#)$	numerical one half	root
7	$\Delta := \mathbf{sign}\left(t - t^o\right) - \mathbf{sign}\left(t - \left(t^o - \Delta t\right)\right)$	pulse of length time interval	root
8	$r_{x\,N} := \mathbf{Instantiate}(\ell_N, \#)$	x-direction	physical
9	$r_{y\,N} := \mathbf{Instantiate}(\ell_N, \#)$	y-direction	physical
10	$r_{z\,N} := \mathbf{Instantiate}(\ell_N, \#)$	z-direction	physical
11	$V_N := r_{x\,N} \,.\, r_{y\,N} \,.\, r_{z\,N}$	volume	physical
13	$p_N := \frac{\partial U_N}{\partial V_N}$	pressure	physical
14	$\mu_{N,S} := \frac{\partial U_N}{\partial n_{N,S}}$	chemical potential	physical
15	$H_N := U_N - p_N \,.\, V_N$	Enthalpy	physical
16	$T_N := \frac{\partial U_N}{\partial S_N}$	temperature	physical
17	$A_N := U_N - T_N \,.\, S_N$	Helmholts energy	physical

Continued on next page

no	equation	documentation	layer
18	$G_N := U_N + p_N \,.\, V_N - T_N \,.\, S_N$	Gibbs free energy	physical
19	$v_{x\,N} := (t)^{-1} \,.\, r_{x\,N}$	velocity in x-direction	physical
20	$v_{y\,N} := (t)^{-1} \,.\, r_{y\,N}$	velocity in y-direction	physical
21	$v_{z\,N} := (t)^{-1} \,.\, r_{z\,N}$	velocity in z-direction	physical
24	$B_N := \mathbf{Instantiate}(S_N, \#)$	Boltzmann constant	physical
25	$R_N := A^v \,.\, B_N$	Gas constant	physical
26	${U^e}_N := (C_N)^{-1} \,.\, U_N$	electrical potential – voltage	physical
27	$C_{p\,N} := \frac{\partial H_N}{\partial T_N}$	total heat capacity at constant pressure	material
28	$C_{v\,N} := \frac{\partial U_N}{\partial T_N}$	total heat capacity at constant volume	material
29	$k^q_{x\,N} := (V_N)^{-1} \,.\, C_{p\,N} \,.\, v_{x\,N}$	thermal conductivity in x-direction	material
30	$k^q_{y\,N} := (V_N)^{-1} \,.\, C_{p\,N} \,.\, v_{y\,N}$	thermal conductivity in y-direction	material
31	$k^q_{z\,N} := (V_N)^{-1} \,.\, C_{p\,N} \,.\, v_{z\,N}$	thermal conductivity in z-direction	material
32	$k^d_{x\,N,S} := (\mu_{N,S})^{-1} \,.\, \left(v_{x\,N} \,.\, \left((V_N)^{-1} \,.\, \frac{\partial U_N}{\partial \mu_{N,S}}\right)\right)$	diffusional mass conductivity in x-direction	material
33	$k^d_{y\,N,S} := (\mu_{N,S})^{-1} \,.\, \left(v_{y\,N} \,.\, \left((V_N)^{-1} \,.\, \frac{\partial U_N}{\partial \mu_{N,S}}\right)\right)$	diffusional mass conductivity in y-direction	material
34	$k^d_{z\,N,S} := (\mu_{N,S})^{-1} \,.\, \left(v_{z\,N} \,.\, \left((V_N)^{-1} \,.\, \frac{\partial U_N}{\partial \mu_{N,S}}\right)\right)$	diffusional mass conductivity in z-direction	material
35	$k^c_{x\,N} := \left(\lambda_S \star (\mu_{N,S})^{-1}\right) \,.\, (V_N)^{-1} \,.\, \frac{\partial U_N}{\partial p_N} \,.\, v_{x\,N}$	convective mass conductivity in x-direction	material

Continued on next page

no	equation	documentation	layer
36	$k^{c}_{y}{}_{N} := \left(\lambda_{S} \star (\mu_{N,S})^{-1}\right) \,.\, (V_{N})^{-1} \,.\, \frac{\partial U_{N}}{\partial p_{N}} \,.\, v_{y}{}_{N}$	convective mass conductivity in y-direction	material
37	$k^{c}_{z}{}_{N} := \left(\lambda_{S} \star (\mu_{N,S})^{-1}\right) \,.\, (V_{N})^{-1} \,.\, \frac{\partial U_{N}}{\partial p_{N}} \,.\, v_{z}{}_{N}$	convective mass conductivity in z-direction	material
38	$h_{N,S} := H_{N} \,.\, (n_{N,S})^{-1}$	partial molar enthalpies	material
39	$k^{c}_{x}{}_{A} := I_{N,A} \star k^{c}_{x}{}_{N}$	convective mass conductivity in x-direction in arc	material
40	$k^{c}_{y}{}_{A} := I_{N,A} \star k^{c}_{y}{}_{N}$	convective mass conductivity in y-direction in arc	material
41	$k^{c}_{z}{}_{A} := I_{N,A} \star k^{c}_{z}{}_{N}$	convective mass conductivity in z-direction in arc	material
42	$k^{d}_{x}{}_{A,S} := I_{N,A} \star k^{d}_{x}{}_{N,S}$	diffusional mass conductivity in x-direction in arc	material
43	$k^{d}_{y}{}_{A,S} := I_{N,A} \star k^{d}_{y}{}_{N,S}$	diffusional mass conductivity in z-direction in arc	material
44	$k^{d}_{z}{}_{A,S} := I_{N,A} \star k^{d}_{z}{}_{N,S}$	diffusional mass conductivity in z-direction in arc	material
45	$k^{q}_{x}{}_{A} := I_{N,A} \star k^{q}_{x}{}_{N}$	thermal conductivity in x-direction in arc	material
46	$k^{q}_{y}{}_{A} := I_{N,A} \star k^{q}_{y}{}_{N}$	thermal conductivity in y-direction in arc	material
47	$k^{q}_{z}{}_{A} := I_{N,A} \star k^{q}_{z}{}_{N}$	thermal conductivity in z-direction in arc	material
48	$m_{N} := \lambda_{S} \star n_{N,S}$	mass	material

Continued on next page

no	equation	documentation	layer
49	$\rho_N := (V_N)^{-1} \, . \, m_N$	density	material
50	$v_S := V_N \star (n_{N,S})^{-1}$	molar volume of species	material
51	$k_x^{d,Fick}{}_{A,S} := I_{N,A} \star \left(v_{xN} \cdot \frac{\partial U_N}{\partial \mu_{N,S}} \cdot (n_{N,S})^{-1} \right)$	Fick's diffusivity in arc and x-direction	material
52	$k_y^{d,Fick}{}_{A,S} := I_{N,A} \star \left(v_{yN} \cdot \frac{\partial U_N}{\partial \mu_{N,S}} \cdot (n_{N,S})^{-1} \right)$	Fick's diffusivity in arc and y-direction	material
53	$k_z^{d,Fick}{}_{A,S} := I_{N,A} \star \left(v_{zN} \cdot \frac{\partial U_N}{\partial \mu_{N,S}} \cdot (n_{N,S})^{-1} \right)$	Fick's diffusivity in arc and z-direction	material
54	$A_{xy\,N} := r_{x\,N} \, . \, r_{y\,N}$	cross sectional area xy	macroscopic
55	$A_{xz\,N} := r_{x\,N} \, . \, r_{z\,N}$	cross sectional area xz	macroscopic
56	$A_{yz\,N} := r_{y\,N} \, . \, r_{z\,N}$	cross sectional area yz	macroscopic
57	$A_{xy\,A} := I_{N,A} \star A_{xy\,N}$	cross sectional area yz of arc	macroscopic
58	$A_{xz\,A} := I_{N,A} \star A_{xz\,N}$	cross sectional area xz of arc	macroscopic
59	$A_{yz\,A} := I_{N,A} \star A_{yz\,N}$	cross sectional area yz of arc	macroscopic
72	$\hat{q}_{x\,A} := A_{yz\,A} \, . \, \_k^q_{x\,A} \, . \, (D_{N,A} \star T_N)$	heat flow in arc and x-direction	macroscopic
73	$\dot{q}_N := F_{N,A} \star \hat{q}_{x\,A}$	accumulation due to conductive heat flow	macroscopic
74	$c_{N,S} := (V_N)^{-1} \, . \, n_{N,S}$	molar concentration	macroscopic
75	$d_A := \mathbf{sign}\,(D_{N,A} \star p_N)$	fow direction of convective flow	macroscopic
76	$c_{A,S} := (0.5 \, . \, (D_{N,A} - d_A \, . \, \lvert D_{N,A} \rvert)) \star c_{N,S}$	concentration in convective mass flow	macroscopic
78	$\rho_A := I_{N,A} \star \rho_N$	density of arc material	material
80	$\hat{V}_A := (\_\rho_A)^{-1} \, . \, \_k^c_{x\,A} \, . \, A_{yz\,A} \, . \, (D_{N,A} \star p_N)$	volumetric flow	macroscopic

Continued on next page

no	equation	documentation	layer
81	$\hat{n}^c{}_{A,S} := \hat{V}_A \,.\, c_{A,S}$	convective mass flow in an arc	macroscopic
82	$\dot{n}^c{}_{N,S} := F_{N,A} \star \hat{n}^c{}_{A,S}$	accumulation due to convective mass flow	macroscopic
83	$n^t{}_N := I_S \star n_{N,S}$	total amount	macroscopic
84	$x_{N,S} := \left(n^t{}_N\right)^{-1} \,.\, n_{N,S}$	concentration mole fraction	macroscopic
85	$\hat{n}^d{}_{A,S} := A_{yz\,A} \,.\, \left(-\_k_x^{d,Fick}{}_{A,S}\right) \,.\, \left(D_{N,A} \star c_{N,S}\right)$	diffusional mass flow in arc	macroscopic
86	$\mu^o{}_{N,S} := \textbf{Instantiate}(\mu_{N,S}, \#)$	standard chemical potential	material
88	$\mu_{N,S} := \mu^o{}_{N,S} + R_N \,.\, T_N \,.\, \textbf{ln}\left(\_x_{N,S}\right)$	chemical potential standard model with mole fraction	material
89	$\hat{n}^d{}_{A,S} := A_{yz\,A} \,.\, \left(-\_k_x^d{}_{A,S}\right) \,.\, \left(D_{N,A} \star \mu_{N,S}\right)$	diffusional mass flow in arc	macroscopic
90	$\dot{n}^d{}_{N,S} := F_{N,A} \star \hat{n}^d{}_{A,S}$	accumulation due to diffusional mass transfer	macroscopic
93	$h_{A,S} := I_{N,A} \star h_{N,S}$	partial molar enthalpies of transport system	material
95	$\hat{H}^c{}_A := I_S \star \left(\_h_{A,S} \,.\, \hat{n}^c{}_{A,S}\right)$	enthalpy flow due to convective mass flow	macroscopic
96	$\hat{H}^d{}_A := I_S \star \left(\_h_{A,S} \,.\, \hat{n}^d{}_{A,S}\right)$	enthalpy flow due to diffusive mass flow	macroscopic
97	$\dot{H}^c{}_N := F_{N,A} \star \hat{H}^c{}_A$	enthalpy accumulation due to convective mass flow	macroscopic
98	$\dot{H}^d{}_N := F_{N,A} \star \hat{H}^d{}_A$	enthalpy accumulation due to diffusive mass flow	macroscopic
99	$T_{N,K} := T_N \,.\, P_{N,K}$	temparature of the nodes with reactions	reactions

Continued on next page

no	equation	documentation	layer
100	$E_{a\,N,K} := \textbf{Instantiate}(R_N \,.\, T_{N,K}, \#)$	Arrhenius activation energy	reactions
110	$c^n{}_{N,S} := \textbf{Instantiate}(\_c_{N,S}, \#)$	norming concentration used in the definition of the species interaction probability	reactions
112	$\bar{n}_{N,S} := (c^n{}_{N,S})^{-1} \,.\, \_c_{N,S}$	normed concentration	reactions
113	$\bar{n}_{N,S,K} := P_{N,K} \,.\, \bar{n}_{N,S}$	normed concentration – context node and conversion	reactions
115	$\phi_{N,K} := \prod_S \bar{n}_{N,S,K}{}^{(N_{S,K})}$	probability for the species to meet to undergo reaction	reactions
118	$K^o{}_K := \textbf{Instantiate}(I_S \star \left(P_{N,K} \star \left((t)^{-1} \,.\, (V_N)^{-1} \,.\, n_{N,S}\right)\right), \#)$	Arrhenius frequency factor – a strange construction	reactions
119	$K_{N,K} := K^o{}_K \,.\, \mathbf{exp}\left((-E_{a\,N,K}) \,.\, (R_N \,.\, T_{N,K})^{-1}\right)$	reaction"constant	reactions
120	$\tilde{n}_{N,S} := V_N \,.\, (N_{S,K} \star (K_{N,K} \,.\, \phi_{N,K}))$	production term for differential component mass balance	reactions
122	$\dot{n}^p{}_{N,S} := \_\tilde{n}_{N,S}$	production term	macroscopic
123	$\dot{n}_{N,S} := \dot{n}^c{}_{N,S} + \dot{n}^d{}_{N,S} + \dot{n}^p{}_{N,S}$	differentional species balance	macroscopic
125	$\hat{w}_A := \textbf{Instantiate}(\hat{H}^c{}_A, \#)$	just an numerical work flow term – as a starter	macroscopic
126	$\dot{w}_N := F_{N,A} \star \hat{w}_A$	enthalpy accumulation due to work flows	macroscopic
127	$\dot{H}_N := \dot{H}^c{}_N + \dot{H}^d{}_N + \dot{q}_N + \dot{w}_N$	differential enthalpy balance	macroscopic
128	$H_N := \int_{t^o}^{t^e} \dot{H}_N \; dt + H^o{}_N$	Enthalpy	macroscopic

Continued on next page

no	equation	documentation	layer
129	$n_{N,S} := \int_{t^o}^{t^e} \dot{n}_{N,S} \;\, dt + n^o{}_{N,S}$	fundamental state - molar mass	macroscopic
130	$H^o{}_N := \textbf{Instantiate}(H_N, \#)$	initial enthalpy	macroscopic
131	$n^o{}_{N,S} := \textbf{Instantiate}(n_{N,S}, \#)$	initial species masses	macroscopic
132	$T^o{}_N := \textbf{Instantiate}(T_N, \#)$	norming temperature	macroscopic
133	$p^o{}_N := \textbf{Instantiate}(p_N, \#)$	normed pressure	macroscopic
134	$c^o{}_{N,S} := \textbf{Instantiate}(c_{N,S}, \#)$	norming concentration	macroscopic
135	$\bar{T}_N := T_N \,.\, (T^o{}_N)^{-1}$	normed temperature	macroscopic
136	$\bar{p}_N := (p_N)^{-1} \,.\, p_N$	normed pressure	macroscopic
137	$\bar{c}_{N,S} := (c^o{}_{N,S})^{-1} \,.\, c_{N,S}$	normed concentration	macroscopic
141	$m_A := F_{N,A} \star \_\bar{T}_N$	normed measurements of temparatures	control
142	$m_A := F_{N,A} \star \_\bar{p}_N$	normed measurements of pressures	control
143	$m_{A,S} := F_{N,A} \star \_\bar{c}_{N,S}$	normed measurment of concentration	control
144	$m^{v\star}{}_A := \textbf{Instantiate}(m_A, \#)$	setpoint for measurement vector	control
145	$m^{m\star}{}_{A,S} := \textbf{Instantiate}(m_{A,S}, \#)$	setpoiint for measurment matrix	control
146	$e^v{}_A := m^{v\star}{}_A - m_A$	output error vector	control
147	$e^m{}_{A,S} := m^{m\star}{}_{A,S} - m_{A,S}$	output error matrix	control
148	$u^v{}_A := P \,.\, e^v{}_A$	control ouput vector	control
149	$u^m{}_{A,S} := P \,.\, e^m{}_{A,S}$	control output matrix	control

Continued on next page

no	equation	documentation	layer
152	$I_N := \frac{dC_N}{dt}$	electric current definition	macroscopic
154	$R^e{}_N := (I_N)^{-1} . U^e{}_N$	electrical resistance	material
155	$k^{e,x}{}_N := (R^e{}_N)^{-1} . (S_S \star \_x_{N,S})$	electrical conductivity – a simple model being a function of a selected set of species	material
156	$cp_N := C_{pN} . (m_N)^{-1}$	specific heat capacity at constant pressure	material
158	$m_N := \_\lambda_S \star n_{N,S}$	mass	macroscopic
159	$C_{pN} := m_N . \_c_{pN}$	total heat capacity	macroscopic
160	$T^{ref}{}_N := \textbf{Instantiate}(T_N, \#)$	reference temperature	macroscopic
161	$H_N := C_{pN} . \left(T_N - T^{ref}{}_N\right)$	Enthalpy	macroscopic
162	$T_N := \textbf{Root}\,(H_N)$	temperature	macroscopic
164	$\dot{x}_D := A_{N,D} \star x_N + B_{A,D} \star m_A$	differential controller state	control
165	$x_N := \int_{t^o}^{t^e} I_{N,D} \star \dot{x}_D \; dt + x^o{}_N$	controller state	control
166	$x^o{}_N := \textbf{Instantiate}(x_N, \#)$	initial controller state	control
169	$t_{sA} := \textbf{Instantiate}(I_A . t, \#)$	switching times	control
170	$u^v{}_A := 0.5 . (I_A . 1 - \textbf{sign}\,((I_A . t) - t_{sA}))$	control ouput vector – switches	control
171	$k^{valve}{}_A := \textbf{Instantiate}(\hat{V}_A, \#)$	valve constant – pressure difference must be dimensionless	macroscopic
172	$\hat{V}_A := \_u^v{}_A . k^{valve}{}_A . \textbf{sqrt}\left(\left(D_{N,A} \star \left(p_N . (p^o{}_N)^{-1}\right)\right)\right)$	volumetric flow	macroscopic

Continued on next page

no	equation	documentation	layer
174	$\hat{m}^c{}_A := \_\rho_A \, . \, \hat{V}_A$	mass flow rate	macroscopic
175	$\hat{V}_A := (I_{N,A} \star v_{xN}) \, . \, A_{yz\,A}$	volumetric flow	macroscopic
176	$h_N := \textbf{Instantiate}(\ell_N, \#)$	height	physical
177	$v_{x\,A} := I_{N,A} \star v_{xN}$	velocity in arc	macroscopic
181	$L_A := I_{N,A} \star \ell_N$	length of pipe	macroscopic
185	$\dot{E}^k{}_A := \hat{m}^c{}_A \, . \, D_{N,A} \star (v_{xN} \, . \, v_{xN})$	net kinetic energy	macroscopic
186	$\dot{E}^p{}_A := \hat{m}^c{}_A \, . \, g \, . \, D_{N,A} \star h_N$	net potential energy	macroscopic
188	$f^l{}_A := \textbf{Instantiate}(\dot{E}^p{}_A \, . \, \left(I_{N,A} \star (\ell_N)^{-1}\right), \#)$	friction coefficient for linear model	macroscopic
189	$\hat{w}_A := f^l{}_A \, . \, L_A$	a linear model	macroscopic
191	$\dot{w}^V{}_A := \hat{V}_A \, . \, (D_{N,A} \star p_N)$	net volume work	macroscopic
192	$\dot{E}^m{}_A := \dot{E}^k{}_A + \dot{E}^p{}_A + \dot{w}^V{}_A + \hat{w}_A$	accumulation of mechanical work	macroscopic
193	$r^m{}_A := \dot{E}^m{}_A - \left(\dot{E}^k{}_A + \dot{E}^p{}_A + \dot{w}^V{}_A + \hat{w}_A\right)$	residual form of differential mechanical energy balance	macroscopic
194	$\hat{V}_A := \textbf{Root}\,(r^m{}_A)$	volumetric flow as a root of the pressure distribution	macroscopic
195	$\hat{m}_N := \_\lambda_S \star \dot{n}_{N,S}$	accumulation of mass	macroscopic
196	$r^m{}_N := \hat{m}_N - \_\lambda_S \star (\dot{n}_{N,S})$	residual form of differential mass balance	macroscopic
197	$\hat{m}^c{}_A := \_\lambda_S \star \hat{n}^c{}_{A,S}$	mass flow rate from molar flow	macroscopic

Continued on next page

no	equation	documentation	layer
198	${r^m}_A := I_{N,A} \star {r^m}_N$	residual formulation for the mass balance for an arc node	macroscopic

16 Interface Link Equation

no	equation	documentation	layer
22	$\_\lambda_S := \lambda_S$	interface equation	material –> macro-scopic
60	$\_k^c_x{}_A := k^c_x{}_A$	interface equation	material –> macro-scopic
61	$\_k^c_y{}_A := k^c_y{}_A$	interface equation	material –> macro-scopic
62	$\_k^c_z{}_A := k^c_z{}_A$	interface equation	material –> macro-scopic
63	$\_k^d_x{}_{A,S} := k^d_x{}_{A,S}$	interface equation	material –> macro-scopic
64	$\_k^{d,Fick}_x{}_{A,S} := k^{d,Fick}_x{}_{A,S}$	interface equation	material –> macro-scopic
65	$\_k^{d,Fick}_y{}_{A,S} := k^{d,Fick}_y{}_{A,S}$	interface equation	material –> macro-scopic
66	$\_k^d_y{}_{A,S} := k^d_y{}_{A,S}$	interface equation	material –> macro-scopic
67	$\_k^d_z{}_{A,S} := k^d_z{}_{A,S}$	interface equation	material –> macro-scopic
68	$\_k^{d,Fick}_z{}_{A,S} := k^{d,Fick}_z{}_{A,S}$	interface equation	material –> macro-scopic
69	$\_k^q_x{}_A := k^q_x{}_A$	interface equation	material –> macro-scopic

Continued on next page

no	equation	documentation	layer
70	$\_k^q_y{}_A := k^q_y{}_A$	interface equation	material -> macroscopic
71	$\_k^q_z{}_A := k^q_z{}_A$	interface equation	material -> macroscopic
77	$\_\rho_N := \rho_N$	interface equation	material -> macroscopic
79	$\_\rho_A := \rho_A$	interface equation	material -> macroscopic
87	$\_x_{N,S} := x_{N,S}$	interface equation	macroscopic -> material
92	$\_h_{N,S} := h_{N,S}$	interface equation	material -> macroscopic
94	$\_h_{A,S} := h_{A,S}$	interface equation	material -> macroscopic
103	$\_E^a{}_{N,K} := E_{a\,N,K}$	interface equation	reactions -> macroscopic
106	${}_{N\,S,K} := N_{S,K}$	interface equation	reactions -> macroscopic
107	$\_T_{N,K} := T_{N,K}$	interface equation	reactions -> macroscopic
109	$\_c_{N,S} := c_{N,S}$	interface equation	macroscopic -> reactions
121	$\_\tilde{n}_{N,S} := \tilde{n}_{N,S}$	interface equation	reactions -> macroscopic

Continued on next page

no	equation	documentation	layer
138	$\_\bar{p}_N := \bar{p}_N$	interface equation	macroscopic –> control
139	$\_\bar{T}_N := \bar{T}_N$	interface equation	macroscopic –> control
140	$\_\bar{c}_{N,S} := \bar{c}_{N,S}$	interface equation	macroscopic –> control
150	$\_m^{m}{}_{A,S} := m^{m\star}{}_{A,S}$	interface equation	control –> macroscopic
151	$\_m^{v}{}_{A} := m^{v\star}{}_{A}$	interface equation	control –> macroscopic
153	${}_{I\,N} := I_N$	interface equation	macroscopic –> material
157	$\_c_{pN} := cp_N$	interface equation	material –> macroscopic
173	$\_u^{v}{}_{A} := u^{v}{}_{A}$	interface equation	control –> macroscopic