

Intelligent Content und Content 4.0

Heinz Wittenbrink

2017-10-13

Zur Definition

Intelligent content is content that is structured to optimize performance with technology. It is structurally rich, semantically categorized, automatically discoverable, reusable, reconfigurable, and adaptable. (Rockley & Gollner, 2011)

It means creating building blocks of content (content objects) that have been given meaning, by being tagged and structured so that computers can understand how to process those content objects. This allows content to be re-ordered, re-used, and otherwise manipulated so that you need less content to fulfill more needs, in an extremely agile way. (Bailie, 2015)

Wozu intelligent content?

Digitaler vs. analoger Inhalt

- Leichte Wiederverwendung
- viele Präsentationsformen
- Viele Versionen
- Viele Funktionen
- Durchsuchbarkeit
- Verarbeitbarkeit

Bild: (Bailie, 2015)



Figure 1: Kontexte und Vielfalt von Inhalten

Probleme:

- Uneinheitlichkeit
- Redundanz
- Fehlende Aktualität
- Kosten

Digitale vs. analoge Einheiten

Analoger Inhalt	Digitaler Inhalt
Seiten	Textketten und Markup
Bücher	Datenaggregate
Externe Klassifikation	Metadaten

Anforderungen an Inhalte

- Kontextunabhängigkeit sichert Verarbeitung: Alle relevanten Informationen müssen mit dem Inhalte verbunden sein
- Standards sichern Kombinierbarkeit: Definierte Formate erlauben

It is only with intelligent content [] that it becomes possible to talk about a sustainable enterprise content strategy.(Rockley & Gollner, 2011)

Intelligenter Content und Content-Strategie gehören zusammen

- Analyse der Inhalte

Automatisierung

automation doesn't just happen. Content must be consciously designed to support it.(Rockley & Gollner, 2011)

If we design and prepare content in a way that is completely portable and open, then a wide range of applications can be used to automate common content tasks such as formatting.(Rockley & Gollner, 2011)

Wie sieht intelligent content aus?

Intelligent content is content that is structurally rich and semantically categorized, and is therefore automatically discoverable, reusable, reconfigurable and adaptable.(Rockley & Gollner, 2011)




Figure 2: Figure 1. In many websites, the relationship between parts of content is implied in the presentation. But without that context, lacks an underlying structure.

Bild: Hane (2017)

Bild: Hane (2017)

The screenshot shows a web form for managing sessions. A red circle highlights the 'PRESENTED BY' dropdown menu, which lists 'Karl Fast (221)' and 'Kristina Halvorsen (158)'. Another red circle highlights the 'Twitter ID' field, which contains 'khalvorsen'. A red line connects these two circles, indicating a relationship between the presenter and their Twitter ID.

Title *
A Tale of Twin Cities
The title of this node, always treated as non-markup plain text.

Session Description
Karl Fast and Kristina Halvorsen in conversation. As the Information Architecture Summit visits content look at how these disciplines compare, why they're important and what they can teach each other.

Session Takeaways
Attendees will be introduced to testing methods that go beyond the basic card sorting, such as:
• Depth-matrix card sorting
• Content grouping
• Close walk stories
• Usability testing

PRESENTED BY
Karl Fast (221)
Kristina Halvorsen (158)

Session date (start)
04/26/2015 10:00:00 AM
Please add the starting date and time of the session.

Session date (end)
04/26/2015 10:45:00 AM
Please add the ending date and time of the session.

Cost
\$

Send Out
Session Type: Fireside chat
Workshop Length: None
MainEvent: 2015 IA Summit - Minneapolis (26)

Session track
File Track
IA Theory and Practice
Ignite
Masters of IA

Location
Nicoflet A

Picture
kx2015_0903_KristinaHalvorsen.png (438.75 KB) Remove
Twitter ID: khalvorsen
Kristina Halvorsen
Kristina Halvorsen (founder, Brain Traffic, and author, Content Strategy for the Web) is recognized nationally's leading advocate for content strategy. She was instrumental in establishing content as essential practice in user experience design, communications strategy, and organizational design. Her article, "The Discipline of Content Strategy", was published in 2008 by A List Apart, the popular site.

First Name
Kristina
Last Name
Halvorsen

User Role
Inclusion
Keynote Speaker
Poster Night
Speaker

Figure 3: Figure 2:The information is now structured into fields which store the content as data. This allows you to use it in any context.

Structurally rich

Structure makes it possible to manipulate it.(Rockley & Gollner, 2011)

Semantically categorized

Semantically categorized content [] is content that has been tagged with metadata to identify the kind of content within it.(Rockley & Gollner, 2011)

Easily discoverable

Without semantic metadata it is very difficult to automatically, let alone manually, find the content we need.(Rockley & Gollner, 2011)




Figure 4: Personalisierte Empfehlungen in den Google News

> And when it is structurally rich, and assuming our content is in XML, we can use XQuery [], a standard that supports queries of XML data - not just XML files, but anything that can appear as XML, including databases.(Rockley & Gollner, 2011)

Content Mining

Efficiently Resusable

Reusable content [], content that is created once and used many times, reduces the time to create, manage and publish and reduces translation costs. We can create modular structured content that can either be easily retrieved for manual reuse or automatically retrieved for automated reuse.(Rockley & Gollner, 2011)

Dynamically Reconfigurable

Knowing the structure of the content, we can output it to multiple channels reconfiguring it to best meet the needs of the channel, or we can automatically mix and match content to provide us with the information customers need []. We can even transform content (reconfigure it) from one structure to another,(Rockley & Gollner, 2011)

Completely Adaptable

but content can be adapted (used in a different way), often without our knowledge, to meet a new need.(Rockley & Gollner, 2011)

Metadaten

Unfortunately, applying metadata to a completed document means that it can only adequately describe the content at a very superficial level; it cannot identify the many types of content within the document.(Rockley & Gollner, 2011)

Standardisierung

- Standards sichern Portabilität / Unabhängigkeit von Systemen und Anbietern
- Wichtigste Standards für Intelligent Content: Inhaltsformate (XML), Metadaten

Voraussetzungen in der Organisation?

Zentrale Content-Verantwortung

- Festlegung der Strategie
- Definition von Standards
- Durchsetzung der Strategie
- Erfolgskontrolle

Technischer Support

- Content Management
- Schulung und Weiterbildung
- Benutzerfreundliche Oberflächen

Keine Silos

- Inhalte sind gemeinsame Assets
- Veränderungen müssen sofort kommuniziert werden

Strategientwicklung

Der Weg zum intelligent content: Content Strategie

An intelligent content strategy establishes a coherent plan under which content will be designed, developed and deployed so as to achieve maximum benefit to the customer and the organization while minimizing the cost to the organization.(Rockley & Gollner, 2011)

An effective strategy begins at the design stage, works through the authoring stage, ends at the delivery stage and is continually revisited to ensure it continues to meet the needs of authors, content and customers.(Rockley & Gollner, 2011)

Content Modellierung

The information modeling process [...] forces you to consider all information requirements [...] In an intelligent content strategy, the information model reflects the semantic structure of your information both at the information product level (for example, brochure) and at the element level (for example, value proposition).(Rockley & Gollner, 2011)




Figure 5: Content Model: Diagram

Bild: Lovinger & Gibbon (2013)

Wiederverwendungsstrategie

Reuse strategy. A reuse strategy identifies what types of content will be reused, the level of granularity, how the content will be reused and how to support authors in easily and effectively reusing it. Your strategy will depend upon your goals, your content, your authors and your selected technology.(Rockley & Gollner, 2011)

Taxonomy Strategy

The taxonomy strategy enables you to intelligently store and retrieve your content based on a common vocabulary and shared metadata. (Rockley & Gollner, 2011)

In addition to traditional metadata for information storage and retrieval, it is important to develop metadata to define the delivery channel (print, web, wireless), the method of filtering the content (product, customer segment/audience, region, product version) and the final information product (brochure, web, eBook).(Rockley & Gollner, 2011)

Workflows

An intelligent content strategy also involves people and intelligent (collaborative) processes. Collaboration ensures that the content elements are consistent and can be reused wherever they're required. Processes should be redesigned to match the intelligent content strategy and support the way the authors work. (Rockley & Gollner, 2011)

With DITA - an XML-based, end-to-end architecture for authoring, producing and delivering technical information - we could create structured, modular, reusable content [...] that could be automatically adapted to each of the desired outputs (print, web, mobile). It also provided a strong support for translation.(Rockley & Gollner, 2011)

Implementierung

XML

While you don't have to use XML for your content, XML really helps make your content intelligent. Traditional office documents are simply files, and you have no access to the content because content is unstructured.(Rockley & Gollner, 2011)

XML und Content Delivery

The power of XML for delivery. When it comes to delivering content, XML gives us a very wide range of options. In fact, part of the rationale for XML was to liberate content owners from being limited to providing only one or two delivery formats(Rockley & Gollner, 2011)

DITA: Maps

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE map
  PUBLIC "-//OASIS//DTD DITA Map//EN" "map.dtd">
<map>
  <title>The Project Gutenberg eBook of <ph
    outputclass="cite">The Mysterious Island</ph>, by Jules Verne</title>
  <topichead
    navtitle="License Statement">
    <topicref
      href="legalstuff/main-page.xml"/>
    </topichead>
    <topicref
      navtitle="The Mysterious Island"
      href="parts/title-page.xml"
      collection-type="sequence"/>
    <topicref
      href="parts/part-01.ditamap"
      format="ditamap"/>
    <topicref
      href="parts/part-02.ditamap"
      format="ditamap"/>
    <topicref
      href="parts/part-03.ditamap"
      format="ditamap"/>
  </map>
```

```

<topichead
  navtitle="end-of-book">
  <topicref
    href="legalstuff/end-of-book.xml"/>
  </topichead>
</map>

```

XQuery

```

declare variable $firstName as xs:string external;
<videos featuring="{ $firstName}">
{
  let $doc := .
  for $v in $doc//video,
  $a in $doc//actors/actor
  where ends-with($a, $firstName)
  and $v/actorRef = $a/@id
  order by $v/year
  return
  <video year="{ $v/year}">
  { $v/title }
  </video>
}
< /videos>

```

Quelle: Kay (n.d.)

```

<videos featuring="Lisa">
<video year="1999">
<title>Enemy of the State</title>
</video>
<video year="1999">
<title>Clerks</title>
</video>
</videos>

```

Quelle: Kay (n.d.)

DocBook

DocBook does not support reuse as effectively as DITA, but it does provide a simpler conversion path from traditional business docu-

ments to XML.(Rockley & Gollner, 2011)

Beispiel: docbook.org/docs/howto/howto.xml

Component CMS

Intelligent content needs an XML-aware system like a component content management system (CCMS) []. CCMS manage content at a granular (component) level of content, rather than at the page or document level.(Rockley & Gollner, 2011)

Content 4.0

Industrie 4.0




Figure 6: Von der Industrie 1.0 zur Industrie 4.0

Bild: Gollner (2016)

Molekularer Content




Figure 7: The Emergence of Content 4.0 for Industry 4.0

Bild: Gollner (2016)

Ressourcen

Events

Intelligent Content Conference

Adobe DITA World 2017

Präsentation und Literatur

Repository: heinzwittenbrink/slides-intelligentcontent: Slides for presentations on intelligent content

Literatur: <https://heinzwittenbrink.github.io/slides-intelligentcontent/ic.html#refs>

Bailie, R. A. (2015, August). Intelligent content and UX | Intentional Design Inc. *Intentional Design, Content strategie for business impact*. Retrieved from <http://intentionaldesign.ca/2015/08/10/intelligent-content-and-user-experience/>

Bailie, R. A., & Urbina, N. (2013). *Content strategy: Connecting the dots between business, brand, and benefits* (First edition). Laguna Hills, California: XML Press.

Gollner, J. (2016, December). Content 4.0 - The Content Philosopher. *The Content Philosopher*. Retrieved from http://www.gollner.ca/2016/12/content_4-0.html

Hane, C. (2017, January). Why You Need Intelligent Content Right This Very Second. *Spin Sucks*. Retrieved from <https://spinsucks.com/communication/new-trend-intelligent-content/>

Kay, M. (n.d.). Learn XQuery in 10 Minutes, by Dr. Michael Kay - An XQuery Tutorial. Stylus Studio. Retrieved from <http://www.stylusstudio.com/xquery-primer-new.html>

Lovinger, R., & Gibbon, C. (2013, June). Content Modelling Workshop Preview. Retrieved from <https://www.slideshare.net/rlovinger/content-modelling-2013lite>

Rockley, A., & Cooper, C. (2012). *Managing Enterprise Content: A Unified Content Strategy* (2nd revised edition.). Berkeley, CA: New Riders.

Rockley, A., & Gollner, J. (2011). An intelligent content strategy for the enterprise. *Bulletin of the American Society for Information Science and Technology*,

37(2), 33–39. <https://doi.org/10.1002/bult.2011.1720370211>

Rockley, A., Cooper, C., & Abel, S. (2015). *Intelligent content: A primer* (1st edition). Laguna Hills, CA: XML Press.