



Lists in Python

Adina Howe Instructor

Lists - square brackets []

```
months = ['January', 'February', 'March', 'April', 'May', 'June']
```



Python is zero-indexed

```
months = ['January', 'February', 'March', 'April', 'May', 'June']
Index:

0
1
2
3
4
5
```



Subset lists

```
months = ['January', 'February', 'March', 'April', 'May', 'June']
months[0]
'January'
months[2]
'March'
```



Negative indexing of lists

```
months = ['January', 'February', 'March', 'April', 'May', 'June']

months[-1]
'June'

months[-2]
'May'
```



Subsetting multiple list elements with slicing

Slicing syntax

```
# Includes the start and up to (but not including) the end
mylist[startAt:endBefore]
```

Example

```
months = ['January', 'February', 'March', 'April', 'May', 'June']

months[2:5]
['March', 'April', 'May']

months[-4:-1]
['March', 'April', 'May']
```



Extended slicing with lists

```
months = ['January', 'February', 'March', 'April', 'May', 'June']

months[3:]
['April', 'May', 'June']
months[:3]
['January', 'February', 'March']
```



Slicing with Steps

```
# Includes the start and up to (but not including) the end
mylist[startAt:endBefore:step]

months = ['January', 'February', 'March', 'April', 'May', 'June']
months[0:6:2]
['January', 'March', 'May']
months[0:6:3]
['January', 'April']
```





Let's practice!





Lists in Lists

Adina Howe Instructor

Lists in Lists

- Lists can contain various data types, including lists themselves.
- Example

A nested list describing the month and its associated consumer price index

```
cpi = [['Jan', 'Feb', 'Mar'], [238.11, 237.81, 238.91]]
```



Subsetting Nested Lists

```
months = ['Jan', 'Feb', 'Mar']
print(months[1])

'Feb'

cpi = [['Jan', 'Feb', 'Mar'], [238.11, 237.81, 238.91]]
print(cpi[1])
[238.11, 237.81, 238.91]
```

More on Subsetting Nested Lists

How would one subset out a specific price index?

```
cpi = [['Jan', 'Feb', 'Mar'], [238.11, 237.81, 238.91]]
print(cpi[1])

[238.11, 237.81, 238.91]
print(cpi[1][0])

238.11
```





Let's practice!





Methods and functions

Adina Howe Instructor



Methods vs. Functions

METHODS

- All methods are functions
- List methods are a subset of built-in functions in Python

- Used on an object
 - prices.sort()

FUNCTIONS

Not all functions are methods

- Requires an input of an object
 - type(prices)

List Methods - sort

- Lists have several built-in methods that can help retrieve and manipulate data
- Methods can be accessed as list.method()

list.sort() sorts list elements in ascending order

```
prices = [238.11, 237.81, 238.91]
prices.sort()
print(prices)
[237.81, 238.11, 238.91]
```

Adding to a list with append and extend

list.append() adds a single element to a list

```
months = ['January', 'February', 'March']
months.append('April')
print(months)
['January', 'February', 'March', 'April']
```

list.extend() adds each element to a list

```
months.extend(['May', 'June', 'July'])
print(months)
['January', 'February', 'March', 'April', 'May', 'June', 'July']
```



Useful list methods - index

list.index(x) returns the lowest index where the element x appears

```
months = ['January', 'February', 'March']
prices = [238.11, 237.81, 238.91]

months.index('February')
1

print(prices[1])
237.81
```

More functions ...

• min(list): returns the smallest element

• max(list): returns the largest element



Find the month with smallest CPI

```
months = ['January', 'February', 'March']
prices = [238.11, 237.81, 238.91]

# Identify min price
min_price = min(prices)

# Identify min price index
min_index = prices.index(min_price)

# Identify the month with min price
min_month = months[min_index]
print(min_month)

February
```





Let's practice!