

[10] ✓ 0.0s Python

```
GameStop=yf.Ticker("GME")
```

Using the ticker object and the function `history` extract stock information and save it in a dataframe named `gme_data`. Set the `period` parameter to `max` so we get information for the maximum amount of time.

[11] ✓ 1.4s Python

```
gme_data=GameStop.history(period='max')
```

**Reset the index** using the `reset_index(inplace=True)` function on the `gme_data` DataFrame and display the first five rows of the `gme_data` dataframe using the `head` function. Take a screenshot of the results and code from the beginning of Question 3 to the results below.

[12] ✓ 0.0s Python

```
gme_data.reset_index(inplace=True)
gme_data.head(5)
```

|   | Date                      | Open     | High     | Low      | Close    | Volume   | Dividends | Stock Splits |
|---|---------------------------|----------|----------|----------|----------|----------|-----------|--------------|
| 0 | 2002-02-13 00:00:00-05:00 | 1.620129 | 1.693350 | 1.603296 | 1.691667 | 76216000 | 0.0       | 0.0          |
| 1 | 2002-02-14 00:00:00-05:00 | 1.712707 | 1.716074 | 1.670626 | 1.683250 | 11021600 | 0.0       | 0.0          |
| 2 | 2002-02-15 00:00:00-05:00 | 1.683251 | 1.687459 | 1.658002 | 1.674834 | 8389600  | 0.0       | 0.0          |
| 3 | 2002-02-19 00:00:00-05:00 | 1.666418 | 1.666418 | 1.578047 | 1.607504 | 7410400  | 0.0       | 0.0          |
| 4 | 2002-02-20 00:00:00-05:00 | 1.615920 | 1.662210 | 1.603296 | 1.662210 | 6892800  | 0.0       | 0.0          |

Question 4: Use Webscraping to Extract GME Revenue Data