

US010136318B1

## (12) United States Patent

#### Hancock et al.

# (10) Patent No.: US 10,136,318 B1

### (45) **Date of Patent:** Nov. 20, 2018

#### (54) AUTHENTICATION DEVICE SELECTION TO FACILITATE AUTHENTICATION VIA AN UPDATEABLE SUBSCRIBER IDENTIFIER

(71) Applicant: AT&T INTELLECTUAL PROPERTY I, L.P., Atlanta, GA (US)

(72) Inventors: Paul R. Hancock, Tower Lakes, IL (US); Stuart Steele, Austin, TX (US); Shanker Bhat Mangalore, Austin, TX (US); Manjunath Pandeshwar

(US); Manjunath Pandeshwa Krishna, Karnataka (IN)

(73) Assignee: AT&T INTELLECTUAL PROPERTY I, L.P., Atlanta, GA (US)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 15/628,883

(22) Filed: Jun. 21, 2017

(51) **Int. Cl. H04W 40/02** (2009.01) **H04W 60/00** (2009.01)

(Continued)

(52) **U.S. CI.** CPC ....... *H04W 12/06* (2013.01); *H04L 63/0876* (2013.01); *H04L 63/0892* (2013.01)

(58) Field of Classification Search CPC ....... H04W 8/183; H04W 40/02; H04W 6/00 (Continued)

#### (56) References Cited

#### U.S. PATENT DOCUMENTS

6,157,829 A 12/2000 Grube et al. 7,289,805 B2 10/2007 Tom et al. (Continued)

### FOREIGN PATENT DOCUMENTS

CN 101720086 B 12/2011 CN 101959183 B 1/2013 (Continued)

#### OTHER PUBLICATIONS

Sher et al., "3G-WLAN Convergence: Vulnerability, Attacks Possibilities and Security Model," Second International Conference on Availability, Reliability and Security (ARES'07), 2007, IEEE, 8 pages.

(Continued)

Primary Examiner — William D Cumming
(74) Attorney, Agent, or Firm — Amin, Turocy & Watson,
LLP

#### (57) ABSTRACT

Steering an authentication request to a determined authentication device based on a correlation between a user equipment (UE) identity and an authentication device is disclosed. The authentication request comprises an updateable subscriber identity. The authentication request can be associated with the UE identity, which can be correlated to an authentication device as a result of a prior authentication event. The updateable subscriber identity can have been updated during the prior authentication event, such that the authentication device has record of the updated subscriber identity. Therefore, the authentication device can to perform an authentication based on the updated subscriber identity while other authentication devices lacking record of the updated subscriber identity would be unable to perform the authentication. The disclosed subject matter can be operable with existing deployed authentication systems with little to no modification of those systems.

#### 20 Claims, 10 Drawing Sheets

