

제14강

1) Firebase Firestore Database 이용한 게시글 등록

[src]-[components14] MainRouter.jsx

```
import PostRouter from './post/PostRouter'
...
const MainRouter = () => {
  return (
    <ModalProvider>
      <Container>
        <MenuBar/>
        <Routes>
          <Route path="/" element={<HomePage/>}/>
          <Route path="/book" element={<BookPage/>}/>
          <Route path="/shop" element={<ShopPage/>}/>
          <Route path="/login" element={<LoginPage/>}/>
          <Route path="/join" element={<JoinPage/>}/>
          <Route path="/favorite" element={<FavoritePage/>}/>
          <Route path="/cart" element={<CartPage/>}/>
          <Route path="/post/*" element={<PostRouter/>}/>
        </Routes>
      </Container>
    </ModalProvider>
  )
}
export default MainRouter
```

[src]-[components14]-[post] PostRouter.jsx

```
import { Route, Routes } from 'react-router-dom'
import ListPage from './ListPage'
import RegisterPage from './RegisterPage'

const PostRouter = () => {
  return (
    <Routes>
      <Route path="/" element={<ListPage/>}/>
      <Route path="/register" element={<RegisterPage/>}/>
    </Routes>
  )
}
export default PostRouter
```

[src]-[components14]-[post] ListPage.jsx

```
const ListPage = () => {
  const onRegister = () => {
    if(sessionStorage.getItem('uid')){
      navi('/post/register');
    }else{
      navi('/login');
    }
  }

  return (
    <div className='my-5'>
      <h1 className='text-center mb-5'>게시글</h1>
      <div className='text-end mb-5'>
        <Button onClick={ onRegister } className='px-5'>새글작성</Button>
      </div>
    </div>
  )
}
```

```

import { app } from '../initFirebase'
import { getFirestore, addDoc, collection } from 'firebase/firestore'
import moment from 'moment'
...
const RegisterPage = () => {
  const { setAlert, setConfirm } = useContext(ModalContext);
  const navi = useNavigate();
  const db = getFirestore(app);

  const [form, setForm] = useState({ title:'', body:'' });
  const formRef = useRef(form);
  const { title, body } = form;
  const onChange = (e) => {
    setForm({...form, [e.target.name]:e.target.value});
  }

  const onSubmit = async(e) => {
    e.preventDefault();
    if(title===''){
      setAlert({show:true, message:'제목을 입력하세요.'});
    }else if(body===''){
      setAlert({show:true, message:'내용을 입력하세요.'});
    }else{
      const post = {
        ...form,
        email: sessionStorage.getItem('email'),
        date: moment(new Date()).format('YYYY-MM-DD HH:mm:ss')
      }
      await addDoc(collection(db, 'posts'), post);
      navi('/post');
    }
  }

  const onReset = (e) => {
    setConfirm({
      show:true,
      message:'정말로 초기화하실래요?',
      action:()=>{
        setForm(formRef.current);
      }
    });
  }

  return (
    <div className='my-5'>
      <h1 className='text-center mb-5'>글쓰기</h1>
      <Row className='justify-content-center'>
        <Col md={10} lg={9} xl={8}>
          <Form onSubmit={onSubmit} onReset={onReset}>
            <Form.Control value={title} onChange={onChange}
              name='title' placeholder='제목을 입력하세요.' className='mb-3' />
            <Form.Control value={body} onChange={onChange}
              name='body' placeholder='내용을 입력하세요.' className='mb-3' as='textarea' rows={10} />
            <div className='text-center'>
              <Button disabled={JSON.stringify(form)===JSON.stringify(formRef.current)}
                type='submit' className='px-5 me-2'>등록</Button>
              <Button disabled={JSON.stringify(form)===JSON.stringify(formRef.current)}
                type='reset' className='px-5' variant='secondary'>취소</Button>
            </div>
          </Form>
        </Col>
      </Row>
    </div>
  )
}

```

2) Firebase Firestore Database 이용한 게시글 목록

[src]-[components14]-[post] ListPage.jsx

```
const ListPage = () => {
  const [loading, setLoading] = useState(false);
  const navi = useNavigate();
  const db = getFirestore(app);
  const [response, setResponse] = useState(null);

  const [search] = useSearchParams();
  const page = parseInt(search.get('page')) || 1;
  const size = 5;

  const callAPI = () => {
    setLoading(true);
    const q = query(collection(db, 'posts'), orderBy('date', 'desc'));
    onSnapshot(q, snapshot=>{
      const rows=[];
      snapshot.docs.forEach((row, index)=>{
        rows.push({ seq:index+1, id:row.id, ...row.data() });
      });
      const start = (page-1) * size + 1;
      const end = page * size;
      const data = rows.filter(post=>post.seq>start && post.seq<=end);
      setResponse({ posts:data, count:rows.length });
    });
    setLoading(false);
  }
  useEffect(()=>{
    callAPI();
  }, [page]);

  const onRegister = () => {
    if(sessionStorage.getItem('uid')) navi('/post/register');
    else navi('/login');
  }

  if(loading || !response) return <h1 className='text-center my-5'>로딩중...</h1>
  const { posts, count } = response;
  const last = Math.ceil(count/size);

  return (
    <div className='my-5'>
      <h1 className='text-center mb-5'>게시글</h1>
      <div className='text-end mb-5'>
        <Button onClick={ onRegister } className='px-5'>새글작성</Button>
      </div>
      <Table striped hover bordered>
        <thead>
          <tr className='text-center'>
            <td>No.</td><td>Title</td><td>Email</td><td>Date</td>
          </tr>
        </thead>
        <tbody>
          { posts.map((post)=>
            <tr key={post.seq}>
              <td>{post.seq}</td><td>{post.title}</td><td>{post.email}</td><td>{post.date}</td>
            </tr>
          )}
        </tbody>
      </Table>
      <PagingButton page={page} last={last}>
    </div>
  )
}
```