An Introduction to Algorithms

By

Hossein Rahmani

h_rahmani@iust.ac.ir
http://webpages.iust.ac.ir/h_rahmani/


Intro
Complexity
Data Structure
Trees
Hash Functions
Sorting
Dynamic Programming
Greedy Algorithm
Misc Graph/Tree Algorithms

Tree

- We call an undirected graph a **tree** if the graph is <u>*connected*</u> and contains <u>*no cycles*</u>.
- Trees:





- Not Trees:



Not connected



Has a cycle

Number of Vertices

- If a graph is a tree, then the number of edges in the graph is one less than the number of vertices.
- **A tree with *n* vertices has *n* – 1 edges.**
  - Each node has one parent except for the root.
    - Note: Any node can be the root here, as we are not dealing with rooted trees.

Connected Graph

- A **connected graph** is one in which there is *at least one path* between each pair of vertices.



Spanning Tree

- In a tree there is always **exactly one path** from each vertex in the graph to any other vertex in the graph.
- A **spanning tree** for a graph is a subgraph that includes every vertex of the original, and is a tree.



(a) Graph G



(b) Breadth-first spanning tree of G rooted at b



(c) Depth-first spanning tree of G rooted at c

Non-Connected Graphs

- If the graph is <u>not connected</u>, we get a spanning tree for each <u>**connected component**</u> of the graph.
  - That is we get a <u>forest</u>.

Finding a Spanning Tree

Find a spanning tree for the graph below.



We could break the two cycles by removing a single edge from each. One of several possible ways to do this is shown below.



Minimum Spanning Tree

- A spanning tree that has minimum total weight is called a **minimum spanning tree** for the graph.
  - Technically it is a minimum-weight spanning tree.
- If all edges have the same weight, breadth-first search or depth-first search will yield minimum spanning trees.
  - For the rest of this discussion, we assume the edges have weights associated with them.

Minimum Spanning Tree

- Minimum-cost spanning trees have many applications.
  - Building cable networks that join *n* locations with minimum cost.
  - Building a road network that joins *n* cities with minimum cost.

Problem: Laying Telephone Wire



Wiring: Naïve Approach



Expensive!

Wiring: Better Approach



Minimize the total length of wire connecting the customers

Minimum Spanning Tree

- Consider this graph.



- It has 20 spanning trees. Some are:



- There are two minimum-cost spanning trees, each with a cost of 6:



Minimum Spanning Tree

- Brute Force option:
  1. For all possible spanning trees
     1. Calculate the sum of the edge weights
     2. Keep track of the tree with the minimum weight.
- Step i) requires N-1 time, since each tree will have exactly N-1 edges.
- If there are M spanning trees, then the total cost will O(MN).
- Consider a complete graph, with N(N-1) edges. How big can M be?

Brute Force MST

- For a complete graph, it has been shown that there are N^{N-2} possible spanning trees!
- Alternatively, given N items, you can build N^{N-2} distinct trees to connect these items.

Minimum Spanning Tree

- There are many approaches to computing a minimum spanning tree. We could try to detect cycles and remove edges, but the two algorithms we will study build them from the bottom-up in a *greedy* fashion.
- **Kruskal's Algorithm – *starts with a forest of single node trees*** and then adds the edge with the minimum weight to connect two components.
- **Prim's Algorithm – *starts with a single vertex*** and then adds the minimum edge to extend the spanning tree.

Kruskal's Algorithm

- Greedy algorithm to choose the edges as follows.

Step 1	First edge: choose any edge with the minimum weight.
Step 2	Next edge: choose any edge with minimum weight from *those not yet selected*. (The subgraph can look disconnected at this stage.)
Step 3	Continue to choose edges of minimum weight from those not yet selected, except *do not select any edge that creates a cycle* in the subgraph.
Step 4	Repeat step 3 until the subgraph connects all vertices of the original graph.

Kruskal's Algorithm

Use Kruskal's algorithm to find a minimum spanning tree for the graph.



Kruskal’s Algorithm

Solution

First, choose ED (the smallest weight).



Kruskal’s Algorithm

Solution

Now choose BF (the smallest remaining weight).



Kruskal’s Algorithm

Solution

Now CD and then BD.



Kruskal’s Algorithm

Solution

Note EF is the smallest remaining, but that would create a cycle. Choose AE and we are done.



Kruskal’s Algorithm

Solution

The total weight of the tree is 16.5.



Kruskal's Algorithm

- Question:
  1. How do we know we are finished?



Kruskal’s Algorithm

edge	ad	eg	ab	fg	ae	df	ef	de	be	ac	cd	cf
weight	2	2	3	3	4	4	5	6	7	10	12	15
insertion status	√	√	√	√	√	x	x	x	x	√	x	x
insertion order	1	2	3	4	5					6		

- Trace of Kruskal's algorithm for the undirected, weighted graph:





The minimum cost is: 24

Kruskal's Algorithm – Time complexity

- Steps
  - Initialize forest $O(\,|V|\,)$
  - Sort edges $O(\,|E|\log|E|\,)$
    - Check edge for cycles $O(\,|V|\,)$ x
    - Number of edges $O(\,|V|\,)$ $O(\,|V|^2\,)$
  - Total $O(\,|V|+|E|\log|E|+|V|^2\,)$
  - Since $|E| = O(\,|V|^2\,)$ $O(\,|V|^2\log|V|\,)$

  - Thus we would class MST as $O(\,n^2\log n\,)$ for a graph with n vertices
  - This is an *upper bound*, some improvements on this are known.

Kruskal’s Algorithm



Kruskal's Algorithm



Kruskal's Algorithm



Kruskal's Algorithm



Kruskal’s Algorithm



Kruskal’s Algorithm



Kruskal's Algorithm



Kruskal’s Algorithm



Prim's Algorithm

- Prim's algorithm finds a minimum cost spanning tree by selecting edges from the graph one-by-one as follows:
- It starts with a tree, T, consisting of a single starting vertex, x.
- Then, it finds the shortest edge emanating from x that connects T to the rest of the graph (i.e., a vertex not in the tree T).
- It adds this edge and the new vertex to the tree T.
- It then picks the shortest edge emanating from the revised tree T that also connects T to the rest of the graph and repeats the process.

Prim's Algorithm Abstract

Consider a graph G=(V, E);

Let T be a tree consisting of only the starting vertex **x;**

while (T has fewer than I V I vertices)

{

find a smallest edge connecting T to G-T;

add it to T;

}

Prim’s Algorithm



Prim’s Algorithm



Prim’s Algorithm



Prim's Algorithm



Prim's Algorithm



Prim’s Algorithm



Prim’s Algorithm



Prim's Algorithm



Prim’s and Kruskal’s Algorithms



- It is not necessary that Prim's and Kruskal's algorithm generate the same minimum-cost spanning tree.
- For example for the graph shown on the right:



- Kruskal's algorithm results in the following minimum cost spanning tree:
  - The same tree is generated by Prim's algorithm if the start vertex is any of: A, B, or D.



- However if the start vertex is C the minimum cost spanning tree generated by Prim’s algorithm is:

Prim's algorithm with an Adjacency Matrix

A cable company want to connect five villages to their network which currently extends to the market town of Avenford. What is the minimum length of cable needed?



Prim's algorithm with an Adjacency Matrix

Note, this example has outgoing edges on the columns and incoming on the rows, so it is the transpose of adjacency matrix mentioned in class. Actually, it is an undirected, so $A^T = A$.

	A	B	C	D	E	F
A	-	3	-	-	4	7
B	3	-	5	-	-	8
C	-	5	-	4	-	6
D	-	-	4	-	2	8
E	4	-	-	2	-	5
F	7	8	6	8	5	-

- Start at vertex A. Label column A “1” .
- Delete row A
- Select the smallest entry in column A (AB, length 3)



	1					
	A	B	C	D	E	F
~~A~~	~~-~~	~~3~~	~~-~~	~~-~~	~~4~~	~~7~~
B	3	-	5	-	-	8
C	-	5	-	4	-	6
D	-	-	4	-	2	8
E	4	-	-	2	-	5
F	7	8	6	8	5	-

- Label column B “2”
- Delete row B
- Select the smallest uncovered entry in either column A or column B (AE, length 4)

	1 A	2 B	C	D	E	F
~~A~~	~~-~~	~~3~~	~~-~~	~~-~~	~~4~~	~~7~~
~~B~~	~~3~~	~~-~~	~~5~~	~~-~~	~~-~~	~~8~~
C	-	5	-	4	-	6
D	-	-	4	-	2	8
E	4	-	-	2	-	5
F	7	8	6	8	5	-



- Label column E “3”
- Delete row E
- Select the smallest uncovered entry in either column A, B or E (ED, length 2)

	1	2			3	
	A	B	C	D	E	F
~~A~~	~~-~~	~~3~~	~~-~~	~~-~~	~~4~~	~~7~~
~~B~~	3	~~-~~	~~5~~	~~-~~	~~-~~	~~8~~
C	-	5	-	4	-	6
D	-	-	4	-	2	8
~~E~~	4	~~-~~	~~-~~	~~2~~	~~-~~	~~5~~
F	7	8	6	8	5	-



- Label column D "4"
- Delete row D
- Select the smallest uncovered entry in either column A, B, D or E (DC, length 4)

	1	2		4	3	
	A	B	C	D	E	F
A	-	3	-	-	4	7
B	3	-	5	-	-	8
C	-	5	-	4	-	6
D	-	-	4	-	2	8
E	4	-	-	2	-	5
F	7	8	6	8	5	-



•Label column C “5”

•Delete row C

•Select the smallest uncovered entry in either column A, B, D, E or C (EF, length 5)

	1	2	5	4	3	
	A	B	C	D	E	F
A	-	3	-	-	4	7
B	3	-	5	-	-	8
C	-	5	-	4	-	6
D	-	-	4	-	2	8
E	4	-	-	2	-	5
F	7	8	6	8	5	-



FINALLY

•Label column F “6”

•Delete row F



	1	2	5	4	3	6
	A	B	C	D	E	F
A	-	3	-	-	4	7
B	3	-	5	-	-	8
C	-	5	-	4	-	6
D	-	-	4	-	2	8
E	4	-	-	2	-	5
F	7	8	6	8	5	-

FINALLY

- Label column F “6”
- Delete row F

	1	2	5	4	3	6
	A	B	C	D	E	F
A	-	3	-	-	4	7
B	3	-	5	-	-	8
C	-	5	-	4	-	6
D	-	-	4	-	2	8
E	4	-	-	2	-	5
F	7	8	6	8	5	-



The spanning tree is shown in the diagram

Length 3 + 4 + 4 + 2 + 5 = 18Km

Kruskal vs. Prim

- Both are Greedy algorithms
  - Both take the next minimum edge
  - Both are optimal (find the global min)
- Different sets of edges considered
  - Kruskal – all edges
  - Prim – Edges from Tree nodes to rest of G.
- Both need to check for cycles
- Both can terminate early
- Kruskal is order of $\boldsymbol{O}(\ |E|\ \mathit{log}|V|\ )$
- Prim is order of is $\boldsymbol{O}(|V|^2)$ (adjacency matrix implementation).

Minimum edge weight data structure	Time complexity (total)
adjacency matrix, searching	$O(\|V\|^2)$
binary heap and adjacency list	$O((\|V\| + \|E\|) \log \|V\|) = O(\|E\| \log \|V\|)$
Fibonacci heap and adjacency list	$O(\|E\| + \|V\| \log \|V\|)$



Quiz 1



- Find the minimum spanning tree using Kruskal's Algorithm.



List the edges in increasing order:

20, 25, 30, 32, 35, 38, 40, 45, 50, 52, 55, 60, 70, 70, 88, 90, 100, 110, 115, 120

Quiz 2

What is the weight of a minimum spanning tree of the following graph ?



Quiz 3

- Generate 2 minimum spanning tree's for the following graph using Prim's and Kruskal's algorithms



Solution to Quiz 1



Starting from the left, add the edge to the tree if it does not close up a circuit with the edges chosen up to that point:

20, 25, 30, 32, 35, 38, 40, 45, 50, 52, 55, 60, 70, 70, 88, 90, 100, 110, 115, 120



Add the next edge in the list to the tree if it does not close up a circuit with the edges chosen up to that point:

20, 25, 30, 32, 35, 38, 40, 45, 50, 52, 55, 60, 70, 70, 88, 90, 100, 110, 115, 120



Add the next edge in the list to the tree if it does not close up a circuit with the edges chosen up to that point:

20, 25, 30, 32, 35, 38, 40, 45, 50, 52, 55, 60, 70, 70, 88, 90, 100, 110, 115, 120



Add the next edge in the list to the tree if it does not close up a circuit with the edges chosen up to that point:

20, 25, 30, 32, 35, 38, 40, 45, 50, 52, 55, 60, 70, 70, 88, 90, 100, 110, 115, 120



Add the next edge in the list to the tree if it does not close up a circuit with the edges chosen up to that point:

20, 25, 30, 32, 35, 38, 40, 45, 50, 52, 55, 60, 70, 70, 88, 90, 100, 110, 115, 120



Add the next edge in the list to the tree if it does not close up a circuit with the edges chosen up to that point:

20, 25, 30, 32, 35, 38, 40, 45, 50, 52, 55, 60, 70, 70, 88, 90, 100, 110, 115, 120



Add the next edge in the list to the tree if it does not close up a circuit with the edges chosen up to that point:

20, 25, 30, 32, 35, 38, 40, 45, 50, 52, 55, 60, 70, 70, 88, 90, 100, 110, 115, 120



Add the next edge in the list to the tree if it does not close up a circuit with the edges chosen up to that point. Notice that the edge of weight 45 would close a circuit, so we skip it.

20, 25, 30, 32, 35, 38, 40, 45, 50, 52, 55, 60, 70, 70, 88, 90, 100, 110, 115, 120



Add the next edge in the list to the tree if it does not close up a circuit with the edges chosen up to that point:

20, 25, 30, 32, 35, 38, 40, 45, 50, 52, 55, 60, 70, 70, 88, 90, 100, 110, 115, 120



Add the next edge in the list to the tree if it does not close up a circuit with the edges chosen up to that point:

20, 25, 30, 32, 35, 38, 40, 45, 50, 52, 55, 60, 70, 70, 88, 90, 100, 110, 115, 120

Done!



The tree contains every vertex, so it is a spanning tree. The total weight is 395