Class11

Helena Khalil A16313711

```
#Section 1, Proportion of G/G in a population
Downloded a CSV file from Ensemble https://www.ensembl.org/Homo_sapiens/Variation/Sample?db=core;r=1
39895595; v=rs8067378; vdb=variation; vf=105535077#__
Here we read this CSV file
  mxl <- read.csv("373531-SampleGenotypes-Homo_sapiens_Variation_Sample_rs8067378 (1).csv")
  head(mxl)
  Sample..Male.Female.Unknown. Genotype..forward.strand. Population.s. Father
1
                    NA19648 (F)
                                                        A|A ALL, AMR, MXL
                    NA19649 (M)
2
                                                        G|G ALL, AMR, MXL
3
                    NA19651 (F)
                                                        A|A ALL, AMR, MXL
4
                                                        G|G ALL, AMR, MXL
                    NA19652 (M)
5
                    NA19654 (F)
                                                        G|G ALL, AMR, MXL
                                                        A|G ALL, AMR, MXL
                    NA19655 (M)
 Mother
1
2
3
5
  table(mxl$Genotype..forward.strand)
```

A|A A|G G|A G|G 22 21 12 9

```
table(mxl$Genotype..forward.strand.)/nrow(mxl)*100
```

```
A|A A|G G|A G|G
34.3750 32.8125 18.7500 14.0625
```

Lets look at a different population. I picked the GBR.

```
gbr <- read.csv("373522-SampleGenotypes-Homo_sapiens_Variation_Sample_rs8067378 (1).csv")
head(gbr)</pre>
```

```
Sample..Male.Female.Unknown. Genotype..forward.strand. Population.s. Father
1
                   HG00096 (M)
                                                       A|A ALL, EUR, GBR
2
                   HG00097 (F)
                                                       G|A ALL, EUR, GBR
3
                   HG00099 (F)
                                                       G|G ALL, EUR, GBR
                                                       A|A ALL, EUR, GBR
4
                   HG00100 (F)
                                                       A|A ALL, EUR, GBR
5
                   HG00101 (M)
6
                   HG00102 (F)
                                                       A|A ALL, EUR, GBR
 Mother
1
2
3
4
5
```

Find proportion of GIG

```
round(table(gbr$Genotype..forward.strand.)/ nrow(gbr)*100,2)
```

```
A|A A|G G|A G|G
25.27 18.68 26.37 29.67
```

This varient which is associated with child asthma is more frequent in the GBR population than the MKL population

Lets now dig into this further

Section 4

How many samples do we have?

```
expr <- read.table("rs8067378_ENSG00000172057.6.txt")</pre>
  head(expr)
   sample geno
                    exp
1 HG00367 A/G 28.96038
2 NA20768 A/G 20.24449
3 HG00361 A/A 31.32628
4 HG00135 A/A 34.11169
5 NA18870 G/G 18.25141
6 NA11993 A/A 32.89721
  nrow(expr)
[1] 462
  table(expr$geno)
A/A A/G G/G
108 233 121
  library(ggplot2)
Lets make a boxplot
  ggplot(expr)+aes(geno, exp, fill=geno)+geom_boxplot(notch=TRUE)
```

