Administrative Areas 1 : 1 000 000 *VG1000* and *VG1000-EW*



Product as of 31.12.2019 /01.01.2020 Status of documentation: 08.07.2020

Annexes

Administrative Areas VG

Contents

		page
1	Overview of the dataset	3
2	General information	5
	2.1 Territorial code	5
	2.1.1 Key number of the administrative association	5
	2.2 Official municipality key	6
	2.3 Specifics in the administrative structure	6
	2.3.1 Unincorporated areas in Schleswig-Holstein	6
	2.3.2 Inter-district association of administrations (Schleswig-	Holstein) 6
	2.3.3 Unincorporated areas in Bayern (Bavaria)	6
	2.3.4 Former Regierungsbezirke (administrative districts)	6
	2.3.5 Common German-Luxembourgish territory	6
	2.4 Undetermined boundary sections	6
	2.5 Incommunalized waters	6
3	Description of the dataset	7
	3.1 Specification	7
	3.1.1 Specification Compact	7
	3.1.2 Specification levels	7
	3.2 Attributes	8
	3.2.1 Lines	8
	3.2.2 Areas	9
	3.3 Information on the administrative structure	12
4	Description of the data formats	13
	4.1 SHAPE format	13
	4.1.1 Specification Compact	13
	4.1.2 Specification Levels	14
5	Data volume	14
6	Terms of use and copyright	15
7	Contact	15
8	Annexes	Fehler! Textmarke nicht definiert.

1 Overview of the dataset

Product

VG1000 and VG1000-EW

Contents

The dataset includes the administrative units of the hierarchical administrative levels from the country (state) down to the "Kreise" (districts) with:

- administrative boundaries,
- key-numbers
- names as well as
- designations.

The product VG1000-EW additionally contains population numbers and the cadastral area.

The geometry of the boundaries is with respect to accuracy and resolution designed to the DLM1000 (Digital Landscape Model 1000). The lines are of the type "SingleLine".

The areas are of the type "MultiPolygone" (also "Multipart"). Each area can comprise several single areas, such as regular area with exclaves or inset areas, each of these MultiPolygones corresponding to a dataset in the attribute table.

The dataset is available in two specifications:

Compact

The geometry of the administrative units lies redundancy-free in one level and is basically classified via separate attribute tables.

Levels

The data are structured according to levels (country/state, Länder (federal states), Regierungsbezirke (administrative districts), Kreise (districts/counties), whereby the areas contained are directly carrying the attributive information.

Area

Bundesrepublik Deutschland (Federal Republic of Germany)

Geographical classification

None, extent of data allows to keep complete dataset without spatial decomposition

Georeferencing

- Gauss-Krüger projection in the 3rd, 4th or 5th meridional strip,
 Bessel Ellipsoid, Potsdam Datum (central point Rauenberg)
- UTM projection in zone 32 or 33, Ellipsoid GRS80, Datum ETRS89
- Geographic coordinates in decimal degrees, Ellipsoid GRS80, Datum ETRS89

Topicality

1-year revision cycle with the statuses 31.12. and 01.01. of each year.

(see www.geodatenzentrum.de → Produkte & Services → Digitale Geodaten → Verwaltungsgebiete → here under the respective VG version → at topic Beschreibung → Aktualität)

Source

First production:

Analog and digital primary data of the Land survey and cadastral institutions. Scale of acquisition depending on each individual Land 1: 5 000 to 1: 200 000.

Updating:

Municipal directories and originals of acquisition on the basis of the Land Offices of Statistics, the Federal Statistical Office as well as the Land Survey Offices.

Production method

First creation of the specification COMPACT:

- Collection and editing of the original datasets of the individual federal states
- Manual digitization by BKG of areas still lacking
- Harmonization of the common Länder boundaries
- Interactive post-processing to preserve the topology
- Linkage of the attributes with the data of the statistical offices

Updating of the specification COMPACT:

 Interactive revision by Land (state) on the basis of data from the data of the Land Offices of Statistics, the Federal Statistical Office (www.destatis.de) as well as of the Land Survey Offices

Derivation of the specification LEVELS:

- Integration of the boundary geometries with equal hierarchical meaning
- Formation of the topology and attributisation of the areas

Data formats

SHAPE

Character set

Unicode UTF-8

Data supply

dataset via download or data carrier

Web Map Service (WMS)
Web Feature Service (WFS)

Note

In 2019, the previous Territorial key - RS was renamed into ARS in official statistics. The previous attributes RS, SDV_RS and RS_0 are changed analogously and are now called ARS, SDV_ARS and ARS_0.

In the issues of December 31, 2019 and January 1, 2020, the old attribute names will also be used temporarily.

2 General information

The dataset includes the administrative units of the Federal Republic of Germany from the national down to the district level.

With the exception of the administrative district level, the administrative levels have been created on a nationwide basis. On the national and Land levels also the area of the respective territorial sea (12 nautical-mile-zone) is included.

Delimitation of boundaries in Lake Constance is of a technical nature (see Annex C.1.2).

The hierarchical structure of the administrative levels is represented by the Amtliche Regionalschlüssel (ARS) (territorial code). In addition, the Amtliche Gemeindeschlüssel (AGS) (Official Municipality Key) is kept with the data, which is derived from the ARS through omission of the administrative association.

ARS and AGS constitute the keys of the products of the statistical offices of the Federal Government and of the Länder. Thus, the integration of statistical data and data synchronization, respectively, can easily be performed (cf. also https://www.destatis.de).

The complex administrative structure is shown country-specifically in the PDF file Verwaltungsgliederung VG.pdf (see Annex).

The lines are of the geometry type "SingleLine".

The areas are of the type "MultiPolygone" (also "Multipart"). Each area can comprise several single areas, such as regular area with exclaves or inset areas, each of these MultiPolygones corresponding to a dataset in the attribute table.

Each administrative unit has precisely one record entry with the GF value 4. In addition, an administrative unit may have a record entry with further GF values. For more information, see **item 3.2.2**for the attribute GF.

For each municipality is also included a point object in the dataset.

The appendices mentioned in this document with further information can be found in the file annex_vg.pdf (see Annex).

Territorial code

The territorial code (TC/ARS) is broken down as follows:

1. – 2. digit = identification number of the Land

3. digit = identification number of the administrative district

4.-5. digit = identification number of the district (county)

6.-9. digit = identification number of the administrative association

10.-12. digit = community identification number

2.1.1 Key number of the administrative association

In this VG-product there are no Verwaltungsgemeinschaften (administrative associations) contained, therefore this point is meaningless for the product described.

2.2 Official municipality key

The official municipality key is analogously to the territorial code subdivided as follows:

1.-2. digit = identification number of the Land

3. digit = identification number of the administrative district

4.-5. digit = identification number of the district (county)

6.-8. digit = community identification number

Through omission of the administrative association key the official municipality key can be formed from the territorial code. In the converse case knowledge of the key number of the administrative association is absolutely necessary.

2.3 Specifics in the administrative structure

Specifics in the administrative structure result in the following exceptions.

2.3.1 Unincorporated areas in Schleswig-Holstein

In this VG-product there are no gemeindefreie Gebiete (unincorporated areas) contained, therefore this point is meaningless for the product described.

2.3.2 Inter-district association of administrations (Schleswig-Holstein)

In this VG-product there are no Verwaltungsgemeinschaften (administrative associations) contained, therefore this point is meaningless for the product described.

2.3.3 Unincorporated areas in Bayern (Bavaria)

In this VG-product there are no gemeindefreie Gebiete (unincorporated areas) contained, therefore this point is meaningless for the product described.

2.3.4 Former Regierungsbezirke (administrative districts)

In Niedersachsen, Rheinland-Pfalz and Sachsen the 3rd digit of the ARS (TC) and the AGS (OMK) (administrative district), respectively, serves only to clearly identify the district level. In these Länder (states) administratively there are no more administrative districts existant. The attribute FK_S3 characterizes these cases by the value K.

2.3.5 Common German-Luxembourgish territory

For reasons of generalization the common territory is not available in the dataset. This concerns the German-Luxembourgish boundary line in the rivers Our, Sauer and Mosel. Within the area of the Luxembourgish city of Vianden the otherwise jointly managed territory is interrupted. A list of the parts of the joint territory is given in **Annex E**.

2.4 Undetermined boundary sections

Not mutually agreed sections of national and state (Länder) boundary sections are labelled at the line geometry by the attribute value RDG 2 (legally not defined boundary). The relevant boundary sections constitute a technical delimitation and are illustrated in **Annex C**.

2.5 Incommunalized waters

Administrative units whose territory also extends over the North Sea or the Baltic Sea or Lake Constance are separated along the coast. A distinction between the two parts of the management units concerned is possible via the attribute GF (geofactor). The partial area on the waters referred to above has the GF value 2. On the other hand, the land areas have the GF value 4. (Description GF see **point 3.2.2**)

3 Description of the dataset

3.1 Specification

The VG product is available in the two data structures "Compact" and "Levels". In **Annex A** a short overview of the two structures including the respective allocation of structures of the attributes is contained.

3.1.1 Specification Compact

The dataset describes for the whole area the administrative units of each of the lowest administrative levels. All superior administrative units can be derived from the lowest administrative units. The geometry of the administrative units lies redundancy-free in one level and is basically classified via separate attribute tables.

In the attribute tables AT1 and AT9, respectively, the attributes of the areas of the respective lowest levels and the units to be accordingly derived are contained. The corresponding table depends in each case on the value of the attribute BSG of the area of the relevant lowest level.

BSG 1 → table AT1 for (the normal case) Germany


BSG 9 → table AT9 for Lake Constance

The hierarchical administrative structure can be seen from the Amtliche Regionalschlüssel (ARS) (Territorial Code) (TC) (see **item 0).** Through the territorial code, linkage of the areas with the respective lowest administrative level is also possible.

Via the attribute IBZ it is possible to establish a connection from the attribute tables to the information of the administrative structure given in the table IBZ (see **table 3.3**). The attributes BEZ and BEM are not included in the attribute tables, but in the IBZ table.

In addition, the boundary lines of the respective highest level are included in the dataset.

Verknüpfungsschema der Flächen und Tabellen:



3.1.2 Specification levels

The dataset is divided into the different administrative levels of Germany:

Staat (country)
 Länder (states)
 Administrative districts
 Districts

KRS

Each of these levels forms an object class containing the area geometry of the administrative units. Except for the administrative district level, all other levels constitute in each case a nationwide dataset, in which the areas contained directly carry the attributive information.

Also, in the dataset are comprised:

- Boundary lines LI

In each case the respective highest level is included.

3.2 Attributes

3.2.1 Lines

AGZ Type of boundary

Survey of values

- 1 = National border
- 2 = Federal State boundary
- 3 = Boundary of an administrative district
- 4 = Boundary of a Kreis (district/county)
- 9 = Coastline

In each case the respective highest level is meant of the administrative unit limited by the boundary section.

This means: For example for the illustration of all district boundaries all higher boundaries are needed as well. (AGZ values 1, 2, 3 and 4)

The coast line (value 9) comprises the separation of land and water areas within an administrative unit and has no meaning as a dividing line between different administrative units, nor with regard to the foreign shores of Lake Constance and the non-German national border running through this lake.

RDG Legal definition of the boundary section

Survey of values

- 1 = defined
- 2 = not defined
- 9 = coast line

For the purpose of this attribute "defined" means that the relevant boundary section has been precisely defined in a legal act, or taken from a representation serving cartographic needs.

GM5 Boundary feature of the AGZ 5

Survey of values

- 8 = boundary not limiting an association
- 0 = boundary feature according to AGZ

The attribute GM5 describes the function of the boundaries of administrative associations (AGZ 5). This attribute carries the value 0 in general, since the boundary layer 5 is not present in this VG-product.

DEBKG_ID DLM-Identifikator

Identifikator of the DLM1000.

3.2.2 Areas

In the specification Compact only the attributes GF, BSG and ARS exist with the areas. The other attributes are included in the attribute tables. The respective table depends on the attribute BSG (see **item 3.1.1**) and is connected with the area via the attribute ARS. Furthermore, the attributes BEZ and BEM are found in the IBZ table, linked via the attribute IBZ to the attribute tables (see **item 3.3**).

ADE Administrative level

Survey of values

- 1 = Country
- 2 = State
- 3 = Administrative district
- 4 = District

In the specification Compact in each case only the lowest one of the existing administrative levels is specified (see also item **3.1.1**).

GF Geofactor

Survey of values

- 1 = Waters without structures
- 2 = Waters with structures
- 3 = Land without structure
- 4 = Land with structure

The areas for which below the Land (state) level there exist no further levels are assigned the designation "without structure". The indication "waters" refers to the North and Baltic Seas as well as to Lake Constance.

Administrative units whose territory also extends over the North Sea or the Baltic Sea or Lake Constance are separated along the coast. A distinction between the two parts of the administrative units concerned is possible with the attribute GF (Geofactor). The partial area on the mentioned waters has the GF value 2. On the other hand, the land areas have the GF value 4.

For the exclusive representation without the areas on the North Sea, Baltic Sea or Lake Constance filter on GF = 4. The coastal form is thus retained.

Basically:

Each administrative unit has precisely one record entry with the GF value 4. In addition, an administrative unit may have a record entry with the GF value of 2.

BSG Particular areas

Survey of values

- 1 = Germany
- 9 = Lake Constance

In the specification Compact this term defines the corresponding attribute table (see also item **3.1.1**).

- BSG 1 → Table AT1 for (the normal case) Germany
- BSG 9 → Table AT9 for Lake Constance

ARS Territorial Code (TC)

This key is the statistical key. It is structured hierarchically and reflects the different administrative levels as existing in the Federal Republic of Germany.

The territorial code (ARS) is broken down as follows:

1.-2. digit = identification number of the Land

3. digit = identification number of the administrative district

4.-5. digit = identification number of the district (county)

6.-9. digit = identification number of the administrative association

10.-12. digit = community identification number

In the specification Compact the ARS serves as a logic field to the respective attribute table.

AGS Official municipality key

The key is structured hierarchically and is derived from the ARS shortened by the key number of the administrative association.

The AGS is broken down as follows:

1.-2. digit = identification number of the Land

3. digit = identification number of the administrative district

4.-5. digit = identification number of the district (county)

6.-8. digit = community identification number

SDV_ARS Seat of the administration (territorial code)

ARS of the municipality representing the seat of the municipality (for ADE identical with ARS)

GEN Geographical name

BEZ Designation of the administrative unit

In the specification Compact this attribute is included in the IBZ table (see IBZ).

IBZ Identificator

The identificator is a product-specific identification number for the BEZ attribute. In the specification Compact the IBZ attribute acts as a link to the information on the administrative structure in the IBZ table (see **item 3.3**)

BEM Note

The note constitutes a differential description for the BEZ attribute. In the specification Compact this attribute is included in the IBZ table (see IBZ).

NBD Generation of names

Survey of values

ja = designation is part of the name nein = designation is not part of the name

The attribute indicates whether the BEZ attribute should be used for the full name formation.

IBZ	BEZ	GEN	NBD	full name	not
42	Kreis	Oberbergischer Kreis	nein	Oberbergischer Kreis	Kreis Oberbergischer Kreis
43	Landkreis	Salzlandkreis	nein	Salzlandkreis	Landkreis Salzlandkreis
42	Kreis	Dithmarschen	ja	Kreis Dithmarschen	
43	Landkreis	Prignitz	ja	Landkreis Prignitz	

In the specification Compact the BEZ attribute is linked via the IBZ table.

Administrative Areas VG

NUTS European statistics key

for further details, see Annex F

Prepared NUTS regions are found in the NUTS1000 product

(see www.geodatenzentrum.de → Open Data → Administrative areas (VG) or Verwaltungsgebiete).

ARS 0 filled territorial code

basically 12-digit ARS (filled in with zeros on the right side)

AGS 0 filled Official Municipality Key

basically 8-digit AGS (filled in with zeros on the right side)

WSK Effectiveness

The attribute describes the legally relevant date for the effectiveness of the change. This date is not communicated by all sources, so that there is no entitlement to completeness.

Further attributes include structural key number fractions of the keys ARS and AGS:

SN_L = Land (state)

SN_R = administrative district

SN K = district

SN_V1 = administrative association – front part SN V2 = administrative association – rear part

SN_G = municipality

FK_S3 Function of the 3rd key digit

R = administrative district

K = district

In the case of Länder (states) with administrative districts the attribute is assigned the value R. Länder without an administrative district or 3-digit district key are also assigned the value R, and the 3rd key digit the value 0, respectively. In the case of the Länder with a 3-digit district key number the third key digit only serves to unambiguously mark the Kreis (district) level, and the attribute is assigned the value K. In these Länder there exist no longer any administrative districts.

DEBKG_ID DLM identificator

By means of this key the administrative units can be linked with the data stock of the DLM1000.

In addition, the product VG1000-EW comprises:

EWZ Population

The population numbers of the Statistisches Bundesamt (www.destatis.de) (Federal Statistical Office) with the status of 31 December of the year in question.

KFL Cadastral area in km²

Specification of the cadastral areas in km² from the area statistics of the Statistisches Bundesamt (www.destatis.de) with the status of 31 December of the year in question. By accumulation rounded values slight inaccuracies are possible.

The annually updated administrative areas are published contemporaneously in the product VG1000 (without population and without cadastral areas) with the topicality statuses 31 December and 1 January. Upon receipt of the population numbers and the cadastral areas from the Statistisches Bundesamt the dataset is provided as the product VG1000-EW (including population and cadastral areas) with the status of topicality 31 December of the respective year.

3.3 Information on the administrative structure

In the specification Compact additional information on the administrative structure is included in the IBZ table. Moreover, the IBZ table comprises the attributes BEZ and BEM, which are linked with the attribute tables through the IBZ attribute.

For each administrative unit the Länder-specific structure and designation are given. This part of the dataset can be seen as a table, in which each line and a quantity of successive lines, respectively, contains the relevant information on the administrative unit.

The IBZ table is a component only of the specification Compact and comprises the following attributes:

IBZ Identificator

The identificator is a product-specific identification number for the BEZ attribute, through which the IBZ table is connected to the attribute tables.

ISS Identificator of the substructure

ISS acts as a pointer to the IBZ column of another line of the IBZ table. If there exists no other substructure the pointer has the value 97.

LGS Length of the key

Number of the digits counted from the left of the territorial code not filled with zeros to 12 digits, which identifies the units.

AWS Number of digits to be omitted

Number of digits to be rounded down from the right from the 12-digit territorial code filled with zeros (ARS_0) to obtain the non-filled territorial code (ARS), which identifies the units.

BEZ Designation of the administrative unit

BEM Note

The note constitutes a differential description for the BEZ attribute.

Example of the hierarchical structure of the Land of Brandenburg:

IBZ	ISS	LGS	AWS	BEZ	BEM
10	20	0	12	Bundesrepublik	
20	40	2	10	Land	
20	43	2	10	Land	
40	97	5	7	Kreisfreie Stadt	
43	97	5	7	Landkreis	
43	97	5	7	Landkreis	

4 Description of the data formats

4.1 SHAPE format

The SHAPE data format constitutes as a de facto industry standard a very widespread and suitable data exchange format for the exchange of geodata.

Each dataset consists of the following files in UTF-8 character coding (Unicode).

4.1.1 Specification Compact

Administrative areas	VG1000_F.SHP VG1000_F.SHX VG1000_F.PRJ VG1000_F.DBF VG1000_F.CPG	Geometry Geometry index Projection Attributes Character set
Boundary lines	VG1000_L.SHP VG1000_L.SHX VG1000_L.PRJ VG1000_L.DBF VG1000_L.CPG	Geometry Geometry index Projection Attributes Character set
Attribute tables	VG1000_AT1.DBF VG1000_AT9.DBF VG1000_AT1.CPG VG1000_AT9.CPG	AT table Germany AT table Lake Constance Character set of table AT1 Character set of table AT9
IBZ table	VG1000_IBZ.DBF VG1000_IBZ.CPG	Table of the hierarchical structure Character set of table IBZ
Information tables	VG_DATEN.DBF VG_WERTE.DBF VG_DATEN.CPG VG_WERTE.CPG	Data structure and attributes (see also Annex A.1) Values of the attributes (see also Annex A.2) Character set of the data table Character set of the value table

For the purpose of a quick overview the data of all dBase tables (DBF tables) are provided additionally in the Excel-97-2003 format in the file $Struktur_und_Attribute_VG1000.XLS$.

4.1.2 Specification Levels

Administrative areas	VG1000_###.SHP VG1000_###.SHX VG1000_###.PRJ VG1000_###.DBF VG1000_###.CPG	Geometry Geometry index Projection Attributes Character set
	### stands for the respecti	ve administrative level (see item 3.1.2)
Boundary lines	VG1000_LI.SHP VG1000_LI.SHX VG1000_LI.PRJ VG1000_LI.DBF VG1000_LI.CPG	Geometry Geometry index Projection Attributes Character set
Information tables	VG_DATEN.DBF VG_WERTE.DBF VG_DATEN.CPG VG_WERTE.CPG	Data structure and attributes (see also Annex A.1) Values of the attributes (see also Annex A.2) Character set of the data table Character set of the value table

For the purpose of a quick overview the data of all dBase tables (DBF tables) are provided additionally in the Excel-97-2003 format in the file $Struktur\ und\ Attribute\ VG1000.XLS$.

5 Data volume

Data format	Specification	Data volume	Files
SHAPE	Compact	ca. 7 MB	21
SHAFE	Levels	ca. 9 MB	30

6 Annexes

Further information can be found in the above-mentioned enclosed appendix for documentation, which can be found in the attached file annex vg.pdf.

There is also a country-by-country representation of the complex administrative structure in the file verwaltungsgliederung_vg.pdf (administrative structure). At the end of the file there is also a brief overview of the data model of the VG data.

They can be found on our homepage $\underline{www.bkg.bund.de}$ under the heading "Products & Services" \rightarrow "Digitale Geodaten".

7 Terms of use and copyright

The geodata offered here are available via geodata services for download and for online use free of charge according to the Open Data Datenlizenz Deutschland – Namensnennung – Version 2.0.

Especially, each user has to place the source reference to all geodata, metadata and geodata services recognisably and optically linked. Alterations, processings, new designs or other adaptations have to be affixed with an indication of the alteration in the source reference.

Source reference and indication of alteration have to be formulated as follows. The source reference has to be linked with the URL "http://www.bkg.bund.de" for the representation at a website.

- © GeoBasis-DE / BKG <year of last data ordering>
- © GeoBasis-DE / BKG <year of last data ordering> (data changed)

8 Contact

Federal Agency for Cartography and Geodesy Section GDL2 | Service centre (DLZ) | Central Office for Geotopography (ZSGT) Karl-Rothe-Straße 10-14 D-04105 Leipzig

Phone: +49(0)341 5634-333 Fax: +49(0)341 5634-415 Email: dlz@bkg.bund.de